

## Appendix A: Test Results

<b>APPENDIX A: TEST RESULTS .....</b>	<b>1</b>
<b>APPENDIX A.1: TEST RESULTS OF FIELD STRENGTH OF FUNDAMENTAL &amp; HARMONICS.....</b>	<b>2</b>
30MHz - 1GHz .....	2
1GHz - 18GHz.....	4
<b>APPENDIX A.2: TEST RESULTS OF 20DB BANDWIDTH .....</b>	<b>16</b>
<b>APPENDIX A.3: TEST RESULTS OF 99% BANDWIDTH.....</b>	<b>18</b>
<b>APPENDIX A.4: TEST RESULTS OF BAND EDGE .....</b>	<b>20</b>
<b>APPENDIX A.5: TEST RESULTS OF CONDUCTED EMISSION ON AC MAINS.....</b>	<b>24</b>


### Appendix A.1: Test Results of Field strength of fundamental & harmonics

Note: The testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz to 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz

#### EUT Information

EUT Name:	Wireless Dongle
Model:	DG370
Test Mode:	2.4G Mid CH
Order No/Sample No:	168432015/A003397684-002
Test Voltage:	DC 5V From USB
Remark:	Temp 22 Humi:55%
Test Standard:	RSS-210
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



#### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.642500	17.14	40.00	22.86	100.0	H	204.0	-18.3
95.717500	14.64	43.50	28.86	100.0	H	119.0	-19.7
242.963500	35.53	46.00	10.47	100.0	H	204.0	-17.7
398.794000	26.96	46.00	19.04	100.0	H	330.0	-13.6
917.210500	30.30	46.00	15.70	100.0	H	258.0	-4.9

#### Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G Mid CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
37.517500	22.00	40.00	18.00	100.0	V	87.0	-21.0
51.485500	23.53	40.00	16.47	100.0	V	316.0	-18.3
104.496000	22.75	43.50	20.75	100.0	V	6.0	-18.8
244.079000	32.92	46.00	13.08	100.0	V	206.0	-17.6
411.210000	30.42	46.00	15.58	100.0	V	25.0	-13.5
531.005000	30.76	46.00	15.24	100.0	V	193.0	-11.3


### Final\_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G L CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1197.030000	52.29	---	74.00	21.71	100.0	V	347.0	1.1
1197.540000	---	40.29	54.00	13.71	100.0	V	0.0	1.1
2407.430000	81.04	---	114.00	32.96	100.0	V	39.0	7.1
2407.940000	---	79.30	94.00	14.70	100.0	V	28.0	7.1
4815.000000	51.20	---	74.00	22.80	100.0	V	18.0	11.8
4817.000000	---	43.57	54.00	10.43	100.0	V	136.0	11.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G L CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7225.125000	54.11	---	74.00	19.89	100.0	H	304.0	8.7
7225.616667	---	50.05	54.00	3.95	100.0	H	316.0	8.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G L CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7225.125000	---	49.04	54.00	4.96	100.0	V	65.0	8.7
7225.125000	54.55	---	74.00	19.45	100.0	V	65.0	8.7

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## EUT Information

EUT Name:	Wireless Dongle
Model:	DG370
Test Mode:	2.4G Mid CH
Order No/Sample No:	168432015/A003397684-002
Test Voltage:	DC 5V From USB
Remark:	Temp 22 Humi:55%
Test Standard:	RSS-210
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



## Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2440.410000	85.24	---	114.00	28.76	100.0	H	204.0	7.4
2440.410000	---	84.19	94.00	9.81	100.0	H	204.0	7.4
4879.000000	50.82	---	74.00	23.18	100.0	H	3.0	11.8
4881.000000	---	43.39	54.00	10.61	100.0	H	342.0	11.8


## Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G Mid CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1195.330000	---	42.82	54.00	11.18	100.0	V	358.0	1.1
1196.520000	55.14	---	74.00	18.86	100.0	V	332.0	1.1
2440.070000	---	81.15	94.00	12.85	100.0	V	54.0	7.4
2440.410000	82.94	---	114.00	31.06	100.0	V	54.0	7.4
4873.500000	51.18	---	74.00	22.82	100.0	V	25.0	11.8
4879.000000	---	39.75	54.00	14.25	100.0	V	3.0	11.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G Mid CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7321.491667	---	50.53	54.00	3.47	100.0	H	289.0	8.2
7321.491667	54.60	---	74.00	19.40	100.0	H	289.0	8.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G Mid CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7321.000000	54.26	---	74.00	19.74	100.0	V	158.0	8.2
7321.000000	---	49.24	54.00	4.76	100.0	V	158.0	8.2

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G H CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2474.240000	---	83.05	94.00	10.95	100.0	H	208.0	7.4
2474.410000	85.15	---	114.00	28.85	100.0	H	208.0	7.4
4941.500000	51.44	---	74.00	22.56	100.0	H	349.0	11.8
4949.000000	---	43.03	54.00	10.97	100.0	H	343.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G H CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2474.240000	---	84.02	94.00	9.98	100.0	V	48.0	7.4
2474.410000	84.77	---	114.00	29.23	100.0	V	48.0	7.4
4947.000000	---	39.86	54.00	14.14	100.0	V	230.0	11.8
4948.000000	50.62	---	74.00	23.38	100.0	V	181.0	11.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G H CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7423.266667	54.87	---	74.00	19.13	100.0	H	311.0	8.4
7423.758333	---	50.18	54.00	3.82	100.0	H	311.0	8.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G H CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7423.266667	---	47.44	54.00	6.56	100.0	V	27.0	8.4
7423.758333	52.75	---	74.00	21.25	100.0	V	27.0	8.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---


### Appendix A.2: Test Results of 20dB Bandwidth

2408MHz



Date: 28.JUN.2023 03:37:44


2440MHz



Date: 28.JUN.2023 03:36:50




2474MHz



Date: 28.JUN.2023 03:35:51


### Appendix A.3: Test Results of 99% Bandwidth

2408MHz




Date: 28.JUN.2023 03:37:25

2440MHz



Date: 28.JUN.2023 03:36:28

2474MHz




Date: 28.JUN.2023 03:35:27

### Appendix A.4: Test Results of Band Edge

#### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G L CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



#### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2382.700000	57.74	---	74.00	16.26	100.0	H	197.0	7.0
2385.400000	58.45	---	74.00	15.55	100.0	H	214.0	7.0

#### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2382.509350	51.93	54.00	2.07	105.0	H	196.0	7.0
2385.504550	50.34	54.00	3.66	100.0	H	-5.0	7.0

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G L CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2382.400000	52.41	---	74.00	21.59	100.0	V	125.0	7.0
2382.400000	---	49.18	54.00	4.82	100.0	V	125.0	7.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G H CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.500000	58.73	---	74.00	15.27	100.0	H	213.0	7.4
2487.200000	57.01	---	74.00	16.99	100.0	H	231.0	7.4
2495.500000	---	50.31	54.00	3.69	100.0	H	175.0	7.4
2495.600000	55.51	---	74.00	18.49	100.0	H	222.0	7.4

### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.606650	50.52	54.00	3.48	100.0	H	217.0	7.4
2487.457850	50.81	54.00	3.19	100.0	H	211.0	7.4

### EUT Information

EUT Name: Wireless Dongle  
 Model: DG370  
 Test Mode: 2.4G H CH  
 Order No/Sample No: 168432015/A003397684-002  
 Test Voltage: DC 5V From USB  
 Remark: Temp 22 Humi:55%  
 Test Standard: RSS-210  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2484.500000	57.60	---	74.00	16.40	100.0	V	62.0	7.4
2484.500000	---	50.97	54.00	3.03	100.0	V	62.0	7.4
2487.400000	56.95	---	74.00	17.05	100.0	V	53.0	7.4
2495.400000	55.86	---	74.00	18.14	100.0	V	53.0	7.4
2495.600000	---	50.62	54.00	3.38	100.0	V	62.0	7.4


### Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2487.473250	49.40	54.00	4.60	100.0	V	43.0	7.4

## Appendix A.5: Test Results of Conducted Emission on AC Mains

### EUT Information

EUT Name: Wireless Dongle  
 Order Number: 168432015  
 Model: DG370  
 Test Mode: On  
 Test Voltage: AC 120V, 60Hz  
 Test Standard: RSS-GEN  
 Test By./Review By: Dawn Shen/Gary Chen  
 Tem./Hum./Pressure: 24.6°C/50.6%/101kPa  
 Remark: SR2



### Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.161500	---	31.03	55.36	24.33	L1	9.9
0.169500	50.67	---	65.16	14.49	L1	9.9
0.438000	39.01	---	57.10	18.09	L1	9.9
0.454000	---	27.82	46.80	18.98	L1	10.0
0.926000	36.87	---	56.00	19.13	L1	10.0
1.034000	---	23.98	46.00	22.02	L1	10.0
2.218000	36.48	---	56.00	19.53	L1	10.2
2.230000	---	25.07	46.00	20.93	L1	10.2
3.726000	---	28.33	46.00	17.67	L1	10.2
3.930000	42.81	---	56.00	13.19	L1	10.2
4.782000	---	26.16	46.00	19.84	L1	10.2
5.162000	37.40	---	60.00	22.60	L1	10.3


### Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.161500	---	28.78	55.39	26.61	1000.0	9.000	L1	9.9
0.169500	42.81	---	64.99	22.17	1000.0	9.000	L1	9.9



### EUT Information

EUT Name: Wireless Dongle  
 Order Number: 168432015  
 Model: DG370  
 Test Mode: On  
 Test Voltage: AC 120V, 60Hz  
 Test Standard: RSS-GEN  
 Test By:/Review By: Dawn Shen/Gary Chen  
 Tem./Hum./Pressure: 24.6°C/50.6%/101kPa  
 Remark: SR2



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.154500	56.90	---	66.00	9.10	N	9.8
0.165500	---	36.38	55.16	18.77	N	9.8
0.210000	---	32.94	53.21	20.27	N	9.8
0.214000	51.55	---	63.05	11.50	N	9.8
0.442000	---	28.85	47.02	18.17	N	9.8
0.442000	40.63	---	57.02	16.39	N	9.8
1.142000	40.80	---	56.00	15.20	N	9.8
1.154000	---	29.48	46.00	16.52	N	9.8
3.766000	---	27.80	46.00	18.20	N	9.9
3.766000	40.48	---	56.00	15.52	N	9.9
4.942000	38.40	---	56.00	17.60	N	9.9
4.958000	---	27.74	46.00	18.26	N	9.9

### Final\_Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.154500	52.11	---	65.75	13.64	1000.0	9.000	N	9.8
0.165500	---	28.28	55.18	26.91	1000.0	9.000	N	9.8