

CENTRE OF TESTING SERVICE INTERNATIONAL

**OPERATE ACCORDING TO ISO/IEC 17025** 

# FCC ID/IC TEST REPORT

# TEST REPORT NUMBER : CGZ3130823-00770-EFI



CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China





	TEST REPORT For FCC ID/IC
	47 CFR PART 15 OCT, 2012 RSS-Gen Issue 3
Report Reference No	CGZ3130823-00770-EFI
Date of issue	05 September 2013
Testing Laboratory Name	CENTRE OF TESTING SERVICE CO., LTD.
Address	A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China
Testing location/ procedure	Full application of Harmonised standards ■
	Partial application of Harmonised standards $\Box$
	Other standard testing method $\square$
Applicant's name	
Address	16975 Leslie Street, Newmarket, ON L3Y 9A1
Test specification	
Standard	47 CFR PART 15 OCT, 2012, ANSI C63.4-2009,
	RSS-Gen Issue 3
Test Report Form No	CTSEMC-1.0
TRF Originator	CENTRE OF TESTING SERVICE CO., LTD.
Master TRF	Dated 2009-01
CENTRE OF TESTING SERVI	CE CO., LTD. All rights reserved.
CENTRE OF TESTING SERVI material. CENTRE OF TESTIN	uced in whole or in part for non-commercial purposes as long as the CE CO., LTD is acknowledged as copyright owner and source of the G SERVICE CO., LTD takes no responsibility for and will not assume liability reader's interpretation of the reproduced material due to its placement and
Test item description	: 8" Digital Photo Frame Weather Station
Trade Mark	National Geographic and BIOS Weather
Manufacturer	Charter Profit Technologies Ltd.
Model/Type reference	
Ratings	DC 5V by adapter
	Adapter Input: AC 100~240V/50~60Hz; Output:DC 5V
Operating Frequency	
Result	PASSED

Compiled by:

Supervised by:

Approved by:

Kate zhang / Fileadministrators

Duke yang / Technique principal

Vincent yao / Manager

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

 A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

 Tel: +86-20-85543113 (32 lines)
 Fax: +86-20-38780406

 Complaint line: +86-20-85533471
 E-mail: cts@cts-lab.com.cn





# FCCID--TEST REPORT

#### 05 September 2013 **Test Report No. :** CGZ3130823-00770-EFI Date of issue 378NC Type / Model..... EUT..... 8" Digital Photo Frame Weather Station Thermor Ltd. Applicant..... Address..... 16975 Leslie Street, Newmarket, ON L3Y 9A1 Telephone..... +905-952-3737 Ext.6119 Fax..... +905-952-3731 Contact..... Joanna Biniek Charter Profit Technologies Ltd. Manufacturer..... 5/F,Block 1,ZhongKeNuo Industrial Park, Hezhou,Xixiang Town,Bao'an Address..... **District Shenzhen China** Telephone..... +86-755-27346605 +86-755-27346604 Fax..... Contact..... Mary Zhao Charter Profit Technologies Ltd. Factory ..... 5/F,Block 1,ZhongKeNuo Industrial Park, Hezhou,Xixiang Town,Bao'an Address..... **District Shenzhen China** Telephone..... +86-755-27346605 Fax..... +86-755-27346604

The test report merely corresponds to the test sample.

Mary Zhao

It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Contact.....

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

FCC ID:A6N-378RX

**CENTRE OF TESTING SERVICE** 





# **TABLE OF CONTENTS**

Description	Page
1. TEST STANDARDS	4
2. SUMMARY	4
2.1 GENERAL REMARKS	4
2.2 FINAL ASSESSMENT	
3. EQUIPMENT UNDER TEST	5
3.1 POWER SUPPLY SYSTEM UTILISED	5
3.2 SHORT DESCRIPTION OF THE EQUIPMENT UNDER TEST (EUT)	5
3.3 EUT OPERATION MODE	
3.4 EUT CONFIGURATION	
4. TEST ENVIRONMENT	7
4. TEST ENVIRONMENT	
4.1 Address of the test laboratory	7
4.2 TEST FACILITY	
4.3 Environmental conditions	
4.4 DEFINITIONS OF SYMBOLS USED IN THIS TEST REPORT	
4.5 STATEMENT OF THE MEASUREMENT UNCERTAINTY	
4.6 MEASUREMENT UNCERTAINTY	
5. Summary of standards and results	8
5.1.DESCRIPTION OF STANDARDS AND RESULTS	8
6. Power Line Conducted Emission Test	9
6.1.1 DESCRIPTION OF THE TEST LOCATION	9
6.1.2TEST EQUIPMENT	
6.2.1 BLOCK DIAGRAM OF TEST SETUP	9
6.2.2 DESCRIPTION OF THE TEST SET-UP	
6.2.3 LIMITS OF DISTURBANCE (CLASS B)	
6.2.4 Power Line Conducted Emission Test Results	
7. Radiated disturbance (electric field)	13
7.1.TEST EQUIPMENT	40
7.1. LEST EQUIPMENT	
7.3.RADIATED EMISSION LIMIT STANDARD: FCC 109	
7.5.RADIATED EMISSION TEST RESULTS	15
8. Manufacturer/ Approval holder Declaration	19

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406 Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn



# 1. TEST STANDARDS

The tests were performed according to following standards:

- ■47 CFR PART 15 OCT, 2012 ■ ANSI C63.4-2009
- RSS-Gen Issue 3

# 2. SUMMARY

# 2.1 GENERAL REMARKS

Date of receipt of test sample	23 August 2013		
Testing commenced on	23 August ~ 04 September 2013		
Testing concluded on	05 September 2013		

## 2.2 FINAL ASSESSMENT

The FCC requirements pertaining to the technical standards and tested operation modes are

- fulfilled.
- □ **not** fulfilled.

The equipment under test

- - fulfils the FCC requirements cited on page 1.
- **does not** fulfil the FCC requirements cited on page 1.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service





# 3. EQUIPMENT UNDER TEST

## 3.1 Power supply system utilised

Power supply voltage :

■ AC 110V/60Hz□ Other

# 3.2 Short description of the Equipment under Test (EUT)

Number of tested samples:1Serial number:PrototypeEUT type:Receiver

# 3.3 EUT operation mode

The equipment under test was operated during the measurement under the following conditions: For Radiation emission:

■ -RX and Playing Photo

Operation mode 1: RX and Playing Photo Note: X position of EUT is the worst case, so only these test results be recorded in the test report.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service



# 3.4 EUT configuration

#### 3.4.1. Description of configuration (EUT)

Description	:	8" Digital Photo Frame Weather Station
Model Number	:	378NC
Operation frequency	:	917MHz
Radio Technology	:	FSK
Modulation Technology	:	FSK modulation
Antenna	:	Internal Antenna

#### 3.4.2. Tested Supporting System Details

3.4.1.Transmitter

M/N	:	378NC
S/N	:	N/A
Manufacturer	:	Thermor Ltd.
FCC ID	:	A6N-378TX

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service



# 4. TEST ENVIRONMENT

# 4.1 Address of the test laboratory

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

# 4.2 Test facility

The test facility is recognized, certified, or accredited by the following organizations:

## CNAS-Lab Code: L3394

CENTRE OF TESTING SERVICE CO., LTD has been assessed and proved to be in compliance with CNAS-CL01: 2006 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC 17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories.

# IC-Registration No.: 8374A

The 3m Alternate Test Site of CENTRE OF TESTING SERVICE CO., LTD has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 8374A on June 6, 2011.

# FCC-Registration No.: 971995

CENTRE OF TESTING SERVICE CO., LTD, EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration No.791995, July 13,2012.

# 4.3 Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	15~35 ° C
Humidity:	25~75 %
Atmospheric pressure:	86~106 kPa

### 4.4 Definitions of symbols used in this test report

- - The black square indicates that the listed condition, standard or equipment is applicable for this report.
- The empty square indicates that the listed condition, standard or equipment is **not** applicable for this report.

# 4.5 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to CISPR 16 - 4 "Specification for radio disturbance and immunity measuring apparatus and methods – Part 4: Uncertainty in EMC Measurements" and is documented in the CTS quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

 A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China

 Tel: +86-20-85543113 (32 lines)
 Fax: +86-20-38780406

 Complaint line: +86-20-85533471
 E-mail: cts@cts-lab.com.cn



# 4.6 Measurement Uncertainty

Test Item	Frequency Range	Uncertainty	Note
Conduction disturbance	150kHz~30MHz	±1.22dB	(1)
Power disturbance	30MHz~300MHz	±1.38dB	(1)
	30MHz~300MHz	±3.14dB	(1)
Radiation emission (3m)	300MHz~1000MHz	±3.18dB	(1)
	1GHz~18GHz	±3.54dB	(1)

(1).This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

# 5. Summary of standards and results

## **5.1.Description of Standards and Results**

The EUT have been tested according to the applicable standards as referenced below.

EMISSION			
Standard	Results		
ANSI C63.4-2009 FCC Part 15 B: 15.107 RSS-Gen:7.2.4	PASSED		
ANSI C63.4-2009 FCC Part 15 B: 109 RSS-Gen:4.10	PASSED		
-	Standard           ANSI C63.4-2009           FCC Part 15 B: 15.107           RSS-Gen:7.2.4           ANSI C63.4-2009           FCC Part 15 B: 109		

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service





# 6. Power Line Conducted Emission Test


#### 6.1.1 Description of the test location

Test location : Shielding Room

#### 6.1.2Test Equipment

Conduc	Conducted Disturbance				
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.
1	EMI Test Receiver	ROHDE & SCHWARZ	ESHS10	842884/012	2012/11
2	Artificial Mains	ROHDE & SCHWARZ	ESH3-Z5	832479/025	2012/11
3	Artificial Mains	ROHDE & SCHWARZ	ESH3-Z5	832479/026	2012/11
4	Pulse Limiter	ROHDE & SCHWARZ	ESHSZ2	100301	2012/11
5	EMI Test Software	ROHDE & SCHWARZ	ESK1	N/A	2012/11

#### 6.2.1 Block Diagram of Test Setup



#### (EUT: 8" Digital Photo Frame Weather Station)

#### 6.2.2 Description of the test set-up

6.1.2.1 Operating Condition

The EUT is engraving during the test, and the results of the maximum emanation are recorded

6.1.2.2 Block Diagram of Test Setup

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service



# CTS



IEC 467/05

#### 6.2.3 Limits of disturbance (Class B)

Frequency		Maximum RF Line Voltage		
		Quasi-Peak Level	Average Level	
	,	dB(μV)	dB(μV)	
150kHz	~ 500kHz	66 ~ 56*	56 ~ 46*	
500kHz	~ 5MHz	56	46	
5MHz	~ 30MHz	60	50	

Note: (1) The tighter limit shall apply at the edge between two frequency bands.

#### 6.2.4 Power Line Conducted Emission Test Results

**Test Result: PASSED** 

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### **CENTRE OF TESTING SERVICE CO., LTD.**

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service






Test Model:	RX and Playing Photo	Result:	- passed
Test point:	L		□ - not passed
Frequency range:	0.15MHz~30MHz		
			•

EUT	8" Digital Photo Frame Weather Station
Operating Condition	AC 110V/60HZ
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test Date:	23 August ~ 04 September 2013
Operator	Duke
MODEL NO	378NC





No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	0.5140	9.84	41.54	51.38	56.00	-4.62	QP
2	0.5140	9.84	32.37	42.21	46.00	-3.79	AVG
3	0.5780	9.84	42.00	51.84	56.00	-4.16	QP
4	0.5780	9.84	34.04	43.88	46.00	-2.12	AVG
5	0.8380	9.83	35.78	45.61	56.00	-10.39	QP
6	0.8380	9.83	29.18	39.01	46.00	-6.99	AVG
7	1.9940	9.86	37.58	47.44	56.00	-8.56	QP
8	1.9940	9.86	26.93	36.79	46.00	-9.21	AVG
9	2.2540	9.87	35.34	45.21	56.00	-10.79	QP
10	2.2540	9.87	26.39	36.26	46.00	-9.74	AVG
11	3.6020	9.90	33.63	43.53	56.00	-12.47	QP
12	3.6020	9.90	24.41	34.31	46.00	-11.69	AVG

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn









No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	0.5140	9.84	38.45	48.29	56.00	-7.71	QP
2	0.5140	9.84	29.99	39.83	46.00	-6.17	AVG
3	0.5780	9.84	36.31	46.15	56.00	-9.85	QP
4	0.5780	9.84	28.85	38.69	46.00	-7.31	AVG
5	1.4140	9.84	35.38	45.22	56.00	-10.78	QP
6	1.4140	9.84	23.56	33.40	46.00	-12.60	AVG
7	1.5420	9.85	35.73	45.58	56.00	-10.42	QP
8	1.5420	9.85	25.54	35.39	46.00	-10.61	AVG
9	2.1220	9.87	37.36	47.23	56.00	-8.77	QP
10	2.1220	9.87	26.50	36.37	46.00	-9.63	AVG
11	2.2500	9.87	36.26	46.13	56.00	-9.87	QP
12	2.2500	9.87	25.94	35.81	46.00	-10.19	AVG

Note:Level=Reading+Factor. Margin= Limit-Level

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### **CENTRE OF TESTING SERVICE CO., LTD.**

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service






# 7. Radiated disturbance (electric field)

# 7.1.Test Equipment

Radia	Radiated disturbance (electric field)									
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.					
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	100868	2012/11					
2	Biconical Antenna	ROHDE & SCHWARZ	HK116	100221	2013/03					
3	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2013/03					
4	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2013/03					
5	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2013/03					
6	Loop Antenna	A.R.A	PLA-1030/B	1030	2013/03					

# 7.2.Block Diagram of Test Setup

### 7.2.1 Block Diagram of connection between EUT and simulators



(EUT:8" Digital Photo Frame Weather Station)

# 7.2.2 Anechoic Chamber Setup Diagram

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.


#### **CENTRE OF TESTING SERVICE CO., LTD.**

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn





# 7.3.Radiated Emission Limit Standard: FCC 109

FRE		CY	DISTANCE	FIELD STRENGTHS LIMIT		
	MHz		Meters	μV/m	dB(µV)/m	
30	~	88	3	100	40.0	
88	~	216	3	150	43.5	
216	~	960	3	200	46.0	
960	~	1000	3	500	54.0	
	bove 10	200	2	Other:74.0 dB(µV)/m (Peak)		
A	oove n	000	3	54.0 dB(μV)/m (Average)		

Remark: (1) Emission level  $dB\mu V = 20 \log Emission level \mu V/m$ 

(2) The smaller limit shall apply at the cross point between two frequency bands.

(3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

### 7.4.Test Procedure

Set the transmitter on continued transmitting with amplitude mode.

The EUT and its simulators are placed on a turn table, which is 0.8 meter high above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT is set 3 meters away from the receiving antenna, which is mounted on a antenna tower. The antenna can be moved up and down between 1 meter and 4 meters to find out the maximum emission level. Broadband antenna (calibrated bilog antenna) is used as receiving antenna. Both horizontal and vertical polarization of the antenna is set on Test. In order to find the maximum emission levels, all of the interface cables must be manipulated according to ANSI C63.4-2009on radiated emission Test.

The frequency range from 30MHz to 1000MHz and above 1GHz. is investigated. Please see the following pages.

All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 120kHz RBW below 1GHz and a Peak and Average detector with 1MHz RBW above 1GHz,

All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 300kHz VBW below 1GHz and a Peak detector with 1MHz VBW above 1GHz, Pretest of EUT, final, select the worst case test and record the test results in the report.

The test modes is tested in Anechoic Chamber and all the scanning waveforms are reported on section 7.5

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD. A101, No.65, Zhuji Highway,Tianhe District, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn




# 7.5.Radiated Emission Test Results

# PASSED.

Channel:	917 MHz (RX)	Result:	- passed
Test point:	Horizontal		□ - not passed
Frequency range:	30MHz ~18GHz		

EUT	8" Digital Photo Frame Weather Station
Operating Condition	AC 110V/60HZ
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test Date:	23 August ~ 04 September 2013
Operator	Duke
MODEL NO	378NC

#### Below 1GHz



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	102.5050	-22.50	58.40	35.90	43.50	-7.60	QP
2	131.7234	-16.94	52.42	35.48	43.50	-8.02	QP
3	184.7495	-13.87	47.63	33.76	43.50	-9.74	QP
4	207.4750	-12.21	45.62	33.41	43.50	-10.09	QP
5	251.8437	-12.74	50.80	38.06	46.00	-7.94	QP
6	287.0140	-7.74	46.74	39.00	46.00	-7.00	QP

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn







No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	340.6814	-13.14	55.87	42.73	46.00	-3.27	QP
2	358.9178	-13.85	58.32	44.47	46.00	-1.53	QP
3	639.4790	-7.60	41.96	34.36	46.00	-11.64	QP
4	760.1202	-5.49	44.84	39.35	46.00	-6.65	QP
5	840.0802	-11.55	45.13	33.58	46.00	-12.42	QP
6	920.0401	-4.52	41.49	36.97	46.00	-9.03	QP

#### Above 1GHz

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	1529.058	-1.37	40.36	38.99	74.00	-35.01	peak
2	1529.058	-1.37	25.00	23.63	54.00	-30.37	AVG
3	2212.425	0.94	41.30	42.24	74.00	-31.76	peak
4	2212.425	0.94	26.54	27.48	54.00	-26.52	AVG
5	2917.836	6.13	42.38	48.51	74.00	-25.49	peak
6	2917.836	6.13	27.02	33.15	54.00	-20.85	AVG
7	4174.349	10.22	38.50	48.72	74.00	-25.28	peak
8	4174.349	10.22	23.40	33.62	54.00	-20.38	AVG
9	4681.363	11.41	37.13	48.54	74.00	-25.46	peak
10	4681.363	11.41	21.64	33.05	54.00	-20.95	AVG
11	7128.257	17.98	37.63	55.61	74.00	-18.39	peak
12	7128.257	17.98	22.17	40.15	54.00	-13.85	AVG

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn






Channel:	917 MHz (RX)	Result:	- passed
Test point:	Vertical		□ - not passed
Frequency range:	30MHz ~18GHz		

EUT	8" Digital Photo Frame Weather Station
Operating Condition	AC 110V/60HZ
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test Date:	23 August ~ 04 September 2013
Operator	Duke
MODEL NO	378NC

#### Below 1GHz



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	60.8417	-24.09	55.36	31.27	40.00	-8.73	QP
2	97.0942	-23.21	62.81	39.60	43.50	-3.90	QP
3	101.9639	-22.64	61.59	38.95	43.50	-4.55	QP
4	132.2645	-16.91	55.86	38.95	43.50	-4.55	QP
5	142.5451	-16.62	51.62	35.00	43.50	-8.50	QP
6	207.4750	-12.21	44.59	32.38	43.50	-11.12	QP

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service





No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	365.9318	-14.18	50.94	36.76	46.00	-9.24	QP
2	440.2805	-16.04	47.66	31.62	46.00	-14.38	QP
3	479.5591	-9.77	46.19	36.42	46.00	-9.58	QP
4	600.2004	-10.94	45.10	34.16	46.00	-11.84	QP
5	788.1763	-6.99	38.24	31.25	46.00	-14.75	QP
6	920.0400	-4.52	36.99	32.47	46.00	-13.53	QP

#### Above 1GHz

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	1529.058	-1.37	41.55	40.18	74.00	-33.82	peak
2	1529.058	-1.37	26.73	25.36	54.00	-28.64	AVG
3	1903.808	-1.19	42.68	41.49	74.00	-32.51	peak
4	1903.808	-1.19	27.50	26.31	54.00	-27.69	AVG
5	2675.351	4.76	42.65	47.41	74.00	-26.59	peak
6	2675.351	4.76	27.72	32.48	54.00	-21.52	AVG
7	4086.172	10.01	38.78	48.79	74.00	-25.21	peak
8	4086.172	10.01	23.64	33.65	54.00	-20.35	AVG
9	4791.583	11.67	37.69	49.36	74.00	-24.64	peak
10	4791.583	11.67	22.51	34.18	54.00	-19.82	AVG
11	7547.094	18.56	37.45	56.01	74.00	-17.99	peak
12	7547.094	18.56	22.55	41.11	54.00	-12.89	AVG

Note:Level=Reading+Factor. Margin= Limit-Level

Remark: Others frequency Radiated Emission level margin all >10dB of Limit.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### **CENTRE OF TESTING SERVICE CO., LTD.**

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

CTS





# 8. Manufacturer/ Approval holder Declaration

The following identical model(s):

378BC, 378BU, 378NU

Belong to the tested device:

Product description: **8**" **Digital Photo Frame Weather Station** Model name: **378NC** 

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

#### CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service