



Report No.: SUCR240100000801

Rev.: 01 Page: 1 of 5

Appendix B.13

LTE Band 18(824-830)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printec overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)

t (86-512) 62992980





Report No.: SUCR240100000801

Rev.:

Page: 2 of 5

Effective (Isotropic) Radiated Power Output Data Test ResultAnt0

Dond	Dandwidth	Modulation	Channal	RB	Result	ERP	Limit	\/ardiat
Band	Bandwidth	Modulation	Channel	Configuration	(dBm)	(dBm)	(dBm)	Verdict
18(824-830)	5MHz	QPSK	23965	1RB#0	23.2	22.16	38.45	PASS
18(824-830)	5MHz	16QAM	23965	1RB#0	22.13	21.09	38.45	PASS
18(824-830)	5MHz	QPSK	23965	1RB#12	23.23	22.19	38.45	PASS
18(824-830)	5MHz	16QAM	23965	1RB#12	22.29	21.25	38.45	PASS
18(824-830)	5MHz	QPSK	23965	1RB#24	23.23	22.19	38.45	PASS
18(824-830)	5MHz	16QAM	23965	1RB#24	22.18	21.14	38.45	PASS
18(824-830)	5MHz	QPSK	23965	25RB#0	22.28	21.24	38.45	PASS
18(824-830)	5MHz	16QAM	23965	25RB#0	21.22	20.18	38.45	PASS
18(824-830)	5MHz	QPSK	23970	1RB#0	23.21	22.17	38.45	PASS
18(824-830)	5MHz	16QAM	23970	1RB#0	22.34	21.3	38.45	PASS
18(824-830)	5MHz	QPSK	23970	1RB#12	23.25	22.21	38.45	PASS
18(824-830)	5MHz	16QAM	23970	1RB#12	22.42	21.38	38.45	PASS
18(824-830)	5MHz	QPSK	23970	1RB#24	23.3	22.26	38.45	PASS
18(824-830)	5MHz	16QAM	23970	1RB#24	22.45	21.41	38.45	PASS
18(824-830)	5MHz	QPSK	23970	25RB#0	22.27	21.23	38.45	PASS
18(824-830)	5MHz	16QAM	23970	25RB#0	21.23	20.19	38.45	PASS
18(824-830)	5MHz	QPSK	23975	1RB#0	23.25	22.21	38.45	PASS
18(824-830)	5MHz	16QAM	23975	1RB#0	22.2	21.16	38.45	PASS
18(824-830)	5MHz	QPSK	23975	1RB#12	23.44	22.4	38.45	PASS
18(824-830)	5MHz	16QAM	23975	1RB#12	22.3	21.26	38.45	PASS
18(824-830)	5MHz	QPSK	23975	1RB#24	23.34	22.3	38.45	PASS
18(824-830)	5MHz	16QAM	23975	1RB#24	22.31	21.27	38.45	PASS
18(824-830)	5MHz	QPSK	23975	25RB#0	22.32	21.28	38.45	PASS
18(824-830)	5MHz	16QAM	23975	25RB#0	21.26	20.22	38.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document obe not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄭编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com





Report No.: SUCR240100000801

Rev.: 01

Page: 3 of 5

Field Strength of Spurious Radiation Test Band = LTE_18 (824-830) _TM1 Test Channel = LCH

Final Da	Final Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	1648.5	59.10	-47.52	25.49	-58.19	-13.00	45.19	Horizontal		
2	2473	64.73	-46.67	27.69	-49.51	-13.00	36.51	Horizontal		
3	3591	46.83	-44.57	28.92	-64.08	-13.00	51.08	Horizontal		
4	5524.5	48.99	-41.87	32.30	-55.84	-13.00	42.84	Horizontal		
5	7386.5	41.93	-38.41	36.65	-55.09	-13.00	42.09	Horizontal		
6	9999.5	39.17	-35.68	38.70	-53.07	-13.00	40.07	Horizontal		

Final Da	Final Data List								
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	
1	1648.5	62.72	-47.52	25.49	-54.57	-13.00	41.57	Vertical	
2	2473	62.56	-46.67	27.69	-51.68	-13.00	38.68	Vertical	
3	3675.5	46.48	-44.48	29.30	-63.96	-13.00	50.96	Vertical	
4	5524.5	49.32	-41.87	32.30	-55.51	-13.00	42.51	Vertical	
5	7408.5	41.99	-38.35	36.72	-54.90	-13.00	41.90	Vertical	
6	9556.5	39.99	-35.84	37.80	-53.31	-13.00	40.31	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (8e-75) 8307 1443, or email: CM.Doccheck@sgs.com

or email: CN_Doccheck@sgs.com Sxbd fbko Flatk, N_EmsireyRoxd, Sxbd bubkstlef Brk, Sxbdu Area, China (kingsu) Pikt Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润産路(号的6号厂房南部 単編: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com





Report No.: SUCR240100000801

Rev.:

Page: 4 of 5

Test Band = LTE_18 (824-830) _TM1 Test Channel = MCH

Final Da	Final Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	1649.5	58.90	-47.52	25.50	-58.38	-13.00	45.38	Horizontal		
2	2474.5	64.89	-46.67	27.70	-49.34	-13.00	36.34	Horizontal		
3	3646.5	46.61	-44.48	29.27	-63.86	-13.00	50.86	Horizontal		
4	5524.5	49.22	-41.87	32.30	-55.61	-13.00	42.61	Horizontal		
5	7413.5	41.68	-38.35	36.73	-55.20	-13.00	42.20	Horizontal		
6	9515	40.12	-35.80	37.80	-53.14	-13.00	40.14	Horizontal		

Final Da	Final Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	1649.5	60.90	-47.52	25.50	-56.38	-13.00	43.38	Vertical		
2	2474.5	61.75	-46.67	27.70	-52.48	-13.00	39.48	Vertical		
3	3591	46.82	-44.57	28.92	-64.09	-13.00	51.09	Vertical		
4	5524.5	48.80	-41.87	32.30	-56.03	-13.00	43.03	Vertical		
5	7403.5	41.77	-38.35	36.71	-55.13	-13.00	42.13	Vertical		
6	9553.5	39.94	-35.83	37.80	-53.35	-13.00	40.35	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com

Member of the SGS Group (SGS SA)





Report No.: SUCR240100000801

Rev.:

Page: 5 of 5

Test Band = LTE_18 (824-830) _TM1 Test Channel = HCH

Final Da	Final Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	1650.5	58.85	-47.52	25.50	-58.43	-13.00	45.43	Horizontal		
2	2476	65.69	-46.67	27.70	-48.54	-13.00	35.54	Horizontal		
3	3633.5	46.97	-44.48	29.17	-63.60	-13.00	50.60	Horizontal		
4	5524.5	48.93	-41.87	32.30	-55.90	-13.00	42.90	Horizontal		
5	7488.5	41.76	-38.38	36.88	-55.00	-13.00	42.00	Horizontal		
6	9548.5	39.92	-35.83	37.80	-53.37	-13.00	40.37	Horizontal		

Final Da	Final Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity		
1	1650.5	59.93	-47.52	25.50	-57.35	-13.00	44.35	Vertical		
2	2476	61.13	-46.67	27.70	-53.10	-13.00	40.10	Vertical		
3	3715	46.54	-44.59	29.39	-63.92	-13.00	50.92	Vertical		
4	5524.5	48.64	-41.87	32.30	-56.19	-13.00	43.19	Vertical		
5	7421	41.75	-38.36	36.74	-55.13	-13.00	42.13	Vertical		
6	9112.5	39.79	-35.55	37.03	-53.99	-13.00	40.99	Vertical		

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sas.com

sgs.china@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980