

Report No.: XEWM2309000462RG05

Rev.:

Page: 1 of 270

TEST REPORT

Application No.: XEWM2309000462RG

Applicant: JL MARINE SYSTEMS, INC.

Address of Applicant: 9010 Palm River Road, Tampa, FL 33619, USA

Manufacturer: JL MARINE SYSTEMS, INC.

Address of Manufacturer: 9010 Palm River Road, Tampa, FL 33619, USA

A7FVISION7

EUT Description: Marine Tablet

Model No.: Vision 7 **Trade Mark:** Power-Pole FCC ID:

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart E

Date of Receipt: 2023/09/14

Date of Test: 2023/09/19 to 2023/10/08

Date of Issue: 2024/06/12

PASS * Test Result:

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Mus chen

Linus Chen Wireless Laboratory Manager



1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xfan, Shearid, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 2 of 270

1 Version

	Revision Record				
Version	Chapter	Date	Modifier	Remark	
01		2024/06/12		Original	

Prepared By	Leah chen	
	(Leah Chen) / Test Engineer	
Checked By	Snely Yao	
	(Andy Yao) /Reviewer	





Report No.: XEWM2309000462RG05

Rev.: 01

Page: 3 of 270

2 Test Summary

Test Item	Band ^[1]	FCC rules No.	Test Requirements	Test Result	Result
Antenna Requirement		15.203/15.407(a)		Clause 4.1	PASS
26dB Emission Bandwidth	Band II-A Band II-C	15.407(a)(1) 15.407(a)(2) 15.407(a)(2)	No limit.	Clause 4.5	For Report Purpose
6dB Emission Bandwidth	Band III	15.407(e)	≥ 500 kHz.	Clause 4.6	PASS
99% Occupied Bandwidth	Band II-A Band II-C Band III	KDB 789033 D02§ D	No limit.	Clause 4.7	For Report Purpose
Duty Cycle	Band I Band II-A Band II-C Band III		No limit.	Clause 4.3	For Report Purpose
Maximum	Band I	15.407(a)(iv)	< 250mW		
Conducted Output	Band II-A Band II-C	15.407(a)(2)	<min{250mw,11dbm+10*lg(ebw)}< td=""><td>Clause 4.4</td><td>PASS</td></min{250mw,11dbm+10*lg(ebw)}<>	Clause 4.4	PASS
Power	• •		< 1W		
Maximum	Band I	15.407(a)(iv)	<11dBm/MHz		
Power Spectral	Band II-A Band II-C	15.407(a)(2)	<11dBm/MHz	Clause 4.8	PASS
Density Band III		15.407(a)(3)	<30dBm/500KHz		
Band I		15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.15- 5.35 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS
Radiated Spurious Emissions	Band II-A	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.25- 5.35 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).	Clause 4.9	PASS
	Band II-C	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.47- 5.725 GHz). F≥1GHz & in-restricted:		PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 4 of 270

			§15.209 limit (AV&PK).		
	Band III	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP) F≥1GHz &out-restricted:(PK) All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge. F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS
Restricted bands around fundamental frequency	Band I Band II-A Band II-C Band III	15.407(b) 15.205/15.209		Clause 4.10	PASS
AC Power Line Conducted Emissions	Band I Band II-A Band II-C Band III	15.207		Clause 4.2	PASS
Dynamic Frequency Selection	Band II-A Band II-C	15.407	Channel Move Time:10 Seconds	Clause 4.11	PASS
Frequency Stability	Band I Band II-A Band II-C Band III	15.407(g)	Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the users manual	N/A	N/A

Note 1:

Band I: 5150-5250MHz Band II-A: 5250-5350MHz Band II-C: 5470-5725MHz Band III: 5725-5850MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 5 of 270

Contents

1	Version			
2	Test S	Summary	3	
3	Gene	ral Information	6	
	3.1	Details of Client	6	
	3.2	Test Location	6	
	3.3	Test Facility	6	
	3.4	General Description of EUT	7	
	3.5	Test Environment and Mode	9	
	3.6	Description of Support Units	9	
	3.7	Worst-case configuration and mode	10	
4	Test	results and Measurement Data	11	
	4.1	Antenna Requirement	11	
	4.2	AC Power Line Conducted Emissions	12	
	4.3	Duty Cycle	16	
	4.4	Conducted Output Power	17	
	4.5	26dB Emission Bandwidth	18	
	4.6	6dB Emission Bandwidth	19	
	4.7	99% Occupied Bandwidth	20	
	4.8	Power Spectral Density	21	
	4.9	Radiated Spurious Emissions	22	
	4.10	Restricted bands around fundamental frequency	25	
	4.11	Dynamic Frequency Selection	27	
	4	4.11.1 DFS Overview	27	
	4	4.11.2 DFS Detection Thresholds	28	
	۷	4.11.3 RADAR TEST WAVEFORMS	29	
	۷	4.11.4 Response Requirements	31	
5	Meas	urement Uncertainty (95% confidence levels, k=2)	32	
6	Equip	oment List	33	
7	Photo	ographs - Setup Photos	35	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 6 of 270

3 General Information

3.1 Details of Client

Applicant:	JL MARINE SYSTEMS, INC.	
Address of Applicant:	9010 Palm River Road, Tampa, FL 33619, USA	
Manufacturer:	JL MARINE SYSTEMS, INC.	
Address of Manufacturer:	9010 Palm River Road, Tampa, FL 33619, USA	

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.	
Address:	1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi' an, Shaanxi China	
Post code:	710086	
Test engineer:	Qiang Zhang, Jacky Xue	

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

•A2LA (Certificate No. 4854.01)

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0095.

IC#: 25613.

• FCC –Designation Number: CN1337

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized as an accredited testing

laboratory.

Designation Number: CN1337.

Test Firm Registration Number: 917410



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sag.com/en/Terms_and-Conditions_apy and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sag.com/en/Terms-and-Conditions/Terms-e-Document.aspy Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 7 of 270

3.4 General Description of EUT

EUT Description:	Marine Tablet			
Model No.:	Vision 7			
Trade Mark:	Power-Pole			
Hardware Version:	V3.0			
Software Version:	Vision7_20	240522		
INACI	RF Conduc	ted	356191360001108	
IMEI:	RSE & AC	oower line	356191360001165	
	802.11a:	20 MHz chann	el bandwidth	
WLAN Mode Supported:	802.11n:	20 MHz / 40 M	Hz channel bandwidth	
	802.11ac:	20 MHz / 40 M	Hz channel bandwidth	
Operation Frequency:	5250MHz to 5470MHz to	to 5250MHz to 5350MHz to 5725MHz to 5850MHz		
	802.11a:	.11a: OFDM (BPSK, QPSK, 16QAM, 64QAM)		
Modulation Type:	802.11n:	OFDM (BPSK, QPSK, 16QAM, 64QAM)		
	802.11ac:	OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)		
Channal Spacing	20MHz:	802.11a/n(HT2	20)/ac(VHT20)	
Channel Spacing:	40MHz:	802.11n(HT40)/ac(VHT40)		
Antenna Type:	☐ External	External, 🖂 Integrated		
Antenna Gain:	5150MHz to 5250MHz: 2.7dBi(Ant1); 5250MHz to 5350MHz: 2.54dBi(Ant1); 5470MHz to 5725MHz: 2.89dBi(Ant1); 5725MHz to 5850MHz: 2.41dBi(Ant1);			
	Note: The antenna gain are derived from the gain information report provided by the manufacturer.			
	⊠ SISO	802.11a/n/ac		
			1a/n/ac: Tx & Rx	
Smart System:			I1n/ac: Tx & Rx	
		TXBF: 802.11n/ac: Tx & Rx		
TD0 5 "	Diversity			
TPC Function:	Support, Not Support			
DFS Function:	☐Master	laster		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 8 of 270

	☐Slave with radar detection	⊠Slave without radar detection			
RF Cable:	1.5dB				
Remark:					
As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy,					
suitability, reliability or/and integrity of the information.					

Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as below:

Frequency range over which device operates	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation
1 MHz or less	1	centre
1 MHz to 10 MHz	2	1 near high end, 1 near low end
Greater than 10 MHz	3	1 near high end, 1 near centre

For UNII Band I:				
Mode	Channel	Frequency(MHz)		
	The Lowest channel	5180		
IEEE 802.11a/n/ac 20MHz	The Middle channel	5200		
	The Highest channel	5240		
IEEE 000 44-// 40MH-	The Lowest channel	5190		
IEEE 802.11n/ac/ 40MHz	The Highest channel	5230		

For UNII Band II-A:					
Mode	Channel	Frequency(MHz)			
	The Lowest channel	5260			
IEEE 802.11a/n/ac 20MHz	The Middle channel	5280			
	The Highest channel	5320			
IEEE 202 445/22 40MHz	The Lowest channel	5270			
IEEE 802.11n/ac 40MHz	The Highest channel	5310			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authersicity of testing inspection report & certificate, please contact us at telephone: (85-75) 8307 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 9 of 270

For UNII Band II-C:					
Mode	Channel	Frequency(MHz)			
	The Lowest channel	5500			
IEEE 802.11a/n/ac 20MHz	The Middle channel	5580			
	The Highest channel	5700			
	The Lowest channel	5510			
IEEE 802.11n/ac 40MHz	The Middle channel	5550			
	The Highest channel	5670			

For UNII Band III:					
Mode	Channel	Frequency(MHz)			
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5745			
	The Middle channel	5785			
	The Highest channel	5825			
IEEE 802.11n/ac 40MHz	The Lowest channel	5755			
	The Highest channel	5795			

3.5 Test Environment and Mode

Environment Parameter	96~101 kPa Selected Values During Tests			
Relative Humidity	40-60 % RH Ambient			
Value	Temperature(℃) Voltage(V)			
NTNV	22~25 12			
D				

Remark:

NV: Normal Voltage NT: Normal Temperature

3.6 Description of Support Units

Description	Manufacturer	Model No.
Router	Netgear	R7800
Noutei	Neigeal	(ID:PY315100319)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 10 of 270

3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

Modulation Type	SISO - Data Rate	MIMO - Data Rate
802.11a	6 Mbps	1
802.11n (HT 20)	MCS0 (6.5 Mbps)	/
802.11n (HT 40)	MCS0 (13.5 Mbps)	/
802.11ac (VHT 20)	MCS0 (6.5 Mbps)	/
802.11ac (VHT 40)	MCS0 (13.5 Mbps)	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 11 of 270

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15 Section 15.203

The antenna is Internal Antenna and no consideration of replacement. The best case gain of the antenna is

5150MHz to 5250MHz: 2.7dBi(Ant1);* 5250MHz to 5350MHz: 2.54dBi(Ant1);* 5470MHz to 5725MHz: 2.89dBi(Ant1);* 5725MHz to 5850MHz: 2.41dBi(Ant1);*

*Note

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Toum, Xian, Shaami, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 12 of 270

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15 Section 15.207				
Test Method:	ANSI C63.10-2020 Section 6.2				
Test Frequency Range:	150kHz to 30MHz				
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz			
Limit:	Erogueney range (MHz)	Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	room. 2) The EUT was connected to a second plane in the same was multiple socket outled single LISN provided 3) The tabletop EUT was ground reference plane placed on the horizor of the EUT shall be overtical ground reference plane. The unit under test and be mounted on top of the EUT and associated in order to find the mequipment and all of	cted to AC power source throusion Network) which provides er cables of all other units of and LISN 2, which was bonded by as the LISN 1 for the unit be strip was used to connect must be rating of the LISN was not as placed upon a non-metallic ne. And for floor-standing arrantal ground reference plane, and with a vertical ground reference plane was bonded to the LISN 1 was placed 0.8 m from the vertical ground reference er ground reference plane. The points of the LISN 1 and the Extended equipment was at least 0 aximum emission, the relative the interface cables must be n conducted measurement.	ugh a LISN 1 (Line a 50Ω/50μH + 5Ω linear the EUT were to the ground reference eing measured. A ultiple power cables to a ot exceeded. table 0.8m above the angement, the EUT was erence plane. The reference plane. The horizontal ground m the boundary of the plane for LISNs is distance was EUT. All other units of 8 m from the LISN 2.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.


1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 13 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05


Rev.: 01

Page: 14 of 270

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Data I	₋ist										
NO.	Freq. [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1665	9.85	38.22	48.07	65.13	17.06	22.34	32.19	55.13	22.94	PASS
2	0.1927	9.84	33.23	43.07	63.92	20.85	18.40	28.24	53.92	25.68	PASS
3	0.3048	9.91	24.52	34.43	60.11	25.68	13.92	23.83	50.11	26.28	PASS
4	0.3491	9.89	23.11	33.00	58.98	25.98	19.58	29.47	48.98	19.51	PASS
5	5.9892	9.90	12.62	22.52	60.00	37.48	8.79	18.69	50.00	31.31	PASS
6	17.6352	10.24	19.25	29.49	60.00	30.51	12.43	22.67	50.00	27.33	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorwant to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's fludings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Appetitude

Termination

**Terminatio


1/F. Unit D. Building I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaand, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 15 of 270



Final	Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1524	9.77	40.93	50.70	65.87	15.17	24.71	34.48	55.87	21.39	PASS
2	0.1948	9.84	33.28	43.12	63.83	20.71	18.16	28.00	53.83	25.83	PASS
3	0.2439	9.82	27.60	37.42	61.96	24.54	12.93	22.75	51.96	29.21	PASS
4	0.3571	9.79	24.41	34.20	58.80	24.60	19.69	29.48	48.80	19.32	PASS
5	6.1193	10.01	17.50	27.51	60.00	32.49	13.40	23.41	50.00	26.59	PASS
6	17.3632	10.30	19.78	30.08	60.00	29.92	13.30	23.60	50.00	26.40	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's service responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest schent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and seuch sample(s) are retained for 30 days only.

AustriansTo sheek the authernicity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

AustriansTo sheek the authernicity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000462RG05

Rev.: 01

Page: 16 of 270

4.3 Duty Cycle





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 17 of 270

4.4 Conducted Output Power

Test Requirement:	47 CFR Part 15 Section 15.407(a)					
Test Method:	ANSI C63.10-2020	C63.10-2020 Section 12.4.3.2				
Test Setup:	Power multer O O	E.U.T Ground Reference Plane				
	* Test with power meter (Detector function: Average) Method PM-G is measurement using a gated RF average power meter. Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Because the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.					
Test Instruments:	Refer to section 6 for details.					
Exploratory Test Mode:	Transmitting with a	Il kind of modulations, data rates				
Final Test Mode:	Refer to section 3.7	7 for details.				
Limit:	Frequency Band	Limit				
	5150-5250MHz	Not exceed 250mW(23.98dBm)				
	5250-5350MHz	The lesser of 250mW(23.98dBm) or 11+ 10logB				
	5470-5725MHz	The lesser of 250mW(23.98dBm) or 11+ 10logB				
	5725-5850MHz	Not exceed 1W(30dBm)				
	*Where B is the 26dB emission bandwidth in MHz					
Test Results:	Pass					
The detailed test data see: A	ppendix					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 18 of 270

4.5 26dB Emission Bandwidth

Test Requirement:	47 CFR Part 15 Section 15.407(a), KDB 789033 D02& C				
Test Method:	ANSI C63.10-2020 Section 12.5.2				
Test Setup:	SGS Test system Vector Signal Generator Spectrum Analyzer O O O O O O O O O O O O O O O O O O O				
Instruments Used:	Refer to section 6 for details.				
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates				
Final Test Mode:	Refer to section 3.7 for details.				
Limit:	No restriction limits				
Test Results:	For Report Purpose				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000462RG05

Rev.: 01

Page: 19 of 270

4.6 6dB Emission Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000462RG05

Rev.: 01

Page: 20 of 270

4.7 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 21 of 270

4.8 Power Spectral Density

Test Requirement:	47 CFR Part 15 Sec	ction 15.407(a)					
Test Method:	ANSI C63.10-2020 Section 12.6						
	KDB 789033 D02 v	KDB 789033 D02 v02r01, Section F.					
Test Setup:	P	SGS Test system					
Instruments Used:	Refer to section 6 for details.						
Exploratory Test Mode:	Transmitting with al	l kind of modulations, data rates					
Final Test Mode:	Refer to section 3.7	for details.					
Limit:	Frequency Band	Limit					
	5150-5250MHz	The power spectral density less than 11dBm/1MHz					
	5250-5350MHz	The power spectral density less than 11dBm/1MHz					
	5470-5725MHz	The power spectral density less than 11dBm/1MHz					
	5725-5850MHz	The power spectral density less than <30dBm/500KHz					
Test Results:	Pass						
The detailed test data see:	Appendix						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 22 of 270

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15 Section 15.205/15.209/15.407(b)
Test Method:	ANSI C63.10-2020 Section 6.4 / 6.5 / 6.6
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)
Test frequency:	9kHz ~ 40GHz(or 10 Harmonic)

Test Setup:





Figure 1. 9kHz to 30MHz



Antenna Tower

Im or 3m

Antenna Tower

Turntable

Ground Reference Plane

Test Receiver

Test Receiver

Test Receiver

Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- a. For below 1GHz test, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz test, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
 (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comments.and. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 50 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Toum, Xian, Shaami, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 23 of 270

	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	 g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the Z axis positioning which it is were access.
	 Transmitting mode, and found the Z axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete. j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
	k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
	I. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.
Test Configuration:	Measurements below 30MHz
	• RBW = 10 kHz • VBW = 30 kHz
	Detector = Peak & Average & Quasi-peak
	Trace mode = max hold
	Measurements Below 1000MHz
	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Quasi-peak Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	VBW = 10Hz, when duty cycle is no less than 98 percent.



Exploratory Test Mode:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; Gregory or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

maximum power control level for the tested mode of operation.

Transmitting with all kind of modulations, data rates.

• VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 24 of 270

Final Test Mode:	Refer to section 3.7 for details.			
	For below 1GHz part, through pre-scan all channels, but only the worst case is recorded in the report.			
Instruments Used:	Refer to section 6 for details.			
Test Results:	Pass			
The detailed test data see: Appendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengatong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05


Rev.: 01

Page: 25 of 270

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.205/15.209/15.407(b)							
Test Method:	ANSI C63.10-2020 Section	ANSI C63.10-2020 Section 12.7						
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Chaml	per)					
Limit:	Frequency	Limit (dBuV/m)	Remark					
	30MHz-88MHz	40.0	Quasi-peak					
	88MHz-216MHz 43.5							
	216MHz-960MHz	46.0	Quasi-peak					
	960MHz-1GHz	960MHz-1GHz 54.0 Quasi-peak						
	Above 1GHz	54.0	Average Value					
	Above IGHZ	74.0	Peak Value					

Test Setup:



Test Procedure:

- a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authersicity of testing inspection report & certificate, please contact us at telephone: (85-75) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 26 of 270

	modulation for lowest and highest channel g. Test the EUT in the outermost channels.
	h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the Z axis positioning which it is worse case.
	i. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz
	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Quasi-peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	 VBW = 10Hz, when duty cycle is no less than 98 percent.
	 VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Refer to section 3.7 for details.
Instruments Used:	Refer to section 6 for details.
Test Results:	Pass
The detailed test data see	e: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengatong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 27 of 270

4.11 Dynamic Frequency Selection

4.11.1 DFS Overview

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

Requirement	Operatio	nal Mode	ıl Mode		
	Master	Client Without Radar Detection	Client With Radar Detection		
Non-Occupancy Period	Yes	Not required	Yes		
DFS Detection Threshold	Yes	Not required	Yes		
Channel Availability Check Time	Yes	Not required	Not required		
U-NII Detection Bandwidth	Yes	Not required	Yes		

Table 2: Applicability of DFS requirements during normal operation

Requirement	Operational	Mode				
	Master Device or Client	Client Without				
	with Radar Detection	Radar Detection				
DFS Detection Threshold	Yes	Not required				
Channel Closing Transmission Time	Yes	Yes				
Channel Move Time	Yes	Yes				
U-NII Detection Bandwidth	Yes	Not required				
Additional requirements for devices with	Master Device or Client with	Client Without Radar				
multiple bandwidth modes	Radar Detection	Detection				
U-NII Detection Bandwidth and Statistical	All BW modes must be tested	Not required				
Performance Check						
Channel Move Time and Channel Closing	Test using widest BW mode	Test using the widest				
Transmission Time	available	BW mode available for				
		the link				
All other tests	Any single BW mode	Not required				
Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several						

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic formst documents ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.ttention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (rigery or falsification of the content or ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the seults shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 28 of 270

4.11.2 DFS Detection Thresholds

Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value
	(See Notes 1, 2, and 3)
EIRP ≥ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and	-62 dBm
power spectral density < 10 dBm/MHz	
EIRP < 200 milliwatt that do not meet the power spectral density	-64 dBm
requirement	

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 29 of 270

4.11.3 RADAR TEST WAVEFORMS

Table 5 - Short Pulse Radar Test Waveforms

Radar Type	Pulse Width (μsec)	PRI (μsec)	Number of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials	
0	1	1428	18	See Note 1	See Note 1	
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A	Roundup $ \left\{ \frac{\left(\frac{1}{360}\right)}{\left(\frac{19 \cdot 10^6}{\text{PRI}_{\mu \text{sec}}}\right)} \right\} $	60%	30	
2	1-5	150-230	23-29	60%	30	
3	6-10	200-500	16-18	60%	30	
4	11-20	200-500	12-16	60%	30	
ggregate	(Radar Types 1-	4)		80%	120	

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic formst documents ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.ttention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (rigery or falsification of the content or ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the seults shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 30 of 270

Table 5a - Pulse Repetition Intervals Values for Test A

Pulse Repetition Frequency Number	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)		
1	1930.5	518		
2	1858.7	538		
3	1792.1	558		
4	1730.1	578		
5	1672.2	598		
6	1618.1	618		
7	1567.4	638		
8	1519.8	658		
9	1474.9	678		
10	1432.7	698		
11	1392.8	718		
12	1355	738		
13	1319.3	758		
14	1285.3	778		
15	1253.1	798		
16	1222.5	818		
17	1193.3	838		
18	1165.6	858		
19	1139	878		
20	1113.6	898		
21	1089.3	918		
22	1066.1	938		
23	326.2	3066		

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4. For example, the following table indicates how to compute the aggregate of percentage of successful detections.

Radar Type	Number of Trials	Number of Successful Detections	Minimum Percentage of Successful Detection		
1	35	29	82.9%		
2	30	18	60%		
3	30	27	90%		
4	50	44	88%		
Aggregate $(82.9\% + 60\% + 90\% + 88\%)/4 = 80.2\%$					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 31 of 270

Table 6 - Long Pulse Radar Test Waveform

Radar	Pulse	Chirp	PRI	Number	Number	Minimum	Minimum
Type	Width	Width	(µsec)	of Pulses	of Bursts	Percentage of	Number of
	(µsec)	(MHz)		per Burst		Successful	Trials
						Detection	
5	50-100	5-20	1000-	1-3	8-20	80%	30
			2000				

Table 7 – Frequency Hopping Radar Test Waveform

Radar Type	Pulse Width (µsec)	PRI (µsec)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length	Minimum Percentage of Successful	Minimum Number of Trials
					(msec)	Detection	
6	1	333	9	0.333	300	70%	30

4.11.4 Response Requirements

Table 4: DFS Response Requirement Values

Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds
	See Note 1.
Channel Closing Transmission Time	200 milliseconds + an
	aggregate of 60
	milliseconds over remaining
	10 second period.
	See Notes 1 and 2.
U-NII Detection Bandwidth	Minimum 100% of the U-
	NII 99% transmission
	power bandwidth. See Note
	3.

Note 1: *Channel Move Time* and the *Channel Closing Transmission Time* should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required to facilitate a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions. **Note 3:** During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each

Note 3: During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 32 of 270

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty		
1	Radio Frequency	± 7.25 x 10 ⁻⁸ GHz		
2	Duty cycle	± 0.37%		
3	Occupied Bandwidth	± 0.2%		
4	RF conducted power	± 0.21dB		
5	RF power density	± 2.84dB		
6	Conducted Spurious emissions	± 0.75dB		
7	Conduction Emission	± 3.0dB (150kHz to 30MHz)		
		± 4.6dB (9kHz to 30MHz)		
		± 4.9dB (30MHz to 1GHz)		
8	Radiated Emission	± 4.9dB (1GHz to 6GHz)		
		± 4.7dB (6GHz to 18GHz)		
		± 5.26dB (Above 18GHz)		

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 33 of 270

6 Equipment List

RF Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
MXA signal analyzer	Agilent	N9020A	XAW01-06-07	2023/02/16	2024/02/15
MXG vector signal Generator	Agilent	N5182B	XAW01-07-16	2023/02/16	2024/02/15
Measurement Software	Tonscend	JS1120-3 (3.2.18)	XAW02-14-01	NCR	NCR
RF control unit	Tonscend	JS0806-2	XAW03-37-01	NCR	NCR
Power Meter	Anritsu	ML2495A	XAW01-25-03	2023/08/30	2024/08/29
Power Supply	Agilent	66311B	XAW01-17-01	2023/02/16	2024/02/15
Temperature and humidity meter	MingGao	T809	XAW01-01-16	2023/09/04	2024/09/03

CE Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Shielding Room	Brilliant-emc	N/A	XAW04-03-01	N/A	N/A
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2023/06/30	2024/06/29
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/08/30	2024/08/29
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-07-01	NCR	NCR
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-02	2023/06/30	2024/06/29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 34 of 270

DOT Total Constant					
RSE Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2021/09/09	2024/09/08
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2023/02/16	2024/02/15
Spectrum Analyzer	ROHDE& SCHWARZ	FSV3044	XAW01-13-05	2023/05/15	2024/05/14
Test receiver	ROHDE& SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2022/07/28	2024/07/27
Receiving antenna(1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2022/07/28	2024/07/27
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2022/07/23	2024/07/22
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR
Amplifier	Tonscend	TAP9K3G32	XAW01-41-01	2023/05/15	2024/05/14
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2023/08/30	2024/08/29
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2023/08/30	2024/08/29
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2023/08/30	2024/08/29
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/09/04	2024/09/03
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-05-01	NCR	NCR
Loop Antenna	Schwarzbeck	FMZB 1519B	XAW01-48-02	2022/05/26	2024/05/25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengatong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 35 of 270

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.:

36 of 270 Page:

Appendix



1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaanoi, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 37 of 270

26dB Emission Bandwidth Test Result

11a	TestMode	Antenna	Frequency[MHz]	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11a Ant1			5180	19.920	5170.120	5190.040	
11a Ant1		Ant1	5200	19.880	5189.960	5209.840	
11a Ant1			5240	19.880	5229.880	5249.760	
11a Ant1			5260	19.920	5249.960	5269.880	
## Anti			5280	20.000	5270.080	5290.080	
## Anti	44 -		5320	19.880	5309.960		
S580	ma						
11n2OSISO							1
11n40SISO Ant1 5745 19,760 5735,160 5754,920			5700	19.640		5709.800	- - - - -
11n2OSISO			5745	19.760	5735.160		
11n2OSISO			5785		5775.280	5794.760	
11n2OSISO					5814.960	5834.920	
11n2OSISO							
11n2OSISO Ant1				20.000	5190.040		1
11n2OSISO Ant1							1
11n2OSISO Ant1			5260				1
11n2OSISO Ant1 5320							1
Tinzusiso							
11n40SISO	11n20SISO	Ant1					1
S700							
S745							- - - - -
11n40SISO							
11n40SISO							
11n40SISO							
11n40SISO Ant1							
11n40SISO Ant1							- Purpose
11n40SISO Ant1							
11n40SISO Ant1					_		-
S550 39.920 5530.080 5570.000	11n40SISO	Ant1					
S670							
11ac20SISO					_		
11ac20SISO							
S180 20.120 5169.920 5190.040							
S200 20.000 5189.960 5209.960							†
11ac20SISO Ant1							1
11ac20SISO Ant1					_		†
11ac20SISO Ant1							†
11ac20SISO Ant1 5320 19.920 5310.080 5330.000 5500 20.120 5489.880 5510.000 5580 20.000 5570.000 5590.000 5700 20.200 5689.800 5710.000 5745 20.160 5734.880 5755.040 5785 19.920 5774.960 5794.880 5190 40.000 5169.920 5209.920 5230 40.000 5209.840 5249.840 5270 40.320 5249.920 5290.240							†
S500 20.120 5489.880 5510.000 S580 20.000 5570.000 5590.000 S700 20.200 5689.800 5710.000 S745 20.160 5734.880 5755.040 S785 19.920 5774.960 5794.880 S190 40.000 5169.920 5209.920 S230 40.000 5209.840 5249.840 S270 40.320 5249.920 5290.240	11ac20SISO	Ant1					†
5580 20.000 5570.000 5590.000 5700 20.200 5689.800 5710.000 5745 20.160 5734.880 5755.040 5785 19.920 5774.960 5794.880 5190 40.000 5169.920 5209.920 5230 40.000 5209.840 5249.840 5270 40.320 5249.920 5290.240	1140200100	Aut					1
5700 20.200 5689.800 5710.000 5745 20.160 5734.880 5755.040 5785 19.920 5774.960 5794.880 5190 40.000 5169.920 5209.920 5230 40.000 5209.840 5249.840 5270 40.320 5249.920 5290.240							1
5745 20.160 5734.880 5755.040 5785 19.920 5774.960 5794.880 5190 40.000 5169.920 5209.920 5230 40.000 5209.840 5249.840 5270 40.320 5249.920 5290.240							1
5785 19.920 5774.960 5794.880 5190 40.000 5169.920 5209.920 5230 40.000 5209.840 5249.840 5270 40.320 5249.920 5290.240							1
11ac40SISO Ant1 5190 40.000 5169.920 5209.920 5230 40.000 5209.840 5249.840 5270 40.320 5249.920 5290.240							1
11ac40SISO Ant1 5230 40.000 5209.840 5249.840 5270 40.320 5249.920 5290.240							1
11aC40SISO ANTI 5270 40.320 5249.920 5290.240		Ant1					1
	11ac40SISO				_		1
			5310	40.480	5289.840	5330.320	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results are the first of the search of the search of the search of the search of days only.

The Company of testing inapection reports & certification, prosecuted to 3 days only.

The Company of testing inapection reports & certification processes company (secretary of the search of the searc

1/F, Unit D, Bulding T, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 38 of 270

5510	40.160	5489.840	5530.000
5550	39.840	5530.160	5570.000
5670	40.160	5649.760	5689.920
5755	40.400	5734.600	5775.000
5795	40.240	5774.920	5815.160



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Paik, No.137, Keyean 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 39 of 270

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 40 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Bulding I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xira, Shaand, Chira 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 鄭第: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 41 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 42 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 43 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 44 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 45 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lines stolewise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authernicity of testing impsection reports & eartificate, please contact us at telephone: (86-755) 8301 1443.

Attention:To check the authernicity of testing impsection reports & eartificate, please contact us at telephone: (86-755) 8301 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 46 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 47 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 48 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 49 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 50 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 51 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 52 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspy.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 53 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 54 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 55 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 56 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 57 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 58 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 59 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 60 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 61 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 62 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 63 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspy.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 64 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 65 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 66 of 270

99% Occupied bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Verdict
		5180	16.929	5171.5166	5188.4456	
		5200	17.003	5191.4126	5208.4156	
		5240	16.998	5231.3637	5248.3617	
	Ant1	5260	16.960	5251.5516	5268.5116	
		5280	16.967	5271.4179	5288.3849	
11a		5320	16.921	5311.4913	5328.4123	
Па		5500	17.081	5491.4375	5508.5185	
		5580	17.085	5571.3883	5588.4733	
		5700	17.005	5691.4074	5708.4124	
		5745	16.990	5736.4328	5753.4228	
		5785	17.008	5776.4836	5793.4916	
		5825	17.030	5816.5030	5833.5330	
		5180	17.675	5171.1819	5188.8569	
		5200	17.747	5191.1021	5208.8491	
		5240	17.699	5231.1324	5248.8314	
		5260	17.724	5251.1787	5268.9027	
		5280	17.668	5271.1436	5288.8116	
44000100	A 44	5320	17.690	5311.1533	5328.8433	
11n20SISO	Ant1	5500	17.693	5491.1790	5508.8720	- -
		5580	17.756	5571.1043	5588.8603	
		5700	17.692	5691.1191	5708.8111	
		5745	17.655	5736.1451	5753.8001	_
		5785	17.702	5776.1747	5793.8767	
		5825	17.729	5816.1730	5833.9020	For
		5190	36.099	5171.9675	5208.0665	Report
		5230	35.971	5212.0654	5248.0364	Purpose
		5270	35.971	5252.1003	5288.0713	
		5310	36.135	5292.0324	5328.1674	
11n40SISO	Ant1	5510	36.009	5492.0300	5528.0390	
		5550	35.987	5532.0796	5568.0666	
		5670	36.325	5651.8034	5688.1284	
		5755	36.340	5736.8504	5773.1904	1
		5795	36.085	5776.9719	5813.0569	1
		5180	17.639	5171.1971	5188.8361	
		5200	17.712	5191.1137	5208.8257	
		5240	17.689	5231.1329	5248.8219	
		5260	17.711	5251.1806	5268.8916	
		5280	17.655	5271.1276	5288.7826	
		5320	17.628	5311.1913	5328.8193	
11ac20SISO	Ant1	5500	17.671	5491.1821	5508.8531	
		5580	17.720	5571.1303	5588.8503	
		5700	17.667	5691.1345	5708.8015	1
		5745	17.663	5736.1370	5753.8000	1
		5785	17.653	5776.1888	5793.8418	1
		5825	17.721	5816.1699	5833.8909	7
	Ant1	5190	36.056	5171.9866	5208.0426	1
11ac40SISO		5230	35.918	5212.1070	5248.0250	1
. 145 155155		5270	35.940	5252.1020	5288.0420	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results are the first of the search of the search of the search of the search of days only.

The Company of testing inapection reports & certification, prosecuted to 3 days only.

The Company of testing inapection reports & certification processes company (secretary of the search of the searc

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 67 of 270

	5310	36.084	5292.0728	5328.1568
	5510	35.939	5492.0696	5528.0086
	5550	35.937	5532.0986	5568.0356
	5670	36.343	5651.7958	5688.1388
	5755	36.377	5736.8286	5773.2056
	5795	36.061	5776.9823	5813.0433



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authoricity of testing inspection reports & eartificate, please contact us at telephone: (86-755) 8301 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengatong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 68 of 270

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F. Unit D. Bulding I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xira, Shaand, Chira 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 鄭第: 710086



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 69 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 70 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 71 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 72 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 73 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86–29) 6282 7885 www.s t (86–29) 6282 7885 sgs.ch



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 74 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000462RG05

Rev.: 01

Page: 75 of 270





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885