


Appendix A: Test Results of Conducted Test

Test Result of 6 dB Bandwidth


BLE_1M

Channel	Channel Frequency (MHz)	6 dB Bandwidth (kHz)	Limit (kHz)	Result
Low Channel	2402	716.28	> 500	Pass
Middle Channel	2440	719.28	> 500	Pass
High Channel	2480	731.27	> 500	Pass



BLE_2M


Channel	Channel Frequency (MHz)	6 dB Bandwidth (kHz)	Limit (kHz)	Result
Low Channel	2402	1388.61	> 500	Pass
Middle Channel	2440	1438.56	> 500	Pass
High Channel	2480	1438.56	> 500	Pass



Test Result of 99% Occupied Bandwidth


BLE_1M

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)
Low Channel	2402	1.06
Middle Channel	2440	1.06
High Channel	2480	1.06



BLE_2M


Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)
Low Channel	2402	2.07
Middle Channel	2440	2.09
High Channel	2480	2.09



Test Result of Power Spectral Density


BLE_1M

Channel	Channel Frequency (MHz)	Raw data (dBm/nHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Low Channel	2402	0.19	-9.81	8	Pass
Middle Channel	2440	0.44	-9.56	8	Pass
High Channel	2480	1.15	-8.85	8	Pass




BLE_2M


Channel	Channel Frequency (MHz)	Raw data (dBm/nHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Low Channel	2402	-0.04	-10.04	8	Pass
Middle Channel	2440	-0.82	-10.82	8	Pass
High Channel	2480	-1.97	-11.97	8	Pass




Test Result of Conducted Spurious Emissions, Tx Mode
BLE_1M



BLE_2M



Test Result of Conducted Band Edge, Tx Mode
BLE_1M

BLE_2M
