




802.11ax HE20: 4TX


Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)			
		Chain 0	Chain 1	Chain 2	Chain 3
Low Channel	2412	18.94	18.90	18.94	18.94
Middle Channel	2437	19.30	19.06	19.06	19.10
High Channel	2462	18.90	18.94	18.98	18.94

<Chain 0>


<Chain 1>




<Chain 2>



<Chain 3>



802.11ax HE40: 4TX


Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)			
		Chain 0	Chain 1	Chain 2	Chain 3
Low Channel	2422	37.88	37.96	38.04	37.96
Middle Channel	2437	37.88	37.96	37.88	37.96
High Channel	2452	37.88	37.96	37.88	38.04

<Chain 0>


<Chain 1>



<Chain 2>



<Chain 2>


Test Result of Power Spectral Density


802.11b: 4TX

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)				Total Power Density with Duty Factor (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1	Chain 2	Chain 3		
Low Channel	2412	-4.60	-5.52	-5.19	-5.36	3.32	3.74
Middle Channel	2437	-5.02	-5.41	-4.31	-5.77	3.38	3.74
High Channel	2462	-5.32	-3.76	-5.45	-5.05	3.63	3.74


<Chain 0>




<Chain 1>



<Chain 2>





<Chain 3>




802.11g: 4TX


Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)				Total Power Density with Duty Factor (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1	Chain 2	Chain 3		
Low Channel	2412	-9.75	-10.27	-11.38	-10.25	-4.03	3.74
Middle Channel	2437	-6.42	-6.86	-7.19	-7.31	-0.59	3.74
High Channel	2462	-9.05	-10.25	-9.80	-11.06	-3.64	3.74

<Chain 0>


<Chain 1>



<Chain 2>




<Chain 3>



802.11ax HE20: 4TX


Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)				Total Power Density with Duty Factor (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1	Chain 2	Chain 3		
Low Channel	2412	-10.76	-11.23	-11.58	-10.85	-4.87	3.74
Middle Channel	2437	-6.78	-6.37	-7.77	-7.83	-0.92	3.74
High Channel	2462	-10.29	-13.14	-12.90	-11.92	-5.69	3.74

<Chain 0>


<Chain 1>




<Chain 2>



<Chain 3>



802.11ax HE40: 4TX

Channel	Channel Frequency (MHz)	Power Density (dBm/nHz)				Total Power Density with Duty Factor (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1	Chain 2	Chain 3		
Low Channel	2422	-9.77	-10.75	-10.72	-10.26	-9.28	3.74
Middle Channel	2437	-8.61	-9.37	-9.57	-8.93	-8.03	3.74
High Channel	2452	-10.41	-11.16	-11.71	-11.66	-10.12	3.74

<Chain 0>


<Chain 1>



<Chain 2>


<Chain 3>
