

Appendix C: Test Results of Radiated Spurious Emissions & Mains

Radiated Emission Test (Adapter with 1T1R Mode)

Band Edges, 2.31GHz ~ 2.9GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 2359.44 | 55.93 | 18.51 | 37.42 | 74.00 | -18.07 | 315 | 42 | Peak | Horizontal | |
| 2 * | 2412.00 | 105.40 | 67.75 | 37.65 | 74.00 | 31.40 | 315 | 42 | Peak | Horizontal | |
| 3 | 2696.77 | 56.46 | 18.48 | 37.98 | 74.00 | -17.54 | 315 | 42 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 2365.01 | 55.84 | 18.39 | 37.45 | 74.00 | -18.16 | 283 | 143 | Peak | Vertical | |
| 2 * | 2412.00 | 102.64 | 64.99 | 37.65 | 74.00 | 28.64 | 283 | 143 | Peak | Vertical | |
| 3 | 2887.73 | 56.31 | 17.95 | 38.36 | 74.00 | -17.69 | 283 | 143 | Peak | Vertical | |


802.11b

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|-------|--------|------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2369.35 | 46.46 | 8.98 | 37.48 | 54.00 | -7.54 | 315 | 42 Average | Horizontal |
| 2 * | 2412.00 | 102.14 | 64.49 | 37.65 | 54.00 | 48.14 | 315 | 42 Average | Horizontal |
| 3 | 2492.78 | 44.29 | 6.46 | 37.83 | 54.00 | -9.71 | 315 | 42 Average | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2365.46 | 44.76 | 7.31 | 37.45 | 54.00 | -9.24 | 283 | 143 Average | Vertical |
| 2 * | 2412.00 | 99.54 | 61.89 | 37.65 | 54.00 | 45.54 | 283 | 143 Average | Vertical |
| 3 | 2493.49 | 43.57 | 5.74 | 37.83 | 54.00 | -10.43 | 283 | 143 Average | Vertical |


802.11b

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 2388.92 | 55.57 | 18.04 | 37.53 | 74.00 | -18.43 | 388 | 48 | Peak | Horizontal | |
| 2 * | 2462.00 | 106.42 | 68.69 | 37.73 | 74.00 | 32.42 | 388 | 48 | Peak | Horizontal | |
| 3 | 2594.23 | 59.46 | 21.61 | 37.85 | 74.00 | -14.54 | 388 | 48 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 2398.00 | 54.90 | 17.32 | 37.58 | 74.00 | -19.10 | 297 | 130 | Peak | Vertical | |
| 2 * | 2462.00 | 101.00 | 63.27 | 37.73 | 74.00 | 27.00 | 287 | 130 | Peak | Vertical | |
| 3 | 2597.65 | 56.47 | 18.61 | 37.86 | 74.00 | -17.53 | 297 | 130 | Peak | Vertical | |


802.11b

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|--------|-------|-------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2382.69 | 44.23 | 6.69 | 37.54 | 54.00 | -9.77 | 388 | 48 | Average | Horizontal | |
| 2 * | 2462.00 | 103.37 | 65.64 | 37.73 | 54.00 | 49.37 | 388 | 48 | Average | Horizontal | |
| 3 ! | 2594.58 | 48.63 | 10.77 | 37.86 | 54.00 | -5.37 | 388 | 48 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2388.45 | 43.09 | 5.56 | 37.53 | 54.00 | -10.91 | 297 | 130 | Average | Vertical | |
| 2 * | 2462.00 | 97.94 | 60.21 | 37.73 | 54.00 | 43.94 | 287 | 130 | Average | Vertical | |
| 3 | 2595.29 | 45.67 | 7.81 | 37.86 | 54.00 | -8.33 | 297 | 130 | Average | Vertical | |


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 2389.98 | 70.00 | 32.42 | 37.58 | 74.00 | -4.00 | 134 | 16 | Peak | Horizontal | |
| 2 | 2412.00 | 106.02 | 69.17 | 37.65 | 74.00 | 32.82 | 134 | 16 | Peak | Horizontal | |
| 3 | 2498.93 | 58.63 | 20.78 | 37.85 | 74.00 | -15.37 | 134 | 16 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 2389.74 | 64.54 | 26.96 | 37.58 | 74.00 | -9.46 | 102 | 328 | Peak | Vertical | |
| 2 | 2412.00 | 101.53 | 63.88 | 37.65 | 74.00 | 27.53 | 102 | 328 | Peak | Vertical | |
| 3 | 2505.53 | 57.01 | 19.15 | 37.86 | 74.00 | -16.99 | 102 | 328 | Peak | Vertical | |


802.11g

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|-------|--------|------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.98 | 52.03 | 14.45 | 37.58 | 54.00 | -1.97 | 134 | 16 Average | Horizontal |
| 2 * | 2412.00 | 96.75 | 59.10 | 37.65 | 54.00 | 42.75 | 134 | 16 Average | Horizontal |
| 3 | 2494.57 | 46.66 | 8.83 | 37.83 | 54.00 | -7.34 | 134 | 16 Average | Horizontal |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|-------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.98 | 48.20 | 18.62 | 37.58 | 54.00 | -5.80 | 102 | 328 Average | Vertical |
| 2 * | 2412.00 | 91.43 | 53.78 | 37.65 | 54.00 | 37.43 | 102 | 328 Average | Vertical |
| 3 | 2505.06 | 44.42 | 6.56 | 37.86 | 54.00 | -9.58 | 102 | 328 Average | Vertical |


802.11g

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 2377.73 | 56.61 | 19.89 | 37.52 | 74.00 | -17.39 | 169 | 16 | Peak | Horizontal | |
| 2 * | 2462.00 | 108.49 | 70.76 | 37.73 | 74.00 | 34.49 | 169 | 16 | Peak | Horizontal | |
| 3 ! | 2483.74 | 68.26 | 30.46 | 37.80 | 74.00 | -5.74 | 169 | 16 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 2338.02 | 54.15 | 16.84 | 37.31 | 74.00 | -19.85 | 138 | 338 | Peak | Vertical | |
| 2 * | 2462.00 | 102.39 | 64.66 | 37.73 | 74.00 | 28.39 | 138 | 338 | Peak | Vertical | |
| 3 | 2484.09 | 63.27 | 25.47 | 37.80 | 74.00 | -10.73 | 138 | 338 | Peak | Vertical | |


802.11g

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|-------|------|------------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2379.97 | 44.05 | 7.32 | 37.53 | 54.00 | -9.15 | 169 | 16 Average | Horizontal | |
| 2 * | 2462.00 | 98.09 | 60.36 | 37.73 | 54.00 | 44.09 | 169 | 16 Average | Horizontal | |
| 3 ! | 2499.87 | 52.05 | 14.20 | 37.85 | 54.00 | -1.95 | 169 | 16 Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|------------|------------|--------|------|-------------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 2374.31 | 41.94 | 4.44 | 37.50 | 54.00 | -12.06 | 138 | 338 Average | Vertical | |
| 2 * | 2462.00 | 92.44 | 54.71 | 37.73 | 54.00 | 38.44 | 138 | 338 Average | Vertical | |
| 3 ! | 2510.12 | 49.33 | 11.47 | 37.86 | 54.00 | -4.67 | 138 | 338 Average | Vertical | |



802.11n HT20

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2389.86 | 66.56 | 28.98 | 37.58 | 74.00 | -7.44 | 174 | 17 | 17 | Peak | Horizontal | |
| 2 * | 2412.00 | 106.91 | 69.26 | 37.65 | 74.00 | 32.91 | 174 | 17 | 17 | Peak | Horizontal | |
| 3 | 2492.10 | 57.80 | 19.98 | 37.82 | 74.00 | -16.20 | 174 | 17 | 17 | Peak | Horizontal | |

| Peak | Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | dB | cm | deg | | | |
| 1 | 2389.27 | 61.95 | 24.37 | 37.58 | 74.00 | -12.05 | 188 | 327 | 327 | Peak | Vertical | |
| 2 * | 2412.00 | 101.62 | 63.97 | 37.65 | 74.00 | 27.62 | 188 | 327 | 327 | Peak | Vertical | |
| 3 | 2500.23 | 56.68 | 18.83 | 37.85 | 74.00 | -17.32 | 188 | 327 | 327 | Peak | Vertical | |


802.11n HT20

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|-------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | cm | deg | | | |
| 1 | 2389.98 | 52.83 | 15.25 | 37.58 | 54.00 | -1.17 | 174 | 17 | Average | Horizontal | |
| 2 | 2412.00 | 96.35 | 58.78 | 37.65 | 54.00 | 42.35 | 174 | 17 | Average | Horizontal | |
| 3 | 2495.75 | 46.46 | 8.63 | 37.83 | 54.00 | -7.54 | 174 | 17 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|-------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | cm | deg | | | |
| 1 | 2389.98 | 48.40 | 18.82 | 37.58 | 54.00 | -5.60 | 188 | 327 | Average | Vertical | |
| 2 | 2412.00 | 91.21 | 53.56 | 37.65 | 54.00 | 37.21 | 188 | 327 | Average | Vertical | |
| 3 | 2493.63 | 44.21 | 6.38 | 37.83 | 54.00 | -9.79 | 188 | 327 | Average | Vertical | |



802.11n HT20

High Channel (Horizontal) Peak

High Channel (Vertical) Peak

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 2377.49 | 57.23 | 19.71 | 37.52 | 74.00 | -16.77 | 169 | 16 | Peak | Horizontal | |
| 2 * | 2462.00 | 107.36 | 69.63 | 37.73 | 74.00 | 33.36 | 169 | 16 | Peak | Horizontal | |
| 3 | 2483.50 | 66.29 | 28.49 | 37.80 | 74.00 | -7.71 | 169 | 16 | Peak | Horizontal | |

| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 2376.79 | 55.35 | 17.84 | 37.51 | 74.00 | -18.65 | 187 | 331 | Peak | Vertical | |
| 2 * | 2462.00 | 103.97 | 66.24 | 37.73 | 74.00 | 29.97 | 187 | 331 | Peak | Vertical | |
| 3 | 2484.09 | 62.39 | 24.59 | 37.80 | 74.00 | -11.61 | 187 | 331 | Peak | Vertical | |


802.11n HT20

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|-------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 2379.14 | 44.45 | 6.92 | 37.53 | 54.00 | -9.55 | 169 | 16 | Average | Horizontal | |
| 2 * | 2462.00 | 97.10 | 59.37 | 37.73 | 54.00 | 43.10 | 169 | 16 | Average | Horizontal | |
| 3 ! | 2483.50 | 52.42 | 14.62 | 37.80 | 54.00 | -1.58 | 169 | 16 | Average | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 2376.55 | 42.47 | 4.96 | 37.51 | 54.00 | -11.53 | 187 | 331 | Average | Vertical | |
| 2 * | 2462.00 | 93.59 | 55.86 | 37.73 | 54.00 | 39.59 | 187 | 331 | Average | Vertical | |
| 3 ! | 2483.50 | 48.30 | 10.50 | 37.80 | 54.00 | -5.70 | 187 | 331 | Average | Vertical | |



802.11n HT40

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322


TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.98 | 66.58 | 29.00 | 37.58 | 74.00 | -7.42 | 210 | 20 Peak | Horizontal | |
| 2 * | 2422.00 | 100.17 | 62.51 | 37.66 | 74.00 | 26.17 | 210 | 20 Peak | Horizontal | |
| 3 | 2506.47 | 58.25 | 20.39 | 37.86 | 74.00 | -15.75 | 210 | 20 Peak | Horizontal | |

| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|--------|-------|-------|--------|--------|------|----------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2388.68 | 60.10 | 22.53 | 37.57 | 74.00 | -13.90 | 109 | 326 Peak | Vertical | |
| 2 * | 2422.00 | 95.97 | 58.31 | 37.66 | 74.00 | 21.97 | 109 | 326 Peak | Vertical | |
| 3 | 2515.78 | 56.69 | 18.82 | 37.87 | 74.00 | -17.31 | 109 | 326 Peak | Vertical | |

802.11n HT40
Low Channel (Horizontal) Average
Low Channel (Vertical) Average

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|-------|--------|------------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.98 | 52.55 | 14.97 | 37.58 | 54.00 | -1.45 | 210 | 20 Average | Horizontal |
| 2 * | 2422.00 | 89.32 | 51.66 | 37.66 | 54.00 | 35.32 | 210 | 20 average | Horizontal |
| 3 | 2499.52 | 45.11 | 7.26 | 37.85 | 54.00 | -8.89 | 210 | 20 Average | Horizontal |


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-------------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2389.98 | 47.55 | 9.97 | 37.58 | 54.00 | -6.45 | 189 | 326 Average | Vertical |
| 2 * | 2422.00 | 85.51 | 47.85 | 37.66 | 54.00 | 31.51 | 189 | 326 Average | Vertical |
| 3 | 2514.60 | 43.54 | 5.67 | 37.87 | 54.00 | -10.46 | 189 | 326 Average | Vertical |


802.11n HT40

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 2380.56 | 55.15 | 17.62 | 37.53 | 74.00 | -18.85 | 168 | 16 | Peak | Horizontal | |
| 2 * | 2452.00 | 100.20 | 62.51 | 37.69 | 74.00 | 26.20 | 168 | 16 | Peak | Horizontal | |
| 3 | 2494.56 | 65.70 | 27.90 | 37.80 | 74.00 | -8.30 | 168 | 16 | Peak | Horizontal | |



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 2349.22 | 54.83 | 17.46 | 37.37 | 74.00 | -19.17 | 123 | 337 | Peak | Vertical | |
| 2 * | 2452.00 | 98.00 | 60.49 | 37.69 | 74.00 | 24.09 | 123 | 337 | Peak | Vertical | |
| 3 | 2485.03 | 61.23 | 23.43 | 37.80 | 74.00 | -12.77 | 123 | 337 | Peak | Vertical | |


802.11n HT40

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|--------------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2358.65 | 43.05 | 5.64 | 37.41 | 54.00 | -10.95 | 168 | 16 | Average Horizontal |
| 2 * | 2452.00 | 89.13 | 51.44 | 37.69 | 54.00 | 35.13 | 168 | 16 | average Horizontal |
| 3 ! | 2483.50 | 52.70 | 14.90 | 37.80 | 54.00 | -1.30 | 168 | 16 | Average Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 2369.72 | 41.80 | 4.32 | 37.48 | 54.00 | -12.20 | 123 | 337 | Average Vertical |
| 2 * | 2452.00 | 85.14 | 47.45 | 37.69 | 54.00 | 31.14 | 123 | 337 | Average Vertical |
| 3 ! | 2483.97 | 48.93 | 11.13 | 37.80 | 54.00 | -5.07 | 123 | 337 | Average Vertical |

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE20

High Channel 9kHz~150kHz(Open)

High Channel 150kHz~30MHz(Open)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.02 | 67.99 | 48.94 | 19.05 | 119.78 | -51.79 | 100 | 227 QP | Open |
| 2 | 0.05 | 63.80 | 44.44 | 19.36 | 113.76 | -49.96 | 100 | 231 QP | Open |
| 3 | 0.07 | 57.07 | 38.24 | 18.83 | 110.24 | -53.17 | 100 | 242 QP | Open |
| 4 | 0.10 | 48.85 | 30.55 | 18.30 | 107.74 | -58.89 | 100 | 248 QP | Open |
| 5 | 0.12 | 46.91 | 28.57 | 18.34 | 105.80 | -58.89 | 100 | 242 QP | Open |
| 6 | 0.15 | 42.94 | 24.51 | 18.43 | 104.21 | -61.27 | 100 | 246 QP | Open |



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.29 | 47.02 | 28.07 | 18.95 | 98.26 | -51.24 | 100 | 251 QP | Open |
| 2 | 4.41 | 35.91 | 16.51 | 19.40 | 69.50 | -33.59 | 100 | 200 QP | Open |
| 3 | 17.66 | 35.73 | 13.83 | 21.90 | 69.50 | -33.77 | 100 | 278 QP | Open |
| 4 | 17.79 | 35.91 | 14.00 | 21.91 | 69.50 | -33.59 | 100 | 70 QP | Open |
| 5 | 22.37 | 35.52 | 13.38 | 22.14 | 69.50 | -33.98 | 100 | 40 QP | Open |
| 6 | 28.10 | 35.76 | 13.41 | 22.35 | 69.50 | -33.74 | 100 | 330 QP | Open |


802.11ax HE20

High Channel 9kHz~150kHz (Close)

High Channel 150kHz~30MHz (Close)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|--------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 0.02 | 64.02 | 44.97 | 19.05 | 119.77 | -55.75 | 100 | 201 QP | Close |
| 2 | 0.05 | 59.47 | 40.11 | 19.36 | 113.75 | -54.28 | 100 | 201 QP | Close |
| 3 | 0.07 | 52.14 | 33.31 | 18.83 | 110.23 | -58.09 | 100 | 208 QP | Close |
| 4 | 0.10 | 43.85 | 25.56 | 18.29 | 107.73 | -63.88 | 100 | 206 QP | Close |
| 5 | 0.12 | 40.73 | 22.39 | 18.34 | 105.80 | -65.07 | 100 | 197 QP | Close |
| 6 | 0.15 | 38.19 | 19.76 | 18.43 | 104.22 | -66.03 | 100 | 195 QP | Close |




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|-------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4.41 | 57.58 | 30.18 | 19.40 | 69.50 | -11.92 | 100 | 63 QP | Close |
| 2 | 6.61 | 52.38 | 32.38 | 20.00 | 69.50 | -17.12 | 100 | 188 QP | Close |
| 3 | 8.25 | 52.10 | 31.43 | 20.67 | 69.50 | -17.40 | 100 | 218 QP | Close |
| 4 | 13.56 | 57.54 | 35.92 | 21.62 | 69.50 | -11.96 | 100 | 360 QP | Close |
| 5 | 17.70 | 56.49 | 34.59 | 21.90 | 69.50 | -13.01 | 100 | 348 QP | Close |
| 6 | 17.80 | 56.44 | 34.53 | 21.91 | 69.50 | -13.06 | 100 | 352 QP | Close |

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
802.11ax HE20
High Channel (Horizontal)
High Channel (Vertical)

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|-------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 214.40 | 40.40 | 51.30 | -10.90 | 43.50 | -3.10 | 132 | 360 QP | Horizontal |
| 2 | 297.53 | 36.24 | 43.26 | -7.02 | 46.00 | -9.76 | 180 | 264 QP | Horizontal |
| 3 | 394.62 | 36.28 | 41.39 | -5.11 | 46.00 | -9.72 | 200 | 142 QP | Horizontal |
| 4 | 399.96 | 38.89 | 44.01 | -5.12 | 46.00 | -7.11 | 200 | 157 QP | Horizontal |
| 5 | 560.01 | 37.65 | 40.37 | -2.72 | 46.00 | -8.35 | 132 | 360 QP | Horizontal |
| 6 | 640.03 | 38.19 | 39.10 | -0.91 | 46.00 | -7.81 | 100 | 318 QP | Horizontal |


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322





| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|--------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 49.11 | 30.99 | 38.83 | -7.84 | 40.00 | -9.01 | 100 | 161 QP | Vertical |
| 2 | 56.68 | 31.88 | 40.03 | -8.15 | 40.00 | -8.12 | 100 | 222 QP | Vertical |
| 3 | 214.40 | 39.47 | 50.37 | -10.90 | 43.50 | -4.03 | 100 | 216 QP | Vertical |
| 4 | 350.78 | 36.46 | 42.73 | -6.27 | 46.00 | -9.54 | 100 | 222 QP | Vertical |
| 5 | 599.97 | 35.93 | 37.35 | -1.42 | 46.00 | -10.07 | 100 | 44 QP | Vertical |
| 6 | 640.03 | 37.65 | 38.56 | -0.91 | 46.00 | -8.35 | 156 | 360 QP | Vertical |

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b

Low Channel (Horizontal)

Low Channel (Vertical)



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 4824.00 | 52.61 | 62.42 | -9.81 | 54.00 | -1.39 | 221 | 57 | Average | Horizontal | |
| 2 4824.00 | 55.31 | 65.12 | -9.81 | 74.00 | -18.69 | 221 | 57 | Peak | Horizontal | |

| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 4824.00 | 48.90 | 58.71 | -9.81 | 54.00 | -5.10 | 303 | 350 | Average | Vertical | |
| 2 4824.00 | 52.62 | 62.43 | -9.81 | 74.00 | -21.38 | 303 | 350 | Peak | Vertical | |

802.11b

Middle Channel (Horizontal)



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | |
|---|---------|--------|-------|--------|--------|--------|------|------|---------|------------|------|----|----|----|----|----|----|----|----|--|
| 1 | Level | Read | Level | Factor | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note | | | | | | | | | |
| 1 | Freq | Level | Level | Factor | Line | Limit | cm | deg | | | | | | | | | | | | |
| 1 | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | | | | | | | | | |
| 1 | 4874.00 | 52.48 | 62.25 | -9.77 | 54.00 | -1.52 | 287 | 60 | Average | Horizontal | | | | | | | | | | |
| 2 | 4874.00 | 55.77 | 65.54 | -9.77 | 74.00 | -18.23 | 287 | 60 | Peak | Horizontal | | | | | | | | | | |
| 3 | 7311.00 | 47.85 | 55.36 | -7.51 | 74.00 | -26.15 | 100 | 342 | Peak | Horizontal | | | | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | |
|---|---------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|----|----|----|----|----|----|----|----|--|
| 1 | Level | Read | Level | Factor | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note | | | | | | | | | |
| 1 | Freq | Level | Level | Factor | Line | Limit | cm | deg | | | | | | | | | | | | |
| 1 | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | | | | | | | | | |
| 1 | 4874.00 | 49.17 | 58.94 | -9.77 | 54.00 | -4.83 | 314 | 350 | Average | Vertical | | | | | | | | | | |
| 2 | 4874.00 | 52.80 | 62.57 | -9.77 | 74.00 | -21.20 | 314 | 350 | Peak | Vertical | | | | | | | | | | |
| 3 | 7311.00 | 47.65 | 55.16 | -7.51 | 74.00 | -26.35 | 200 | 348 | Peak | Vertical | | | | | | | | | | |

802.11b

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---|--------|-------|--------|--------|--------|-------|------|---------|------------|-----------|------|----|----|----|----|----|----|----|----|
| 1 | Level | Read | Level | Factor | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note | | | | | | | | |
| 1 | dBuV/m | Level | Factor | Line | Limit | Limit | cm | deg | | | | | | | | | | | |
| 1 | 52.94 | 62.62 | -9.68 | 54.00 | -1.06 | 292 | 53 | Average | Horizontal | | | | | | | | | | |
| 2 | 55.73 | 65.41 | -9.68 | 74.00 | -18.27 | 292 | 53 | Peak | Horizontal | | | | | | | | | | |
| 3 | 48.40 | 55.83 | -7.43 | 74.00 | -25.60 | 100 | 354 | Peak | Horizontal | | | | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---|--------|-------|--------|--------|--------|-------|------|---------|----------|-----------|------|----|----|----|----|----|----|----|----|
| 1 | Level | Read | Level | Factor | Limit | Over | Apos | TPos | Remark | Pol/Phase | Note | | | | | | | | |
| 1 | dBuV/m | Level | Factor | Line | Limit | Limit | cm | deg | | | | | | | | | | | |
| 1 | 49.49 | 59.17 | -9.68 | 54.00 | -4.51 | 313 | 345 | Average | Vertical | | | | | | | | | | |
| 2 | 52.82 | 62.50 | -9.68 | 74.00 | -21.18 | 313 | 345 | Peak | Vertical | | | | | | | | | | |
| 3 | 45.55 | 52.98 | -7.43 | 74.00 | -28.45 | 300 | 344 | Peak | Vertical | | | | | | | | | | |

802.11g

Low Channel (Horizontal)



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 4824.00 | 48.42 | 58.23 | -9.81 | 74.00 | -25.58 | 224 | 48 | Peak | Horizontal |
|---|---------|-------|-------|-------|-------|--------|-----|----|------|------------|
|---|---------|-------|-------|-------|-------|--------|-----|----|------|------------|

| 1 | 4824.00 | 46.12 | 55.93 | -9.81 | 74.00 | -27.88 | 300 | 23 | Peak | Vertical |
|---|---------|-------|-------|-------|-------|--------|-----|----|------|----------|
|---|---------|-------|-------|-------|-------|--------|-----|----|------|----------|

802.11g

Middle Channel (Horizontal)


Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 2 | 3 |
|------------|------------|------------|
| 4874.00 | 4874.00 | 7311.00 |
| 43.11 | 56.17 | 48.47 |
| 52.88 | 65.94 | 55.98 |
| -9.77 | -9.77 | -7.51 |
| 54.00 | 74.00 | 74.00 |
| -18.89 | -17.83 | -25.53 |
| 293 | 293 | 100 |
| 54 | 54 | 319 |
| Average | Peak | Peak |
| Horizontal | Horizontal | Horizontal |



| 1 | 2 | 3 |
|----------|----------|----------|
| 4874.00 | 4874.00 | 7311.00 |
| 39.58 | 53.38 | 47.07 |
| 49.35 | 63.07 | 54.58 |
| -9.77 | -9.77 | -7.51 |
| 54.00 | 74.00 | 74.00 |
| -14.42 | -20.78 | -26.93 |
| 302 | 302 | 282 |
| 347 | 347 | 360 |
| Average | Peak | Peak |
| Vertical | Vertical | Vertical |

802.11g

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4924.00 | 58.09 | 68.57 | -9.68 | 74.00 | -23.11 | 293 | 360 Peak | Horizontal |
| 2 | 7386.00 | 47.09 | 54.52 | -7.43 | 74.00 | -26.91 | 180 | 67 Peak | Horizontal |

| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4924.00 | 48.05 | 57.73 | -9.68 | 74.00 | -25.95 | 300 | 12 Peak | Vertical |
| 2 | 7386.00 | 46.19 | 53.62 | -7.43 | 74.00 | -27.61 | 300 | 360 Peak | Vertical |


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 4824.00 | 47.18 | 56.99 | -9.81 | 74.00 | -26.82 | 200 | 57 | Peak | Horizontal |
|---|---------|-------|-------|-------|-------|--------|-----|----|------|------------|
|---|---------|-------|-------|-------|-------|--------|-----|----|------|------------|



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 4824.00 | 43.86 | 53.67 | -9.81 | 74.00 | -30.14 | 300 | 354 | Peak | Vertical |
|---|---------|-------|-------|-------|-------|--------|-----|-----|------|----------|
|---|---------|-------|-------|-------|-------|--------|-----|-----|------|----------|

802.11n HT20

Middle Channel (Horizontal)


Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1 | 2 | 3 |
|---------|-------|-------|
| 4874.00 | 43.29 | 53.06 |
| 4874.00 | 56.78 | 66.55 |
| 7311.00 | 50.78 | 58.29 |



| 1 | 2 | 3 |
|---------|-------|-------|
| 4874.00 | 39.73 | 49.58 |
| 4874.00 | 52.68 | 62.37 |
| 7311.00 | 46.56 | 54.07 |

802.11n HT20

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 4924.00 | 51.25 | 68.93 | -9.68 | 74.00 | -22.75 | 284 | 55 | Peak | Horizontal | |
| 2 | 7386.00 | 45.73 | 53.16 | -7.43 | 74.00 | -28.27 | 180 | 48 | Peak | Horizontal | |

| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 4924.00 | 50.29 | 59.97 | -9.68 | 74.00 | -23.71 | 300 | 28 | Peak | Vertical | |
| 2 | 7386.00 | 43.93 | 51.36 | -7.43 | 74.00 | -30.67 | 300 | 35 | Peak | Vertical | |

802.11n HT40

Low Channel (Horizontal)



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|--------|-------|--------|------|----------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 4844.00 | 42.69 | 52.45 | -9.76 | 74.00 | -31.31 | 290 | 78 Peak | Horizontal | |
| 2 | 7266.00 | 43.21 | 50.60 | -7.39 | 74.00 | -30.79 | 300 | 180 Peak | Horizontal | |

| Freq | Level | Read Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|------------|--------|--------|-------|--------|------|----------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 4844.00 | 42.47 | 52.23 | -9.76 | 74.00 | -31.53 | 299 | 360 Peak | Vertical | |
| 2 | 7266.00 | 43.31 | 50.79 | -7.39 | 74.00 | -30.69 | 280 | 104 Peak | Vertical | |

802.11n HT40

Middle Channel (Horizontal)



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4874.00 | 50.41 | 60.18 | -9.77 | 74.00 | -23.59 | 200 | 354 Peak | Horizontal |
| 2 | 7311.00 | 45.09 | 52.60 | -7.51 | 74.00 | -28.91 | 100 | 16 Peak | Horizontal |

| Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4874.00 | 45.32 | 55.09 | -9.77 | 74.00 | -28.68 | 200 | 348 Peak | Vertical |
| 2 | 7311.00 | 44.57 | 52.08 | -7.51 | 74.00 | -29.43 | 300 | 352 Peak | Vertical |

802.11n HT40

High Channel (Horizontal)



High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|--------|--------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 4984.00 | 42.64 | 52.42 | -9.78 | 74.00 | -31.36 | 200 | 358 | Peak | Horizontal | |
| 2 | 7356.00 | 43.94 | 51.37 | -7.43 | 74.00 | -30.06 | 236 | 368 | Peak | Horizontal | |

| Freq | Level | Read | Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|--------|--------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 4984.00 | 42.06 | 51.84 | -9.78 | 74.00 | -31.94 | 100 | 111 | Peak | Vertical | |
| 2 | 7356.00 | 43.32 | 50.75 | -7.43 | 74.00 | -30.68 | 200 | 28 | Peak | Vertical | |

Mains Conducted Emission, Tx Mode(Adapter), 150kHz ~ 30MHz

