


802.11ax HE40

CH 151 (Horizontal) Average

CH 151 (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5755.00	188.96	65.24	43.72	54.00	54.96	255	59	Average	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5755.00	110.46	66.74	43.72	54.00	56.46	158	36	Average	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5680.50	60.27	16.89	43.38	68.20	-7.93	265	79 Peak	Horizontal
2	5691.50	72.77	29.14	43.63	98.93	-26.16	265	79 Peak	Horizontal
3	5711.50	78.18	34.51	43.67	108.42	-30.24	265	79 Peak	Horizontal
4	5722.00	72.24	28.56	43.68	115.36	-43.12	265	79 Peak	Horizontal
5	5795.00	120.85	77.01	43.84	122.20	-1.35	265	79 Peak	Horizontal
6	5850.00	85.67	41.68	43.99	122.20	-36.53	265	79 Peak	Horizontal
7	5870.50	88.64	36.59	44.05	106.46	-25.82	265	79 Peak	Horizontal
8	5891.00	76.00	31.89	44.11	93.33	-17.33	265	79 Peak	Horizontal
9	5930.00	66.24	22.02	44.22	68.20	-1.96	265	79 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	5551.50	59.81	16.38	43.43	68.20	-8.39	237	60 Peak	Vertical
2	5693.50	72.04	28.41	43.63	100.41	-28.37	237	60 Peak <td>Vertical</td>	Vertical
3	5713.50	76.47	32.79	43.68	108.98	-32.51	237	60 Peak <td>Vertical</td>	Vertical
4	5725.00	73.84	30.15	43.69	122.20	-48.36	237	60 Peak <td>Vertical</td>	Vertical
5	5795.00	120.56	76.72	43.84	122.20	-1.64	237	60 Peak <td>Vertical</td>	Vertical
6	5852.00	81.67	37.68	43.99	117.64	-35.97	237	60 Peak <td>Vertical</td>	Vertical
7	5855.00	81.24	37.23	44.01	110.00	-29.56	237	60 Peak <td>Vertical</td>	Vertical
8	5875.00	75.74	31.68	44.06	105.20	-29.46	237	60 Peak <td>Vertical</td>	Vertical
9	5933.50	63.50	19.27	44.23	68.20	-4.70	237	60 Peak <td>Vertical</td>	Vertical


802.11ax HE40

CH 159 (Horizontal) Average

CH 159 (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5795.00	109.02	65.18	43.84	54.00	55.02	265	79 Average	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5795.00	109.42	65.58	43.84	54.00	55.42	237	60 Average	Vertical


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5642.50	67.16	23.74	43.42	68.20	-1.04	100	335 Peak	Horizontal	
2	5699.50	77.18	33.52	43.66	104.83	-27.65	100	335 Peak	Horizontal	
3	5719.50	80.40	36.72	43.68	110.66	-30.26	100	335 Peak	Horizontal	
4	5723.00	82.56	38.88	43.68	117.64	-35.08	100	335 Peak	Horizontal	
5	5775.00	113.13	69.35	43.78	122.20	-9.07	100	335 Peak	Horizontal	
6	5852.00	78.88	34.89	43.99	117.64	-38.76	100	335 Peak	Horizontal	
7	5861.50	78.25	34.23	44.02	108.98	-30.73	100	335 Peak	Horizontal	
8	5875.00	73.10	29.04	44.06	105.20	-32.10	100	335 Peak	Horizontal	
9	5933.00	64.55	20.32	44.23	68.20	-3.65	100	335 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	66.32	22.90	43.42	68.20	-1.88	256	62 Peak	Vertical	
2	5691.50	76.75	33.12	43.63	98.93	-22.18	256	62 Peak	Vertical	
3	5711.00	81.59	37.92	43.67	108.28	-26.69	256	62 Peak	Vertical	
4	5724.00	77.72	34.03	43.69	119.92	-42.20	256	62 Peak	Vertical	
5	5775.00	114.30	70.52	43.78	122.20	-7.90	256	62 Peak	Vertical	
6	5851.00	81.09	37.10	43.99	119.92	-38.83	256	62 Peak	Vertical	
7	5870.00	79.36	35.21	44.05	106.60	-27.24	256	62 Peak	Vertical	
8	5892.00	72.36	28.25	44.11	92.58	-20.22	256	62 Peak	Vertical	
9	5931.00	65.44	21.22	44.22	68.20	-2.76	256	62 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Average

CH 155 (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5775.00	181.10	57.32	43.78	54.00	47.10	100	335	Average Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5775.00	181.52	57.74	43.78	54.00	47.52	256	62	Average Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	18368.00	58.02	61.39	-3.37	68.20	-10.18	380	386 Peak	Horizontal
2	15548.00	50.10	46.29	3.81	54.00	-3.90	285	293 Average	Horizontal
3	15548.00	63.62	59.81	3.81	74.00	-10.38	285	293 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	18368.00	56.06	60.33	-3.37	68.20	-11.24	288	267 Peak	Vertical
2	15548.00	48.29	44.48	3.81	54.00	-5.71	293	297 Average	Vertical
3	15548.00	61.25	57.44	3.81	74.00	-12.75	293	297 Peak	Vertical

802.11a

CH 40 (Horizontal)



CH 40 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	57.76	61.08	-3.32	68.20	-10.44	300	51 Peak	Horizontal
2	15600.00	48.64	44.92	3.72	54.00	-5.36	200	288 Average	Horizontal
3	15600.00	62.96	59.24	3.72	74.00	-11.04	200	288 Peak	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	55.03	59.25	-3.32	68.20	-12.27	400	360 Peak	Vertical
2	15600.00	46.44	42.72	3.72	54.00	-7.56	200	342 Average	Vertical
3	15600.00	60.65	56.93	3.72	74.00	-13.35	200	342 Peak	Vertical

802.11a

CH 48 (Horizontal)



CH 48 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
58.35	68.20	-12.99	122	360	Peak	Horizontal	
42.19	54.00	-7.61	254	298	Average	Horizontal	
56.54	74.00	-13.26	254	298	Peak	Horizontal	

Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
56.78	68.20	-14.64	180	290	Peak	Vertical	
39.85	54.00	-9.94	362	337	Average	Vertical	
54.29	74.00	-15.51	362	337	Peak	Vertical	



802.11ax HE20

CH 36 (Horizontal)



CH 36 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
1   10360.00	63.96	67.33	-3.37	68.20	-4.24	249	325 Peak Horizontal
2   15540.00	48.09	44.28	3.81	54.00	-5.91	248	295 Average Horizontal
3   15540.00	65.28	61.47	3.81	74.00	-8.72	248	295 Peak Horizontal

Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
1   10360.00	61.55	64.92	-3.37	68.20	-6.65	200	291 Peak Vertical
2   15540.00	46.63	42.82	3.81	54.00	-7.37	296	17 Average Vertical
3   15540.00	63.82	60.01	3.81	74.00	-10.18	296	17 Peak Vertical

802.11ax HE20

CH 40 (Horizontal)



CH 40 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dBuV/m	dB	cm	deg			
61.66	64.98	-3.32	68.20	-6.54	300	30 Peak	Horizontal
46.89	43.17	3.72	54.00	-7.11	244	60 Average	Horizontal
63.96	60.24	3.72	74.00	-10.04	244	60 Peak	Horizontal

Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dBuV/m	dB	cm	deg			
59.78	63.10	-3.32	68.20	-8.42	200	13 Peak	Vertical
43.97	40.25	3.72	54.00	-10.03	100	298 Average	Vertical
61.70	57.98	3.72	74.00	-12.30	100	298 Peak	Vertical

802.11ax HE20

CH 48 (Horizontal)



CH 48 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dBuV/m	dB	cm	deg			
62.34	68.20	-9.00	300	8	Peak	Horizontal	
46.01	54.00	-9.79	251	348	Average	Horizontal	
57.26	74.00	-12.54	251	348	Peak	Horizontal	

Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dBuV/m	dB	cm	deg			
60.18	68.20	-11.16	100	347	Peak	Vertical	
41.96	54.00	-12.04	367	16	Average	Vertical	
54.99	74.00	-14.81	367	16	Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal)


CH 38 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	45.65	49.12	-3.47	68.20	-22.55	100	39 Peak	Horizontal



Read	Level	Factor	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	44.84	48.31	-3.47	68.20	-23.36	100	275 Peak	Vertical

802.11ax HE40

CH 46 (Horizontal)


CH 46 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	44.76	48.04	-3.28	68.20	-23.44	263	88 Peak	Horizontal	



Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	44.38	47.66	-3.28	68.20	-23.82	300	14 Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal)


CH 42 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	44.99	48.37	-3.38	68.20	-23.21	200	81	Peak	Horizontal	



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	44.88	48.26	-3.38	68.20	-23.32	300	46	Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	43.73	46.86	-3.13	68.20	-24.47	100	36	Peak	Horizontal	
2	15780.00	48.17	44.01	4.16	74.00	-25.83	200	229	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	44.48	47.61	-3.13	68.20	-23.72	100	283	Peak	Vertical	
2	15780.00	47.07	42.91	4.16	74.00	-26.93	187	360	Peak	Vertical	

802.11a

CH 60 (Horizontal)



CH 60 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	45.80	48.67	-2.87	68.20	-22.40	100	33 Peak	Horizontal
2	15900.00	47.21	42.85	4.36	74.00	-26.79	200	241 Peak	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	45.13	48.00	-2.87	68.20	-23.07	200	42 Peak	Vertical
2	15900.00	47.58	43.22	4.36	74.00	-26.42	100	85 Peak	Vertical



802.11a

CH 64 (Horizontal)



CH 64 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	45.93	48.75	-2.82	74.00	-28.07	100	75 Peak	Horizontal
2	15960.00	46.96	42.51	4.45	74.00	-27.04	242	360 Peak	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	47.80	50.62	-2.82	74.00	-26.20	200	51 Peak	Vertical
2	15960.00	48.30	43.85	4.45	74.00	-25.70	189	360 Peak	Vertical

802.11ax HE20

CH 52 (Horizontal)



CH 52 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	43.40	46.53	-3.13	68.20	-24.80	200	291 Peak	Horizontal
2	15780.00	47.94	43.78	4.16	74.00	-26.06	179	360 Peak	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	45.46	48.59	-3.13	68.20	-22.74	100	24 Peak	Vertical
2	15780.00	48.42	44.26	4.16	74.00	-25.58	200	44 Peak	Vertical

802.11ax HE20

CH 60 (Horizontal)



CH 60 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10680.00	44.99	47.86	-2.87	68.20	-23.21	100	64 Peak	Horizontal
2	15900.00	47.43	43.07	4.36	74.00	-26.57	200	149 Peak	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10680.00	46.33	49.20	-2.87	68.20	-21.87	100	34 Peak	Vertical
2	15900.00	46.67	42.31	4.36	74.00	-27.33	300	139 Peak	Vertical

802.11ax HE20

CH 64 (Horizontal)



CH 64 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	45.49	48.31	-2.82	74.00	-28.51	200	264 Peak	Horizontal	
2	15960.00	46.59	42.54	4.45	74.00	-27.01	100	10 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	47.27	50.09	-2.82	74.00	-26.73	100	22 Peak	Vertical	
2	15960.00	47.79	43.34	4.45	74.00	-26.21	100	39 Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal)


CH 54 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
47.96	68.20	-23.31	300	62	Peak	Horizontal	



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
47.40	68.20	-23.87	100	32	Peak	Vertical	

802.11ax HE40

CH 62 (Horizontal)


CH 62 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10620.00	45.95	48.79	-2.84	74.00	-28.05	100	69	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------



1	10620.00	47.40	50.24	-2.84	74.00	-26.60	200	357	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------



U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	50.14	52.40	-2.26	54.00	-3.86	106	39 Average	Horizontal
2	11000.00	54.81	57.07	-2.26	74.00	-19.19	106	39 Peak	Horizontal
3	16500.00	49.77	43.48	6.29	68.20	-18.43	100	309 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	50.86	53.12	-2.26	54.00	-3.14	110	42 Average	Vertical
2	11000.00	54.89	57.15	-2.26	74.00	-19.11	110	42 Peak	Vertical
3	16500.00	50.15	43.86	6.29	68.20	-18.05	300	128 Peak	Vertical




802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	47.99	50.05	-2.06	74.00	-26.01	200	262 Peak	Horizontal	
2	16740.00	48.65	42.00	6.65	68.20	-19.55	300	214 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	47.68	49.74	-2.06	74.00	-26.32	400	350 Peak	Vertical	
2	16740.00	48.34	41.69	6.65	68.20	-19.86	289	358 Peak	Vertical	

802.11a

CH 140 (Horizontal)



CH 140 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	45.54	47.12	-1.58	74.00	-28.46	200	292 Peak	Horizontal	
2	17100.00	49.26	42.34	6.92	68.20	-18.94	120	360 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	45.73	47.31	-1.58	74.00	-28.27	100	347 Peak	Vertical	
2	17100.00	49.27	42.35	6.92	68.20	-18.93	200	348 Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal)



CH 100 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1100 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Line	Line	Line
Limit	Limit	Limit
Over	Over	Over
Apos	Apos	Apos
Tpos	Tpos	Tpos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
1   11800.00	50.12	53.38
2   11900.00	54.76	57.02
3   16500.00	48.93	42.64

1	2	3
Level	Level	Level
Factor	Factor	Factor
Line	Line	Line
Limit	Limit	Limit
Over	Over	Over
Apos	Apos	Apos
Tpos	Tpos	Tpos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
1   11800.00	50.84	53.18
2   11900.00	54.96	57.22
3   16500.00	48.95	42.66

802.11ax HE20

CH 116 (Horizontal)



CH 116 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	49.53	51.59	-2.06	74.00	-24.47	100	345	Peak	Horizontal	
2	16740.00	47.83	41.18	6.65	68.20	-20.37	100	11	Peak	Horizontal	

Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	49.53	51.59	-2.06	74.00	-24.47	100	345	Peak	Horizontal	
2	16740.00	47.83	41.18	6.65	68.20	-20.37	100	11	Peak	Horizontal	

802.11ax HE20

CH 140 (Horizontal)



CH 140 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	46.07	47.65	-1.58	74.00	-27.93	200	294 Peak	Horizontal	
2	17100.00	49.13	42.21	6.92	68.20	-19.07	200	51 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	45.52	47.10	-1.58	74.00	-28.48	155	360 Peak	Vertical	
2	17100.00	48.51	41.59	6.92	68.20	-19.69	182	360 Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal)



CH 102 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1   11020.00	50.49	52.73	-2.24	54.00	-3.51	100	40 Average	Horizontal	
2   11020.00	54.10	56.34	-2.24	74.00	-19.90	100	40 Peak	Horizontal	

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1   11020.00	50.88	53.12	-2.24	54.00	-3.12	105	41 Average	Vertical	
2   11020.00	54.47	56.71	-2.24	74.00	-19.53	105	41 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal)



CH 110 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11180.00	48.88	51.02	-2.14	74.00	-25.12	200	291 Peak	Horizontal	

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11180.00	49.64	51.78	-2.14	74.00	-24.36	200	354 Peak	Vertical	

802.11ax HE40

CH 134 (Horizontal)


CH 134 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11340.00	45.40	47.12	-1.72	74.00	-28.60	272	360	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------



1	11340.00	45.03	46.75	-1.72	74.00	-28.97	300	113	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------



802.11ax HE80

CH 106 (Horizontal)



CH 106 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	51.20	53.38	-2.18	54.00	-2.80	100	42 Average	Horizontal
2	11860.00	54.46	56.64	-2.18	74.00	-19.54	100	42 Peak	Horizontal

Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	51.13	53.31	-2.18	54.00	-2.87	113	40 Average	Vertical
2	11860.00	54.74	56.92	-2.18	74.00	-19.26	113	40 Peak	Vertical

802.11ax HE80

CH 122 (Horizontal)


CH 122 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11220.00	58.31	52.29	-1.98	74.00	-23.69	100	78	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------



1	11220.00	50.19	52.17	-1.98	74.00	-23.81	200	19	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	----	------	----------

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
46.62	47.83	-1.21	54.00	-7.38	100	297 Average	Horizontal
60.73	61.94	-1.21	74.00	-13.27	100	297 Peak	Horizontal
57.26	58.53	6.73	68.20	-10.94	179	360 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
43.71	44.92	-1.21	54.00	-10.29	100	316 Average	Vertical
57.39	58.60	-1.21	74.00	-16.61	100	316 Peak	Vertical
55.88	49.87	6.73	68.20	-12.40	313	360 Peak	Vertical

802.11a

CH 157 (Horizontal)



CH 157 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	47.48	48.52	-1.04	54.00	-6.52	100	297 Average	Horizontal	
2	11570.00	62.08	63.12	-1.04	74.00	-11.92	106	309 Peak	Horizontal	
3	17355.00	59.26	52.35	6.91	68.20	-8.94	200	354 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	44.11	45.15	-1.04	54.00	-9.89	187	309 Average	Vertical	
2	11570.00	58.84	59.88	-1.04	74.00	-15.16	187	309 Peak	Vertical	
3	17355.00	57.11	50.20	6.91	68.20	-11.09	100	331 Peak	Vertical	

802.11a

CH 165 (Horizontal)



CH 165 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
46.57	54.00	-7.43	100	297	Average	Horizontal	
61.53	74.00	-12.47	100	297	Peak	Horizontal	
57.32	68.20	-10.88	200	344	Peak	Horizontal	

Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
44.02	54.00	-9.08	100	307	Average	Vertical	
59.52	74.00	-14.48	100	307	Peak	Vertical	
57.03	68.20	-11.17	300	19	Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	44.48	45.69	-1.21	54.00	-9.52	100	296 Average	Horizontal
2	11490.00	56.29	57.50	-1.21	74.00	-17.71	100	296 Peak	Horizontal
3	17235.00	58.05	51.32	6.73	68.20	-10.15	182	74 Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	53.38	54.59	-1.21	74.00	-20.62	201	233 Peak	Vertical
2	17235.00	55.20	48.47	6.73	68.20	-13.00	180	44 Peak	Vertical