

FCC Radio Test Report

FCC ID : A8J-ECW526
Equipment : EnGenius Cloud Wi-Fi 7 2x2 Tri-Band Indoor Access Point
Brand Name : EnGenius EnGenius®
Model Name : ECW526
Applicant : EnGenius Technologies
1580 Scenic Avenue, Costa Mesa, CA92626
Manufacturer : EnGenius Networks Inc.
10F., No.209, Sec. 1, Nangang Rd., Nangang Dist., Taipei City
115018, Taiwan
Standard : 47 CFR FCC Part 15.407

The product was received on Nov. 28, 2023, and testing was started from Mar. 14, 2024 and completed on Mar. 27, 2024. We, SPORTON INTERNATIONAL INC. Hsinhua Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.10-2013 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. Hsinhua Laboratory, the test report shall not be reproduced except in full.



Approved by: Ben Tesng

SPORTON INTERNATIONAL INC. Hsinhua Laboratory

No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)



Table of Contents

HISTORY OF THIS TEST REPORT3

SUMMARY OF TEST RESULT4

1 GENERAL DESCRIPTION5

1.1 Information.....5

1.2 Testing Applied Standards9

1.3 Testing Location Information9

1.4 Measurement Uncertainty9

2 TEST CONFIGURATION OF EUT.....10

2.1 Test Channel Mode10

2.2 The Worst Case Measurement Configuration.....14

2.3 Accessories15

2.4 Support Equipment.....15

2.5 Test Setup Diagram16

3 TRANSMITTER TEST RESULT18

3.1 AC Power-line Conducted Emissions18

3.2 Emission Bandwidth20

3.3 Maximum Conducted Output Power21

3.4 Peak Power Spectral Density.....23

3.5 Unwanted Emissions.....25

4 TEST EQUIPMENT AND CALIBRATION DATA.....29

APPENDIX A. TEST RESULTS OF AC POWER-LINE CONDUCTED EMISSIONS

APPENDIX B. TEST RESULTS OF EMISSION BANDWIDTH

APPENDIX C. TEST RESULTS OF MAXIMUM CONDUCTED OUTPUT POWER

APPENDIX D. TEST RESULTS OF PEAK POWER SPECTRAL DENSITY

APPENDIX E. TEST RESULTS OF UNWANTED EMISSIONS

APPENDIX F. TEST RESULTS OF RADIATED EMISSION CO-LOCATION

APPENDIX G. TEST PHOTOS

PHOTOGRAPHS OF EUT V01



History of this test report

Report No.	Version	Description	Issued Date
FR422116AN	01	Initial issue of report	May 03, 2024



Summary of Test Result

Report Clause	Ref. Std. Clause	Test Items	Result (PASS/FAIL)	Remark
1.1.2	15.203	Antenna Requirement	PASS	-
3.1	15.207	AC Power-line Conducted Emissions	PASS	-
3.2	15.407(a)	Emission Bandwidth	PASS	-
3.3	15.407(a)	Maximum Conducted Output Power	PASS	-
3.4	15.407(a)	Peak Power Spectral Density	PASS	-
3.5	15.407(b)	Unwanted Emissions	PASS	-

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and explanations:

The EUT supports beamforming and CDD modes, and the CDD mode is the worst case. Therefore, all test items are evaluated in the report. The beamforming mode only evaluates the output power.

Reviewed by: Terry Chang

Report Producer: Amber Chiu



1 General Description

1.1 Information

1.1.1 RF General Information

Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
5150-5250	a, n (HT20), ac (VHT20), ax (HEW20), be (EHT20)	5180-5240	36-48 [4]
5250-5350		5260-5320	52-64 [4]
5470-5725		5500-5700	100-140 [11]
Straddle 5720		5720	144 [1]
5725-5850		5745-5825	149-165 [5]
5150-5250	n (HT40), ac (VHT40), ax (HEW40), be (EHT40)	5190-5230	38-46 [2]
5250-5350		5270-5310	54-62 [2]
5470-5725		5510-5670	102-134 [5]
Straddle 5710		5710	142 [1]
5725-5850		5755-5795	151-159 [2]
5150-5250	ac (VHT80), ax (HEW80) , be (EHT80)	5210	42 [1]
5250-5350		5290	58 [1]
5470-5725		5530-5610	106-122 [2]
Straddle 5690		5690	138 [1]
5725-5850		5775	155 [1]
5150-5350	ax (HEW160), be (EHT160)	5250	50 [1]
5470-5725		5570	114 [1]

Non-Beamforming

Band	Mode	BWch (MHz)	Nant
5.15-5.25GHz	802.11a	20	2TX
5.25-5.35GHz	802.11a	20	2TX
5.47-5.725GHz	802.11a	20	2TX
5.725-5.85GHz	802.11a	20	2TX
5.15-5.25GHz	802.11be EHT20	20	2TX
5.25-5.35GHz	802.11be EHT20	20	2TX
5.47-5.725GHz	802.11be EHT20	20	2TX
5.725-5.85GHz	802.11be EHT20	20	2TX
5.15-5.25GHz	802.11be EHT40	40	2TX
5.25-5.35GHz	802.11be EHT40	40	2TX
5.47-5.725GHz	802.11be EHT40	40	2TX



Band	Mode	BWch (MHz)	Nant
5.725-5.85GHz	802.11be EHT40	40	2TX
5.15-5.25GHz	802.11be EHT80	80	2TX
5.25-5.35GHz	802.11be EHT80	80	2TX
5.47-5.725GHz	802.11be EHT80	80	2TX
5.725-5.85GHz	802.11be EHT80	80	2TX
5.15-5.25GHz	802.11be EHT160	160	2TX
5.25-5.35GHz	802.11be EHT160	160	2TX
5.47-5.725GHz	802.11be EHT160	160	2TX

Beamforming

Band	Mode	BWch (MHz)	Nant
5.15-5.25GHz	802.11be EHT20-BF	20	2TX
5.25-5.35GHz	802.11be EHT20-BF	20	2TX
5.47-5.725GHz	802.11be EHT20-BF	20	2TX
5.725-5.85GHz	802.11be EHT20-BF	20	2TX
5.15-5.25GHz	802.11be EHT40-BF	40	2TX
5.25-5.35GHz	802.11be EHT40-BF	40	2TX
5.47-5.725GHz	802.11be EHT40-BF	40	2TX
5.725-5.85GHz	802.11be EHT40-BF	40	2TX
5.15-5.25GHz	802.11be EHT80-BF	80	2TX
5.25-5.35GHz	802.11be EHT80-BF	80	2TX
5.47-5.725GHz	802.11be EHT80-BF	80	2TX
5.725-5.85GHz	802.11be EHT80-BF	80	2TX
5.15-5.25GHz	802.11be EHT160-BF	160	2TX
5.25-5.35GHz	802.11be EHT160-BF	160	2TX
5.47-5.725GHz	802.11be EHT160-BF	160	2TX

Note:

- ♦ 11a, HT20 and HT40 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM modulation.
- ♦ VHT20, VHT40, VHT80 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM, 256QAM modulation.
- ♦ HEW20, HEW40, HEW80, HEW160 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM modulation.
- ♦ EHT20, EHT40, EHT80, EHT160 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM, 4096QAM modulation.
- ♦ BWch is the nominal channel bandwidth.
- ♦ Evaluated EHT20/EHT40/EHT80/EHT160 mode only due to the similar modulation. The power setting of HT20/HT40/VHT20/VHT40/VHT80/HEW20/HEW40/HEW80/HEW160 mode are the same or lower than EHT20/EHT40/EHT80/EHT160.



1.1.2 Antenna Information

Ant.	Port	Brand	Model Name	Antenna Type	Connector	Support
1	1	Senao	5718A0751300	PIFA	I-Pex	2.4G
2	2	Senao	5718A0750300	PIFA	I-Pex	2.4G
3	1	Senao	5718A0753300	PIFA	I-Pex	5G
4	2	Senao	5718A0752300	PIFA	I-Pex	5G
5	1	AWAN	7102A0951000	Alford Loop	I-Pex	6G
6	2	AWAN	7102A0952000	Alford Loop	I-Pex	6G
7	3	AWAN	7102A0953000	Dipole	I-Pex	BT

Ant.	Port	2.4G	Gain (dBi)				6G	BT	Remark
			5G						
			UNII-1	UNII-2A	UNII-2C	UNII-3			
1	1	2.24	-	-	-	-	-	Radio 1	
2	2	3.12	-	-	-	-	-	Radio 1	
3	1	-	5.55	5.98	5.87	5.49	-	Radio 2_5G 2*2	
4	2	-	5.48	5.41	4.88	4.65	-	Radio 2_5G 2*2	
5	1	-	-	-	-	-	5.1	Radio 2	
6	2	-	-	-	-	-	5.6	Radio 2	
7	3	-	-	-	-	-	-	3.2	

	Composite Gain (dBi)						
	2.4G	2.45G	2.4835G	UNII-1	UNII-2A	UNII-2C	UNII-3
DG [1SS] (dBi)	3.33	3.92	4.52	6.77	7	7.46	6.35
DG [2SS] (dBi)	2.24	2.35	3.12	5.55	5.98	5.87	5.49

Note 1: The EUT has seven antennas.

Note 2: The composite gain is derived as KDB 662911 D03 v01 which was used as directional gain. For more detail information, please refer to the Antenna Pattern Report AP421504.

For 2.4GHz function: < Radio 1 >

For IEEE 802.11b/g/n/VHT/ax/be mode (2TX/2RX)

Ant.1 (port 1), Ant.2 (port 2) could transmit/receive simultaneously.

For 5GHz function: < Radio 2 >

For IEEE 802.11a/n/ac/ax/be mode (2TX/2RX)

Ant.3 (port 1), Ant.4 (port 2) could transmit/receive simultaneously.

For 6GHz function: < Radio 2 >

For IEEE 802.11 ax/be mode (2TX/2RX)

Ant.5 (port 1), Ant.6 (port 2) could transmit/receive simultaneously.

For Bluetooth function:

For Bluetooth mode (1TX/1RX)

Only Ant.7 can be used as transmitting/receiving.



1.1.3 EUT Information

Operational Condition				
EUT Power Type	From Adapter / PoE			
EUT Function	<input type="checkbox"/>	Outdoor AP	<input checked="" type="checkbox"/>	Indoor AP
	<input type="checkbox"/>	Fixed P2P AP	<input type="checkbox"/>	Client
Beamforming Function	<input checked="" type="checkbox"/>	With beamforming	<input type="checkbox"/>	Without beamforming
TPC Function	<input checked="" type="checkbox"/>	With TPC Function	<input type="checkbox"/>	Without TPC Function
Weather Band	<input checked="" type="checkbox"/>	With 5600~5650MHz	<input type="checkbox"/>	Without 5600~5650MHz
Resource Unit(802.11ax)	<input checked="" type="checkbox"/>	Full RU	<input type="checkbox"/>	Partial RU
Type of EUT				
<input checked="" type="checkbox"/>	Stand-alone			
<input type="checkbox"/>	Combined (EUT where the radio part is fully integrated within another device)			
	Combined Equipment - Brand Name / Model No.: ...			
<input type="checkbox"/>	Plug-in radio (EUT intended for a variety of host systems)			
	Host System - Brand Name / Model No.:			
<input type="checkbox"/>	Other:			

1.1.4 Mode Test Duty Cycle

Non-Beamforming

Mode	DC	DCF (dB)	T(s)	VBW(Hz) ≥ 1/T
802.11a_Nss1,(6Mbps)_2TX	0.992	0.03	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT20_Nss1,(MCS0)_2TX	0.98	0.09	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT40_Nss1,(MCS0)_2TX	0.978	0.1	5.453m	300
802.11be EHT80_Nss1,(MCS0)_2TX	0.985	0.07	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT160_Nss1,(MCS0)_2TX	0.979	0.09	5.452m	300

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.

Beamforming

Mode	DC	DCF (dB)	T(s)	VBW(Hz) ≥ 1/T
802.11be EHT20-BF_Nss1,(MCS0)_2TX	0.98	0.09	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT40-BF_Nss1,(MCS0)_2TX	0.978	0.1	5.453m	300
802.11be EHT80-BF_Nss1,(MCS0)_2TX	0.985	0.07	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT160-BF_Nss1,(MCS0)_2TX	0.979	0.09	5.452m	300

Note. If DC < 0.98, the DCF was added while measuring Output power and PSD.



1.2 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15
- ♦ ANSI C63.10-2013
- ♦ KDB 789033 D02 v02r01

The following reference test guidance is not within the scope of accreditation of TAF:

- ♦ KDB 662911 D01 v02r01
- ♦ KDB 662911 D03 v01
- ♦ KDB 414788 D01 v01r01

1.3 Testing Location Information

Test Lab. : Sporton International Inc. Hsinhua Laboratory				
<input checked="" type="checkbox"/>	Hsinhua (TAF: 3785)	ADD: No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan (R.O.C.)		
		TEL: 886-3-327-3456	FAX: 886-3-327-0973	
Test site Designation No. TW3785 with FCC.				
Test Condition	Test Site No.	Test Engineer	Test Environment	Test Date
AC Conduction	CO04-HY	Ivan Chung	21.1~22.4°C / 50~56%	27/Mar/2024
RF Conducted	TH07-HY	Xun Hsieh	23.5~24.7°C / 55~56%	25/Mar/2024~26/Mar/2024
Radiated	03CH02-HY	Daniel Lin	21.8~24.4°C / 54~59%	14/Mar/2024~27/Mar/2024
Radiated (Co-location)	03CH02-HY	Darren Cho	21.8~24.4°C / 55~58%	27/Mar/2024
<input type="checkbox"/>	Wen 33rd.St. (TAF: 3785)	ADD: No.14-1, Ln. 19, Wen 33rd St., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)		
		TEL: 886-3-318-0787	FAX: 886-3-318-0287	
Test site Designation No. TW0008 with FCC.				

1.4 Measurement Uncertainty

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2))

Test Items	Uncertainty	Remark
AC Power-line Conducted Emissions	4.53 dB	Confidence levels of 95%
Emission Bandwidth	3 MHz	Confidence levels of 95%
Maximum Conducted Output Power	2 dB	Confidence levels of 95%
Power Spectral Density	2 dB	Confidence levels of 95%
Unwanted Emissions	4.8 dB	Confidence levels of 95%
Temperature	0.41 °C	Confidence levels of 95%
Humidity	3.4 %	Confidence levels of 95%



2 Test Configuration of EUT

2.1 Test Channel Mode

Test Software Version	qdart_conn.win.1.0_installer_00099
-----------------------	------------------------------------

Non-Beamforming

Mode	Power Setting
802.11a_Nss1,(6Mbps)_2TX	-
5180MHz	19
5200MHz	21
5240MHz	21
5260MHz	19.5
5300MHz	19.5
5320MHz	19.5
5500MHz	19
5580MHz	19
5700MHz	19.5
5720MHz Straddle 5.47-5.725GHz	20
5720MHz Straddle 5.725-5.85GHz	20
5745MHz	21
5785MHz	21
5825MHz	19
802.11be EHT20_Nss1,(MCS0)_2TX	-
5180MHz	18
5200MHz	21
5240MHz	21
5260MHz	20
5300MHz	20
5320MHz	19.5
5500MHz	19.5
5580MHz	19
5700MHz	19.5
5720MHz Straddle 5.47-5.725GHz	20
5720MHz Straddle 5.725-5.85GHz	20
5745MHz	21
5785MHz	21



Mode	Power Setting
5825MHz	19.5
802.11be EHT40_Nss1,(MCS0)_2TX	-
5190MHz	16.5
5230MHz	20.5
5270MHz	20
5310MHz	15.5
5510MHz	19.5
5550MHz	20
5670MHz	19.5
5710MHz Straddle 5.47-5.725GHz	21
5710MHz Straddle 5.725-5.85GHz	21
5755MHz	21
5795MHz	21
802.11be EHT80_Nss1,(MCS0)_2TX	-
5210MHz	15.5
5290MHz	15
5530MHz	20
5610MHz	20.5
5690MHz Straddle 5.47-5.725GHz	20.5
5690MHz Straddle 5.725-5.85GHz	20.5
5775MHz	20.5
802.11be EHT160_Nss1,(MCS0)_2TX	-
5250MHz Straddle 5.15-5.25GHz	14
5250MHz Straddle 5.25-5.35GHz	14
5570MHz	19



Beamforming

Mode	Power Setting
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-
5180MHz	18
5200MHz	21
5240MHz	21
5260MHz	19
5300MHz	19.5
5320MHz	19
5500MHz	18.5
5580MHz	18.5
5700MHz	19
5720MHz Straddle 5.47-5.725GHz	19
5720MHz Straddle 5.725-5.85GHz	19
5745MHz	21
5785MHz	21
5825MHz	19.5
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-
5190MHz	16.5
5230MHz	20.5
5270MHz	19
5310MHz	15.5
5510MHz	18.5
5550MHz	19
5670MHz	19
5710MHz Straddle 5.47-5.725GHz	19.5
5710MHz Straddle 5.725-5.85GHz	19.5
5755MHz	21
5795MHz	21
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-
5210MHz	15.5
5290MHz	15
5530MHz	19
5610MHz	19
5690MHz Straddle 5.47-5.725GHz	19
5690MHz Straddle 5.725-5.85GHz	19






Mode	Power Setting
5775MHz	20.5
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-
5250MHz Straddle 5.15-5.25GHz	14
5250MHz Straddle 5.25-5.35GHz	14
5570MHz	18.5

2.2 The Worst Case Measurement Configuration

The Worst Case Mode for Following Conformance Tests	
Tests Item	AC power-line conducted emissions
Condition	AC power-line conducted measurement for line and neutral Test Voltage: 120Vac / 60Hz
Operating Mode	CTX
1	PoE Mode

The Worst Case Mode for Following Conformance Tests	
Tests Item	Emission Bandwidth Maximum Conducted Output Power Peak Power Spectral Density
Test Condition	Conducted measurement at transmit chains

The Worst Case Mode for Following Conformance Tests			
Tests Item	Unwanted Emissions		
Test Condition	Radiated measurement If EUT consist of multiple antenna assembly (multiple antenna are used in EUT regardless of spatial multiplexing MIMO configuration), the radiated test should be performed with highest antenna gain of each antenna type.		
Operating Mode < 1GHz	CTX		
1	PoE Mode		
Operating Mode > 1GHz	CTX		
Orthogonal Planes of EUT	X Plane	Y Plane	Z Plane
			
Worst Planes of EUT		V	

The Worst Case Mode for Following Conformance Tests	
Tests Item	Simultaneous Transmission Analysis
Test Condition	Radiated measurement
1	2.4GHz WLAN + 5GHz WLAN + 6GHz WLAN + Bluetooth
Refer to Sporton Test Report No.: FA422116 for Co-location RF Exposure Evaluation and Appendix F for Radiated Emission Co-location.	



2.3 Accessories

Accessories					
Bracket	Brand Name	Dragonjet	Part Number	6301A6543000	

Reminder: Regarding to more detail and other information, please refer to user manual.


2.4 Support Equipment


Support Equipment – AC Conduction					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	PoE	SENAO	PNA60BGS-54	-	Provided by Customer

Support Equipment – Conducted					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	Notebook	DELL	E5410	-	-
2	Adapter for NB	DELL	HA65NM130	-	-
3	AC Adapter	SPC	ZZU1588-300120-2A	-	Provided by Customer

Support Equipment – Radiated					
No.	Equipment	Brand Name	Model Name	FCC ID	Remark
1	RJ45 cable	Power Sync	CAT-6E-10	-	-
2	PoE (Remote)	SENAO	PNA60BGS-54	-	Provided by Customer
3	Notebook (Remote)	DELL	E5410	-	-
4	RJ45 cable (Remote)	Power Sync	CAT-6E-01	-	-

2.5 Test Setup Diagram







3 Transmitter Test Result

3.1 AC Power-line Conducted Emissions

3.1.1 AC Power-line Conducted Emissions Limit

AC Power-line Conducted Emissions Limit		
Frequency Emission (MHz)	Quasi-Peak	Average
0.15-0.5	66 - 56 *	56 - 46 *
0.5-5	56	46
5-30	60	50

Note 1: * Decreases with the logarithm of the frequency.

3.1.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.1.3 Test Procedures


Test Method
<input checked="" type="checkbox"/> Refer as ANSI C63.10-2013, clause 6.2 for AC power-line conducted emissions.

3.1.4 Measurement Results Calculation

The measured Level is calculated using:

Corrected Reading: Raw(Read Level) +LISN(LISN Factor) + CL(Cable Loss) + AT(Attenuator).

3.1.5 Test Setup



3.1.6 Test Result of AC Power-line Conducted Emissions

Refer as Appendix A

3.2 Emission Bandwidth

3.2.1 Emission Bandwidth Limit

Emission Bandwidth Limit	
UNII Devices	
<input checked="" type="checkbox"/>	For the 5.15-5.25 GHz band, N/A
<input checked="" type="checkbox"/>	For the 5.25-5.35 GHz band, N/A
<input checked="" type="checkbox"/>	For the 5.47-5.725 GHz band, N/A
<input checked="" type="checkbox"/>	For the 5.725-5.85 GHz band, 6 dB emission bandwidth \geq 500kHz.


3.2.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.2.3 Test Procedures

Test Method	
<ul style="list-style-type: none"> ▪ For the emission bandwidth shall be measured using one of the options below: 	
<input checked="" type="checkbox"/>	Refer as KDB 789033, clause C for EBW and clause D for OBW measurement.
<input type="checkbox"/>	Refer as ANSI C63.10, clause 6.9.3 for occupied bandwidth testing.
<input type="checkbox"/>	Refer as IC RSS-Gen, clause 6.7 for bandwidth testing.

3.2.4 Test Setup



3.2.5 Test Result of Emission Bandwidth

Refer as Appendix B

3.3 Maximum Conducted Output Power

3.3.1 Maximum Conducted Output Power Limit

Maximum Conducted Output Power Limit	
UNII Devices	
<input checked="" type="checkbox"/> For the 5.15-5.25 GHz band:	
	<ul style="list-style-type: none"> ▪ Outdoor AP: the maximum conducted output power (P_{Out}) shall not exceed 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$. e.i.r.p. at any elevation angle above 30 degrees $\leq 125mW$ [21dBm]
	<ul style="list-style-type: none"> ▪ Indoor AP: the maximum conducted output power (P_{Out}) shall not exceed 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$
	<ul style="list-style-type: none"> ▪ Point-to-point AP: the maximum conducted output power (P_{Out}) shall not exceed 1 W. If $G_{TX} > 23$ dBi, then $P_{Out} = 30 - (G_{TX} - 23)$.
	<ul style="list-style-type: none"> ▪ Mobile or Portable Client: the maximum conducted output power (P_{Out}) shall not exceed 250 mW. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.
<input checked="" type="checkbox"/> For the 5.25-5.35 GHz band, the maximum conducted output power (P_{Out}) shall not exceed 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.	
<input checked="" type="checkbox"/> For the 5.47-5.725 GHz band, the maximum conducted output power (P_{Out}) shall not exceed 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.	
<input checked="" type="checkbox"/> For the 5.725-5.85 GHz band:	
	<ul style="list-style-type: none"> ▪ Point-to-multipoint systems (P2M): the maximum conducted output power (P_{Out}) shall not exceed 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$.
	<ul style="list-style-type: none"> ▪ Point-to-point systems (P2P): the maximum conducted output power (P_{Out}) shall not exceed 1 W.
P_{Out} = maximum conducted output power in dBm, G_{TX} = the maximum transmitting antenna directional gain in dBi.	

3.3.2 Measuring Instruments


Refer a test equipment and calibration data table in this test report.

3.3.3 Test Procedures


Test Method	
<ul style="list-style-type: none"> Maximum Conducted Output Power 	
	Duty cycle $\geq 98\%$
<input checked="" type="checkbox"/>	Refer as KDB 789033, clause E Method SA-2 (spectral trace averaging).
	Duty cycle $< 98\%$
<input checked="" type="checkbox"/>	Refer as KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
Wideband RF power meter and average over on/off periods with duty factor	
<input checked="" type="checkbox"/>	Refer as KDB 789033, clause E Method PM (using an RF average power meter).
<ul style="list-style-type: none"> For conducted measurement. 	
	<ul style="list-style-type: none"> If the EUT supports multiple transmit chains using options given below: Refer as KDB 662911, In-band power measurements. Using the measure-and-sum approach, measured all transmit ports individually. Sum the power (in linear power units e.g., mW) of all ports for each individual sample and save them.
	<ul style="list-style-type: none"> If multiple transmit chains, EIRP calculation could be following as methods: $P_{total} = P_1 + P_2 + \dots + P_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = P_{total} + DG$

3.3.4 Test Setup

For Straddle channel



For Other channel



3.3.5 Test Result of Maximum Conducted Output Power

Refer as Appendix C



3.4 Peak Power Spectral Density

3.4.1 Peak Power Spectral Density Limit

Peak Power Spectral Density Limit	
UNII Devices	
<input checked="" type="checkbox"/> For the 5.15-5.25 GHz band:	
	<ul style="list-style-type: none"> ▪ Outdoor AP: the peak power spectral density (PPSD) shall not exceed 17dBm/MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 17 - (G_{TX} - 6)$.
	<ul style="list-style-type: none"> ▪ Indoor AP: the peak power spectral density (PPSD) shall not exceed 17dBm/MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 17 - (G_{TX} - 6)$.
	<ul style="list-style-type: none"> ▪ Point-to-point AP: the peak power spectral density (PPSD) shall not exceed 17dBm/MHz. If $G_{TX} > 23$ dBi, then $P_{Out} = 17 - (G_{TX} - 23)$.
	<ul style="list-style-type: none"> ▪ Mobile or Portable Client: the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.
<input checked="" type="checkbox"/> For the 5.25-5.35 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.	
<input checked="" type="checkbox"/> For the 5.47-5.725 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.	
<input checked="" type="checkbox"/> For the 5.725-5.85 GHz band:	
	<ul style="list-style-type: none"> ▪ Point-to-multipoint systems (P2M): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz. If $G_{TX} > 6$ dBi, then $PPSD = 30 - (G_{TX} - 6)$.
	<ul style="list-style-type: none"> ▪ Point-to-point systems (P2P): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz.
<p>PPSD = peak power spectral density that he same method as used to determine the conducted output power shall be used to determine the power spectral density. And power spectral density in dBm/MHz</p> <p>G_{TX} = the maximum transmitting antenna directional gain in dBi.</p>	


3.4.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.4.3 Test Procedures

Test Method	
<ul style="list-style-type: none"> Peak power spectral density procedures that the same method as used to determine the conducted output power shall be used to determine the peak power spectral density and use the peak search function on the spectrum analyzer to find the peak of the spectrum. For the peak power spectral density shall be measured using below options: 	
<input type="checkbox"/>	Refer as KDB 789033, F)5) power spectral density can be measured using resolution bandwidths < 1 MHz provided that the results are integrated over 1 MHz bandwidth
Duty cycle ≥ 98%	
<input checked="" type="checkbox"/>	Refer as KDB 789033, clause E Method SA-2 (spectral trace averaging).
Duty cycle < 98%	
<input checked="" type="checkbox"/>	Refer as KDB 789033, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
<ul style="list-style-type: none"> For conducted measurement. 	
<ul style="list-style-type: none"> If the EUT supports multiple transmit chains using options given below: <ul style="list-style-type: none"> Measure and sum the spectra across the outputs. Refer as KDB 662911, In-band power spectral density (PSD). Sample all transmit ports simultaneously using a spectrum analyzer for each transmit port. Where the trace bin-by-bin of each transmit port summing can be performed. (i.e., in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 and that from the first spectral bin of output 3, and so on up to the NTX output to obtain the value for the first frequency bin of the summed spectrum.). Add up the amplitude (power) values for the different transmit chains and use this as the new data trace. If multiple transmit chains, EIRP PPSD calculation could be following as methods: $PPSD_{total} = PPSD_1 + PPSD_2 + \dots + PPSD_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = PPSD_{total} + DG$ 	

3.4.4 Test Setup



3.4.5 Test Result of Peak Power Spectral Density

Refer as Appendix D

3.5 Unwanted Emissions

3.5.1 Transmitter Radiated Unwanted Emissions Limit

Unwanted emissions below 1 GHz and restricted band emissions above 1GHz limit			
Frequency Range (MHz)	Field Strength (uV/m)	Field Strength (dBuV/m)	Measure Distance (m)
0.009~0.490	2400/F(kHz)	48.5 - 13.8	300
0.490~1.705	24000/F(kHz)	33.8 - 23	30
1.705~30.0	30	29	30
30~88	100	40	3
88~216	150	43.5	3
216~960	200	46	3
Above 960	500	54	3

Note 1: Test distance for frequencies at or above 30 MHz, measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).

Note 2: Test distance for frequencies at below 30 MHz, measurements may be performed at a distance closer than the EUT limit distance; however, an attempt should be made to avoid making measurements in the near field. When performing measurements below 30 MHz at a closer distance than the limit distance, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two or more distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). The test report shall specify the extrapolation method used to determine compliance of the EUT.

Note 3: Using the distance of 1m during the test for above 18 GHz, and the test value to correct for the distance factor at 3m.

Un-restricted band emissions above 1GHz Limit	
Operating Band	Limit
5.15 - 5.25 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.25 - 5.35 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.47 - 5.725 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
5.725 - 5.85 GHz	5.650-5700 GHz: e.i.r.p. -27 ~ 10 dBm [68.2 ~ 105.2 dBuV/m@3m] 5.700-5720 GHz: e.i.r.p. 10 ~ 15.6 dBm [105.2 ~ 110.8 dBuV/m@3m] 5.720-5725 GHz: e.i.r.p. 15.6 ~ 27 dBm [110.8 ~ 122.2 dBuV/m@3m] 5.850-5.855 GHz: e.i.r.p. 27 ~ 15.6 dBm [122.2 ~ 110.8 dBuV/m@3m] 5.855-5.875 GHz: e.i.r.p. 15.6 ~ 10 dBm [110.8 ~ 105.2 dBuV/m@3m] 5.875-5.925 GHz: e.i.r.p. 10 ~ -27 dBm [105.2 ~ 68.2dBuV/m@3m] Other un-restricted band: e.i.r.p. -27 dBm [68.2 dBuV/m@3m]

Note 1: Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).



3.5.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.5.3 Test Procedures


Test Method	
<ul style="list-style-type: none"> Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. Measurements shall not be performed at a distance greater than 30 m for frequencies above 30 MHz, unless it can be further demonstrated that measurements at a distance of 30 m or less are impractical. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements). 	
<ul style="list-style-type: none"> The average emission levels shall be measured in [duty cycle ≥ 98 or duty factor]. 	
<ul style="list-style-type: none"> For the transmitter unwanted emissions shall be measured using following options below: <ul style="list-style-type: none"> Refer as KDB 789033, clause G)2) for unwanted emissions into non-restricted bands. Refer as KDB 789033, clause G)1) for unwanted emissions into restricted bands. <input checked="" type="checkbox"/> Refer as KDB 789033, G)6) Method VB (ANSI C63.10, clause 4.1.4.2.3), Reduced VBW. <input checked="" type="checkbox"/> Refer as KDB 789033, clause G)5) (ANSI C63.10, clause 4.1.4.2.2), measurement procedure peak limit. 	
<ul style="list-style-type: none"> For radiated measurement. <ul style="list-style-type: none"> Refer as ANSI C63.10, clause 6.4 for radiated emissions below 30 MHz and test distance is 3m. Refer as ANSI C63.10, clause 6.5 for radiated emissions 30 MHz to 1 GHz and test distance is 3m. Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz. 	
<ul style="list-style-type: none"> The any unwanted emissions level shall not exceed the fundamental emission level. All amplitude of spurious emissions that are attenuated by more than 20 dB below the permissible value has no need to be reported. 	
<ul style="list-style-type: none"> Use the following spectrum analyzer settings: <ul style="list-style-type: none"> Set RBW=100 kHz for f < 1 GHz; VBW=3 * RBW; Sweep = auto; Detector function = peak; Trace = max hold. Set RBW = 1 MHz, VBW= 3MHz for f ≥ 1 GHz for peak measurement. For average measurement, refer as 1.1.4. 	
<ul style="list-style-type: none"> KDB 414788 Open-Field Test Sites and Chamber Correlation Justification. <ul style="list-style-type: none"> Based on FCC 15.31(f)(2): measurements may be performed at a distance closer than that specified in regulations; however, an attempt should be made to avoid making measurements in the near field. Open-field site and chamber correlation testing had been performed and chamber measured test result is the worst case test result. 	


3.5.4 Measurement Results Calculation

The measured Level is calculated using:

Corrected Reading: Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

3.5.5 Test Setup





3.5.6 Transmitter Unwanted Emissions (Below 30MHz)

The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

3.5.7 Test Result of Transmitter Unwanted Emissions

Refer as Appendix E



4 Test Equipment and Calibration Data

Instrument for AC Conduction

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
EMI Test Receiver	R&S	ESR	102051	9kHz ~ 3.6GHz	16/May/2023	15/May/2024
Two-Line V-Network	R&S	ENV 216	101295	9kHz ~ 30MHz	05/Feb/2024	04/Feb/2025
RF Cable 5m	TITAN	TITAN	CO04-cable-01	9 kHz~200MHz	27/Feb/2024	26/Feb/2025
Impuls Begrenzer Pulse Limiter	SCHWARZBECK	VTSD 9561-F	9561-F041	9kHz ~ 30MHz	18/Oct/2023	17/Oct/2024
Software	Sporton	SENSE-EMI	V5.11.3	-	NCR	NCR

NCR: No Calibration Required

Instrument for Conducted Test

Instrument	Manufacturer /Brand	Model No.	Serial No.	Spec.	Calibration Date	Calibration Due Date
Signal Analyzer	R&S	FSV 40	101515	9kHz~40GHz	02/Feb/2024	01/Feb/2025
SMB100A Signal Generator	R&S	SMB100A	181147	100kHz~40GHz	20/Oct/2023	19/Oct/2024
Power Meter	Anritsu	ML2495A	1517010	300MHz~40GHz	15/Dec/2023	14/Dec/2024
Pulse Sensor	Anritsu	MA2411B	1339407	300MHz~40GHz	15/Dec/2023	14/Dec/2024
SENSE-15407_NII	Sporton	V5.11.17	N/A	N/A	N/A	N/A



Instrument for Radiated Test

Table with 7 columns: Instrument, Manufacturer /Brand, Model No., Serial No., Spec., Calibration Date, Calibration Due Date. Contains 18 rows of instrument details.

Instrument for Radiated Test (Co-location)

Table with 7 columns: Instrument, Manufacturer /Brand, Model No., Serial No., Spec., Calibration Date, Calibration Due Date. Contains 8 rows of instrument details.



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	AV	613.892k	33.16	46.00	-12.84	Line




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	QP	165.743k	50.02	65.18	-15.16	Line
Mode 1	Pass	AV	165.743k	35.49	55.18	-19.69	Line
Mode 1	Pass	QP	202.358k	38.98	63.51	-24.53	Line
Mode 1	Pass	AV	202.358k	23.81	53.51	-29.70	Line
Mode 1	Pass	QP	613.892k	38.64	56.00	-17.36	Line
Mode 1	Pass	AV	613.892k	33.16	46.00	-12.84	Line
Mode 1	Pass	QP	3.599M	27.50	56.00	-28.50	Line
Mode 1	Pass	AV	3.599M	20.40	46.00	-25.60	Line
Mode 1	Pass	QP	14.905M	29.09	60.00	-30.91	Line
Mode 1	Pass	AV	14.905M	25.24	50.00	-24.76	Line
Mode 1	Pass	QP	22.129M	36.43	60.00	-23.57	Line
Mode 1	Pass	AV	22.129M	31.91	50.00	-18.09	Line
Mode 1	Pass	QP	156.109k	46.30	65.67	-19.37	Neutral
Mode 1	Pass	AV	156.109k	29.40	55.67	-26.27	Neutral
Mode 1	Pass	QP	199.152k	40.71	63.65	-22.94	Neutral
Mode 1	Pass	AV	199.152k	25.32	53.65	-28.33	Neutral
Mode 1	Pass	QP	616.347k	37.13	56.00	-18.87	Neutral
Mode 1	Pass	AV	616.347k	32.61	46.00	-13.39	Neutral
Mode 1	Pass	QP	3.444M	27.71	56.00	-28.29	Neutral
Mode 1	Pass	AV	3.444M	21.40	46.00	-24.60	Neutral
Mode 1	Pass	QP	13.329M	28.36	60.00	-31.64	Neutral
Mode 1	Pass	AV	13.329M	24.50	50.00	-25.50	Neutral
Mode 1	Pass	QP	22.307M	36.77	60.00	-23.23	Neutral
Mode 1	Pass	AV	22.307M	32.37	50.00	-17.63	Neutral




Conducted Emissions at Powerline_Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Comment	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)
QP	165.743k	50.02	65.18	-15.16	19.41	Line	-	30.61	9.61	0.07	9.73
AV	165.743k	35.49	55.18	-19.69	19.41	Line	-	16.08	9.61	0.07	9.73
QP	202.358k	38.98	63.51	-24.53	19.38	Line	-	19.60	9.61	0.09	9.68
AV	202.358k	23.81	53.51	-29.70	19.38	Line	-	4.43	9.61	0.09	9.68
QP	613.892k	38.64	56.00	-17.36	19.50	Line	-	19.14	9.61	0.11	9.78
AV	613.892k	33.16	46.00	-12.84	19.50	Line	-	13.66	9.61	0.11	9.78
QP	3.599M	27.50	56.00	-28.50	19.51	Line	-	7.99	9.64	0.08	9.79
AV	3.599M	20.40	46.00	-25.60	19.51	Line	-	0.89	9.64	0.08	9.79
QP	14.905M	29.09	60.00	-30.91	19.55	Line	-	9.54	9.63	0.09	9.83
AV	14.905M	25.24	50.00	-24.76	19.55	Line	-	5.69	9.63	0.09	9.83
QP	22.129M	36.43	60.00	-23.57	19.52	Line	-	16.91	9.56	0.12	9.84
AV	22.129M	31.91	50.00	-18.09	19.52	Line	-	12.39	9.56	0.12	9.84

Conducted Emissions at Powerline_Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Comment	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)
QP	156.109k	46.30	65.67	-19.37	19.44	Neutral	-	26.86	9.62	0.07	9.75
AV	156.109k	29.40	55.67	-26.27	19.44	Neutral	-	9.96	9.62	0.07	9.75
QP	199.152k	40.71	63.65	-22.94	19.38	Neutral	-	21.33	9.61	0.09	9.68
AV	199.152k	25.32	53.65	-28.33	19.38	Neutral	-	5.94	9.61	0.09	9.68
QP	616.347k	37.13	56.00	-18.87	19.50	Neutral	-	17.63	9.61	0.11	9.78
AV	616.347k	32.61	46.00	-13.39	19.50	Neutral	-	13.11	9.61	0.11	9.78
QP	3.444M	27.71	56.00	-28.29	19.51	Neutral	-	8.20	9.64	0.08	9.79
AV	3.444M	21.40	46.00	-24.60	19.51	Neutral	-	1.89	9.64	0.08	9.79
QP	13.329M	28.36	60.00	-31.64	19.59	Neutral	-	8.77	9.69	0.08	9.82
AV	13.329M	24.50	50.00	-25.50	19.59	Neutral	-	4.91	9.69	0.08	9.82
QP	22.307M	36.77	60.00	-23.23	19.65	Neutral	-	17.12	9.69	0.12	9.84
AV	22.307M	32.37	50.00	-17.63	19.65	Neutral	-	12.72	9.69	0.12	9.84



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.935M	17.056M	17M1D1D	21.065M	16.687M
802.11be EHT20_Nss1,(MCS0)_2TX	23.76M	19.11M	19M1D1D	21.67M	19.023M
802.11be EHT40_Nss1,(MCS0)_2TX	44.88M	37.981M	38MOD1D	41.25M	37.866M
802.11be EHT80_Nss1,(MCS0)_2TX	84.26M	77.506M	77M5D1D	84.26M	77.348M
802.11be EHT160_Nss1,(MCS0)_2TX	80.08M	77.508M	77M5D1D	80M	77.478M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.66M	16.984M	17MOD1D	22M	16.603M
802.11be EHT20_Nss1,(MCS0)_2TX	22.825M	19.119M	19M1D1D	21.395M	18.982M
802.11be EHT40_Nss1,(MCS0)_2TX	43.12M	38.079M	38M1D1D	41.25M	37.861M
802.11be EHT80_Nss1,(MCS0)_2TX	86.46M	77.741M	77M7D1D	84.7M	77.644M
802.11be EHT160_Nss1,(MCS0)_2TX	83.92M	77.654M	77M7D1D	80.72M	77.491M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.935M	16.782M	16M8D1D	15.615M	13.283M
802.11be EHT20_Nss1,(MCS0)_2TX	21.945M	19.137M	19M1D1D	15.48M	14.44M
802.11be EHT40_Nss1,(MCS0)_2TX	42.68M	38.077M	38M1D1D	34.72M	33.874M
802.11be EHT80_Nss1,(MCS0)_2TX	85.8M	77.989M	78MOD1D	75.3M	73.333M
802.11be EHT160_Nss1,(MCS0)_2TX	163.24M	157.29M	157MD1D	163.24M	156.376M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	16.61M	16.713M	16M7D1D	3.28M	4.258M
802.11be EHT20_Nss1,(MCS0)_2TX	19.14M	19.076M	19M1D1D	4.36M	4.584M
802.11be EHT40_Nss1,(MCS0)_2TX	38.28M	37.924M	37M9D1D	4.08M	4.267M
802.11be EHT80_Nss1,(MCS0)_2TX	78.32M	77.7M	77M7D1D	4.08M	5.816M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	21.065M	16.687M	22.165M	16.721M
5200MHz	Pass	Inf	22.22M	16.775M	21.725M	17.056M
5240MHz	Pass	Inf	21.78M	16.797M	22.935M	16.882M
5260MHz	Pass	Inf	22.22M	16.984M	22.66M	16.603M
5300MHz	Pass	Inf	22.385M	16.787M	22.165M	16.746M
5320MHz	Pass	Inf	22.33M	16.722M	22M	16.775M
5500MHz	Pass	Inf	22.275M	16.614M	22.055M	16.782M
5580MHz	Pass	Inf	21.725M	16.689M	22.11M	16.701M
5700MHz	Pass	Inf	21.67M	16.53M	22.935M	16.661M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.615M	13.346M	15.735M	13.283M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.28M	4.395M	3.28M	4.258M
5745MHz	Pass	500k	16.335M	16.706M	16.5M	16.582M
5785MHz	Pass	500k	16.61M	16.674M	16.445M	16.713M
5825MHz	Pass	500k	16.555M	16.673M	16.555M	16.71M
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	21.67M	19.023M	21.945M	19.063M
5200MHz	Pass	Inf	23.21M	19.072M	22.11M	19.11M
5240MHz	Pass	Inf	21.78M	19.086M	23.76M	19.08M
5260MHz	Pass	Inf	22.275M	18.982M	22M	19.119M
5300MHz	Pass	Inf	22.825M	18.992M	21.395M	19.005M
5320MHz	Pass	Inf	22.495M	19.069M	22.11M	19.013M
5500MHz	Pass	Inf	20.955M	19.013M	20.955M	19.01M
5580MHz	Pass	Inf	21.175M	18.993M	20.735M	18.976M
5700MHz	Pass	Inf	21.945M	19.137M	21.23M	18.969M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.9M	14.452M	15.48M	14.44M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.54M	4.584M	4.36M	4.594M
5745MHz	Pass	500k	19.03M	19.076M	18.865M	19.07M
5785MHz	Pass	500k	19.085M	19.011M	19.14M	19.034M
5825MHz	Pass	500k	19.03M	19.059M	19.14M	18.996M
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	42.13M	37.866M	41.25M	37.923M
5230MHz	Pass	Inf	44.88M	37.935M	43.45M	37.981M
5270MHz	Pass	Inf	41.25M	37.937M	43.12M	38.079M
5310MHz	Pass	Inf	42.57M	37.971M	41.8M	37.861M
5510MHz	Pass	Inf	40.81M	38.077M	41.47M	37.83M
5550MHz	Pass	Inf	42.68M	37.819M	41.03M	38.005M
5670MHz	Pass	Inf	40.48M	37.991M	42.02M	37.963M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.455M	33.874M	34.72M	33.899M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	4.1M	4.502M	4.08M	4.267M
5755MHz	Pass	500k	38.17M	37.876M	38.28M	37.863M
5795MHz	Pass	500k	38.28M	37.882M	38.17M	37.924M
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	84.26M	77.506M	84.26M	77.348M
5290MHz	Pass	Inf	84.7M	77.644M	86.46M	77.741M
5530MHz	Pass	Inf	83.82M	77.574M	83.38M	77.525M
5610MHz	Pass	Inf	85.8M	77.599M	85.8M	77.989M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	75.3M	73.536M	75.6M	73.333M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	4.1M	5.816M	4.08M	6.315M
5775MHz	Pass	500k	78.32M	77.7M	78.1M	77.495M
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80M	77.478M	80.08M	77.508M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	83.92M	77.654M	80.72M	77.491M
5570MHz	Pass	Inf	163.24M	157.29M	163.24M	156.376M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
 Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5240MHz

25/03/2024





5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5240MHz

25/03/2024




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5230MHz

26/03/2024




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5210MHz

26/03/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

26/03/2024




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5260MHz

25/03/2024





5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5300MHz

25/03/2024





5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5270MHz

26/03/2024



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5290MHz

26/03/2024

CF (Hz)
5.29G


Span (Hz)
440M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.3u

Detector Type
Peak



CF (Hz)
5.29G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
14.6u

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
84.7M	5.24776G	5.33246G	77.644M	5.251373G	5.329017G	Inf	1
86.46M	5.2471G	5.33356G	77.741M	5.251226G	5.328967G	Inf	2

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

26/03/2024

CF (Hz)
5.33G


Span (Hz)
160M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
12.5u

Detector Type
Peak



CF (Hz)
5.33G


Span (Hz)
160M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
12.5u

Detector Type
Peak





26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
83.92M	5.25G	5.33392G	77.654M	5.251188G	5.328842G	Inf	1
80.72M	5.25G	5.33072G	77.491M	5.25106G	5.328551G	Inf	2

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5700MHz

25/03/2024





5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5700MHz

25/03/2024



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5550MHz

26/03/2024

CF (Hz)
5.59G


Span (Hz)
220M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
29.2u

Detector Type
Peak



CF (Hz)
5.55G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
12.6u

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
42.68M	5.52877G	5.57145G	37.819M	5.531138G	5.568958G	Inf	1
41.03M	5.52932G	5.57035G	38.005M	5.531029G	5.569034G	Inf	2

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5610MHz

26/03/2024

CF (Hz)
5.61G


Span (Hz)
440M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.3u

Detector Type
Peak



CF (Hz)
5.61G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
14.6u

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
85.8M	5.56688G	5.65268G	77.599M	5.571194G	5.648793G	Inf	1
85.8M	5.56732G	5.65312G	77.989M	5.571023G	5.649011G	Inf	2





5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5570MHz

26/03/2024





5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5785MHz

25/03/2024







5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5785MHz

25/03/2024

CF (Hz)
5.785G


Span (Hz)
50M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20.9u

Detector Type
Peak



Port 1

Port 2

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
21.525M	5.77445G	5.795975G	Inf	1
22.4M	5.77385G	5.79625G	Inf	2

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5795MHz

26/03/2024

CF (Hz)
5.795G


Span (Hz)
220M

RBW (Hz)
100k

VBW (Hz)
300k

Sweep Time (s)
147u

Detector Type
Peak



CF (Hz)
5.795G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
12.6u

Detector Type
Peak



Port 1

Port 2

6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
38.28M	5.77586G	5.81414G	37.882M	5.776069G	5.813951G	500k	1
38.17M	5.77597G	5.81414G	37.924M	5.776069G	5.813993G	500k	2




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX EBW

5795MHz

26/03/2024

CF (Hz) 5.795G
 Span (Hz) 100M
 RBW (Hz) 500k
 VBW (Hz) 2M
 Sweep Time (s) 12.6u
 Detector Type Peak



Port 1
 Port 2


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
40.2M	5.7747G	5.8149G	Inf	1
41.15M	5.77435G	5.8155G	Inf	2

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX EBW


5775MHz

26/03/2024

CF (Hz) 5.775G
 Span (Hz) 440M
 RBW (Hz) 100k
 VBW (Hz) 300k
 Sweep Time (s) 272u
 Detector Type Peak




CF (Hz) 5.775G
 Span (Hz) 200M
 RBW (Hz) 1M
 VBW (Hz) 3M
 Sweep Time (s) 14.6u
 Detector Type Peak



Port 1
 Port 2

6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
78.32M	5.73584G	5.81416G	77.7M	5.73606G	5.81376G	500k	1
78.1M	5.73606G	5.81416G	77.495M	5.736377G	5.813872G	500k	2





Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	24.18	0.26182	29.73	0.93972
802.11be EHT20_Nss1,(MCS0)_2TX	24.36	0.27290	29.91	0.97949
802.11be EHT40_Nss1,(MCS0)_2TX	24.11	0.25763	29.66	0.92470
802.11be EHT80_Nss1,(MCS0)_2TX	18.90	0.07762	24.45	0.27861
802.11be EHT160_Nss1,(MCS0)_2TX	14.74	0.02979	20.29	0.10691
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.74	0.18793	28.72	0.74473
802.11be EHT20_Nss1,(MCS0)_2TX	23.35	0.21627	29.33	0.85704
802.11be EHT40_Nss1,(MCS0)_2TX	23.29	0.21330	29.27	0.84528
802.11be EHT80_Nss1,(MCS0)_2TX	18.26	0.06699	24.24	0.26546
802.11be EHT160_Nss1,(MCS0)_2TX	15.14	0.03266	21.12	0.12942
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.49	0.17742	28.36	0.68549
802.11be EHT20_Nss1,(MCS0)_2TX	22.86	0.19320	28.73	0.74645
802.11be EHT40_Nss1,(MCS0)_2TX	23.53	0.22542	29.40	0.87096
802.11be EHT80_Nss1,(MCS0)_2TX	23.57	0.22751	29.44	0.87902
802.11be EHT160_Nss1,(MCS0)_2TX	22.45	0.17579	28.32	0.67920
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	23.86	0.24322	29.35	0.86099
802.11be EHT20_Nss1,(MCS0)_2TX	24.08	0.25586	29.57	0.90573
802.11be EHT40_Nss1,(MCS0)_2TX	24.05	0.25410	29.54	0.89950
802.11be EHT80_Nss1,(MCS0)_2TX	23.38	0.21777	28.87	0.77090



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	5.55	19.15	19.15	22.16	30.00	27.71	36.00
5200MHz	Pass	5.55	21.39	20.93	24.18	30.00	29.73	36.00
5240MHz	Pass	5.55	20.83	21.47	24.17	30.00	29.72	36.00
5260MHz	Pass	5.98	19.77	19.68	22.74	23.98	28.72	30.00
5300MHz	Pass	5.98	19.94	19.38	22.68	23.98	28.66	30.00
5320MHz	Pass	5.98	19.55	19.61	22.59	23.98	28.57	30.00
5500MHz	Pass	5.87	19.27	18.98	22.14	23.98	28.01	30.00
5580MHz	Pass	5.87	19.53	19.43	22.49	23.98	28.36	30.00
5700MHz	Pass	5.87	19.23	19.10	22.18	23.98	28.05	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.87	18.64	18.51	21.59	22.94	27.46	28.94
5720MHz Straddle 5.725-5.85GHz	Pass	5.49	12.78	12.58	15.69	30.00	21.18	36.00
5745MHz	Pass	5.49	21.20	20.46	23.86	30.00	29.35	36.00
5785MHz	Pass	5.49	20.57	20.64	23.62	30.00	29.11	36.00
5825MHz	Pass	5.49	19.20	19.07	22.15	30.00	27.64	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	5.55	18.55	18.47	21.52	30.00	27.07	36.00
5200MHz	Pass	5.55	21.41	20.93	24.19	30.00	29.74	36.00
5240MHz	Pass	5.55	21.08	21.61	24.36	30.00	29.91	36.00
5260MHz	Pass	5.98	20.39	20.29	23.35	23.98	29.33	30.00
5300MHz	Pass	5.98	20.48	19.88	23.20	23.98	29.18	30.00
5320MHz	Pass	5.98	19.73	19.86	22.81	23.98	28.79	30.00
5500MHz	Pass	5.87	19.91	19.78	22.86	23.98	28.73	30.00
5580MHz	Pass	5.87	19.71	19.77	22.75	23.98	28.62	30.00
5700MHz	Pass	5.87	19.54	19.48	22.52	23.98	28.39	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.87	18.70	18.46	21.59	22.90	27.46	28.90
5720MHz Straddle 5.725-5.85GHz	Pass	5.49	13.92	13.61	16.78	30.00	22.27	36.00
5745MHz	Pass	5.49	21.35	20.78	24.08	30.00	29.57	36.00
5785MHz	Pass	5.49	20.79	20.84	23.83	30.00	29.32	36.00
5825MHz	Pass	5.49	19.83	19.87	22.86	30.00	28.35	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	5.55	17.09	16.85	19.98	30.00	25.53	36.00
5230MHz	Pass	5.55	21.06	21.14	24.11	30.00	29.66	36.00
5270MHz	Pass	5.98	20.40	20.15	23.29	23.98	29.27	30.00
5310MHz	Pass	5.98	15.85	15.48	18.68	23.98	24.66	30.00
5510MHz	Pass	5.87	20.17	19.70	22.95	23.98	28.82	30.00
5550MHz	Pass	5.87	20.53	19.98	23.27	23.98	29.14	30.00
5670MHz	Pass	5.87	19.72	19.79	22.77	23.98	28.64	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.87	20.51	20.53	23.53	23.98	29.40	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.49	11.42	11.52	14.48	30.00	19.97	36.00
5755MHz	Pass	5.49	21.19	20.89	24.05	30.00	29.54	36.00
5795MHz	Pass	5.49	21.05	20.98	24.03	30.00	29.52	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	5.55	16.21	15.54	18.90	30.00	24.45	36.00
5290MHz	Pass	5.98	15.56	14.91	18.26	23.98	24.24	30.00
5530MHz	Pass	5.87	20.46	19.79	23.15	23.98	29.02	30.00
5610MHz	Pass	5.87	20.79	20.32	23.57	23.98	29.44	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.87	20.50	20.22	23.37	23.98	29.24	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.49	7.77	7.53	10.66	30.00	16.15	36.00
5775MHz	Pass	5.49	20.43	20.31	23.38	30.00	28.87	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.55	11.45	12.00	14.74	30.00	20.29	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.98	11.93	12.32	15.14	23.98	21.12	30.00
5570MHz	Pass	5.87	19.68	19.19	22.45	23.98	28.32	30.00

DG = Directional Gain; Port X = Port X output power




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

26/03/2024

CF (Hz)
5.17G
Span (Hz)
320M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
160M



Port 1
Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
14.74	11.45	12.00


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX

26/03/2024


CF (Hz)
5.33G
Span (Hz)
320M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
160M



Port 1
Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
15.14	11.93	12.32





Summary


Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	24.22	0.26424	30.99	1.25603
802.11be EHT40-BF_Nss1,(MCS0)_2TX	23.97	0.24946	30.74	1.18577
802.11be EHT80-BF_Nss1,(MCS0)_2TX	18.79	0.07568	25.56	0.35975
802.11be EHT160-BF_Nss1,(MCS0)_2TX	14.74	0.02979	21.51	0.14158
5.25-5.35GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.47	0.17660	29.47	0.88512
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.21	0.16634	29.21	0.83368
802.11be EHT80-BF_Nss1,(MCS0)_2TX	18.16	0.06546	25.16	0.32810
802.11be EHT160-BF_Nss1,(MCS0)_2TX	15.14	0.03266	22.14	0.16368
5.47-5.725GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.00	0.15849	29.46	0.88308
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.03	0.15959	29.49	0.88920
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.00	0.15849	29.46	0.88308
802.11be EHT160-BF_Nss1,(MCS0)_2TX	21.82	0.15205	29.28	0.84723
5.725-5.85GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.96	0.24889	30.31	1.07399
802.11be EHT40-BF_Nss1,(MCS0)_2TX	23.94	0.24774	30.29	1.06905
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.27	0.21232	29.62	0.91622



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.77	18.41	18.32	21.38	29.23	28.15	36.00
5200MHz	Pass	6.77	21.28	20.80	24.06	29.23	30.83	36.00
5240MHz	Pass	6.77	20.93	21.48	24.22	29.23	30.99	36.00
5260MHz	Pass	7.00	19.28	19.16	22.23	22.98	29.23	30.00
5300MHz	Pass	7.00	19.73	19.18	22.47	22.98	29.47	30.00
5320MHz	Pass	7.00	19.08	19.25	22.18	22.98	29.18	30.00
5500MHz	Pass	7.46	18.77	18.63	21.71	22.52	29.17	30.00
5580MHz	Pass	7.46	18.95	19.02	22.00	22.52	29.46	30.00
5700MHz	Pass	7.46	18.90	18.84	21.88	22.52	29.34	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.46	17.77	17.56	20.68	21.44	28.14	28.90
5720MHz Straddle 5.725-5.85GHz	Pass	6.35	12.96	12.69	15.84	29.65	22.19	36.00
5745MHz	Pass	6.35	21.21	20.67	23.96	29.65	30.31	36.00
5785MHz	Pass	6.35	20.65	20.72	23.70	29.65	30.05	36.00
5825MHz	Pass	6.35	19.71	19.75	22.74	29.65	29.09	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.77	16.98	16.72	19.86	29.23	26.63	36.00
5230MHz	Pass	6.77	20.92	21.00	23.97	29.23	30.74	36.00
5270MHz	Pass	7.00	19.29	19.10	22.21	22.98	29.21	30.00
5310MHz	Pass	7.00	15.71	15.35	18.54	22.98	25.54	30.00
5510MHz	Pass	7.46	19.03	18.56	21.81	22.52	29.27	30.00
5550MHz	Pass	7.46	19.29	18.73	22.03	22.52	29.49	30.00
5670MHz	Pass	7.46	18.97	18.99	21.99	22.52	29.45	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.46	19.12	18.80	21.97	22.52	29.43	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.35	10.10	9.71	12.92	29.65	19.27	36.00
5755MHz	Pass	6.35	21.06	20.79	23.94	29.65	30.29	36.00
5795MHz	Pass	6.35	20.93	20.85	23.90	29.65	30.25	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.77	16.10	15.43	18.79	29.23	25.56	36.00
5290MHz	Pass	7.00	15.46	14.81	18.16	22.98	25.16	30.00
5530MHz	Pass	7.46	19.31	18.64	22.00	22.52	29.46	30.00
5610MHz	Pass	7.46	19.19	18.71	21.97	22.52	29.43	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.46	18.99	18.81	21.91	22.52	29.37	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.35	6.33	6.10	9.23	29.65	15.58	36.00
5775MHz	Pass	6.35	20.31	20.20	23.27	29.65	29.62	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.77	11.39	12.04	14.74	29.23	21.51	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.00	11.87	12.37	15.14	22.98	22.14	30.00
5570MHz	Pass	7.46	19.04	18.57	21.82	22.52	29.28	30.00

DG = Directional Gain; Port X = Port X output power





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	11.31	18.08
802.11be EHT20_Nss1,(MCS0)_2TX	10.81	17.58
802.11be EHT40_Nss1,(MCS0)_2TX	7.64	14.41
802.11be EHT80_Nss1,(MCS0)_2TX	-0.74	6.03
802.11be EHT160_Nss1,(MCS0)_2TX	-4.81	1.96
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.88	16.88
802.11be EHT20_Nss1,(MCS0)_2TX	9.87	16.87
802.11be EHT40_Nss1,(MCS0)_2TX	6.89	13.89
802.11be EHT80_Nss1,(MCS0)_2TX	-1.38	5.62
802.11be EHT160_Nss1,(MCS0)_2TX	-4.71	2.29
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.50	16.96
802.11be EHT20_Nss1,(MCS0)_2TX	9.39	16.85
802.11be EHT40_Nss1,(MCS0)_2TX	7.30	14.76
802.11be EHT80_Nss1,(MCS0)_2TX	3.87	11.33
802.11be EHT160_Nss1,(MCS0)_2TX	0.00	7.46
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.51	15.86
802.11be EHT20_Nss1,(MCS0)_2TX	9.33	15.68
802.11be EHT40_Nss1,(MCS0)_2TX	6.40	12.75
802.11be EHT80_Nss1,(MCS0)_2TX	2.74	9.09


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.77	6.41	6.37	9.37	16.23	16.14	23.00
5200MHz	Pass	6.77	8.46	7.98	11.22	16.23	17.99	23.00
5240MHz	Pass	6.77	8.04	8.57	11.31	16.23	18.08	23.00
5260MHz	Pass	7.00	6.91	6.84	9.88	10.00	16.88	17.00
5300MHz	Pass	7.00	7.08	6.63	9.87	10.00	16.87	17.00
5320MHz	Pass	7.00	6.71	6.85	9.75	10.00	16.75	17.00
5500MHz	Pass	7.46	6.49	6.18	9.31	9.54	16.77	17.00
5580MHz	Pass	7.46	6.53	6.45	9.47	9.54	16.93	17.00
5700MHz	Pass	7.46	6.46	6.41	9.41	9.54	16.87	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.46	6.59	6.41	9.50	9.54	16.96	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.35	4.99	4.99	7.96	29.65	14.31	36.00
5745MHz	Pass	6.35	6.95	6.20	9.51	29.65	15.86	36.00
5785MHz	Pass	6.35	6.41	6.40	9.34	29.65	15.69	36.00
5825MHz	Pass	6.35	5.15	5.05	8.02	29.65	14.37	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.77	5.14	5.06	8.10	16.23	14.87	23.00
5200MHz	Pass	6.77	7.92	7.32	10.62	16.23	17.39	23.00
5240MHz	Pass	6.77	7.66	8.06	10.81	16.23	17.58	23.00
5260MHz	Pass	7.00	6.98	6.83	9.87	10.00	16.87	17.00
5300MHz	Pass	7.00	7.07	6.64	9.84	10.00	16.84	17.00
5320MHz	Pass	7.00	6.32	6.46	9.36	10.00	16.36	17.00
5500MHz	Pass	7.46	6.49	6.29	9.39	9.54	16.85	17.00
5580MHz	Pass	7.46	6.19	6.20	9.19	9.54	16.65	17.00
5700MHz	Pass	7.46	6.30	6.16	9.21	9.54	16.67	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.46	6.27	6.10	9.17	9.54	16.63	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	6.35	4.86	4.62	7.70	29.65	14.05	36.00
5745MHz	Pass	6.35	6.65	6.03	9.33	29.65	15.68	36.00
5785MHz	Pass	6.35	6.10	6.08	9.09	29.65	15.44	36.00
5825MHz	Pass	6.35	5.23	4.96	8.08	29.65	14.43	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.77	0.77	0.67	3.71	16.23	10.48	23.00
5230MHz	Pass	6.77	4.59	4.75	7.64	16.23	14.41	23.00
5270MHz	Pass	7.00	3.98	3.82	6.89	10.00	13.89	17.00
5310MHz	Pass	7.00	-0.58	-0.74	2.32	10.00	9.32	17.00
5510MHz	Pass	7.46	3.54	3.14	6.30	9.54	13.76	17.00
5550MHz	Pass	7.46	3.97	3.42	6.65	9.54	14.11	17.00
5670MHz	Pass	7.46	3.43	3.37	6.38	9.54	13.84	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.46	4.18	4.43	7.30	9.54	14.76	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	6.35	2.73	2.77	5.76	29.65	12.11	36.00
5755MHz	Pass	6.35	3.29	3.19	6.22	29.65	12.57	36.00
5795MHz	Pass	6.35	3.31	3.62	6.40	29.65	12.75	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.77	-3.42	-4.04	-0.74	16.23	6.03	23.00
5290MHz	Pass	7.00	-3.98	-4.65	-1.38	10.00	5.62	17.00
5530MHz	Pass	7.46	0.79	0.22	3.50	9.54	10.96	17.00
5610MHz	Pass	7.46	1.20	0.60	3.82	9.54	11.28	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.46	1.03	0.81	3.87	9.54	11.33	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	6.35	-0.93	-1.21	1.87	29.65	8.22	36.00
5775MHz	Pass	6.35	-0.27	-0.10	2.74	29.65	9.09	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.77	-8.06	-7.60	-4.81	16.23	1.96	23.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.00	-7.91	-7.48	-4.71	10.00	2.29	17.00
5570MHz	Pass	7.46	-2.70	-3.23	0.00	9.54	7.46	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;











5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

26/03/2024

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.137

Detector Type
RMS



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.38	-1.38	-3.98	-4.65

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

26/03/2024

CF (Hz)
5.33G


Span (Hz)
320M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.137

Detector Type
RMS






Sum


Port 1



Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.71	-4.71	-7.91	-7.48













Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	148.34M	37.91	43.50	-5.59	3	Horizontal	360	3.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5785MHz	Pass	PK	37.76M	34.01	40.00	-5.99	3	Vertical	0	3.00
5785MHz	Pass	PK	76.56M	32.82	40.00	-7.18	3	Vertical	0	3.00
5785MHz	Pass	PK	142.52M	34.26	43.50	-9.24	3	Vertical	0	3.00
5785MHz	Pass	PK	381.14M	29.14	46.00	-16.86	3	Vertical	0	3.00
5785MHz	Pass	PK	472.32M	27.84	46.00	-18.16	3	Vertical	0	3.00
5785MHz	Pass	PK	604.24M	29.05	46.00	-16.95	3	Vertical	0	3.00
5785MHz	Pass	PK	45.52M	33.66	40.00	-6.34	3	Horizontal	360	3.00
5785MHz	Pass	PK	148.34M	37.91	43.50	-5.59	3	Horizontal	360	3.00
5785MHz	Pass	PK	206.54M	29.16	43.50	-14.34	3	Horizontal	360	3.00
5785MHz	Pass	PK	381.14M	28.93	46.00	-17.07	3	Horizontal	360	3.00
5785MHz	Pass	PK	468.44M	28.78	46.00	-17.22	3	Horizontal	360	3.00
5785MHz	Pass	PK	679.9M	30.88	46.00	-15.12	3	Horizontal	360	3.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	34.01	40.00	-5.99	-6.53	3	Vertical	0	3.00	40.54	18.95	1.34	26.82
PK	76.56M	32.82	40.00	-7.18	-14.28	3	Vertical	0	3.00	47.10	11.73	1.74	27.75
PK	142.52M	34.26	43.50	-9.24	-9.25	3	Vertical	0	3.00	43.51	16.08	2.43	27.76
PK	381.14M	29.14	46.00	-16.86	-3.55	3	Vertical	0	3.00	32.69	20.16	4.09	27.80
PK	472.32M	27.84	46.00	-18.16	-1.15	3	Vertical	0	3.00	28.99	22.50	4.72	28.37
PK	604.24M	29.05	46.00	-16.95	1.13	3	Vertical	0	3.00	27.92	23.84	5.79	28.50

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	33.66	40.00	-6.34	-9.59	3	Horizontal	360	3.00	43.25	15.64	1.47	26.70
PK	148.34M	37.91	43.50	-5.59	-9.52	3	Horizontal	360	3.00	47.43	15.74	2.48	27.74
PK	206.54M	29.16	43.50	-14.34	-9.98	3	Horizontal	360	3.00	39.14	14.48	2.99	27.45
PK	381.14M	28.93	46.00	-17.07	-3.55	3	Horizontal	360	3.00	32.48	20.16	4.09	27.80
PK	468.44M	28.78	46.00	-17.22	-1.27	3	Horizontal	360	3.00	30.05	22.39	4.70	28.36
PK	679.9M	30.88	46.00	-15.12	1.38	3	Horizontal	360	3.00	29.50	24.01	5.84	28.47



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.54	54.00	-0.46	3	Horizontal	309	2.11
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.83	54.00	-1.17	3	Vertical	39	2.97
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1484G	53.67	54.00	-0.33	3	Horizontal	336	1.15
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.10	54.00	-0.90	3	Horizontal	327	2.18
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.11	54.00	-1.89	3	Horizontal	298	1.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3506G	53.83	54.00	-0.17	3	Vertical	32	3.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.67	54.00	-0.33	3	Horizontal	323	2.14
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.355G	53.83	54.00	-0.17	3	Horizontal	325	2.06
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.3556G	53.15	54.00	-0.85	3	Horizontal	325	2.06
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4674G	67.98	68.20	-0.22	3	Horizontal	331	1.48
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.4698G	66.65	68.20	-1.55	3	Horizontal	332	1.52
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7288G	67.58	68.20	-0.62	3	Horizontal	325	2.72
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.737G	68.07	68.20	-0.13	3	Vertical	29	2.95
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.7428G	67.89	68.20	-0.31	3	Horizontal	319	2.86
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.57208G	53.89	54.00	-0.11	3	Horizontal	306	1.77
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	11.6496G	53.88	54.00	-0.12	3	Horizontal	301	1.98
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.59752G	51.83	54.00	-2.17	3	Horizontal	274	1.82
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6442G	67.40	68.20	-0.80	3	Vertical	28	3.00



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	52.50	54.00	-1.50	3	Vertical	11	2.97
5180MHz	Pass	AV	5.1832G	107.71	Inf	-Inf	3	Vertical	11	2.97
5180MHz	Pass	PK	5.1488G	64.77	74.00	-9.23	3	Vertical	11	2.97
5180MHz	Pass	PK	5.1776G	116.29	Inf	-Inf	3	Vertical	11	2.97
5180MHz	Pass	AV	5.15G	53.54	54.00	-0.46	3	Horizontal	309	2.11
5180MHz	Pass	AV	5.1854G	107.71	Inf	-Inf	3	Horizontal	309	2.11
5180MHz	Pass	PK	5.1494G	66.92	74.00	-7.08	3	Horizontal	309	2.11
5180MHz	Pass	PK	5.1854G	116.17	Inf	-Inf	3	Horizontal	309	2.11
5180MHz	Pass	AV	15.54972G	41.83	54.00	-12.17	3	Vertical	238	2.43
5180MHz	Pass	PK	10.3525G	57.71	68.20	-10.49	3	Vertical	346	2.98
5180MHz	Pass	PK	15.5289G	54.78	74.00	-19.22	3	Vertical	238	2.43
5180MHz	Pass	AV	15.54948G	41.83	54.00	-12.17	3	Horizontal	272	1.50
5180MHz	Pass	PK	10.36066G	65.01	68.20	-3.19	3	Horizontal	287	2.14
5180MHz	Pass	PK	15.54324G	54.25	74.00	-19.75	3	Horizontal	272	1.50
5200MHz	Pass	AV	5.1488G	48.48	54.00	-5.52	3	Vertical	12	2.95
5200MHz	Pass	AV	5.2032G	109.80	Inf	-Inf	3	Vertical	12	2.95
5200MHz	Pass	PK	5.1484G	62.36	74.00	-11.64	3	Vertical	12	2.95
5200MHz	Pass	PK	5.1932G	118.30	Inf	-Inf	3	Vertical	12	2.95
5200MHz	Pass	AV	5.15G	49.81	54.00	-4.19	3	Horizontal	305	2.19
5200MHz	Pass	AV	5.1952G	109.78	Inf	-Inf	3	Horizontal	305	2.19
5200MHz	Pass	PK	5.15G	62.77	74.00	-11.23	3	Horizontal	305	2.19
5200MHz	Pass	PK	5.2056G	117.95	Inf	-Inf	3	Horizontal	305	2.19
5200MHz	Pass	AV	15.58518G	41.99	54.00	-12.01	3	Vertical	316	1.50
5200MHz	Pass	PK	10.39766G	57.41	68.20	-10.79	3	Vertical	350	2.95
5200MHz	Pass	PK	15.59088G	54.56	74.00	-19.44	3	Vertical	316	1.50
5200MHz	Pass	AV	15.59706G	42.29	54.00	-11.71	3	Horizontal	288	1.78
5200MHz	Pass	PK	10.3997G	65.41	68.20	-2.79	3	Horizontal	291	2.13
5200MHz	Pass	PK	15.59364G	55.74	74.00	-18.26	3	Horizontal	288	1.78
5240MHz	Pass	AV	5.1494G	45.46	54.00	-8.54	3	Vertical	12	2.78
5240MHz	Pass	AV	5.2334G	110.20	Inf	-Inf	3	Vertical	12	2.78
5240MHz	Pass	AV	5.36G	46.01	54.00	-7.99	3	Vertical	12	2.78
5240MHz	Pass	PK	5.1104G	57.31	74.00	-16.69	3	Vertical	12	2.78
5240MHz	Pass	PK	5.2328G	118.70	Inf	-Inf	3	Vertical	12	2.78
5240MHz	Pass	PK	5.3528G	58.69	74.00	-15.31	3	Vertical	12	2.78
5240MHz	Pass	AV	5.15G	45.85	54.00	-8.15	3	Horizontal	303	2.20
5240MHz	Pass	AV	5.2352G	109.69	Inf	-Inf	3	Horizontal	303	2.20
5240MHz	Pass	AV	5.3504G	46.00	54.00	-8.00	3	Horizontal	303	2.20
5240MHz	Pass	PK	5.1482G	57.29	74.00	-16.71	3	Horizontal	303	2.20
5240MHz	Pass	PK	5.2364G	117.83	Inf	-Inf	3	Horizontal	303	2.20
5240MHz	Pass	PK	5.3822G	58.77	74.00	-15.23	3	Horizontal	303	2.20
5240MHz	Pass	AV	15.7188G	42.57	54.00	-11.43	3	Vertical	6	1.49
5240MHz	Pass	PK	10.477G	55.78	68.20	-12.42	3	Vertical	356	2.86
5240MHz	Pass	PK	15.71766G	54.38	74.00	-19.62	3	Vertical	6	1.49
5240MHz	Pass	AV	15.71832G	43.07	54.00	-10.93	3	Horizontal	297	2.12
5240MHz	Pass	PK	10.48084G	63.22	68.20	-4.98	3	Horizontal	297	2.05
5240MHz	Pass	PK	15.717G	54.99	74.00	-19.01	3	Horizontal	297	2.12
5260MHz	Pass	AV	5.15G	45.26	54.00	-8.74	3	Vertical	360	2.91
5260MHz	Pass	AV	5.2534G	108.96	Inf	-Inf	3	Vertical	360	2.91
5260MHz	Pass	AV	5.3602G	46.01	54.00	-7.99	3	Vertical	360	2.91
5260MHz	Pass	PK	5.149G	57.74	74.00	-16.26	3	Vertical	360	2.91
5260MHz	Pass	PK	5.254G	117.52	Inf	-Inf	3	Vertical	360	2.91
5260MHz	Pass	PK	5.3986G	58.16	74.00	-15.84	3	Vertical	360	2.91
5260MHz	Pass	AV	5.1496G	45.46	54.00	-8.54	3	Horizontal	302	2.27
5260MHz	Pass	AV	5.2552G	109.67	Inf	-Inf	3	Horizontal	302	2.27
5260MHz	Pass	AV	5.3572G	45.82	54.00	-8.18	3	Horizontal	302	2.27
5260MHz	Pass	PK	5.1466G	57.11	74.00	-16.89	3	Horizontal	302	2.27
5260MHz	Pass	PK	5.2654G	117.91	Inf	-Inf	3	Horizontal	302	2.27
5260MHz	Pass	PK	5.365G	58.06	74.00	-15.94	3	Horizontal	302	2.27
5260MHz	Pass	AV	15.7704G	42.48	54.00	-11.52	3	Vertical	218	1.50
5260MHz	Pass	PK	10.51784G	55.16	68.20	-13.04	3	Vertical	353	2.96



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.76746G	54.84	74.00	-19.16	3	Vertical	218	1.50
5260MHz	Pass	AV	15.76596G	42.52	54.00	-11.48	3	Horizontal	356	2.96
5260MHz	Pass	PK	10.5218G	63.31	68.20	-4.89	3	Horizontal	296	1.91
5260MHz	Pass	PK	15.77184G	55.58	74.00	-18.42	3	Horizontal	356	2.96
5300MHz	Pass	AV	5.2932G	108.84	Inf	-Inf	3	Vertical	360	3.00
5300MHz	Pass	AV	5.3524G	46.74	54.00	-7.26	3	Vertical	360	3.00
5300MHz	Pass	PK	5.2976G	117.40	Inf	-Inf	3	Vertical	360	3.00
5300MHz	Pass	PK	5.352G	58.83	74.00	-15.17	3	Vertical	360	3.00
5300MHz	Pass	AV	5.2952G	109.45	Inf	-Inf	3	Horizontal	302	2.31
5300MHz	Pass	AV	5.35G	48.20	54.00	-5.80	3	Horizontal	302	2.31
5300MHz	Pass	PK	5.2948G	117.71	Inf	-Inf	3	Horizontal	302	2.31
5300MHz	Pass	PK	5.3504G	60.78	74.00	-13.22	3	Horizontal	302	2.31
5300MHz	Pass	AV	15.89948G	41.55	54.00	-12.45	3	Vertical	185	1.50
5300MHz	Pass	PK	10.6016G	55.43	74.00	-18.57	3	Vertical	354	3.00
5300MHz	Pass	PK	15.89816G	53.72	74.00	-20.28	3	Vertical	185	1.50
5300MHz	Pass	AV	15.89932G	41.55	54.00	-12.45	3	Horizontal	63	1.50
5300MHz	Pass	PK	10.59868G	62.23	68.20	-5.97	3	Horizontal	296	1.80
5300MHz	Pass	PK	15.90672G	54.28	74.00	-19.72	3	Horizontal	63	1.50
5320MHz	Pass	AV	5.313G	107.39	Inf	-Inf	3	Vertical	360	3.00
5320MHz	Pass	AV	5.3528G	49.18	54.00	-4.82	3	Vertical	360	3.00
5320MHz	Pass	PK	5.3174G	115.99	Inf	-Inf	3	Vertical	360	3.00
5320MHz	Pass	PK	5.3528G	63.49	74.00	-10.51	3	Vertical	360	3.00
5320MHz	Pass	AV	5.3246G	107.57	Inf	-Inf	3	Horizontal	298	1.00
5320MHz	Pass	AV	5.35G	52.11	54.00	-1.89	3	Horizontal	298	1.00
5320MHz	Pass	PK	5.3246G	115.96	Inf	-Inf	3	Horizontal	298	1.00
5320MHz	Pass	PK	5.35G	64.93	74.00	-9.07	3	Horizontal	298	1.00
5320MHz	Pass	AV	10.64164G	41.74	54.00	-12.26	3	Vertical	0	2.97
5320MHz	Pass	AV	15.9518G	40.65	54.00	-13.35	3	Vertical	76	1.06
5320MHz	Pass	PK	10.64192G	54.69	74.00	-19.31	3	Vertical	0	2.97
5320MHz	Pass	PK	15.96036G	53.26	74.00	-20.74	3	Vertical	76	1.06
5320MHz	Pass	AV	10.64208G	47.88	54.00	-6.12	3	Horizontal	302	1.83
5320MHz	Pass	AV	15.95188G	40.65	54.00	-13.35	3	Horizontal	150	1.50
5320MHz	Pass	PK	10.64188G	60.39	74.00	-13.61	3	Horizontal	302	1.83
5320MHz	Pass	PK	15.95976G	53.48	74.00	-20.52	3	Horizontal	150	1.50
5500MHz	Pass	AV	5.4598G	48.12	54.00	-5.88	3	Vertical	22	2.58
5500MHz	Pass	AV	5.5046G	108.11	Inf	-Inf	3	Vertical	22	2.58
5500MHz	Pass	PK	5.46G	61.37	74.00	-12.63	3	Vertical	22	2.58
5500MHz	Pass	PK	5.4698G	67.86	68.20	-0.34	3	Vertical	22	2.58
5500MHz	Pass	PK	5.5046G	116.72	Inf	-Inf	3	Vertical	22	2.58
5500MHz	Pass	AV	5.4578G	47.97	54.00	-6.03	3	Horizontal	331	1.48
5500MHz	Pass	AV	5.5076G	108.55	Inf	-Inf	3	Horizontal	331	1.48
5500MHz	Pass	PK	5.4582G	62.59	74.00	-11.41	3	Horizontal	331	1.48
5500MHz	Pass	PK	5.4674G	67.98	68.20	-0.22	3	Horizontal	331	1.48
5500MHz	Pass	PK	5.5074G	117.48	Inf	-Inf	3	Horizontal	331	1.48
5500MHz	Pass	AV	11.00152G	40.29	54.00	-13.71	3	Vertical	360	1.00
5500MHz	Pass	PK	11.00584G	52.10	74.00	-21.90	3	Vertical	360	1.00
5500MHz	Pass	PK	16.73884G	55.35	68.20	-12.85	3	Vertical	183	1.98
5500MHz	Pass	AV	11.002G	48.31	54.00	-5.69	3	Horizontal	296	1.85
5500MHz	Pass	PK	11.00176G	60.43	74.00	-13.57	3	Horizontal	296	1.85
5500MHz	Pass	PK	16.73684G	55.03	68.20	-13.17	3	Horizontal	67	2.85
5580MHz	Pass	AV	5.43G	45.63	54.00	-8.37	3	Vertical	25	3.00
5580MHz	Pass	AV	5.5728G	110.03	Inf	-Inf	3	Vertical	25	3.00
5580MHz	Pass	PK	5.4312G	57.17	74.00	-16.83	3	Vertical	25	3.00
5580MHz	Pass	PK	5.4696G	56.38	68.20	-11.82	3	Vertical	25	3.00
5580MHz	Pass	PK	5.5776G	118.11	Inf	-Inf	3	Vertical	25	3.00
5580MHz	Pass	PK	5.7282G	58.26	68.20	-9.94	3	Vertical	25	3.00
5580MHz	Pass	AV	5.46G	45.24	54.00	-8.76	3	Horizontal	324	2.82
5580MHz	Pass	AV	5.5728G	109.92	Inf	-Inf	3	Horizontal	324	2.82
5580MHz	Pass	PK	5.4552G	56.30	74.00	-17.70	3	Horizontal	324	2.82
5580MHz	Pass	PK	5.4624G	55.98	68.20	-12.22	3	Horizontal	324	2.82
5580MHz	Pass	PK	5.5836G	117.79	Inf	-Inf	3	Horizontal	324	2.82
5580MHz	Pass	PK	5.7294G	56.60	68.20	-11.60	3	Horizontal	324	2.82



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.16048G	42.87	54.00	-11.13	3	Vertical	348	3.00
5580MHz	Pass	PK	11.16048G	56.44	74.00	-17.56	3	Vertical	348	3.00
5580MHz	Pass	PK	16.74208G	55.59	68.20	-12.61	3	Vertical	128	1.86
5580MHz	Pass	AV	11.16008G	48.83	54.00	-5.17	3	Horizontal	299	1.99
5580MHz	Pass	PK	11.16072G	61.51	74.00	-12.49	3	Horizontal	299	1.99
5580MHz	Pass	PK	16.73972G	55.44	68.20	-12.76	3	Horizontal	224	1.75
5700MHz	Pass	AV	5.6948G	106.22	Inf	-Inf	3	Vertical	10	2.54
5700MHz	Pass	PK	5.6948G	114.44	Inf	-Inf	3	Vertical	10	2.54
5700MHz	Pass	PK	5.7252G	63.76	68.20	-4.44	3	Vertical	10	2.54
5700MHz	Pass	AV	5.6948G	109.33	Inf	-Inf	3	Horizontal	310	2.60
5700MHz	Pass	PK	5.6948G	117.22	Inf	-Inf	3	Horizontal	310	2.60
5700MHz	Pass	PK	5.7296G	66.38	68.20	-1.82	3	Horizontal	310	2.60
5700MHz	Pass	AV	11.40224G	40.76	54.00	-13.24	3	Vertical	314	2.11
5700MHz	Pass	PK	11.40288G	52.54	74.00	-21.46	3	Vertical	314	2.11
5700MHz	Pass	PK	17.10504G	55.18	68.20	-13.02	3	Vertical	334	1.68
5700MHz	Pass	AV	11.39808G	48.80	54.00	-5.20	3	Horizontal	298	1.70
5700MHz	Pass	PK	11.39856G	60.57	74.00	-13.43	3	Horizontal	298	1.70
5700MHz	Pass	PK	17.1004G	54.78	68.20	-13.42	3	Horizontal	204	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	44.71	54.00	-9.29	3	Vertical	338	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	104.99	Inf	-Inf	3	Vertical	338	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4356G	56.98	74.00	-17.02	3	Vertical	338	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	54.76	68.20	-13.44	3	Vertical	338	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	112.76	Inf	-Inf	3	Vertical	338	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8676G	58.82	68.20	-9.38	3	Vertical	338	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.24	54.00	-8.76	3	Horizontal	317	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	108.83	Inf	-Inf	3	Horizontal	317	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	55.54	74.00	-18.46	3	Horizontal	317	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	56.80	68.20	-11.40	3	Horizontal	317	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	116.79	Inf	-Inf	3	Horizontal	317	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	58.14	68.20	-10.06	3	Horizontal	317	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43728G	41.93	54.00	-12.07	3	Vertical	320	2.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44144G	54.59	74.00	-19.41	3	Vertical	320	2.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15296G	54.83	68.20	-13.37	3	Vertical	321	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43808G	49.89	54.00	-4.11	3	Horizontal	297	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43824G	61.86	74.00	-12.14	3	Horizontal	297	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15888G	54.68	68.20	-13.52	3	Horizontal	35	2.16
5745MHz	Pass	AV	5.4594G	45.03	54.00	-8.97	3	Vertical	343	3.00
5745MHz	Pass	AV	5.7402G	106.23	Inf	-Inf	3	Vertical	343	3.00
5745MHz	Pass	PK	5.5974G	57.46	68.20	-10.74	3	Vertical	343	3.00
5745MHz	Pass	PK	5.7402G	113.72	Inf	-Inf	3	Vertical	343	3.00
5745MHz	Pass	PK	6.0282G	58.25	68.20	-9.95	3	Vertical	343	3.00
5745MHz	Pass	AV	5.4594G	45.03	54.00	-8.97	3	Horizontal	316	1.47
5745MHz	Pass	AV	5.7378G	109.10	Inf	-Inf	3	Horizontal	316	1.47
5745MHz	Pass	PK	5.5314G	58.26	68.20	-9.94	3	Horizontal	316	1.47
5745MHz	Pass	PK	5.739G	117.91	Inf	-Inf	3	Horizontal	316	1.47
5745MHz	Pass	PK	6.0078G	57.31	68.20	-10.89	3	Horizontal	316	1.47
5745MHz	Pass	AV	11.49008G	41.95	54.00	-12.05	3	Vertical	46	1.94
5745MHz	Pass	PK	11.49072G	56.40	74.00	-17.60	3	Vertical	46	1.94
5745MHz	Pass	PK	17.2272G	55.36	68.20	-12.84	3	Vertical	99	2.43
5745MHz	Pass	AV	11.48804G	51.45	54.00	-2.55	3	Horizontal	304	1.66
5745MHz	Pass	PK	11.48816G	63.57	74.00	-10.43	3	Horizontal	304	1.66
5745MHz	Pass	PK	17.23264G	55.89	68.20	-12.31	3	Horizontal	356	2.39
5785MHz	Pass	AV	5.7922G	110.31	Inf	-Inf	3	Vertical	17	2.94
5785MHz	Pass	PK	5.6098G	57.85	68.20	-10.35	3	Vertical	17	2.94
5785MHz	Pass	PK	5.7922G	118.61	Inf	-Inf	3	Vertical	17	2.94
5785MHz	Pass	PK	6.0406G	58.77	68.20	-9.43	3	Vertical	17	2.94
5785MHz	Pass	AV	5.7886G	109.18	Inf	-Inf	3	Horizontal	318	1.40
5785MHz	Pass	PK	5.5414G	58.07	68.20	-10.13	3	Horizontal	318	1.40
5785MHz	Pass	PK	5.7886G	116.59	Inf	-Inf	3	Horizontal	318	1.40
5785MHz	Pass	PK	6.0802G	57.34	68.20	-10.86	3	Horizontal	318	1.40
5785MHz	Pass	AV	11.56992G	45.79	54.00	-8.21	3	Vertical	14	2.49
5785MHz	Pass	PK	11.56944G	58.27	74.00	-15.73	3	Vertical	14	2.49



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	17.36188G	54.36	68.20	-13.84	3	Vertical	61	1.32
5785MHz	Pass	AV	11.57208G	53.89	54.00	-0.11	3	Horizontal	306	1.77
5785MHz	Pass	PK	11.57172G	66.61	74.00	-7.39	3	Horizontal	306	1.77
5785MHz	Pass	PK	17.36284G	54.69	68.20	-13.51	3	Horizontal	104	2.44
5825MHz	Pass	AV	5.8214G	107.63	Inf	-Inf	3	Vertical	31	2.89
5825MHz	Pass	PK	5.6402G	57.59	68.20	-10.61	3	Vertical	31	2.89
5825MHz	Pass	PK	5.8226G	115.45	Inf	-Inf	3	Vertical	31	2.89
5825MHz	Pass	PK	6.0794G	58.44	68.20	-9.76	3	Vertical	31	2.89
5825MHz	Pass	AV	5.8226G	107.41	Inf	-Inf	3	Horizontal	334	1.45
5825MHz	Pass	PK	5.5814G	57.35	68.20	-10.85	3	Horizontal	334	1.45
5825MHz	Pass	PK	5.8178G	116.23	Inf	-Inf	3	Horizontal	334	1.45
5825MHz	Pass	PK	6.1226G	57.97	68.20	-10.23	3	Horizontal	334	1.45
5825MHz	Pass	AV	11.648G	46.27	54.00	-7.73	3	Vertical	30	2.46
5825MHz	Pass	PK	11.64752G	58.30	74.00	-15.70	3	Vertical	30	2.46
5825MHz	Pass	PK	17.47176G	55.04	68.20	-13.16	3	Vertical	8	1.74
5825MHz	Pass	AV	11.652G	53.21	54.00	-0.79	3	Horizontal	303	1.82
5825MHz	Pass	PK	11.65176G	65.90	74.00	-8.10	3	Horizontal	303	1.82
5825MHz	Pass	PK	17.47416G	55.09	68.20	-13.11	3	Horizontal	232	2.14
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.83	54.00	-1.17	3	Vertical	39	2.97
5180MHz	Pass	AV	5.1726G	106.24	Inf	-Inf	3	Vertical	39	2.97
5180MHz	Pass	PK	5.1498G	68.53	74.00	-5.47	3	Vertical	39	2.97
5180MHz	Pass	PK	5.1712G	116.55	Inf	-Inf	3	Vertical	39	2.97
5180MHz	Pass	AV	5.1498G	51.46	54.00	-2.54	3	Horizontal	345	1.28
5180MHz	Pass	AV	5.1886G	105.36	Inf	-Inf	3	Horizontal	345	1.28
5180MHz	Pass	PK	5.1484G	65.04	74.00	-8.96	3	Horizontal	345	1.28
5180MHz	Pass	PK	5.188G	117.86	Inf	-Inf	3	Horizontal	345	1.28
5180MHz	Pass	AV	15.46G	42.34	54.00	-11.66	3	Vertical	325	1.34
5180MHz	Pass	PK	10.35552G	57.87	68.20	-10.33	3	Vertical	0	2.98
5180MHz	Pass	PK	15.47984G	54.79	74.00	-19.21	3	Vertical	325	1.34
5180MHz	Pass	AV	15.56272G	42.34	54.00	-11.66	3	Horizontal	302	1.94
5180MHz	Pass	PK	10.36G	66.03	68.20	-2.17	3	Horizontal	301	2.15
5180MHz	Pass	PK	15.49904G	54.53	74.00	-19.47	3	Horizontal	302	1.94
5200MHz	Pass	AV	5.15G	51.97	54.00	-2.03	3	Vertical	37	2.97
5200MHz	Pass	AV	5.1916G	109.05	Inf	-Inf	3	Vertical	37	2.97
5200MHz	Pass	PK	5.15G	65.14	74.00	-8.86	3	Vertical	37	2.97
5200MHz	Pass	PK	5.1924G	118.46	Inf	-Inf	3	Vertical	37	2.97
5200MHz	Pass	AV	5.15G	50.57	54.00	-3.43	3	Horizontal	334	1.19
5200MHz	Pass	AV	5.1936G	108.17	Inf	-Inf	3	Horizontal	334	1.19
5200MHz	Pass	PK	5.15G	62.54	74.00	-11.46	3	Horizontal	334	1.19
5200MHz	Pass	PK	5.1936G	118.11	Inf	-Inf	3	Horizontal	334	1.19
5200MHz	Pass	AV	15.5767G	42.45	54.00	-11.55	3	Vertical	288	2.18
5200MHz	Pass	PK	10.4036G	60.48	68.20	-7.72	3	Vertical	9	2.95
5200MHz	Pass	PK	15.5781G	54.94	74.00	-19.06	3	Vertical	288	2.18
5200MHz	Pass	AV	15.5751G	42.26	54.00	-11.74	3	Horizontal	338	1.50
5200MHz	Pass	PK	10.3982G	66.77	68.20	-1.43	3	Horizontal	303	2.17
5200MHz	Pass	PK	15.586G	54.49	74.00	-19.51	3	Horizontal	338	1.50
5240MHz	Pass	AV	5.1434G	45.57	54.00	-8.43	3	Vertical	43	2.78
5240MHz	Pass	AV	5.2328G	109.64	Inf	-Inf	3	Vertical	43	2.78
5240MHz	Pass	AV	5.3618G	46.01	54.00	-7.99	3	Vertical	43	2.78
5240MHz	Pass	PK	5.1494G	56.37	74.00	-17.63	3	Vertical	43	2.78
5240MHz	Pass	PK	5.2346G	119.17	Inf	-Inf	3	Vertical	43	2.78
5240MHz	Pass	PK	5.3828G	57.18	74.00	-16.82	3	Vertical	43	2.78
5240MHz	Pass	AV	5.1494G	45.65	54.00	-8.35	3	Horizontal	333	1.33
5240MHz	Pass	AV	5.2334G	108.00	Inf	-Inf	3	Horizontal	333	1.33
5240MHz	Pass	AV	5.3522G	45.80	54.00	-8.20	3	Horizontal	333	1.33
5240MHz	Pass	PK	5.114G	56.66	74.00	-17.34	3	Horizontal	333	1.33
5240MHz	Pass	PK	5.2322G	117.89	Inf	-Inf	3	Horizontal	333	1.33
5240MHz	Pass	PK	5.3834G	57.03	74.00	-16.97	3	Horizontal	333	1.33
5240MHz	Pass	AV	15.7197G	42.80	54.00	-11.20	3	Vertical	220	1.98
5240MHz	Pass	PK	10.4638G	54.96	68.20	-13.24	3	Vertical	360	3.00
5240MHz	Pass	PK	15.7365G	55.06	74.00	-18.94	3	Vertical	220	1.98



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	AV	15.7276G	42.78	54.00	-11.22	3	Horizontal	336	2.67
5240MHz	Pass	PK	10.4784G	63.37	68.20	-4.83	3	Horizontal	302	2.10
5240MHz	Pass	PK	15.729G	55.36	74.00	-18.64	3	Horizontal	336	2.67
5260MHz	Pass	AV	5.1496G	45.44	54.00	-8.56	3	Vertical	41	2.91
5260MHz	Pass	AV	5.2516G	108.83	Inf	-Inf	3	Vertical	41	2.91
5260MHz	Pass	AV	5.3572G	46.21	54.00	-7.79	3	Vertical	41	2.91
5260MHz	Pass	PK	5.1166G	56.36	74.00	-17.64	3	Vertical	41	2.91
5260MHz	Pass	PK	5.2516G	118.81	Inf	-Inf	3	Vertical	41	2.91
5260MHz	Pass	PK	5.3578G	57.27	74.00	-16.73	3	Vertical	41	2.91
5260MHz	Pass	AV	5.1496G	45.65	54.00	-8.35	3	Horizontal	329	2.10
5260MHz	Pass	AV	5.263G	108.94	Inf	-Inf	3	Horizontal	329	2.10
5260MHz	Pass	AV	5.3512G	46.20	54.00	-7.80	3	Horizontal	329	2.10
5260MHz	Pass	PK	5.1424G	56.91	74.00	-17.09	3	Horizontal	329	2.10
5260MHz	Pass	PK	5.2624G	120.53	Inf	-Inf	3	Horizontal	329	2.10
5260MHz	Pass	PK	5.3512G	57.26	74.00	-16.74	3	Horizontal	329	2.10
5260MHz	Pass	AV	15.7701G	42.71	54.00	-11.29	3	Vertical	282	1.57
5260MHz	Pass	PK	10.5175G	56.78	68.20	-11.42	3	Vertical	346	2.96
5260MHz	Pass	PK	15.7889G	54.57	74.00	-19.43	3	Vertical	282	1.57
5260MHz	Pass	AV	15.7597G	42.81	54.00	-11.19	3	Horizontal	113	2.19
5260MHz	Pass	PK	10.5188G	62.11	68.20	-6.09	3	Horizontal	300	2.15
5260MHz	Pass	PK	15.766G	54.42	74.00	-19.58	3	Horizontal	113	2.19
5300MHz	Pass	AV	5.292G	108.65	Inf	-Inf	3	Vertical	33	2.85
5300MHz	Pass	AV	5.3512G	49.59	54.00	-4.41	3	Vertical	33	2.85
5300MHz	Pass	PK	5.2936G	117.66	Inf	-Inf	3	Vertical	33	2.85
5300MHz	Pass	PK	5.3516G	61.69	74.00	-12.31	3	Vertical	33	2.85
5300MHz	Pass	AV	5.3024G	108.96	Inf	-Inf	3	Horizontal	326	2.15
5300MHz	Pass	AV	5.35G	48.13	54.00	-5.87	3	Horizontal	326	2.15
5300MHz	Pass	PK	5.3024G	118.89	Inf	-Inf	3	Horizontal	326	2.15
5300MHz	Pass	PK	5.3628G	59.86	74.00	-14.14	3	Horizontal	326	2.15
5300MHz	Pass	AV	15.8996G	41.76	54.00	-12.24	3	Vertical	337	2.16
5300MHz	Pass	PK	10.6003G	54.87	74.00	-19.13	3	Vertical	360	3.00
5300MHz	Pass	PK	15.9148G	54.12	74.00	-19.88	3	Vertical	337	2.16
5300MHz	Pass	AV	10.6061G	48.92	54.00	-5.08	3	Horizontal	297	1.89
5300MHz	Pass	AV	15.9001G	41.77	54.00	-12.23	3	Horizontal	256	2.34
5300MHz	Pass	PK	10.6092G	62.50	74.00	-11.50	3	Horizontal	297	1.89
5300MHz	Pass	PK	15.9086G	53.93	74.00	-20.07	3	Horizontal	256	2.34
5320MHz	Pass	AV	5.3114G	106.50	Inf	-Inf	3	Vertical	32	3.00
5320MHz	Pass	AV	5.3506G	53.83	54.00	-0.17	3	Vertical	32	3.00
5320MHz	Pass	PK	5.3112G	117.39	Inf	-Inf	3	Vertical	32	3.00
5320MHz	Pass	PK	5.35G	67.22	74.00	-6.78	3	Vertical	32	3.00
5320MHz	Pass	AV	5.321G	106.77	Inf	-Inf	3	Horizontal	334	2.17
5320MHz	Pass	AV	5.358G	50.95	54.00	-3.05	3	Horizontal	334	2.17
5320MHz	Pass	PK	5.3212G	118.06	Inf	-Inf	3	Horizontal	334	2.17
5320MHz	Pass	PK	5.3596G	65.68	74.00	-8.32	3	Horizontal	334	2.17
5320MHz	Pass	AV	10.6419G	42.25	54.00	-11.75	3	Vertical	354	2.97
5320MHz	Pass	AV	15.9365G	41.13	54.00	-12.87	3	Vertical	180	2.06
5320MHz	Pass	PK	10.6438G	54.73	74.00	-19.27	3	Vertical	354	2.97
5320MHz	Pass	PK	15.9667G	52.95	74.00	-21.05	3	Vertical	180	2.06
5320MHz	Pass	AV	10.6461G	48.37	54.00	-5.63	3	Horizontal	291	1.90
5320MHz	Pass	AV	15.9351G	40.94	54.00	-13.06	3	Horizontal	147	1.08
5320MHz	Pass	PK	10.6488G	61.95	74.00	-12.05	3	Horizontal	291	1.90
5320MHz	Pass	PK	15.9725G	53.39	74.00	-20.61	3	Horizontal	147	1.08
5500MHz	Pass	AV	5.4598G	48.37	54.00	-5.63	3	Vertical	22	2.47
5500MHz	Pass	AV	5.501G	106.54	Inf	-Inf	3	Vertical	22	2.47
5500MHz	Pass	PK	5.459G	64.23	74.00	-9.77	3	Vertical	22	2.47
5500MHz	Pass	PK	5.4626G	64.51	68.20	-3.69	3	Vertical	22	2.47
5500MHz	Pass	PK	5.5008G	117.85	Inf	-Inf	3	Vertical	22	2.47
5500MHz	Pass	AV	5.4542G	46.91	54.00	-7.09	3	Horizontal	332	1.52
5500MHz	Pass	AV	5.4914G	107.10	Inf	-Inf	3	Horizontal	332	1.52
5500MHz	Pass	PK	5.4506G	59.23	74.00	-14.77	3	Horizontal	332	1.52
5500MHz	Pass	PK	5.4698G	66.65	68.20	-1.55	3	Horizontal	332	1.52
5500MHz	Pass	PK	5.4926G	119.43	Inf	-Inf	3	Horizontal	332	1.52



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	AV	10.9963G	40.51	54.00	-13.49	3	Vertical	342	1.05
5500MHz	Pass	PK	10.9965G	53.27	74.00	-20.73	3	Vertical	342	1.05
5500MHz	Pass	PK	16.497G	54.54	68.20	-13.66	3	Vertical	161	1.72
5500MHz	Pass	AV	10.9974G	43.12	54.00	-10.88	3	Horizontal	304	2.03
5500MHz	Pass	PK	10.9997G	55.48	74.00	-18.52	3	Horizontal	304	2.03
5500MHz	Pass	PK	16.5137G	54.42	68.20	-13.78	3	Horizontal	16	1.80
5580MHz	Pass	AV	5.46G	45.83	54.00	-8.17	3	Vertical	35	2.97
5580MHz	Pass	AV	5.589G	109.75	Inf	-Inf	3	Vertical	35	2.97
5580MHz	Pass	PK	5.4546G	56.92	74.00	-17.08	3	Vertical	35	2.97
5580MHz	Pass	PK	5.463G	56.58	68.20	-11.62	3	Vertical	35	2.97
5580MHz	Pass	PK	5.5872G	120.79	Inf	-Inf	3	Vertical	35	2.97
5580MHz	Pass	PK	5.73G	57.82	68.20	-10.38	3	Vertical	35	2.97
5580MHz	Pass	AV	5.46G	45.43	54.00	-8.57	3	Horizontal	330	2.90
5580MHz	Pass	AV	5.5716G	109.17	Inf	-Inf	3	Horizontal	330	2.90
5580MHz	Pass	PK	5.4492G	57.62	74.00	-16.38	3	Horizontal	330	2.90
5580MHz	Pass	PK	5.4696G	56.31	68.20	-11.89	3	Horizontal	330	2.90
5580MHz	Pass	PK	5.5728G	119.53	Inf	-Inf	3	Horizontal	330	2.90
5580MHz	Pass	PK	5.7252G	57.03	68.20	-11.17	3	Horizontal	330	2.90
5580MHz	Pass	AV	11.1603G	43.51	54.00	-10.49	3	Vertical	358	3.00
5580MHz	Pass	PK	11.1669G	56.68	74.00	-17.32	3	Vertical	358	3.00
5580MHz	Pass	PK	16.734G	56.04	68.20	-12.16	3	Vertical	334	2.85
5580MHz	Pass	AV	11.1603G	48.45	54.00	-5.55	3	Horizontal	310	2.00
5580MHz	Pass	PK	11.1577G	62.39	74.00	-11.61	3	Horizontal	310	2.00
5580MHz	Pass	PK	16.7299G	56.28	68.20	-11.92	3	Horizontal	282	2.37
5700MHz	Pass	AV	5.7016G	105.18	Inf	-Inf	3	Vertical	20	2.42
5700MHz	Pass	PK	5.7016G	116.35	Inf	-Inf	3	Vertical	20	2.42
5700MHz	Pass	PK	5.7252G	64.57	68.20	-3.63	3	Vertical	20	2.42
5700MHz	Pass	AV	5.6948G	108.28	Inf	-Inf	3	Horizontal	331	2.62
5700MHz	Pass	PK	5.6952G	120.27	Inf	-Inf	3	Horizontal	331	2.62
5700MHz	Pass	PK	5.7328G	65.27	68.20	-2.93	3	Horizontal	331	2.62
5700MHz	Pass	AV	11.3943G	40.88	54.00	-13.12	3	Vertical	310	2.76
5700MHz	Pass	PK	11.3968G	53.30	74.00	-20.70	3	Vertical	310	2.76
5700MHz	Pass	PK	17.0892G	55.27	68.20	-12.93	3	Vertical	312	1.31
5700MHz	Pass	AV	11.3973G	47.45	54.00	-6.55	3	Horizontal	306	1.50
5700MHz	Pass	PK	11.3986G	59.54	74.00	-14.46	3	Horizontal	306	1.50
5700MHz	Pass	PK	17.08G	54.95	68.20	-13.25	3	Horizontal	33	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.01	54.00	-8.99	3	Vertical	351	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	104.80	Inf	-Inf	3	Vertical	351	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.438G	56.62	74.00	-17.38	3	Vertical	351	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.01	68.20	-12.19	3	Vertical	351	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	114.77	Inf	-Inf	3	Vertical	351	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9444G	58.97	68.20	-9.23	3	Vertical	351	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.22	54.00	-8.78	3	Horizontal	325	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	108.23	Inf	-Inf	3	Horizontal	325	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	56.65	74.00	-17.35	3	Horizontal	325	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.26	68.20	-10.94	3	Horizontal	325	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	120.12	Inf	-Inf	3	Horizontal	325	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	58.81	68.20	-9.39	3	Horizontal	325	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4325G	40.49	54.00	-13.51	3	Vertical	310	2.85
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4491G	53.50	74.00	-20.50	3	Vertical	310	2.85
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1683G	54.94	68.20	-13.26	3	Vertical	126	1.03
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4388G	48.73	54.00	-5.27	3	Horizontal	298	1.57
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4389G	61.30	74.00	-12.70	3	Horizontal	298	1.57
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1653G	55.27	68.20	-12.93	3	Horizontal	147	2.37
5745MHz	Pass	AV	5.445G	44.94	54.00	-9.06	3	Vertical	349	2.39
5745MHz	Pass	AV	5.7366G	105.06	Inf	-Inf	3	Vertical	349	2.39
5745MHz	Pass	PK	5.6058G	58.12	68.20	-10.08	3	Vertical	349	2.39
5745MHz	Pass	PK	5.7366G	115.58	Inf	-Inf	3	Vertical	349	2.39
5745MHz	Pass	PK	5.9562G	58.69	68.20	-9.51	3	Vertical	349	2.39
5745MHz	Pass	AV	5.4594G	45.00	54.00	-9.00	3	Horizontal	313	2.02
5745MHz	Pass	AV	5.7534G	109.48	Inf	-Inf	3	Horizontal	313	2.02
5745MHz	Pass	PK	5.649G	59.29	68.20	-8.91	3	Horizontal	313	2.02



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.7522G	120.70	Inf	-Inf	3	Horizontal	313	2.02
5745MHz	Pass	PK	5.9286G	59.75	68.20	-8.45	3	Horizontal	313	2.02
5745MHz	Pass	AV	11.4919G	42.37	54.00	-11.63	3	Vertical	40	1.92
5745MHz	Pass	PK	11.4931G	55.12	74.00	-18.88	3	Vertical	40	1.92
5745MHz	Pass	PK	17.2156G	54.95	68.20	-13.25	3	Vertical	35	2.41
5745MHz	Pass	AV	11.4824G	50.80	54.00	-3.20	3	Horizontal	289	1.81
5745MHz	Pass	PK	11.4991G	64.37	74.00	-9.63	3	Horizontal	289	1.81
5745MHz	Pass	PK	17.2226G	55.21	68.20	-12.99	3	Horizontal	316	1.69
5785MHz	Pass	AV	5.7934G	109.58	Inf	-Inf	3	Vertical	29	2.94
5785MHz	Pass	PK	5.6158G	59.41	68.20	-8.79	3	Vertical	29	2.94
5785MHz	Pass	PK	5.7922G	119.23	Inf	-Inf	3	Vertical	29	2.94
5785MHz	Pass	PK	6.0706G	58.87	68.20	-9.33	3	Vertical	29	2.94
5785MHz	Pass	AV	5.779G	108.32	Inf	-Inf	3	Horizontal	328	1.30
5785MHz	Pass	PK	5.6254G	58.60	68.20	-9.60	3	Horizontal	328	1.30
5785MHz	Pass	PK	5.7802G	118.71	Inf	-Inf	3	Horizontal	328	1.30
5785MHz	Pass	PK	5.9314G	59.38	68.20	-8.82	3	Horizontal	328	1.30
5785MHz	Pass	AV	11.5671G	43.16	54.00	-10.84	3	Vertical	26	2.93
5785MHz	Pass	PK	11.5678G	55.69	74.00	-18.31	3	Vertical	26	2.93
5785MHz	Pass	PK	17.3531G	54.57	68.20	-13.63	3	Vertical	75	2.90
5785MHz	Pass	AV	11.5736G	52.62	54.00	-1.38	3	Horizontal	295	1.86
5785MHz	Pass	PK	11.5749G	65.44	74.00	-8.56	3	Horizontal	295	1.86
5785MHz	Pass	PK	17.37G	54.91	68.20	-13.29	3	Horizontal	245	1.99
5825MHz	Pass	AV	5.8166G	107.65	Inf	-Inf	3	Vertical	24	2.64
5825MHz	Pass	PK	5.6474G	58.35	68.20	-9.85	3	Vertical	24	2.64
5825MHz	Pass	PK	5.8334G	119.74	Inf	-Inf	3	Vertical	24	2.64
5825MHz	Pass	PK	5.9354G	60.17	68.20	-8.03	3	Vertical	24	2.64
5825MHz	Pass	AV	5.8178G	107.93	Inf	-Inf	3	Horizontal	324	1.45
5825MHz	Pass	PK	5.5478G	59.07	68.20	-9.13	3	Horizontal	324	1.45
5825MHz	Pass	PK	5.8178G	119.29	Inf	-Inf	3	Horizontal	324	1.45
5825MHz	Pass	PK	6.0878G	59.56	68.20	-8.64	3	Horizontal	324	1.45
5825MHz	Pass	AV	11.646G	45.65	54.00	-8.35	3	Vertical	24	2.28
5825MHz	Pass	PK	11.6438G	59.56	74.00	-14.44	3	Vertical	24	2.28
5825MHz	Pass	PK	17.4515G	55.84	68.20	-12.36	3	Vertical	266	1.50
5825MHz	Pass	AV	11.6496G	53.88	54.00	-0.12	3	Horizontal	301	1.98
5825MHz	Pass	PK	11.6523G	66.51	74.00	-7.49	3	Horizontal	301	1.98
5825MHz	Pass	PK	17.4946G	55.74	68.20	-12.46	3	Horizontal	32	1.62
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1472G	53.49	54.00	-0.51	3	Vertical	32	2.95
5190MHz	Pass	AV	5.2028G	102.27	Inf	-Inf	3	Vertical	32	2.95
5190MHz	Pass	PK	5.1488G	67.45	74.00	-6.55	3	Vertical	32	2.95
5190MHz	Pass	PK	5.1816G	113.51	Inf	-Inf	3	Vertical	32	2.95
5190MHz	Pass	AV	5.1484G	53.67	54.00	-0.33	3	Horizontal	336	1.15
5190MHz	Pass	AV	5.2044G	100.99	Inf	-Inf	3	Horizontal	336	1.15
5190MHz	Pass	PK	5.1452G	66.98	74.00	-7.02	3	Horizontal	336	1.15
5190MHz	Pass	PK	5.1864G	112.81	Inf	-Inf	3	Horizontal	336	1.15
5190MHz	Pass	AV	15.56328G	42.71	54.00	-11.29	3	Vertical	18	1.96
5190MHz	Pass	PK	10.37676G	51.16	68.20	-17.04	3	Vertical	4	2.98
5190MHz	Pass	PK	15.59244G	55.25	74.00	-18.75	3	Vertical	18	1.96
5190MHz	Pass	AV	15.56376G	42.71	54.00	-11.29	3	Horizontal	18	1.50
5190MHz	Pass	PK	10.36152G	57.05	68.20	-11.15	3	Horizontal	298	2.16
5190MHz	Pass	PK	15.59532G	55.14	74.00	-18.86	3	Horizontal	18	1.50
5230MHz	Pass	AV	5.146G	49.66	54.00	-4.34	3	Vertical	38	2.93
5230MHz	Pass	AV	5.2212G	106.01	Inf	-Inf	3	Vertical	38	2.93
5230MHz	Pass	PK	5.1468G	65.86	74.00	-8.14	3	Vertical	38	2.93
5230MHz	Pass	PK	5.2216G	117.09	Inf	-Inf	3	Vertical	38	2.93
5230MHz	Pass	AV	5.15G	52.65	54.00	-1.35	3	Horizontal	328	2.18
5230MHz	Pass	AV	5.232G	105.99	Inf	-Inf	3	Horizontal	328	2.18
5230MHz	Pass	PK	5.15G	66.59	74.00	-7.41	3	Horizontal	328	2.18
5230MHz	Pass	PK	5.2344G	116.55	Inf	-Inf	3	Horizontal	328	2.18
5230MHz	Pass	AV	15.71664G	42.81	54.00	-11.19	3	Vertical	1	1.59
5230MHz	Pass	PK	10.44608G	53.73	68.20	-14.47	3	Vertical	0	2.94
5230MHz	Pass	PK	15.67596G	55.18	74.00	-18.82	3	Vertical	1	1.59



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	AV	15.714G	42.98	54.00	-11.02	3	Horizontal	288	1.65
5230MHz	Pass	PK	10.45868G	60.95	68.20	-7.25	3	Horizontal	300	2.09
5230MHz	Pass	PK	15.71544G	54.98	74.00	-19.02	3	Horizontal	288	1.65
5270MHz	Pass	AV	5.2644G	105.45	Inf	-Inf	3	Vertical	25	2.89
5270MHz	Pass	AV	5.3624G	50.60	54.00	-3.40	3	Vertical	25	2.89
5270MHz	Pass	PK	5.2632G	116.56	Inf	-Inf	3	Vertical	25	2.89
5270MHz	Pass	PK	5.35G	64.68	74.00	-9.32	3	Vertical	25	2.89
5270MHz	Pass	AV	5.274G	106.48	Inf	-Inf	3	Horizontal	324	2.06
5270MHz	Pass	AV	5.3508G	53.06	54.00	-0.94	3	Horizontal	324	2.06
5270MHz	Pass	PK	5.2744G	117.74	Inf	-Inf	3	Horizontal	324	2.06
5270MHz	Pass	PK	5.3524G	67.94	74.00	-6.06	3	Horizontal	324	2.06
5270MHz	Pass	AV	15.7818G	42.61	54.00	-11.39	3	Vertical	268	1.50
5270MHz	Pass	PK	10.55308G	55.65	68.20	-12.55	3	Vertical	348	2.89
5270MHz	Pass	PK	15.8352G	54.41	74.00	-19.59	3	Vertical	268	1.50
5270MHz	Pass	AV	15.7824G	42.61	54.00	-11.39	3	Horizontal	0	1.50
5270MHz	Pass	PK	10.53592G	61.88	68.20	-6.32	3	Horizontal	284	1.80
5270MHz	Pass	PK	15.78288G	54.43	74.00	-19.57	3	Horizontal	0	1.50
5310MHz	Pass	AV	5.3012G	99.78	Inf	-Inf	3	Vertical	27	3.00
5310MHz	Pass	AV	5.3572G	48.90	54.00	-5.10	3	Vertical	27	3.00
5310MHz	Pass	PK	5.2996G	111.41	Inf	-Inf	3	Vertical	27	3.00
5310MHz	Pass	PK	5.3608G	62.81	74.00	-11.19	3	Vertical	27	3.00
5310MHz	Pass	AV	5.2928G	100.70	Inf	-Inf	3	Horizontal	323	2.14
5310MHz	Pass	AV	5.35G	53.67	54.00	-0.33	3	Horizontal	323	2.14
5310MHz	Pass	PK	5.2924G	112.15	Inf	-Inf	3	Horizontal	323	2.14
5310MHz	Pass	PK	5.3536G	66.82	74.00	-7.18	3	Horizontal	323	2.14
5310MHz	Pass	AV	10.61992G	38.86	54.00	-15.14	3	Vertical	347	1.49
5310MHz	Pass	AV	15.9051G	41.91	54.00	-12.09	3	Vertical	184	2.01
5310MHz	Pass	PK	10.61736G	50.54	74.00	-23.46	3	Vertical	347	1.49
5310MHz	Pass	PK	15.9352G	53.84	74.00	-20.16	3	Vertical	184	2.01
5310MHz	Pass	AV	10.62864G	41.28	54.00	-12.72	3	Horizontal	286	1.89
5310MHz	Pass	AV	15.9083G	41.89	54.00	-12.11	3	Horizontal	140	2.16
5310MHz	Pass	PK	10.62744G	53.63	74.00	-20.37	3	Horizontal	286	1.89
5310MHz	Pass	PK	15.9197G	53.49	74.00	-20.51	3	Horizontal	140	2.16
5510MHz	Pass	AV	5.4508G	49.39	54.00	-4.61	3	Vertical	29	2.60
5510MHz	Pass	AV	5.5088G	104.20	Inf	-Inf	3	Vertical	29	2.60
5510MHz	Pass	PK	5.454G	67.72	74.00	-6.28	3	Vertical	29	2.60
5510MHz	Pass	PK	5.4644G	67.19	68.20	-1.01	3	Vertical	29	2.60
5510MHz	Pass	PK	5.508G	115.79	Inf	-Inf	3	Vertical	29	2.60
5510MHz	Pass	AV	5.46G	50.60	54.00	-3.40	3	Horizontal	340	1.60
5510MHz	Pass	AV	5.5184G	104.03	Inf	-Inf	3	Horizontal	340	1.60
5510MHz	Pass	PK	5.4584G	66.73	74.00	-7.27	3	Horizontal	340	1.60
5510MHz	Pass	PK	5.4624G	66.86	68.20	-1.34	3	Horizontal	340	1.60
5510MHz	Pass	PK	5.518G	115.91	Inf	-Inf	3	Horizontal	340	1.60
5510MHz	Pass	AV	11.02G	38.59	54.00	-15.41	3	Vertical	4	1.50
5510MHz	Pass	PK	11.00888G	50.50	74.00	-23.50	3	Vertical	4	1.50
5510MHz	Pass	PK	16.5479G	54.63	68.20	-13.57	3	Vertical	302	2.62
5510MHz	Pass	AV	11.01064G	44.23	54.00	-9.77	3	Horizontal	281	1.86
5510MHz	Pass	PK	11.02952G	57.07	74.00	-16.93	3	Horizontal	281	1.86
5510MHz	Pass	PK	16.5092G	54.99	68.20	-13.21	3	Horizontal	193	2.78
5550MHz	Pass	AV	5.458G	47.27	54.00	-6.73	3	Vertical	24	2.46
5550MHz	Pass	AV	5.532G	104.83	Inf	-Inf	3	Vertical	24	2.46
5550MHz	Pass	PK	5.4544G	59.21	74.00	-14.79	3	Vertical	24	2.46
5550MHz	Pass	PK	5.47G	65.38	68.20	-2.82	3	Vertical	24	2.46
5550MHz	Pass	PK	5.5488G	115.99	Inf	-Inf	3	Vertical	24	2.46
5550MHz	Pass	AV	5.4596G	46.58	54.00	-7.42	3	Horizontal	324	2.72
5550MHz	Pass	AV	5.5456G	106.01	Inf	-Inf	3	Horizontal	324	2.72
5550MHz	Pass	PK	5.4516G	59.36	74.00	-14.64	3	Horizontal	324	2.72
5550MHz	Pass	PK	5.4672G	64.44	68.20	-3.76	3	Horizontal	324	2.72
5550MHz	Pass	PK	5.5432G	117.75	Inf	-Inf	3	Horizontal	324	2.72
5550MHz	Pass	AV	11.10552G	41.50	54.00	-12.50	3	Vertical	339	2.94
5550MHz	Pass	PK	11.10448G	53.09	74.00	-20.91	3	Vertical	339	2.94
5550MHz	Pass	PK	16.642G	55.33	68.20	-12.87	3	Vertical	239	1.51



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	AV	11.10104G	45.75	54.00	-8.25	3	Horizontal	292	1.93
5550MHz	Pass	PK	11.0996G	57.52	74.00	-16.48	3	Horizontal	292	1.93
5550MHz	Pass	PK	16.6736G	55.17	68.20	-13.03	3	Horizontal	12	1.82
5670MHz	Pass	AV	5.6634G	102.91	Inf	-Inf	3	Vertical	26	2.57
5670MHz	Pass	PK	5.6616G	114.41	Inf	-Inf	3	Vertical	26	2.57
5670MHz	Pass	PK	5.7282G	64.86	68.20	-3.34	3	Vertical	26	2.57
5670MHz	Pass	AV	5.6652G	105.23	Inf	-Inf	3	Horizontal	325	2.72
5670MHz	Pass	PK	5.6688G	117.21	Inf	-Inf	3	Horizontal	325	2.72
5670MHz	Pass	PK	5.7288G	67.58	68.20	-0.62	3	Horizontal	325	2.72
5670MHz	Pass	AV	11.33392G	39.50	54.00	-14.50	3	Vertical	25	1.72
5670MHz	Pass	PK	11.33392G	52.47	74.00	-21.53	3	Vertical	25	1.72
5670MHz	Pass	PK	17.03G	56.30	68.20	-11.90	3	Vertical	350	1.00
5670MHz	Pass	AV	11.33992G	45.80	54.00	-8.20	3	Horizontal	286	1.40
5670MHz	Pass	PK	11.33848G	58.78	74.00	-15.22	3	Horizontal	286	1.40
5670MHz	Pass	PK	17.0309G	55.37	68.20	-12.83	3	Horizontal	161	1.36
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	46.05	54.00	-7.95	3	Vertical	21	2.41
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	104.07	Inf	-Inf	3	Vertical	21	2.41
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4172G	57.92	74.00	-16.08	3	Vertical	21	2.41
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	58.36	68.20	-9.84	3	Vertical	21	2.41
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	114.50	Inf	-Inf	3	Vertical	21	2.41
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8708G	59.96	68.20	-8.24	3	Vertical	21	2.41
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	45.82	54.00	-8.18	3	Horizontal	321	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	106.62	Inf	-Inf	3	Horizontal	321	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4544G	56.97	74.00	-17.03	3	Horizontal	321	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	57.71	68.20	-10.49	3	Horizontal	321	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	117.56	Inf	-Inf	3	Horizontal	321	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.884G	59.19	68.20	-9.01	3	Horizontal	321	2.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42176G	40.38	54.00	-13.62	3	Vertical	26	1.90
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42144G	51.84	74.00	-22.16	3	Vertical	26	1.90
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1512G	56.42	68.20	-11.78	3	Vertical	242	1.83
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41624G	46.71	54.00	-7.29	3	Horizontal	285	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4184G	58.69	74.00	-15.31	3	Horizontal	285	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.149G	55.30	68.20	-12.90	3	Horizontal	121	1.23
5755MHz	Pass	AV	5.4598G	45.64	54.00	-8.36	3	Vertical	25	2.94
5755MHz	Pass	AV	5.7634G	105.79	Inf	-Inf	3	Vertical	25	2.94
5755MHz	Pass	PK	5.6374G	59.73	68.20	-8.47	3	Vertical	25	2.94
5755MHz	Pass	PK	5.7634G	117.89	Inf	-Inf	3	Vertical	25	2.94
5755MHz	Pass	PK	5.9986G	58.82	68.20	-9.38	3	Vertical	25	2.94
5755MHz	Pass	AV	5.4598G	45.44	54.00	-8.56	3	Horizontal	327	1.49
5755MHz	Pass	AV	5.749G	105.19	Inf	-Inf	3	Horizontal	327	1.49
5755MHz	Pass	PK	5.6446G	60.41	68.20	-7.79	3	Horizontal	327	1.49
5755MHz	Pass	PK	5.7682G	116.79	Inf	-Inf	3	Horizontal	327	1.49
5755MHz	Pass	PK	6.049G	58.96	68.20	-9.24	3	Horizontal	327	1.49
5755MHz	Pass	AV	11.51616G	41.24	54.00	-12.76	3	Vertical	20	1.86
5755MHz	Pass	PK	11.51432G	54.15	74.00	-19.85	3	Vertical	20	1.86
5755MHz	Pass	PK	17.2551G	54.93	68.20	-13.27	3	Vertical	244	2.08
5755MHz	Pass	AV	11.50352G	49.41	54.00	-4.59	3	Horizontal	281	1.61
5755MHz	Pass	PK	11.5224G	62.94	74.00	-11.06	3	Horizontal	281	1.61
5755MHz	Pass	PK	17.2756G	55.49	68.20	-12.71	3	Horizontal	59	1.64
5795MHz	Pass	AV	5.7818G	106.20	Inf	-Inf	3	Vertical	29	2.94
5795MHz	Pass	PK	5.6414G	59.44	68.20	-8.76	3	Vertical	29	2.94
5795MHz	Pass	PK	5.8022G	117.45	Inf	-Inf	3	Vertical	29	2.94
5795MHz	Pass	PK	6.0614G	59.35	68.20	-8.85	3	Vertical	29	2.94
5795MHz	Pass	AV	5.8106G	105.75	Inf	-Inf	3	Horizontal	325	1.20
5795MHz	Pass	PK	5.567G	58.95	68.20	-9.25	3	Horizontal	325	1.20
5795MHz	Pass	PK	5.8118G	117.71	Inf	-Inf	3	Horizontal	325	1.20
5795MHz	Pass	PK	6.0362G	59.16	68.20	-9.04	3	Horizontal	325	1.20
5795MHz	Pass	AV	11.60032G	44.33	54.00	-9.67	3	Vertical	0	2.43
5795MHz	Pass	PK	11.59896G	59.02	74.00	-14.98	3	Vertical	0	2.43
5795MHz	Pass	PK	17.3865G	55.16	68.20	-13.04	3	Vertical	201	1.22
5795MHz	Pass	AV	11.59752G	51.83	54.00	-2.17	3	Horizontal	274	1.82
5795MHz	Pass	PK	11.6008G	65.17	74.00	-8.83	3	Horizontal	274	1.82



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	17.3926G	55.56	68.20	-12.64	3	Horizontal	117	1.37
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	51.63	54.00	-2.37	3	Vertical	30	2.95
5210MHz	Pass	AV	5.203G	97.96	Inf	-Inf	3	Vertical	30	2.95
5210MHz	Pass	AV	5.458G	45.82	54.00	-8.18	3	Vertical	30	2.95
5210MHz	Pass	PK	5.147G	63.45	74.00	-10.55	3	Vertical	30	2.95
5210MHz	Pass	PK	5.224G	110.34	Inf	-Inf	3	Vertical	30	2.95
5210MHz	Pass	PK	5.376G	58.29	74.00	-15.71	3	Vertical	30	2.95
5210MHz	Pass	AV	5.15G	53.10	54.00	-0.90	3	Horizontal	327	2.18
5210MHz	Pass	AV	5.231G	97.88	Inf	-Inf	3	Horizontal	327	2.18
5210MHz	Pass	AV	5.351G	46.00	54.00	-8.00	3	Horizontal	327	2.18
5210MHz	Pass	PK	5.15G	63.47	74.00	-10.53	3	Horizontal	327	2.18
5210MHz	Pass	PK	5.233G	108.49	Inf	-Inf	3	Horizontal	327	2.18
5210MHz	Pass	PK	5.393G	57.79	74.00	-16.21	3	Horizontal	327	2.18
5210MHz	Pass	AV	15.6058G	42.09	54.00	-11.91	3	Vertical	102	1.77
5210MHz	Pass	PK	10.42352G	49.87	68.20	-18.33	3	Vertical	205	1.00
5210MHz	Pass	PK	15.6167G	53.95	74.00	-20.05	3	Vertical	102	1.77
5210MHz	Pass	AV	15.6052G	42.09	54.00	-11.91	3	Horizontal	117	2.32
5210MHz	Pass	PK	10.41704G	52.39	68.20	-15.81	3	Horizontal	274	2.22
5210MHz	Pass	PK	15.6061G	54.14	74.00	-19.86	3	Horizontal	117	2.32
5290MHz	Pass	AV	5.136G	45.48	54.00	-8.52	3	Vertical	31	3.00
5290MHz	Pass	AV	5.281G	96.93	Inf	-Inf	3	Vertical	31	3.00
5290MHz	Pass	AV	5.36G	51.72	54.00	-2.28	3	Vertical	31	3.00
5290MHz	Pass	PK	5.058G	57.45	74.00	-16.55	3	Vertical	31	3.00
5290MHz	Pass	PK	5.282G	108.53	Inf	-Inf	3	Vertical	31	3.00
5290MHz	Pass	PK	5.36G	62.87	74.00	-11.13	3	Vertical	31	3.00
5290MHz	Pass	PK	5.518G	58.31	68.20	-9.89	3	Vertical	31	3.00
5290MHz	Pass	AV	5.15G	45.44	54.00	-8.56	3	Horizontal	325	2.06
5290MHz	Pass	AV	5.273G	97.05	Inf	-Inf	3	Horizontal	325	2.06
5290MHz	Pass	AV	5.355G	53.83	54.00	-0.17	3	Horizontal	325	2.06
5290MHz	Pass	PK	5.045G	58.70	74.00	-15.30	3	Horizontal	325	2.06
5290MHz	Pass	PK	5.273G	108.00	Inf	-Inf	3	Horizontal	325	2.06
5290MHz	Pass	PK	5.353G	64.86	74.00	-9.14	3	Horizontal	325	2.06
5290MHz	Pass	PK	5.486G	57.63	68.20	-10.57	3	Horizontal	325	2.06
5290MHz	Pass	AV	15.893G	41.90	54.00	-12.10	3	Vertical	27	1.57
5290MHz	Pass	PK	10.58784G	50.42	68.20	-17.78	3	Vertical	328	1.00
5290MHz	Pass	PK	15.8941G	54.34	74.00	-19.66	3	Vertical	27	1.57
5290MHz	Pass	PK	10.56904G	52.14	68.20	-16.06	3	Horizontal	272	1.88
5290MHz	Pass	AV	15.8935G	41.90	54.00	-12.10	3	Horizontal	295	1.21
5290MHz	Pass	PK	15.8879G	54.39	74.00	-19.61	3	Horizontal	295	1.21
5530MHz	Pass	AV	5.35G	45.96	54.00	-8.04	3	Vertical	29	2.47
5530MHz	Pass	AV	5.455G	53.02	54.00	-0.98	3	Vertical	29	2.47
5530MHz	Pass	AV	5.511G	101.60	Inf	-Inf	3	Vertical	29	2.47
5530MHz	Pass	PK	5.294G	58.09	68.20	-10.11	3	Vertical	29	2.47
5530MHz	Pass	PK	5.454G	69.94	74.00	-4.06	3	Vertical	29	2.47
5530MHz	Pass	PK	5.47G	65.58	68.20	-2.62	3	Vertical	29	2.47
5530MHz	Pass	PK	5.511G	112.26	Inf	-Inf	3	Vertical	29	2.47
5530MHz	Pass	PK	5.758G	58.77	68.20	-9.43	3	Vertical	29	2.47
5530MHz	Pass	AV	5.35G	45.77	54.00	-8.23	3	Horizontal	327	2.62
5530MHz	Pass	AV	5.447G	53.54	54.00	-0.46	3	Horizontal	327	2.62
5530MHz	Pass	AV	5.566G	102.16	Inf	-Inf	3	Horizontal	327	2.62
5530MHz	Pass	PK	5.326G	57.96	68.20	-10.24	3	Horizontal	327	2.62
5530MHz	Pass	PK	5.446G	66.07	74.00	-7.93	3	Horizontal	327	2.62
5530MHz	Pass	PK	5.468G	67.11	68.20	-1.09	3	Horizontal	327	2.62
5530MHz	Pass	PK	5.564G	113.29	Inf	-Inf	3	Horizontal	327	2.62
5530MHz	Pass	PK	5.738G	58.89	68.20	-9.31	3	Horizontal	327	2.62
5530MHz	Pass	AV	11.06768G	39.70	54.00	-14.30	3	Vertical	345	3.00
5530MHz	Pass	PK	11.0696G	51.72	74.00	-22.28	3	Vertical	345	3.00
5530MHz	Pass	PK	16.5836G	55.27	68.20	-12.93	3	Vertical	329	1.08
5530MHz	Pass	AV	11.0512G	43.14	54.00	-10.86	3	Horizontal	272	1.81
5530MHz	Pass	PK	11.07224G	54.87	74.00	-19.13	3	Horizontal	272	1.81
5530MHz	Pass	PK	16.6014G	54.96	68.20	-13.24	3	Horizontal	170	1.20



RSE TX above 1GHz_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.46G	50.92	54.00	-3.08	3	Vertical	29	2.95
5610MHz	Pass	AV	5.618G	103.40	Inf	-Inf	3	Vertical	29	2.95
5610MHz	Pass	PK	5.46G	64.53	74.00	-9.47	3	Vertical	29	2.95
5610MHz	Pass	PK	5.463G	65.51	68.20	-2.69	3	Vertical	29	2.95
5610MHz	Pass	PK	5.619G	114.81	Inf	-Inf	3	Vertical	29	2.95
5610MHz	Pass	PK	5.737G	68.07	68.20	-0.13	3	Vertical	29	2.95
5610MHz	Pass	AV	5.46G	49.36	54.00	-4.64	3	Horizontal	326	2.89
5610MHz	Pass	AV	5.582G	102.79	Inf	-Inf	3	Horizontal	326	2.89
5610MHz	Pass	PK	5.46G	62.00	74.00	-12.00	3	Horizontal	326	2.89
5610MHz	Pass	PK	5.464G	62.79	68.20	-5.41	3	Horizontal	326	2.89
5610MHz	Pass	PK	5.581G	115.27	Inf	-Inf	3	Horizontal	326	2.89
5610MHz	Pass	PK	5.742G	66.26	68.20	-1.94	3	Horizontal	326	2.89
5610MHz	Pass	AV	11.21992G	40.65	54.00	-13.35	3	Vertical	325	1.94
5610MHz	Pass	PK	11.22008G	51.59	74.00	-22.41	3	Vertical	325	1.94
5610MHz	Pass	PK	16.839G	55.84	68.20	-12.36	3	Vertical	353	2.56
5610MHz	Pass	AV	11.22G	43.85	54.00	-10.15	3	Horizontal	274	1.97
5610MHz	Pass	PK	11.22056G	56.07	74.00	-17.93	3	Horizontal	274	1.97
5610MHz	Pass	PK	16.8325G	55.90	68.20	-12.30	3	Horizontal	262	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4044G	46.65	54.00	-7.35	3	Vertical	24	2.58
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6648G	100.93	Inf	-Inf	3	Vertical	24	2.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4008G	58.34	74.00	-15.66	3	Vertical	24	2.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.19	68.20	-9.01	3	Vertical	24	2.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6672G	112.41	Inf	-Inf	3	Vertical	24	2.58
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	62.74	68.20	-5.46	3	Vertical	24	2.58
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	46.22	54.00	-7.78	3	Horizontal	326	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6648G	103.38	Inf	-Inf	3	Horizontal	326	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	58.07	74.00	-15.93	3	Horizontal	326	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.97	68.20	-10.23	3	Horizontal	326	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6672G	115.19	Inf	-Inf	3	Horizontal	326	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	63.32	68.20	-4.88	3	Horizontal	326	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36512G	39.67	54.00	-14.33	3	Vertical	13	1.90
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38288G	51.63	74.00	-22.37	3	Vertical	13	1.90
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05464G	55.90	68.20	-12.30	3	Vertical	293	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37568G	46.85	54.00	-7.15	3	Horizontal	268	1.66
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37376G	58.45	74.00	-15.55	3	Horizontal	268	1.66
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.03928G	56.09	68.20	-12.11	3	Horizontal	40	1.50
5775MHz	Pass	AV	5.7414G	102.40	Inf	-Inf	3	Vertical	28	3.00
5775MHz	Pass	PK	5.6442G	67.40	68.20	-0.80	3	Vertical	28	3.00
5775MHz	Pass	PK	5.7798G	113.81	Inf	-Inf	3	Vertical	28	3.00
5775MHz	Pass	PK	6.0606G	58.90	68.20	-9.30	3	Vertical	28	3.00
5775MHz	Pass	AV	5.7882G	102.16	Inf	-Inf	3	Horizontal	326	1.39
5775MHz	Pass	PK	5.6502G	66.38	68.35	-1.97	3	Horizontal	326	1.39
5775MHz	Pass	PK	5.7486G	112.98	Inf	-Inf	3	Horizontal	326	1.39
5775MHz	Pass	PK	6.009G	59.60	68.20	-8.60	3	Horizontal	326	1.39
5775MHz	Pass	AV	11.57448G	41.47	54.00	-12.53	3	Vertical	338	3.00
5775MHz	Pass	PK	11.57592G	54.01	74.00	-19.99	3	Vertical	338	3.00
5775MHz	Pass	PK	17.2674G	54.93	68.20	-13.27	3	Vertical	9	1.50
5775MHz	Pass	AV	11.56104G	47.68	54.00	-6.32	3	Horizontal	266	1.73
5775MHz	Pass	PK	11.57736G	59.83	74.00	-14.17	3	Horizontal	266	1.73
5775MHz	Pass	PK	17.3274G	54.95	68.20	-13.25	3	Horizontal	1	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1432G	50.25	54.00	-3.75	3	Vertical	29	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.262G	93.86	Inf	-Inf	3	Vertical	29	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4G	52.97	54.00	-1.03	3	Vertical	29	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	61.68	74.00	-12.32	3	Vertical	29	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.262G	105.71	Inf	-Inf	3	Vertical	29	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4216G	65.46	74.00	-8.54	3	Vertical	29	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	60.36	68.20	-7.84	3	Vertical	29	3.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.17	54.00	-4.83	3	Horizontal	325	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.274G	93.99	Inf	-Inf	3	Horizontal	325	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	53.15	54.00	-0.85	3	Horizontal	325	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.112G	60.93	74.00	-13.07	3	Horizontal	325	2.06




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2728G	105.22	Inf	-Inf	3	Horizontal	325	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3544G	64.51	74.00	-9.49	3	Horizontal	325	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4696G	58.89	68.20	-9.31	3	Horizontal	325	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.7332G	42.94	54.00	-11.06	3	Vertical	286	1.08
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5016G	50.41	68.20	-17.79	3	Vertical	344	2.95
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7485G	54.86	74.00	-19.14	3	Vertical	286	1.08
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.7306G	42.94	54.00	-11.06	3	Horizontal	278	1.14
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49976G	50.11	68.20	-18.09	3	Horizontal	269	1.62
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7611G	55.41	74.00	-18.59	3	Horizontal	278	1.14
5570MHz	Pass	AV	5.3912G	51.77	54.00	-2.23	3	Vertical	17	2.46
5570MHz	Pass	AV	5.5304G	97.32	Inf	-Inf	3	Vertical	17	2.46
5570MHz	Pass	PK	5.3492G	60.91	68.20	-7.29	3	Vertical	17	2.46
5570MHz	Pass	PK	5.3732G	64.29	74.00	-9.71	3	Vertical	17	2.46
5570MHz	Pass	PK	5.4692G	65.33	68.20	-2.87	3	Vertical	17	2.46
5570MHz	Pass	PK	5.5316G	109.08	Inf	-Inf	3	Vertical	17	2.46
5570MHz	Pass	PK	5.786G	66.99	68.20	-1.21	3	Vertical	17	2.46
5570MHz	Pass	AV	5.4596G	51.02	54.00	-2.98	3	Horizontal	319	2.86
5570MHz	Pass	AV	5.582G	98.80	Inf	-Inf	3	Horizontal	319	2.86
5570MHz	Pass	PK	5.3336G	61.40	68.20	-6.80	3	Horizontal	319	2.86
5570MHz	Pass	PK	5.4332G	65.45	74.00	-8.55	3	Horizontal	319	2.86
5570MHz	Pass	PK	5.4632G	63.35	68.20	-4.85	3	Horizontal	319	2.86
5570MHz	Pass	PK	5.582G	110.29	Inf	-Inf	3	Horizontal	319	2.86
5570MHz	Pass	PK	5.7428G	67.89	68.20	-0.31	3	Horizontal	319	2.86
5570MHz	Pass	AV	11.14992G	38.94	54.00	-15.06	3	Vertical	57	1.00
5570MHz	Pass	PK	11.15304G	50.48	74.00	-23.52	3	Vertical	57	1.00
5570MHz	Pass	PK	16.726G	55.95	68.20	-12.25	3	Vertical	241	1.17
5570MHz	Pass	AV	11.1396G	41.43	54.00	-12.57	3	Horizontal	270	1.99
5570MHz	Pass	PK	11.15976G	52.53	74.00	-21.47	3	Horizontal	270	1.99
5570MHz	Pass	PK	16.7191G	55.95	68.20	-12.25	3	Horizontal	36	1.89



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	52.50	54.00	-1.50	5.10	3	Vertical	11	2.97	47.40	33.09	6.77	34.76
AV	5.1832G	107.71	Inf	-Inf	5.00	3	Vertical	11	2.97	102.71	32.97	6.78	34.75
PK	5.1488G	64.77	74.00	-9.23	5.10	3	Vertical	11	2.97	59.67	33.09	6.77	34.76
PK	5.1776G	116.29	Inf	-Inf	5.02	3	Vertical	11	2.97	111.27	32.99	6.78	34.75

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.54	54.00	-0.46	5.11	3	Horizontal	309	2.11	48.43	33.10	6.77	34.76
AV	5.1854G	107.71	Inf	-Inf	4.99	3	Horizontal	309	2.11	102.72	32.96	6.78	34.75
PK	5.1494G	66.92	74.00	-7.08	5.11	3	Horizontal	309	2.11	61.81	33.10	6.77	34.76
PK	5.1854G	116.17	Inf	-Inf	4.99	3	Horizontal	309	2.11	111.18	32.96	6.78	34.75



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54972G	41.83	54.00	-12.17	16.77	3	Vertical	238	2.43	25.06	38.10	13.01	34.34
PK	10.3525G	57.71	68.20	-10.49	13.97	3	Vertical	346	2.98	43.74	38.60	10.33	34.96
PK	15.5289G	54.78	74.00	-19.22	16.82	3	Vertical	238	2.43	37.96	38.14	13.00	34.32

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54948G	41.83	54.00	-12.17	16.77	3	Horizontal	272	1.50	25.06	38.10	13.01	34.34
PK	10.36066G	65.01	68.20	-3.19	13.97	3	Horizontal	287	2.14	51.04	38.60	10.33	34.96
PK	15.54324G	54.25	74.00	-19.75	16.79	3	Horizontal	272	1.50	37.46	38.11	13.01	34.33



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.48	54.00	-5.52	5.10	3	Vertical	12	2.95	43.38	33.09	6.77	34.76
AV	5.2032G	109.80	Inf	-Inf	4.93	3	Vertical	12	2.95	104.87	32.89	6.79	34.75
PK	5.1484G	62.36	74.00	-11.64	5.10	3	Vertical	12	2.95	57.26	33.09	6.77	34.76
PK	5.1932G	118.30	Inf	-Inf	4.97	3	Vertical	12	2.95	113.33	32.93	6.79	34.75

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.81	54.00	-4.19	5.11	3	Horizontal	305	2.19	44.70	33.10	6.77	34.76
AV	5.1952G	109.78	Inf	-Inf	4.96	3	Horizontal	305	2.19	104.82	32.92	6.79	34.75
PK	5.15G	62.77	74.00	-11.23	5.11	3	Horizontal	305	2.19	57.66	33.10	6.77	34.76
PK	5.2056G	117.95	Inf	-Inf	4.94	3	Horizontal	305	2.19	113.01	32.89	6.80	34.75



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58518G	41.99	54.00	-12.01	16.70	3	Vertical	316	1.50	25.29	38.03	13.04	34.37
PK	10.39766G	57.41	68.20	-10.79	14.01	3	Vertical	350	2.95	43.40	38.60	10.34	34.93
PK	15.59088G	54.56	74.00	-19.44	16.69	3	Vertical	316	1.50	37.87	38.02	13.04	34.37

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59706G	42.29	54.00	-11.71	16.68	3	Horizontal	288	1.78	25.61	38.01	13.05	34.38
PK	10.3997G	65.41	68.20	-2.79	14.01	3	Horizontal	291	2.13	51.40	38.60	10.34	34.93
PK	15.59364G	55.74	74.00	-18.26	16.69	3	Horizontal	288	1.78	39.05	38.01	13.05	34.37



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	45.46	54.00	-8.54	5.11	3	Vertical	12	2.78	40.35	33.10	6.77	34.76
AV	5.2334G	110.20	Inf	-Inf	4.92	3	Vertical	12	2.78	105.28	32.83	6.84	34.75
AV	5.36G	46.01	54.00	-7.99	4.98	3	Vertical	12	2.78	41.03	32.68	7.03	34.73
PK	5.1104G	57.31	74.00	-16.69	4.86	3	Vertical	12	2.78	52.45	32.86	6.76	34.76
PK	5.2328G	118.70	Inf	-Inf	4.92	3	Vertical	12	2.78	113.78	32.83	6.84	34.75
PK	5.3528G	58.69	74.00	-15.31	4.98	3	Vertical	12	2.78	53.71	32.69	7.02	34.73

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.85	54.00	-8.15	5.11	3	Horizontal	303	2.20	40.74	33.10	6.77	34.76
AV	5.2352G	109.69	Inf	-Inf	4.92	3	Horizontal	303	2.20	104.77	32.83	6.84	34.75
AV	5.3504G	46.00	54.00	-8.00	4.99	3	Horizontal	303	2.20	41.01	32.70	7.02	34.73
PK	5.1482G	57.29	74.00	-16.71	5.10	3	Horizontal	303	2.20	52.19	33.09	6.77	34.76
PK	5.2364G	117.83	Inf	-Inf	4.92	3	Horizontal	303	2.20	112.91	32.83	6.84	34.75
PK	5.3822G	58.77	74.00	-15.23	4.97	3	Horizontal	303	2.20	53.80	32.64	7.06	34.73



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7188G	42.57	54.00	-11.43	16.86	3	Vertical	6	1.49	25.71	38.20	13.14	34.48
PK	10.477G	55.78	68.20	-12.42	14.03	3	Vertical	356	2.86	41.75	38.55	10.36	34.88
PK	15.71766G	54.38	74.00	-19.62	16.87	3	Vertical	6	1.49	37.51	38.20	13.14	34.47

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71832G	43.07	54.00	-10.93	16.87	3	Horizontal	297	2.12	26.20	38.20	13.14	34.47
PK	10.48084G	63.22	68.20	-4.98	14.03	3	Horizontal	297	2.05	49.19	38.54	10.36	34.87
PK	15.717G	54.99	74.00	-19.01	16.86	3	Horizontal	297	2.12	38.13	38.20	13.13	34.47



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.26	54.00	-8.74	5.11	3	Vertical	360	2.91	40.15	33.10	6.77	34.76
AV	5.2534G	108.96	Inf	-Inf	4.92	3	Vertical	360	2.91	104.04	32.79	6.87	34.74
AV	5.3602G	46.01	54.00	-7.99	4.98	3	Vertical	360	2.91	41.03	32.68	7.03	34.73
PK	5.149G	57.74	74.00	-16.26	5.10	3	Vertical	360	2.91	52.64	33.09	6.77	34.76
PK	5.254G	117.52	Inf	-Inf	4.92	3	Vertical	360	2.91	112.60	32.79	6.87	34.74
PK	5.3986G	58.16	74.00	-15.84	4.96	3	Vertical	360	2.91	53.20	32.60	7.09	34.73

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.46	54.00	-8.54	5.11	3	Horizontal	302	2.27	40.35	33.10	6.77	34.76
AV	5.2552G	109.67	Inf	-Inf	4.92	3	Horizontal	302	2.27	104.75	32.79	6.87	34.74
AV	5.3572G	45.82	54.00	-8.18	4.99	3	Horizontal	302	2.27	40.83	32.69	7.03	34.73
PK	5.1466G	57.11	74.00	-16.89	5.09	3	Horizontal	302	2.27	52.02	33.08	6.77	34.76
PK	5.2654G	117.91	Inf	-Inf	4.92	3	Horizontal	302	2.27	112.99	32.77	6.89	34.74
PK	5.365G	58.06	74.00	-15.94	4.98	3	Horizontal	302	2.27	53.08	32.67	7.04	34.73



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7704G	42.48	54.00	-11.52	16.73	3	Vertical	218	1.50	25.75	38.08	13.17	34.52
PK	10.51784G	55.16	68.20	-13.04	14.03	3	Vertical	353	2.96	41.13	38.50	10.37	34.84
PK	15.76746G	54.84	74.00	-19.16	16.76	3	Vertical	218	1.50	38.08	38.10	13.17	34.51

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76596G	42.52	54.00	-11.48	16.76	3	Horizontal	356	2.96	25.76	38.10	13.17	34.51
PK	10.5218G	63.31	68.20	-4.89	14.03	3	Horizontal	296	1.91	49.28	38.50	10.37	34.84
PK	15.77184G	55.58	74.00	-18.42	16.72	3	Horizontal	356	2.96	38.86	38.07	13.17	34.52



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2932G	108.84	Inf	-Inf	4.90	3	Vertical	360	3.00	103.94	32.71	6.93	34.74
AV	5.3524G	46.74	54.00	-7.26	4.99	3	Vertical	360	3.00	41.75	32.70	7.02	34.73
PK	5.2976G	117.40	Inf	-Inf	4.90	3	Vertical	360	3.00	112.50	32.70	6.94	34.74
PK	5.352G	58.83	74.00	-15.17	4.99	3	Vertical	360	3.00	53.84	32.70	7.02	34.73

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	109.45	Inf	-Inf	4.90	3	Horizontal	302	2.31	104.55	32.71	6.93	34.74
AV	5.35G	48.20	54.00	-5.80	4.99	3	Horizontal	302	2.31	43.21	32.70	7.02	34.73
PK	5.2948G	117.71	Inf	-Inf	4.90	3	Horizontal	302	2.31	112.81	32.71	6.93	34.74
PK	5.3504G	60.78	74.00	-13.22	4.99	3	Horizontal	302	2.31	55.79	32.70	7.02	34.73



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89948G	41.55	54.00	-12.45	16.55	3	Vertical	185	1.50	25.00	37.90	13.27	34.62
PK	10.6016G	55.43	74.00	-18.57	14.52	3	Vertical	354	3.00	40.91	38.90	10.39	34.77
PK	15.89816G	53.72	74.00	-20.28	16.55	3	Vertical	185	1.50	37.17	37.90	13.27	34.62

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89932G	41.55	54.00	-12.45	16.55	3	Horizontal	63	1.50	25.00	37.90	13.27	34.62
PK	10.59868G	62.23	68.20	-5.97	14.51	3	Horizontal	296	1.80	47.72	38.89	10.39	34.77
PK	15.90672G	54.28	74.00	-19.72	16.51	3	Horizontal	63	1.50	37.77	37.87	13.27	34.63



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.313G	107.39	Inf	-Inf	4.92	3	Vertical	360	3.00	102.47	32.70	6.96	34.74
AV	5.3528G	49.18	54.00	-4.82	4.98	3	Vertical	360	3.00	44.20	32.69	7.02	34.73
PK	5.3174G	115.99	Inf	-Inf	4.93	3	Vertical	360	3.00	111.06	32.70	6.97	34.74
PK	5.3528G	63.49	74.00	-10.51	4.98	3	Vertical	360	3.00	58.51	32.69	7.02	34.73

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3246G	107.57	Inf	-Inf	4.94	3	Horizontal	298	1.00	102.63	32.70	6.98	34.74
AV	5.35G	52.11	54.00	-1.89	4.99	3	Horizontal	298	1.00	47.12	32.70	7.02	34.73
PK	5.3246G	115.96	Inf	-Inf	4.94	3	Horizontal	298	1.00	111.02	32.70	6.98	34.74
PK	5.35G	64.93	74.00	-9.07	4.99	3	Horizontal	298	1.00	59.94	32.70	7.02	34.73



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64164G	41.74	54.00	-12.26	14.65	3	Vertical	0	2.97	27.09	38.98	10.40	34.73
AV	15.9518G	40.65	54.00	-13.35	16.35	3	Vertical	76	1.06	24.30	37.70	13.31	34.66
PK	10.64192G	54.69	74.00	-19.31	14.65	3	Vertical	0	2.97	40.04	38.98	10.40	34.73
PK	15.96036G	53.26	74.00	-20.74	16.32	3	Vertical	76	1.06	36.94	37.68	13.31	34.67

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64208G	47.88	54.00	-6.12	14.65	3	Horizontal	302	1.83	33.23	38.98	10.40	34.73
AV	15.95188G	40.65	54.00	-13.35	16.35	3	Horizontal	150	1.50	24.30	37.70	13.31	34.66
PK	10.64188G	60.39	74.00	-13.61	14.65	3	Horizontal	302	1.83	45.74	38.98	10.40	34.73
PK	15.95976G	53.48	74.00	-20.52	16.32	3	Horizontal	150	1.50	37.16	37.68	13.31	34.67




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00152G	40.29	54.00	-13.71	14.67	3	Vertical	360	1.00	25.62	38.60	10.48	34.41
PK	11.00584G	52.10	74.00	-21.90	14.66	3	Vertical	360	1.00	37.44	38.59	10.48	34.41
PK	16.73884G	55.35	68.20	-12.85	18.07	3	Vertical	183	1.98	37.28	38.18	13.60	33.71

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.002G	48.31	54.00	-5.69	14.67	3	Horizontal	296	1.85	33.64	38.60	10.48	34.41
PK	11.00176G	60.43	74.00	-13.57	14.67	3	Horizontal	296	1.85	45.76	38.60	10.48	34.41
PK	16.73884G	55.03	68.20	-13.17	18.05	3	Horizontal	67	2.85	36.98	38.17	13.60	33.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.43G	45.63	54.00	-8.37	4.97	3	Vertical	25	3.00	40.66	32.60	7.10	34.73
AV	5.5728G	110.03	Inf	-Inf	5.17	3	Vertical	25	3.00	104.86	32.75	7.15	34.73
PK	5.4312G	57.17	74.00	-16.83	4.97	3	Vertical	25	3.00	52.20	32.60	7.10	34.73
PK	5.4696G	56.38	68.20	-11.82	5.03	3	Vertical	25	3.00	51.35	32.64	7.11	34.72
PK	5.5776G	118.11	Inf	-Inf	5.17	3	Vertical	25	3.00	112.94	32.76	7.15	34.74
PK	5.7282G	58.26	68.20	-9.94	5.94	3	Vertical	25	3.00	52.32	33.51	7.20	34.77

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.24	54.00	-8.76	5.01	3	Horizontal	324	2.82	40.23	32.62	7.11	34.72
AV	5.5728G	109.92	Inf	-Inf	5.17	3	Horizontal	324	2.82	104.75	32.75	7.15	34.73
PK	5.4552G	56.30	74.00	-17.70	5.00	3	Horizontal	324	2.82	51.30	32.61	7.11	34.72
PK	5.4624G	55.98	68.20	-12.22	5.01	3	Horizontal	324	2.82	50.97	32.62	7.11	34.72
PK	5.5836G	117.79	Inf	-Inf	5.18	3	Horizontal	324	2.82	112.61	32.77	7.15	34.74
PK	5.7294G	56.60	68.20	-11.60	5.96	3	Horizontal	324	2.82	50.64	33.52	7.21	34.77

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16048G	42.87	54.00	-11.13	14.80	3	Vertical	348	3.00	28.07	38.70	10.52	34.42
PK	11.16048G	56.44	74.00	-17.56	14.80	3	Vertical	348	3.00	41.64	38.70	10.52	34.42
PK	16.74208G	55.59	68.20	-12.61	18.07	3	Vertical	128	1.86	37.52	38.18	13.60	33.71

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16008G	48.83	54.00	-5.17	14.80	3	Horizontal	299	1.99	34.03	38.70	10.52	34.42
PK	11.16072G	61.51	74.00	-12.49	14.80	3	Horizontal	299	1.99	46.71	38.70	10.52	34.42
PK	16.73972G	55.44	68.20	-12.76	18.07	3	Horizontal	224	1.75	37.37	38.18	13.60	33.71



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	106.22	Inf	-Inf	5.79	3	Vertical	10	2.54	100.43	33.36	7.19	34.76
PK	5.6948G	114.44	Inf	-Inf	5.79	3	Vertical	10	2.54	108.65	33.36	7.19	34.76
PK	5.7252G	63.76	68.20	-4.44	5.93	3	Vertical	10	2.54	57.83	33.50	7.20	34.77

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	109.33	Inf	-Inf	5.79	3	Horizontal	310	2.60	103.54	33.36	7.19	34.76
PK	5.6948G	117.22	Inf	-Inf	5.79	3	Horizontal	310	2.60	111.43	33.36	7.19	34.76
PK	5.7296G	66.38	68.20	-1.82	5.96	3	Horizontal	310	2.60	60.42	33.52	7.21	34.77



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40224G	40.76	54.00	-13.24	15.03	3	Vertical	314	2.11	25.73	38.90	10.57	34.44
PK	11.40288G	52.54	74.00	-21.46	15.02	3	Vertical	314	2.11	37.52	38.89	10.57	34.44
PK	17.10504G	55.18	68.20	-13.02	18.50	3	Vertical	334	1.68	36.68	38.00	13.73	33.23

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39808G	48.80	54.00	-5.20	15.03	3	Horizontal	298	1.70	33.77	38.90	10.57	34.44
PK	11.39856G	60.57	74.00	-13.43	15.03	3	Horizontal	298	1.70	45.54	38.90	10.57	34.44
PK	17.1004G	54.78	68.20	-13.42	18.51	3	Horizontal	204	1.15	36.27	38.00	13.73	33.22



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	44.71	54.00	-9.29	4.97	3	Vertical	338	1.37	39.74	32.60	7.10	34.73
AV	5.7188G	104.99	Inf	-Inf	5.92	3	Vertical	338	1.37	99.07	33.48	7.20	34.76
PK	5.4356G	56.98	74.00	-17.02	4.97	3	Vertical	338	1.37	52.01	32.60	7.10	34.73
PK	5.4692G	54.76	68.20	-13.44	5.03	3	Vertical	338	1.37	49.73	32.64	7.11	34.72
PK	5.7188G	112.76	Inf	-Inf	5.92	3	Vertical	338	1.37	106.84	33.48	7.20	34.76
PK	5.8676G	58.82	68.20	-9.38	6.45	3	Vertical	338	1.37	52.37	33.97	7.27	34.79

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.24	54.00	-8.76	5.01	3	Horizontal	317	2.78	40.23	32.62	7.11	34.72
AV	5.714G	108.83	Inf	-Inf	5.90	3	Horizontal	317	2.78	102.93	33.46	7.20	34.76
PK	5.4548G	55.54	74.00	-18.46	5.00	3	Horizontal	317	2.78	50.54	32.61	7.11	34.72
PK	5.4608G	56.80	68.20	-11.40	5.01	3	Horizontal	317	2.78	51.79	32.62	7.11	34.72
PK	5.7236G	116.79	Inf	-Inf	5.93	3	Horizontal	317	2.78	110.86	33.49	7.20	34.76
PK	5.8568G	58.14	68.20	-10.06	6.40	3	Horizontal	317	2.78	51.74	33.93	7.26	34.79



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43728G	41.93	54.00	-12.07	14.97	3	Vertical	320	2.84	26.96	38.83	10.58	34.44
PK	11.44144G	54.59	74.00	-19.41	14.95	3	Vertical	320	2.84	39.64	38.82	10.58	34.45
PK	17.15296G	54.83	68.20	-13.37	18.50	3	Vertical	321	1.35	36.33	38.00	13.75	33.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43808G	49.89	54.00	-4.11	14.95	3	Horizontal	297	1.73	34.94	38.82	10.58	34.45
PK	11.43824G	61.86	74.00	-12.14	14.95	3	Horizontal	297	1.73	46.91	38.82	10.58	34.45
PK	17.15888G	54.68	68.20	-13.52	18.50	3	Horizontal	35	2.16	36.18	38.00	13.75	33.25



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	45.03	54.00	-8.97	5.01	3	Vertical	343	3.00	40.02	32.62	7.11	34.72
AV	5.7402G	106.23	Inf	-Inf	6.00	3	Vertical	343	3.00	100.23	33.56	7.21	34.77
PK	5.5974G	57.46	68.20	-10.74	5.21	3	Vertical	343	3.00	52.25	32.79	7.16	34.74
PK	5.7402G	113.72	Inf	-Inf	6.00	3	Vertical	343	3.00	107.72	33.56	7.21	34.77
PK	6.0282G	58.25	68.20	-9.95	6.44	3	Vertical	343	3.00	51.81	33.90	7.36	34.82

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	45.03	54.00	-8.97	5.01	3	Horizontal	316	1.47	40.02	32.62	7.11	34.72
AV	5.7378G	109.10	Inf	-Inf	5.99	3	Horizontal	316	1.47	103.11	33.55	7.21	34.77
PK	5.5314G	58.26	68.20	-9.94	5.11	3	Horizontal	316	1.47	53.15	32.70	7.14	34.73
PK	5.7399G	117.91	Inf	-Inf	6.00	3	Horizontal	316	1.47	111.91	33.56	7.21	34.77
PK	6.0078G	57.31	68.20	-10.89	6.42	3	Horizontal	316	1.47	50.89	33.90	7.34	34.82



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49008G	41.95	54.00	-12.05	15.02	3	Vertical	46	1.94	26.93	38.88	10.59	34.45
PK	11.49072G	56.40	74.00	-17.60	15.02	3	Vertical	46	1.94	41.38	38.88	10.59	34.45
PK	17.2272G	55.36	68.20	-12.84	18.55	3	Vertical	99	2.43	36.81	38.05	13.78	33.28

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48804G	51.45	54.00	-2.55	15.02	3	Horizontal	304	1.66	36.43	38.88	10.59	34.45
PK	11.48816G	63.57	74.00	-10.43	15.02	3	Horizontal	304	1.66	48.55	38.88	10.59	34.45
PK	17.23264G	55.89	68.20	-12.31	18.57	3	Horizontal	356	2.39	37.32	38.07	13.78	33.28



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	110.31	Inf	-Inf	6.30	3	Vertical	17	2.94	104.01	33.85	7.23	34.78
PK	5.6098G	57.85	68.20	-10.35	5.26	3	Vertical	17	2.94	52.59	32.84	7.16	34.74
PK	5.7922G	118.61	Inf	-Inf	6.30	3	Vertical	17	2.94	112.31	33.85	7.23	34.78
PK	6.0406G	58.77	68.20	-9.43	6.45	3	Vertical	17	2.94	52.32	33.90	7.36	34.81

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	109.18	Inf	-Inf	6.28	3	Horizontal	318	1.40	102.90	33.83	7.23	34.78
PK	5.5414G	58.07	68.20	-10.13	5.11	3	Horizontal	318	1.40	52.96	32.70	7.14	34.73
PK	5.7886G	116.59	Inf	-Inf	6.28	3	Horizontal	318	1.40	110.31	33.83	7.23	34.78
PK	6.0802G	57.34	68.20	-10.86	6.42	3	Horizontal	318	1.40	50.92	33.84	7.39	34.81



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56992G	45.79	54.00	-8.21	14.71	3	Vertical	14	2.49	31.08	38.58	10.61	34.48
PK	11.56944G	58.27	74.00	-15.73	14.71	3	Vertical	14	2.49	43.56	38.58	10.61	34.48
PK	17.36188G	54.36	68.20	-13.84	18.63	3	Vertical	61	1.32	35.73	38.15	13.82	33.34

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57208G	53.89	54.00	-0.11	14.70	3	Horizontal	306	1.77	39.19	38.57	10.61	34.48
PK	11.57172G	66.61	74.00	-7.39	14.70	3	Horizontal	306	1.77	51.91	38.57	10.61	34.48
PK	17.36284G	54.69	68.20	-13.51	18.63	3	Horizontal	104	2.44	36.06	38.15	13.82	33.34



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	107.63	Inf	-Inf	6.36	3	Vertical	31	2.89	101.27	33.90	7.24	34.78
PK	5.6402G	57.59	68.20	-10.61	5.38	3	Vertical	31	2.89	52.21	32.96	7.17	34.75
PK	5.8226G	115.45	Inf	-Inf	6.36	3	Vertical	31	2.89	109.09	33.90	7.24	34.78
PK	6.0794G	58.44	68.20	-9.76	6.42	3	Vertical	31	2.89	52.02	33.84	7.39	34.81

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	107.41	Inf	-Inf	6.36	3	Horizontal	334	1.45	101.05	33.90	7.24	34.78
PK	5.5814G	57.35	68.20	-10.85	5.17	3	Horizontal	334	1.45	52.18	32.76	7.15	34.74
PK	5.8178G	116.23	Inf	-Inf	6.36	3	Horizontal	334	1.45	109.87	33.90	7.24	34.78
PK	6.1226G	57.97	68.20	-10.23	6.46	3	Horizontal	334	1.45	51.51	33.85	7.41	34.80



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.648G	46.27	54.00	-7.73	14.41	3	Vertical	30	2.46	31.86	38.30	10.63	34.52
PK	11.64752G	58.30	74.00	-15.70	14.42	3	Vertical	30	2.46	43.88	38.30	10.63	34.51
PK	17.47176G	55.04	68.20	-13.16	18.77	3	Vertical	8	1.74	36.27	38.30	13.86	33.39

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.652G	53.21	54.00	-0.79	14.42	3	Horizontal	303	1.82	38.79	38.31	10.63	34.52
PK	11.65176G	65.90	74.00	-8.10	14.42	3	Horizontal	303	1.82	51.48	38.31	10.63	34.52
PK	17.4716G	55.09	68.20	-13.11	18.77	3	Horizontal	232	2.14	36.32	38.30	13.86	33.39



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.83	54.00	-1.17	5.11	3	Vertical	39	2.97	47.72	33.10	6.77	34.76
AV	5.1726G	106.24	Inf	-Inf	5.04	3	Vertical	39	2.97	101.20	33.01	6.78	34.75
PK	5.1498G	68.53	74.00	-5.47	5.11	3	Vertical	39	2.97	63.42	33.10	6.77	34.76
PK	5.1712G	116.55	Inf	-Inf	5.05	3	Vertical	39	2.97	111.50	33.02	6.78	34.75

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.46	54.00	-2.54	5.11	3	Horizontal	345	1.28	46.35	33.10	6.77	34.76
AV	5.1886G	105.36	Inf	-Inf	4.99	3	Horizontal	345	1.28	100.37	32.95	6.79	34.75
PK	5.1484G	65.04	74.00	-8.96	5.10	3	Horizontal	345	1.28	59.94	33.09	6.77	34.76
PK	5.188G	117.86	Inf	-Inf	4.99	3	Horizontal	345	1.28	112.87	32.95	6.79	34.75



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.46G	42.34	54.00	-11.66	17.14	3	Vertical	325	1.34	25.20	38.44	12.95	34.25
PK	10.3552G	57.87	68.20	-10.33	13.97	3	Vertical	0	2.98	43.90	38.60	10.33	34.96
PK	15.47984G	54.79	74.00	-19.21	17.00	3	Vertical	325	1.34	37.79	38.32	12.96	34.28

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56272G	42.34	54.00	-11.66	16.74	3	Horizontal	302	1.94	25.60	38.07	13.02	34.35
PK	10.36G	66.03	68.20	-2.17	13.97	3	Horizontal	301	2.15	52.06	38.60	10.33	34.96
PK	15.49904G	54.53	74.00	-19.47	16.89	3	Horizontal	302	1.94	37.64	38.21	12.98	34.30



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.97	54.00	-2.03	5.11	3	Vertical	37	2.97	46.86	33.10	6.77	34.76
AV	5.1916G	109.05	Inf	-Inf	4.97	3	Vertical	37	2.97	104.08	32.93	6.79	34.75
PK	5.15G	65.14	74.00	-8.86	5.11	3	Vertical	37	2.97	60.03	33.10	6.77	34.76
PK	5.1924G	118.46	Inf	-Inf	4.97	3	Vertical	37	2.97	113.49	32.93	6.79	34.75

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.57	54.00	-3.43	5.11	3	Horizontal	334	1.19	45.46	33.10	6.77	34.76
AV	5.1936G	108.17	Inf	-Inf	4.97	3	Horizontal	334	1.19	103.20	32.93	6.79	34.75
PK	5.15G	62.54	74.00	-11.46	5.11	3	Horizontal	334	1.19	57.43	33.10	6.77	34.76
PK	5.1936G	118.11	Inf	-Inf	4.97	3	Horizontal	334	1.19	113.14	32.93	6.79	34.75



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5767G	42.45	54.00	-11.55	16.72	3	Vertical	288	2.18	25.73	38.05	13.03	34.36
PK	10.4036G	60.48	68.20	-7.72	14.01	3	Vertical	9	2.95	46.47	38.60	10.34	34.93
PK	15.5781G	54.94	74.00	-19.06	16.71	3	Vertical	288	2.18	38.23	38.04	13.03	34.36

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5751G	42.26	54.00	-11.74	16.72	3	Horizontal	338	1.50	25.54	38.05	13.03	34.36
PK	10.3982G	66.77	68.20	-1.43	14.01	3	Horizontal	303	2.17	52.76	38.60	10.34	34.93
PK	15.586G	54.49	74.00	-19.51	16.70	3	Horizontal	338	1.50	37.79	38.03	13.04	34.37



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	45.57	54.00	-8.43	5.07	3	Vertical	43	2.78	40.50	33.06	6.77	34.76
AV	5.2328G	109.64	Inf	-Inf	4.92	3	Vertical	43	2.78	104.72	32.83	6.84	34.75
AV	5.3618G	46.01	54.00	-7.99	4.98	3	Vertical	43	2.78	41.03	32.68	7.03	34.73
PK	5.1494G	56.37	74.00	-17.63	5.11	3	Vertical	43	2.78	51.26	33.10	6.77	34.76
PK	5.2346G	119.17	Inf	-Inf	4.92	3	Vertical	43	2.78	114.25	32.83	6.84	34.75
PK	5.3828G	57.18	74.00	-16.82	4.96	3	Vertical	43	2.78	52.22	32.63	7.06	34.73

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	45.65	54.00	-8.35	5.11	3	Horizontal	333	1.33	40.54	33.10	6.77	34.76
AV	5.2334G	108.00	Inf	-Inf	4.92	3	Horizontal	333	1.33	103.08	32.83	6.84	34.75
AV	5.3522G	45.80	54.00	-8.20	4.99	3	Horizontal	333	1.33	40.81	32.70	7.02	34.73
PK	5.114G	56.66	74.00	-17.34	4.88	3	Horizontal	333	1.33	51.78	32.88	6.76	34.76
PK	5.2322G	117.89	Inf	-Inf	4.93	3	Horizontal	333	1.33	112.96	32.84	6.84	34.75
PK	5.3834G	57.03	74.00	-16.97	4.97	3	Horizontal	333	1.33	52.06	32.63	7.07	34.73



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7197G	42.80	54.00	-11.20	16.86	3	Vertical	220	1.98	25.94	38.20	13.14	34.48
PK	10.4638G	54.96	68.20	-13.24	14.04	3	Vertical	360	3.00	40.92	38.57	10.36	34.89
PK	15.7365G	55.06	74.00	-18.94	16.86	3	Vertical	220	1.98	38.20	38.20	13.15	34.49

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7276G	42.78	54.00	-11.22	16.86	3	Horizontal	336	2.67	25.92	38.20	13.14	34.48
PK	10.4784G	63.37	68.20	-4.83	14.02	3	Horizontal	302	2.10	49.35	38.54	10.36	34.88
PK	15.729G	55.36	74.00	-18.64	16.86	3	Horizontal	336	2.67	38.50	38.20	13.14	34.48

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.44	54.00	-8.56	5.11	3	Vertical	41	2.91	40.33	33.10	6.77	34.76
AV	5.2516G	108.83	Inf	-Inf	4.93	3	Vertical	41	2.91	103.90	32.80	6.87	34.74
AV	5.3572G	46.21	54.00	-7.79	4.99	3	Vertical	41	2.91	41.22	32.69	7.03	34.73
PK	5.1166G	56.36	74.00	-17.64	4.90	3	Vertical	41	2.91	51.46	32.90	6.76	34.76
PK	5.2516G	118.81	Inf	-Inf	4.93	3	Vertical	41	2.91	113.88	32.80	6.87	34.74
PK	5.3578G	57.27	74.00	-16.73	4.98	3	Vertical	41	2.91	52.29	32.68	7.03	34.73

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	45.65	54.00	-8.35	5.11	3	Horizontal	329	2.10	40.54	33.10	6.77	34.76
AV	5.263G	108.94	Inf	-Inf	4.91	3	Horizontal	329	2.10	104.03	32.77	6.88	34.74
AV	5.3512G	46.20	54.00	-7.80	4.99	3	Horizontal	329	2.10	41.21	32.70	7.02	34.73
PK	5.1424G	56.91	74.00	-17.09	5.06	3	Horizontal	329	2.10	51.85	33.05	6.77	34.76
PK	5.2624G	120.53	Inf	-Inf	4.92	3	Horizontal	329	2.10	115.61	32.78	6.88	34.74
PK	5.3512G	57.26	74.00	-16.74	4.99	3	Horizontal	329	2.10	52.27	32.70	7.02	34.73



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7701G	42.71	54.00	-11.29	16.73	3	Vertical	282	1.57	25.98	38.08	13.17	34.52
PK	10.5175G	56.78	68.20	-11.42	14.03	3	Vertical	346	2.96	42.75	38.50	10.37	34.84
PK	15.7889G	54.57	74.00	-19.43	16.63	3	Vertical	282	1.57	37.94	37.97	13.19	34.53

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7597G	42.81	54.00	-11.19	16.80	3	Horizontal	113	2.19	26.01	38.14	13.17	34.51
PK	10.5188G	62.11	68.20	-6.09	14.03	3	Horizontal	300	2.15	48.08	38.50	10.37	34.84
PK	15.766G	54.42	74.00	-19.58	16.76	3	Horizontal	113	2.19	37.66	38.10	13.17	34.51



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.292G	108.65	Inf	-Inf	4.91	3	Vertical	33	2.85	103.74	32.72	6.93	34.74
AV	5.3512G	49.59	54.00	-4.41	4.99	3	Vertical	33	2.85	44.60	32.70	7.02	34.73
PK	5.2936G	117.66	Inf	-Inf	4.90	3	Vertical	33	2.85	112.76	32.71	6.93	34.74
PK	5.3516G	61.69	74.00	-12.31	4.99	3	Vertical	33	2.85	56.70	32.70	7.02	34.73

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	108.96	Inf	-Inf	4.90	3	Horizontal	326	2.15	104.06	32.70	6.94	34.74
AV	5.35G	48.13	54.00	-5.87	4.99	3	Horizontal	326	2.15	43.14	32.70	7.02	34.73
PK	5.3024G	118.89	Inf	-Inf	4.90	3	Horizontal	326	2.15	113.99	32.70	6.94	34.74
PK	5.3628G	59.86	74.00	-14.14	4.97	3	Horizontal	326	2.15	54.89	32.67	7.03	34.73

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8996G	41.76	54.00	-12.24	16.55	3	Vertical	337	2.16	25.21	37.90	13.27	34.62
PK	10.6003G	54.87	74.00	-19.13	14.52	3	Vertical	360	3.00	40.35	38.90	10.39	34.77
PK	15.9148G	54.12	74.00	-19.88	16.49	3	Vertical	337	2.16	37.63	37.84	13.28	34.63

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6061G	48.92	54.00	-5.08	14.54	3	Horizontal	297	1.89	34.38	38.91	10.39	34.76
AV	15.9001G	41.77	54.00	-12.23	16.55	3	Horizontal	256	2.34	25.22	37.90	13.27	34.62
PK	10.6092G	62.50	74.00	-11.50	14.55	3	Horizontal	297	1.89	47.95	38.92	10.39	34.76
PK	15.9086G	53.93	74.00	-20.07	16.51	3	Horizontal	256	2.34	37.42	37.87	13.27	34.63



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3114G	106.50	Inf	-Inf	4.92	3	Vertical	32	3.00	101.58	32.70	6.96	34.74
AV	5.3506G	53.83	54.00	-0.17	4.99	3	Vertical	32	3.00	48.84	32.70	7.02	34.73
PK	5.3112G	117.39	Inf	-Inf	4.92	3	Vertical	32	3.00	112.47	32.70	6.96	34.74
PK	5.35G	67.22	74.00	-6.78	4.99	3	Vertical	32	3.00	62.23	32.70	7.02	34.73

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	106.77	Inf	-Inf	4.93	3	Horizontal	334	2.17	101.84	32.70	6.97	34.74
AV	5.358G	50.95	54.00	-3.05	4.98	3	Horizontal	334	2.17	45.97	32.68	7.03	34.73
PK	5.3212G	118.06	Inf	-Inf	4.93	3	Horizontal	334	2.17	113.13	32.70	6.97	34.74
PK	5.3596G	65.68	74.00	-8.32	4.98	3	Horizontal	334	2.17	60.70	32.68	7.03	34.73



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6419G	42.25	54.00	-11.75	14.65	3	Vertical	354	2.97	27.60	38.98	10.40	34.73
AV	15.9365G	41.13	54.00	-12.87	16.39	3	Vertical	180	2.06	24.74	37.75	13.29	34.65
PK	10.6438G	54.73	74.00	-19.27	14.66	3	Vertical	354	2.97	40.07	38.99	10.40	34.73
PK	15.9667G	52.95	74.00	-21.05	16.32	3	Vertical	180	2.06	36.63	37.67	13.32	34.67

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6461G	48.37	54.00	-5.63	14.66	3	Horizontal	291	1.90	33.71	38.99	10.40	34.73
AV	15.9351G	40.94	54.00	-13.06	16.40	3	Horizontal	147	1.08	24.54	37.76	13.29	34.65
PK	10.6488G	61.95	74.00	-12.05	14.67	3	Horizontal	291	1.90	47.28	39.00	10.40	34.73
PK	15.9725G	53.39	74.00	-20.61	16.30	3	Horizontal	147	1.08	37.09	37.66	13.32	34.68

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.37	54.00	-5.63	5.01	3	Vertical	22	2.47	43.36	32.62	7.11	34.72
AV	5.501G	106.54	Inf	-Inf	5.11	3	Vertical	22	2.47	101.43	32.70	7.13	34.72
PK	5.459G	64.23	74.00	-9.77	5.01	3	Vertical	22	2.47	59.22	32.62	7.11	34.72
PK	5.4626G	64.51	68.20	-3.69	5.02	3	Vertical	22	2.47	59.49	32.63	7.11	34.72
PK	5.5008G	117.85	Inf	-Inf	5.11	3	Vertical	22	2.47	112.74	32.70	7.13	34.72

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4542G	46.91	54.00	-7.09	5.00	3	Horizontal	332	1.52	41.91	32.61	7.11	34.72
AV	5.4914G	107.10	Inf	-Inf	5.08	3	Horizontal	332	1.52	102.02	32.68	7.12	34.72
PK	5.4506G	59.23	74.00	-14.77	4.99	3	Horizontal	332	1.52	54.24	32.60	7.11	34.72
PK	5.4698G	66.65	68.20	-1.55	5.03	3	Horizontal	332	1.52	61.62	32.64	7.11	34.72
PK	5.4926G	119.43	Inf	-Inf	5.09	3	Horizontal	332	1.52	114.34	32.69	7.12	34.72



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9963G	40.51	54.00	-13.49	14.68	3	Vertical	342	1.05	25.83	38.61	10.48	34.41
PK	10.9965G	53.27	74.00	-20.73	14.68	3	Vertical	342	1.05	38.59	38.61	10.48	34.41
PK	16.497G	54.54	68.20	-13.66	17.61	3	Vertical	161	1.72	36.93	38.29	13.52	34.20

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9974G	43.12	54.00	-10.88	14.68	3	Horizontal	304	2.03	28.44	38.61	10.48	34.41
PK	10.9997G	55.48	74.00	-18.52	14.67	3	Horizontal	304	2.03	40.81	38.60	10.48	34.41
PK	16.5137G	54.42	68.20	-13.78	17.57	3	Horizontal	16	1.80	36.85	38.22	13.52	34.17



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.83	54.00	-8.17	5.01	3	Vertical	35	2.97	40.82	32.62	7.11	34.72
AV	5.589G	109.75	Inf	-Inf	5.20	3	Vertical	35	2.97	104.55	32.78	7.16	34.74
PK	5.4546G	56.92	74.00	-17.08	5.00	3	Vertical	35	2.97	51.92	32.61	7.11	34.72
PK	5.463G	56.58	68.20	-11.62	5.02	3	Vertical	35	2.97	51.56	32.63	7.11	34.72
PK	5.5872G	120.79	Inf	-Inf	5.19	3	Vertical	35	2.97	115.60	32.77	7.16	34.74
PK	5.73G	57.82	68.20	-10.38	5.96	3	Vertical	35	2.97	51.86	33.52	7.21	34.77

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.43	54.00	-8.57	5.01	3	Horizontal	330	2.90	40.42	32.62	7.11	34.72
AV	5.5716G	109.17	Inf	-Inf	5.16	3	Horizontal	330	2.90	104.01	32.74	7.15	34.73
PK	5.4492G	57.62	74.00	-16.38	4.98	3	Horizontal	330	2.90	52.64	32.60	7.11	34.73
PK	5.4696G	56.31	68.20	-11.89	5.03	3	Horizontal	330	2.90	51.28	32.64	7.11	34.72
PK	5.5728G	119.53	Inf	-Inf	5.17	3	Horizontal	330	2.90	114.36	32.75	7.15	34.73
PK	5.7252G	57.03	68.20	-11.17	5.93	3	Horizontal	330	2.90	51.10	33.50	7.20	34.77



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1603G	43.51	54.00	-10.49	14.80	3	Vertical	358	3.00	28.71	38.70	10.52	34.42
PK	11.1669G	56.68	74.00	-17.32	14.80	3	Vertical	358	3.00	41.88	38.70	10.52	34.42
PK	16.734G	56.04	68.20	-12.16	18.05	3	Vertical	334	2.85	37.99	38.17	13.60	33.72

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1603G	48.45	54.00	-5.55	14.80	3	Horizontal	310	2.00	33.65	38.70	10.52	34.42
PK	11.1577G	62.39	74.00	-11.61	14.80	3	Horizontal	310	2.00	47.59	38.70	10.52	34.42
PK	16.7299G	56.28	68.20	-11.92	18.03	3	Horizontal	282	2.37	38.25	38.16	13.60	33.73



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7016G	105.18	Inf	-Inf	5.85	3	Vertical	20	2.42	99.33	33.41	7.20	34.76
PK	5.7016G	116.35	Inf	-Inf	5.85	3	Vertical	20	2.42	110.50	33.41	7.20	34.76
PK	5.7252G	64.57	68.20	-3.63	5.93	3	Vertical	20	2.42	58.64	33.50	7.20	34.77

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	108.28	Inf	-Inf	5.79	3	Horizontal	331	2.62	102.49	33.36	7.19	34.76
PK	5.6952G	120.27	Inf	-Inf	5.79	3	Horizontal	331	2.62	114.48	33.36	7.19	34.76
PK	5.7328G	65.27	68.20	-2.93	5.97	3	Horizontal	331	2.62	59.30	33.53	7.21	34.77



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3943G	40.88	54.00	-13.12	15.03	3	Vertical	310	2.76	25.85	38.90	10.57	34.44
PK	11.3968G	53.30	74.00	-20.70	15.03	3	Vertical	310	2.76	38.27	38.90	10.57	34.44
PK	17.0892G	55.27	68.20	-12.93	18.51	3	Vertical	312	1.31	36.76	38.00	13.73	33.22

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3973G	47.45	54.00	-6.55	15.03	3	Horizontal	306	1.50	32.42	38.90	10.57	34.44
PK	11.3986G	59.54	74.00	-14.46	15.03	3	Horizontal	306	1.50	44.51	38.90	10.57	34.44
PK	17.08G	54.95	68.20	-13.25	18.50	3	Horizontal	33	2.68	36.45	38.00	13.72	33.22

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.01	54.00	-8.99	5.01	3	Vertical	351	2.42	40.00	32.62	7.11	34.72
AV	5.7116G	104.80	Inf	-Inf	5.89	3	Vertical	351	2.42	98.91	33.45	7.20	34.76
PK	5.438G	56.62	74.00	-17.38	4.97	3	Vertical	351	2.42	51.65	32.60	7.10	34.73
PK	5.4668G	56.01	68.20	-12.19	5.02	3	Vertical	351	2.42	50.99	32.63	7.11	34.72
PK	5.7128G	114.77	Inf	-Inf	5.89	3	Vertical	351	2.42	108.88	33.45	7.20	34.76
PK	5.9444G	58.97	68.20	-9.23	6.51	3	Vertical	351	2.42	52.46	34.01	7.31	34.81

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.22	54.00	-8.78	5.01	3	Horizontal	325	2.80	40.21	32.62	7.11	34.72
AV	5.714G	108.23	Inf	-Inf	5.90	3	Horizontal	325	2.80	102.33	33.46	7.20	34.76
PK	5.4212G	56.65	74.00	-17.35	4.97	3	Horizontal	325	2.80	51.68	32.60	7.10	34.73
PK	5.4632G	57.26	68.20	-10.94	5.02	3	Horizontal	325	2.80	52.24	32.63	7.11	34.72
PK	5.714G	120.12	Inf	-Inf	5.90	3	Horizontal	325	2.80	114.22	33.46	7.20	34.76
PK	5.8556G	58.81	68.20	-9.39	6.39	3	Horizontal	325	2.80	52.42	33.92	7.26	34.79



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4325G	40.49	54.00	-13.51	14.98	3	Vertical	310	2.85	25.51	38.84	10.58	34.44
PK	11.4491G	53.50	74.00	-20.50	14.93	3	Vertical	310	2.85	38.57	38.80	10.58	34.45
PK	17.1683G	54.94	68.20	-13.26	18.50	3	Vertical	126	1.03	36.44	38.00	13.75	33.25

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4388G	48.73	54.00	-5.27	14.95	3	Horizontal	298	1.57	33.78	38.82	10.58	34.45
PK	11.4389G	61.30	74.00	-12.70	14.95	3	Horizontal	298	1.57	46.35	38.82	10.58	34.45
PK	17.1653G	55.27	68.20	-12.93	18.50	3	Horizontal	147	2.37	36.77	38.00	13.75	33.25



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	44.94	54.00	-9.06	4.98	3	Vertical	349	2.39	39.96	32.60	7.11	34.73
AV	5.7366G	105.06	Inf	-Inf	5.99	3	Vertical	349	2.39	99.07	33.55	7.21	34.77
PK	5.6058G	58.12	68.20	-10.08	5.24	3	Vertical	349	2.39	52.88	32.82	7.16	34.74
PK	5.7366G	115.58	Inf	-Inf	5.99	3	Vertical	349	2.39	109.59	33.55	7.21	34.77
PK	5.9562G	58.69	68.20	-9.51	6.50	3	Vertical	349	2.39	52.19	33.99	7.32	34.81

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	45.00	54.00	-9.00	5.01	3	Horizontal	313	2.02	39.99	32.62	7.11	34.72
AV	5.7534G	109.48	Inf	-Inf	6.06	3	Horizontal	313	2.02	103.42	33.62	7.21	34.77
PK	5.649G	59.29	68.20	-8.91	5.43	3	Horizontal	313	2.02	53.86	33.00	7.18	34.75
PK	5.7522G	120.70	Inf	-Inf	6.05	3	Horizontal	313	2.02	114.65	33.61	7.21	34.77
PK	5.9286G	59.75	68.20	-8.45	6.53	3	Horizontal	313	2.02	53.22	34.04	7.30	34.81



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4919G	42.37	54.00	-11.63	15.02	3	Vertical	40	1.92	27.35	38.88	10.59	34.45
PK	11.4931G	55.12	74.00	-18.88	15.03	3	Vertical	40	1.92	40.09	38.89	10.59	34.45
PK	17.2156G	54.95	68.20	-13.25	18.53	3	Vertical	35	2.41	36.42	38.03	13.77	33.27

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4824G	50.80	54.00	-3.20	15.00	3	Horizontal	289	1.81	35.80	38.86	10.59	34.45
PK	11.4991G	64.37	74.00	-9.63	15.04	3	Horizontal	289	1.81	49.33	38.90	10.59	34.45
PK	17.2226G	55.21	68.20	-12.99	18.54	3	Horizontal	316	1.69	36.67	38.05	13.77	33.28



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	109.58	Inf	-Inf	6.31	3	Vertical	29	2.94	103.27	33.86	7.23	34.78
PK	5.6158G	59.41	68.20	-8.79	5.29	3	Vertical	29	2.94	54.12	32.86	7.17	34.74
PK	5.7922G	119.23	Inf	-Inf	6.30	3	Vertical	29	2.94	112.93	33.85	7.23	34.78
PK	6.0706G	58.87	68.20	-9.33	6.43	3	Vertical	29	2.94	52.44	33.86	7.38	34.81

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	108.32	Inf	-Inf	6.21	3	Horizontal	328	1.30	102.11	33.77	7.22	34.78
PK	5.6254G	58.60	68.20	-9.60	5.32	3	Horizontal	328	1.30	53.28	32.90	7.17	34.75
PK	5.7802G	118.71	Inf	-Inf	6.22	3	Horizontal	328	1.30	112.49	33.78	7.22	34.78
PK	5.9314G	59.38	68.20	-8.82	6.53	3	Horizontal	328	1.30	52.85	34.04	7.30	34.81



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5671G	43.16	54.00	-10.84	14.73	3	Vertical	26	2.93	28.43	38.60	10.61	34.48
PK	11.5678G	55.69	74.00	-18.31	14.72	3	Vertical	26	2.93	40.97	38.59	10.61	34.48
PK	17.3531G	54.57	68.20	-13.63	18.59	3	Vertical	75	2.90	35.98	38.11	13.82	33.34

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5736G	52.62	54.00	-1.38	14.69	3	Horizontal	295	1.86	37.93	38.56	10.61	34.48
PK	11.5749G	65.44	74.00	-8.56	14.68	3	Horizontal	295	1.86	50.76	38.55	10.61	34.48
PK	17.37G	54.91	68.20	-13.29	18.67	3	Horizontal	245	1.99	36.24	38.18	13.83	33.34



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	107.65	Inf	-Inf	6.36	3	Vertical	24	2.64	101.29	33.90	7.24	34.78
PK	5.6474G	58.35	68.20	-9.85	5.42	3	Vertical	24	2.64	52.93	32.99	7.18	34.75
PK	5.8334G	119.74	Inf	-Inf	6.36	3	Vertical	24	2.64	113.38	33.90	7.25	34.79
PK	5.9354G	60.17	68.20	-8.03	6.52	3	Vertical	24	2.64	53.65	34.03	7.30	34.81

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	107.93	Inf	-Inf	6.36	3	Horizontal	324	1.45	101.57	33.90	7.24	34.78
PK	5.5478G	59.07	68.20	-9.13	5.11	3	Horizontal	324	1.45	53.96	32.70	7.14	34.73
PK	5.8178G	119.29	Inf	-Inf	6.36	3	Horizontal	324	1.45	112.93	33.90	7.24	34.78
PK	6.0878G	59.56	68.20	-8.64	6.40	3	Horizontal	324	1.45	53.16	33.82	7.39	34.81



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.646G	45.65	54.00	-8.35	14.43	3	Vertical	24	2.28	31.22	38.31	10.63	34.51
PK	11.6438G	59.56	74.00	-14.44	14.43	3	Vertical	24	2.28	45.13	38.31	10.63	34.51
PK	17.4515G	55.84	68.20	-12.36	18.78	3	Vertical	266	1.50	37.06	38.30	13.86	33.38

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6496G	53.88	54.00	-0.12	14.41	3	Horizontal	301	1.98	39.47	38.30	10.63	34.52
PK	11.6523G	66.51	74.00	-7.49	14.42	3	Horizontal	301	1.98	52.09	38.31	10.63	34.52
PK	17.4946G	55.74	68.20	-12.46	18.77	3	Horizontal	32	1.62	36.97	38.30	13.87	33.40



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	53.49	54.00	-0.51	5.09	3	Vertical	32	2.95	48.40	33.08	6.77	34.76
AV	5.2028G	102.27	Inf	-Inf	4.93	3	Vertical	32	2.95	97.34	32.89	6.79	34.75
PK	5.1488G	67.45	74.00	-6.55	5.10	3	Vertical	32	2.95	62.35	33.09	6.77	34.76
PK	5.1816G	113.51	Inf	-Inf	5.00	3	Vertical	32	2.95	108.51	32.97	6.78	34.75

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.67	54.00	-0.33	5.10	3	Horizontal	336	1.15	48.57	33.09	6.77	34.76
AV	5.2044G	100.99	Inf	-Inf	4.94	3	Horizontal	336	1.15	96.05	32.89	6.80	34.75
PK	5.1452G	66.98	74.00	-7.02	5.08	3	Horizontal	336	1.15	61.90	33.07	6.77	34.76
PK	5.1864G	112.81	Inf	-Inf	4.99	3	Horizontal	336	1.15	107.82	32.95	6.79	34.75



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56328G	42.71	54.00	-11.29	16.74	3	Vertical	18	1.96	25.97	38.07	13.02	34.35
PK	10.37676G	51.16	68.20	-17.04	13.99	3	Vertical	4	2.98	37.17	38.60	10.34	34.95
PK	15.59244G	55.25	74.00	-18.75	16.69	3	Vertical	18	1.96	38.56	38.02	13.04	34.37

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56376G	42.71	54.00	-11.29	16.74	3	Horizontal	18	1.50	25.97	38.07	13.02	34.35
PK	10.36152G	57.05	68.20	-11.15	13.97	3	Horizontal	298	2.16	43.08	38.60	10.33	34.96
PK	15.59532G	55.14	74.00	-18.86	16.68	3	Horizontal	18	1.50	38.46	38.01	13.05	34.38



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	49.66	54.00	-4.34	5.09	3	Vertical	38	2.93	44.57	33.08	6.77	34.76
AV	5.2212G	106.01	Inf	-Inf	4.93	3	Vertical	38	2.93	101.08	32.86	6.82	34.75
PK	5.1468G	65.86	74.00	-8.14	5.09	3	Vertical	38	2.93	60.77	33.08	6.77	34.76
PK	5.2216G	117.09	Inf	-Inf	4.93	3	Vertical	38	2.93	112.16	32.86	6.82	34.75

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.65	54.00	-1.35	5.11	3	Horizontal	328	2.18	47.54	33.10	6.77	34.76
AV	5.232G	105.99	Inf	-Inf	4.93	3	Horizontal	328	2.18	101.06	32.84	6.84	34.75
PK	5.15G	66.59	74.00	-7.41	5.11	3	Horizontal	328	2.18	61.48	33.10	6.77	34.76
PK	5.2344G	116.55	Inf	-Inf	4.92	3	Horizontal	328	2.18	111.63	32.83	6.84	34.75

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71664G	42.81	54.00	-11.19	16.86	3	Vertical	1	1.59	25.95	38.20	13.13	34.47
PK	10.44608G	53.73	68.20	-14.47	14.05	3	Vertical	0	2.94	39.68	38.60	10.35	34.90
PK	15.67596G	55.18	74.00	-18.82	16.68	3	Vertical	1	1.59	38.50	38.01	13.11	34.44

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.714G	42.98	54.00	-11.02	16.86	3	Horizontal	288	1.65	26.12	38.20	13.13	34.47
PK	10.45868G	60.95	68.20	-7.25	14.05	3	Horizontal	300	2.09	46.90	38.58	10.36	34.89
PK	15.71544G	54.98	74.00	-19.02	16.86	3	Horizontal	288	1.65	38.12	38.20	13.13	34.47



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2644G	105.45	Inf	-Inf	4.92	3	Vertical	25	2.89	100.53	32.77	6.89	34.74
AV	5.3624G	50.60	54.00	-3.40	4.98	3	Vertical	25	2.89	45.62	32.68	7.03	34.73
PK	5.2632G	116.56	Inf	-Inf	4.91	3	Vertical	25	2.89	111.65	32.77	6.88	34.74
PK	5.35G	64.68	74.00	-9.32	4.99	3	Vertical	25	2.89	59.69	32.70	7.02	34.73

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.274G	106.48	Inf	-Inf	4.91	3	Horizontal	324	2.06	101.57	32.75	6.90	34.74
AV	5.3508G	53.06	54.00	-0.94	4.99	3	Horizontal	324	2.06	48.07	32.70	7.02	34.73
PK	5.2744G	117.74	Inf	-Inf	4.91	3	Horizontal	324	2.06	112.83	32.75	6.90	34.74
PK	5.3524G	67.94	74.00	-6.06	4.99	3	Horizontal	324	2.06	62.95	32.70	7.02	34.73



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7818G	42.61	54.00	-11.39	16.66	3	Vertical	268	1.50	25.95	38.01	13.18	34.53
PK	10.53308G	55.65	68.20	-12.55	14.09	3	Vertical	348	2.89	41.56	38.52	10.38	34.81
PK	15.8352G	54.41	74.00	-19.59	16.55	3	Vertical	268	1.50	37.86	37.90	13.22	34.57

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7824G	42.61	54.00	-11.39	16.66	3	Horizontal	0	1.50	25.95	38.01	13.18	34.53
PK	10.53592G	61.88	68.20	-6.32	14.04	3	Horizontal	284	1.80	47.84	38.50	10.37	34.83
PK	15.78288G	54.43	74.00	-19.57	16.65	3	Horizontal	0	1.50	37.78	38.00	13.18	34.53



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	99.78	Inf	-Inf	4.90	3	Vertical	27	3.00	94.88	32.70	6.94	34.74
AV	5.3572G	48.90	54.00	-5.10	4.99	3	Vertical	27	3.00	43.91	32.69	7.03	34.73
PK	5.2996G	111.41	Inf	-Inf	4.90	3	Vertical	27	3.00	106.51	32.70	6.94	34.74
PK	5.3608G	62.81	74.00	-11.19	4.98	3	Vertical	27	3.00	57.83	32.68	7.03	34.73

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	100.70	Inf	-Inf	4.90	3	Horizontal	323	2.14	95.80	32.71	6.93	34.74
AV	5.35G	53.67	54.00	-0.33	4.99	3	Horizontal	323	2.14	48.68	32.70	7.02	34.73
PK	5.2924G	112.15	Inf	-Inf	4.91	3	Horizontal	323	2.14	107.24	32.72	6.93	34.74
PK	5.3536G	66.82	74.00	-7.18	4.98	3	Horizontal	323	2.14	61.84	32.69	7.02	34.73



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61992G	38.86	54.00	-15.14	14.58	3	Vertical	347	1.49	24.28	38.94	10.39	34.75
AV	15.9051G	41.91	54.00	-12.09	16.53	3	Vertical	184	2.01	25.38	37.88	13.27	34.62
PK	10.61736G	50.54	74.00	-23.46	14.57	3	Vertical	347	1.49	35.97	38.93	10.39	34.75
PK	15.9352G	53.84	74.00	-20.16	16.40	3	Vertical	184	2.01	37.44	37.76	13.29	34.65

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62864G	41.28	54.00	-12.72	14.61	3	Horizontal	286	1.89	26.67	38.96	10.39	34.74
AV	15.9083G	41.89	54.00	-12.11	16.51	3	Horizontal	140	2.16	25.38	37.87	13.27	34.63
PK	10.62744G	53.63	74.00	-20.37	14.59	3	Horizontal	286	1.89	39.04	38.95	10.39	34.75
PK	15.9197G	53.49	74.00	-20.51	16.46	3	Horizontal	140	2.16	37.03	37.82	13.28	34.64



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




18/03/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	49.39	54.00	-4.61	4.99	3	Vertical	29	2.60	44.40	32.60	7.11	34.72
AV	5.5088G	104.20	Inf	-Inf	5.11	3	Vertical	29	2.60	99.09	32.70	7.13	34.72
PK	5.454G	67.72	74.00	-6.28	5.00	3	Vertical	29	2.60	62.72	32.61	7.11	34.72
PK	5.4644G	67.19	68.20	-1.01	5.02	3	Vertical	29	2.60	62.17	32.63	7.11	34.72
PK	5.508G	115.79	Inf	-Inf	5.11	3	Vertical	29	2.60	110.68	32.70	7.13	34.72

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




18/03/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.60	54.00	-3.40	5.01	3	Horizontal	340	1.60	45.59	32.62	7.11	34.72
AV	5.5184G	104.03	Inf	-Inf	5.11	3	Horizontal	340	1.60	98.92	32.70	7.13	34.72
PK	5.4584G	66.73	74.00	-7.27	5.01	3	Horizontal	340	1.60	61.72	32.62	7.11	34.72
PK	5.4624G	66.86	68.20	-1.34	5.01	3	Horizontal	340	1.60	61.85	32.62	7.11	34.72
PK	5.518G	115.91	Inf	-Inf	5.11	3	Horizontal	340	1.60	110.80	32.70	7.13	34.72



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	38.59	54.00	-15.41	14.63	3	Vertical	4	1.50	23.96	38.56	10.48	34.41
PK	11.00888G	50.50	74.00	-23.50	14.65	3	Vertical	4	1.50	35.85	38.58	10.48	34.41
PK	16.5479G	54.63	68.20	-13.57	17.44	3	Vertical	302	2.62	37.19	38.01	13.53	34.10

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01064G	44.23	54.00	-9.77	14.65	3	Horizontal	281	1.86	29.58	38.58	10.48	34.41
PK	11.02952G	57.07	74.00	-16.93	14.62	3	Horizontal	281	1.86	42.45	38.54	10.49	34.41
PK	16.5092G	54.99	68.20	-13.21	17.58	3	Horizontal	193	2.78	37.41	38.24	13.52	34.18



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.27	54.00	-6.73	5.01	3	Vertical	24	2.46	42.26	32.62	7.11	34.72
AV	5.532G	104.83	Inf	-Inf	5.11	3	Vertical	24	2.46	99.72	32.70	7.14	34.73
PK	5.4544G	59.21	74.00	-14.79	5.00	3	Vertical	24	2.46	54.21	32.61	7.11	34.72
PK	5.47G	65.38	68.20	-2.82	5.03	3	Vertical	24	2.46	60.35	32.64	7.11	34.72
PK	5.5488G	115.99	Inf	-Inf	5.11	3	Vertical	24	2.46	110.88	32.70	7.14	34.73

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.58	54.00	-7.42	5.01	3	Horizontal	324	2.72	41.57	32.62	7.11	34.72
AV	5.5456G	106.01	Inf	-Inf	5.11	3	Horizontal	324	2.72	100.90	32.70	7.14	34.73
PK	5.4516G	59.36	74.00	-14.64	4.99	3	Horizontal	324	2.72	54.37	32.60	7.11	34.72
PK	5.4672G	64.44	68.20	-3.76	5.02	3	Horizontal	324	2.72	59.42	32.63	7.11	34.72
PK	5.5432G	117.75	Inf	-Inf	5.11	3	Horizontal	324	2.72	112.64	32.70	7.14	34.73



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10552G	41.50	54.00	-12.50	14.69	3	Vertical	339	2.94	26.81	38.61	10.50	34.42
PK	11.10448G	53.09	74.00	-20.91	14.69	3	Vertical	339	2.94	38.40	38.61	10.50	34.42
PK	16.642G	55.33	68.20	-12.87	17.63	3	Vertical	239	1.51	37.70	37.97	13.57	33.91

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10104G	45.75	54.00	-8.25	14.68	3	Horizontal	292	1.93	31.07	38.60	10.50	34.42
PK	11.0996G	57.52	74.00	-16.48	14.68	3	Horizontal	292	1.93	42.84	38.60	10.50	34.42
PK	16.6736G	55.17	68.20	-13.03	17.78	3	Horizontal	12	1.82	37.39	38.05	13.58	33.85



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6634G	102.91	Inf	-Inf	5.54	3	Vertical	26	2.57	97.37	33.11	7.18	34.75
PK	5.6616G	114.41	Inf	-Inf	5.52	3	Vertical	26	2.57	108.89	33.09	7.18	34.75
PK	5.7282G	64.86	68.20	-3.34	5.94	3	Vertical	26	2.57	58.92	33.51	7.20	34.77

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6652G	105.23	Inf	-Inf	5.55	3	Horizontal	325	2.72	99.68	33.12	7.18	34.75
PK	5.6688G	117.21	Inf	-Inf	5.58	3	Horizontal	325	2.72	111.63	33.15	7.18	34.75
PK	5.7288G	67.58	68.20	-0.62	5.96	3	Horizontal	325	2.72	61.62	33.52	7.21	34.77



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33392G	39.50	54.00	-14.50	15.02	3	Vertical	25	1.72	24.48	38.90	10.56	34.44
PK	11.33392G	52.47	74.00	-21.53	15.02	3	Vertical	25	1.72	37.45	38.90	10.56	34.44
PK	17.03G	56.30	68.20	-11.90	18.40	3	Vertical	350	1.00	37.90	37.88	13.71	33.19

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33992G	45.80	54.00	-8.20	15.02	3	Horizontal	286	1.40	30.78	38.90	10.56	34.44
PK	11.33848G	58.78	74.00	-15.22	15.02	3	Horizontal	286	1.40	43.76	38.90	10.56	34.44
PK	17.0309G	55.37	68.20	-12.83	18.41	3	Horizontal	161	1.36	36.96	37.89	13.71	33.19



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.05	54.00	-7.95	5.01	3	Vertical	21	2.41	41.04	32.62	7.11	34.72
AV	5.7112G	104.07	Inf	-Inf	5.88	3	Vertical	21	2.41	98.19	33.44	7.20	34.76
PK	5.4172G	57.92	74.00	-16.08	4.97	3	Vertical	21	2.41	52.95	32.60	7.10	34.73
PK	5.47G	58.36	68.20	-9.84	5.03	3	Vertical	21	2.41	53.33	32.64	7.11	34.72
PK	5.7112G	114.50	Inf	-Inf	5.88	3	Vertical	21	2.41	108.62	33.44	7.20	34.76
PK	5.8708G	59.96	68.20	-8.24	6.46	3	Vertical	21	2.41	53.50	33.98	7.27	34.79

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	45.82	54.00	-8.18	5.01	3	Horizontal	321	2.22	40.81	32.62	7.11	34.72
AV	5.6944G	106.62	Inf	-Inf	5.79	3	Horizontal	321	2.22	100.83	33.36	7.19	34.76
PK	5.4544G	56.97	74.00	-17.03	5.00	3	Horizontal	321	2.22	51.97	32.61	7.11	34.72
PK	5.4628G	57.71	68.20	-10.49	5.02	3	Horizontal	321	2.22	52.69	32.63	7.11	34.72
PK	5.7124G	117.56	Inf	-Inf	5.89	3	Horizontal	321	2.22	111.67	33.45	7.20	34.76
PK	5.884G	59.19	68.20	-9.01	6.52	3	Horizontal	321	2.22	52.67	34.04	7.28	34.80



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42176G	40.38	54.00	-13.62	15.00	3	Vertical	26	1.90	25.38	38.86	10.58	34.44
PK	11.42144G	51.84	74.00	-22.16	15.00	3	Vertical	26	1.90	36.84	38.86	10.58	34.44
PK	17.1512G	56.42	68.20	-11.78	18.50	3	Vertical	242	1.83	37.92	38.00	13.75	33.25

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41624G	46.71	54.00	-7.29	15.01	3	Horizontal	285	1.50	31.70	38.87	10.58	34.44
PK	11.4184G	58.69	74.00	-15.31	15.00	3	Horizontal	285	1.50	43.69	38.86	10.58	34.44
PK	17.149G	55.30	68.20	-12.90	18.50	3	Horizontal	121	1.23	36.80	38.00	13.75	33.25



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.64	54.00	-8.36	5.01	3	Vertical	25	2.94	40.63	32.62	7.11	34.72
AV	5.7634G	105.79	Inf	-Inf	6.13	3	Vertical	25	2.94	99.66	33.68	7.22	34.77
PK	5.6374G	59.73	68.20	-8.47	5.37	3	Vertical	25	2.94	54.36	32.95	7.17	34.75
PK	5.7634G	117.89	Inf	-Inf	6.13	3	Vertical	25	2.94	111.76	33.68	7.22	34.77
PK	5.9986G	58.82	68.20	-9.38	6.42	3	Vertical	25	2.94	52.40	33.90	7.34	34.82

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.44	54.00	-8.56	5.01	3	Horizontal	327	1.49	40.43	32.62	7.11	34.72
AV	5.749G	105.19	Inf	-Inf	6.04	3	Horizontal	327	1.49	99.15	33.60	7.21	34.77
PK	5.6446G	60.41	68.20	-7.79	5.41	3	Horizontal	327	1.49	55.00	32.98	7.18	34.75
PK	5.7682G	116.79	Inf	-Inf	6.16	3	Horizontal	327	1.49	110.63	33.71	7.22	34.77
PK	6.049G	58.96	68.20	-9.24	6.46	3	Horizontal	327	1.49	52.50	33.90	7.37	34.81



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51616G	41.24	54.00	-12.76	14.98	3	Vertical	20	1.86	26.26	38.84	10.60	34.46
PK	11.51432G	54.15	74.00	-19.85	14.98	3	Vertical	20	1.86	39.17	38.84	10.60	34.46
PK	17.2551G	54.93	68.20	-13.27	18.60	3	Vertical	244	2.08	36.33	38.10	13.79	33.29

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50352G	49.41	54.00	-4.59	15.04	3	Horizontal	281	1.61	34.37	38.89	10.60	34.45
PK	11.5224G	62.94	74.00	-11.06	14.95	3	Horizontal	281	1.61	47.99	38.81	10.60	34.46
PK	17.2756G	55.49	68.20	-12.71	18.59	3	Horizontal	59	1.64	36.90	38.10	13.79	33.30



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	106.20	Inf	-Inf	6.23	3	Vertical	29	2.94	99.97	33.79	7.22	34.78
PK	5.6414G	59.44	68.20	-8.76	5.39	3	Vertical	29	2.94	54.05	32.97	7.17	34.75
PK	5.8022G	117.45	Inf	-Inf	6.35	3	Vertical	29	2.94	111.10	33.90	7.23	34.78
PK	6.0614G	59.35	68.20	-8.85	6.45	3	Vertical	29	2.94	52.90	33.88	7.38	34.81

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8106G	105.75	Inf	-Inf	6.36	3	Horizontal	325	1.20	99.39	33.90	7.24	34.78
PK	5.567G	58.95	68.20	-9.25	5.15	3	Horizontal	325	1.20	53.80	32.73	7.15	34.73
PK	5.8118G	117.71	Inf	-Inf	6.36	3	Horizontal	325	1.20	111.35	33.90	7.24	34.78
PK	6.0362G	59.16	68.20	-9.04	6.45	3	Horizontal	325	1.20	52.71	33.90	7.36	34.81



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60032G	44.33	54.00	-9.67	14.53	3	Vertical	0	2.43	29.80	38.40	10.62	34.49
PK	11.59896G	59.02	74.00	-14.98	14.54	3	Vertical	0	2.43	44.48	38.41	10.62	34.49
PK	17.3865G	55.16	68.20	-13.04	18.73	3	Vertical	201	1.22	36.43	38.25	13.83	33.35

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59752G	51.83	54.00	-2.17	14.54	3	Horizontal	274	1.82	37.29	38.41	10.62	34.49
PK	11.6008G	65.17	74.00	-8.83	14.53	3	Horizontal	274	1.82	50.64	38.40	10.62	34.49
PK	17.3926G	55.56	68.20	-12.64	18.75	3	Horizontal	117	1.37	36.81	38.27	13.83	33.35



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	51.63	54.00	-2.37	5.09	3	Vertical	30	2.95	46.54	33.08	6.77	34.76
AV	5.203G	97.96	Inf	-Inf	4.93	3	Vertical	30	2.95	93.03	32.89	6.79	34.75
AV	5.458G	45.82	54.00	-8.18	5.01	3	Vertical	30	2.95	40.81	32.62	7.11	34.72
PK	5.147G	63.45	74.00	-10.55	5.09	3	Vertical	30	2.95	58.36	33.08	6.77	34.76
PK	5.224G	110.34	Inf	-Inf	4.93	3	Vertical	30	2.95	105.41	32.85	6.83	34.75
PK	5.376G	58.29	74.00	-15.71	4.97	3	Vertical	30	2.95	53.32	32.65	7.05	34.73

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.10	54.00	-0.90	5.11	3	Horizontal	327	2.18	47.99	33.10	6.77	34.76
AV	5.231G	97.88	Inf	-Inf	4.93	3	Horizontal	327	2.18	92.95	32.84	6.84	34.75
AV	5.351G	46.00	54.00	-8.00	4.99	3	Horizontal	327	2.18	41.01	32.70	7.02	34.73
PK	5.15G	63.47	74.00	-10.53	5.11	3	Horizontal	327	2.18	58.36	33.10	6.77	34.76
PK	5.233G	108.49	Inf	-Inf	4.92	3	Horizontal	327	2.18	103.57	32.83	6.84	34.75
PK	5.393G	57.79	74.00	-16.21	4.96	3	Horizontal	327	2.18	52.83	32.61	7.08	34.73



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6058G	42.09	54.00	-11.91	16.65	3	Vertical	102	1.77	25.44	37.98	13.05	34.38
PK	10.42352G	49.87	68.20	-18.33	14.04	3	Vertical	205	1.00	35.83	38.60	10.35	34.91
PK	15.6167G	53.95	74.00	-20.05	16.60	3	Vertical	102	1.77	37.35	37.93	13.06	34.39

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6052G	42.09	54.00	-11.91	16.65	3	Horizontal	117	2.32	25.44	37.98	13.05	34.38
PK	10.41704G	52.39	68.20	-15.81	14.03	3	Horizontal	274	2.22	38.36	38.60	10.35	34.92
PK	15.6061G	54.14	74.00	-19.86	16.65	3	Horizontal	117	2.32	37.49	37.98	13.05	34.38



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	45.48	54.00	-8.52	5.03	3	Vertical	31	3.00	40.45	33.02	6.77	34.76
AV	5.281G	96.93	Inf	-Inf	4.91	3	Vertical	31	3.00	92.02	32.74	6.91	34.74
AV	5.36G	51.72	54.00	-2.28	4.98	3	Vertical	31	3.00	46.74	32.68	7.03	34.73
PK	5.058G	57.45	74.00	-16.55	4.86	3	Vertical	31	3.00	52.59	32.88	6.74	34.76
PK	5.282G	108.53	Inf	-Inf	4.91	3	Vertical	31	3.00	103.62	32.74	6.91	34.74
PK	5.36G	62.87	74.00	-11.13	4.98	3	Vertical	31	3.00	57.89	32.68	7.03	34.73
PK	5.518G	58.31	68.20	-9.89	5.11	3	Vertical	31	3.00	53.20	32.70	7.13	34.72

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.44	54.00	-8.56	5.11	3	Horizontal	325	2.06	40.33	33.10	6.77	34.76
AV	5.273G	97.05	Inf	-Inf	4.91	3	Horizontal	325	2.06	92.14	32.75	6.90	34.74
AV	5.355G	53.83	54.00	-0.17	4.98	3	Horizontal	325	2.06	48.85	32.69	7.02	34.73
PK	5.045G	58.70	74.00	-15.30	4.89	3	Horizontal	325	2.06	53.81	32.92	6.74	34.77
PK	5.273G	108.00	Inf	-Inf	4.91	3	Horizontal	325	2.06	103.09	32.75	6.90	34.74
PK	5.353G	64.86	74.00	-9.14	4.98	3	Horizontal	325	2.06	59.88	32.69	7.02	34.73
PK	5.486G	57.63	68.20	-10.57	5.07	3	Horizontal	325	2.06	52.56	32.67	7.12	34.72



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.893G	41.90	54.00	-12.10	16.55	3	Vertical	27	1.57	25.35	37.90	13.26	34.61
PK	10.58784G	50.42	68.20	-17.78	14.41	3	Vertical	328	1.00	36.01	38.80	10.39	34.78
PK	15.8941G	54.34	74.00	-19.66	16.54	3	Vertical	27	1.57	37.80	37.90	13.26	34.62

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.56904G	52.14	68.20	-16.06	14.23	3	Horizontal	272	1.88	37.91	38.65	10.38	34.80
AV	15.8935G	41.90	54.00	-12.10	16.55	3	Horizontal	295	1.21	25.35	37.90	13.26	34.61
PK	15.8879G	54.39	74.00	-19.61	16.55	3	Horizontal	295	1.21	37.84	37.90	13.26	34.61



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.96	54.00	-8.04	4.98	3	Vertical	29	2.47	40.98	32.70	7.01	34.73
AV	5.455G	53.02	54.00	-0.98	5.00	3	Vertical	29	2.47	48.02	32.61	7.11	34.72
AV	5.511G	101.60	Inf	-Inf	5.11	3	Vertical	29	2.47	96.49	32.70	7.13	34.72
PK	5.294G	58.09	68.20	-10.11	4.90	3	Vertical	29	2.47	53.19	32.71	6.93	34.74
PK	5.454G	69.94	74.00	-4.06	5.00	3	Vertical	29	2.47	64.94	32.61	7.11	34.72
PK	5.47G	65.58	68.20	-2.62	5.03	3	Vertical	29	2.47	60.55	32.64	7.11	34.72
PK	5.511G	112.26	Inf	-Inf	5.11	3	Vertical	29	2.47	107.15	32.70	7.13	34.72
PK	5.758G	58.77	68.20	-9.43	6.10	3	Vertical	29	2.47	52.67	33.65	7.22	34.77

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.77	54.00	-8.23	4.98	3	Horizontal	327	2.62	40.79	32.70	7.01	34.73
AV	5.447G	53.54	54.00	-0.46	4.98	3	Horizontal	327	2.62	48.56	32.60	7.11	34.73
AV	5.566G	102.16	Inf	-Inf	5.15	3	Horizontal	327	2.62	97.01	32.73	7.15	34.73
PK	5.326G	57.96	68.20	-10.24	4.94	3	Horizontal	327	2.62	53.02	32.70	6.98	34.74
PK	5.446G	66.07	74.00	-7.93	4.98	3	Horizontal	327	2.62	61.09	32.60	7.11	34.73
PK	5.468G	67.11	68.20	-1.09	5.03	3	Horizontal	327	2.62	62.08	32.64	7.11	34.72
PK	5.564G	113.29	Inf	-Inf	5.15	3	Horizontal	327	2.62	108.14	32.73	7.15	34.73
PK	5.738G	58.89	68.20	-9.31	5.99	3	Horizontal	327	2.62	52.90	33.55	7.21	34.77



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06768G	39.70	54.00	-14.30	14.62	3	Vertical	345	3.00	25.08	38.54	10.50	34.42
PK	11.0696G	51.72	74.00	-22.28	14.62	3	Vertical	345	3.00	37.10	38.54	10.50	34.42
PK	16.5836G	55.27	68.20	-12.93	17.39	3	Vertical	329	1.08	37.88	37.87	13.55	34.03

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0512G	43.14	54.00	-10.86	14.58	3	Horizontal	272	1.81	28.56	38.50	10.49	34.41
PK	11.07224G	54.87	74.00	-19.13	14.62	3	Horizontal	272	1.81	40.25	38.54	10.50	34.42
PK	16.6014G	54.96	68.20	-13.24	17.37	3	Horizontal	170	1.20	37.59	37.81	13.55	33.99

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.92	54.00	-3.08	5.01	3	Vertical	29	2.95	45.91	32.62	7.11	34.72
AV	5.618G	103.40	Inf	-Inf	5.30	3	Vertical	29	2.95	98.10	32.87	7.17	34.74
PK	5.46G	64.53	74.00	-9.47	5.01	3	Vertical	29	2.95	59.52	32.62	7.11	34.72
PK	5.463G	65.51	68.20	-2.69	5.02	3	Vertical	29	2.95	60.49	32.63	7.11	34.72
PK	5.619G	114.81	Inf	-Inf	5.31	3	Vertical	29	2.95	109.50	32.88	7.17	34.74
PK	5.737G	68.07	68.20	-0.13	5.99	3	Vertical	29	2.95	62.08	33.55	7.21	34.77

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.36	54.00	-4.64	5.01	3	Horizontal	326	2.89	44.35	32.62	7.11	34.72
AV	5.582G	102.79	Inf	-Inf	5.17	3	Horizontal	326	2.89	97.62	32.76	7.15	34.74
PK	5.46G	62.00	74.00	-12.00	5.01	3	Horizontal	326	2.89	56.99	32.62	7.11	34.72
PK	5.464G	62.79	68.20	-5.41	5.02	3	Horizontal	326	2.89	57.77	32.63	7.11	34.72
PK	5.581G	115.27	Inf	-Inf	5.17	3	Horizontal	326	2.89	110.10	32.76	7.15	34.74
PK	5.742G	66.26	68.20	-1.94	6.01	3	Horizontal	326	2.89	60.25	33.57	7.21	34.77



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21992G	40.65	54.00	-13.35	14.84	3	Vertical	325	1.94	25.81	38.74	10.53	34.43
PK	11.22008G	51.59	74.00	-22.41	14.84	3	Vertical	325	1.94	36.75	38.74	10.53	34.43
PK	16.839G	55.84	68.20	-12.36	18.41	3	Vertical	353	2.56	37.43	38.28	13.64	33.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	43.85	54.00	-10.15	14.84	3	Horizontal	274	1.97	29.01	38.74	10.53	34.43
PK	11.22056G	56.07	74.00	-17.93	14.84	3	Horizontal	274	1.97	41.23	38.74	10.53	34.43
PK	16.8325G	55.90	68.20	-12.30	18.38	3	Horizontal	262	1.53	37.52	38.26	13.64	33.52



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4044G	46.65	54.00	-7.35	4.96	3	Vertical	24	2.58	41.69	32.60	7.09	34.73
AV	5.6648G	100.93	Inf	-Inf	5.55	3	Vertical	24	2.58	95.38	33.12	7.18	34.75
PK	5.4008G	58.34	74.00	-15.66	4.96	3	Vertical	24	2.58	53.38	32.60	7.09	34.73
PK	5.4668G	59.19	68.20	-9.01	5.02	3	Vertical	24	2.58	54.17	32.63	7.11	34.72
PK	5.6672G	112.41	Inf	-Inf	5.57	3	Vertical	24	2.58	106.84	33.14	7.18	34.75
PK	5.8664G	62.74	68.20	-5.46	6.45	3	Vertical	24	2.58	56.29	33.97	7.27	34.79

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.22	54.00	-7.78	5.01	3	Horizontal	326	2.73	41.21	32.62	7.11	34.72
AV	5.6648G	103.38	Inf	-Inf	5.55	3	Horizontal	326	2.73	97.83	33.12	7.18	34.75
PK	5.444G	58.07	74.00	-15.93	4.98	3	Horizontal	326	2.73	53.09	32.60	7.11	34.73
PK	5.4656G	57.97	68.20	-10.23	5.02	3	Horizontal	326	2.73	52.95	32.63	7.11	34.72
PK	5.6672G	115.19	Inf	-Inf	5.57	3	Horizontal	326	2.73	109.62	33.14	7.18	34.75
PK	5.8604G	63.32	68.20	-4.88	6.41	3	Horizontal	326	2.73	56.91	33.94	7.26	34.79



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36512G	39.67	54.00	-14.33	15.02	3	Vertical	13	1.90	24.65	38.90	10.56	34.44
PK	11.38288G	51.63	74.00	-22.37	15.03	3	Vertical	13	1.90	36.60	38.90	10.57	34.44
PK	17.05464G	55.90	68.20	-12.30	18.51	3	Vertical	293	1.50	37.39	38.00	13.71	33.20

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37568G	46.85	54.00	-7.15	15.03	3	Horizontal	268	1.66	31.82	38.90	10.57	34.44
PK	11.37376G	58.45	74.00	-15.55	15.03	3	Horizontal	268	1.66	43.42	38.90	10.57	34.44
PK	17.03928G	56.09	68.20	-12.11	18.45	3	Horizontal	40	1.50	37.64	37.94	13.71	33.20



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	102.40	Inf	-Inf	6.01	3	Vertical	28	3.00	96.39	33.57	7.21	34.77
PK	5.6442G	67.40	68.20	-0.80	5.41	3	Vertical	28	3.00	61.99	32.98	7.18	34.75
PK	5.7798G	113.81	Inf	-Inf	6.22	3	Vertical	28	3.00	107.59	33.78	7.22	34.78
PK	6.0606G	58.90	68.20	-9.30	6.45	3	Vertical	28	3.00	52.45	33.88	7.38	34.81

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	102.16	Inf	-Inf	6.28	3	Horizontal	326	1.39	95.88	33.83	7.23	34.78
PK	5.6502G	66.38	68.35	-1.97	5.43	3	Horizontal	326	1.39	60.95	33.00	7.18	34.75
PK	5.7486G	112.98	Inf	-Inf	6.03	3	Horizontal	326	1.39	106.95	33.59	7.21	34.77
PK	6.009G	59.60	68.20	-8.60	6.43	3	Horizontal	326	1.39	53.17	33.90	7.35	34.82



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57448G	41.47	54.00	-12.53	14.68	3	Vertical	338	3.00	26.79	38.55	10.61	34.48
PK	11.57592G	54.01	74.00	-19.99	14.67	3	Vertical	338	3.00	39.34	38.54	10.61	34.48
PK	17.2674G	54.93	68.20	-13.27	18.59	3	Vertical	9	1.50	36.34	38.10	13.79	33.30

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56104G	47.68	54.00	-6.32	14.76	3	Horizontal	266	1.73	32.92	38.63	10.61	34.48
PK	11.57736G	59.83	74.00	-14.17	14.67	3	Horizontal	266	1.73	45.16	38.54	10.61	34.48
PK	17.3274G	54.95	68.20	-13.25	18.59	3	Horizontal	1	1.50	36.36	38.10	13.81	33.32



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	50.25	54.00	-3.75	5.07	3	Vertical	29	3.00	45.18	33.06	6.77	34.76
AV	5.262G	93.86	Inf	-Inf	4.92	3	Vertical	29	3.00	88.94	32.78	6.88	34.74
AV	5.4G	52.97	54.00	-1.03	4.96	3	Vertical	29	3.00	48.01	32.60	7.09	34.73
PK	5.1444G	61.68	74.00	-12.32	5.08	3	Vertical	29	3.00	56.60	33.07	6.77	34.76
PK	5.262G	105.71	Inf	-Inf	4.92	3	Vertical	29	3.00	100.79	32.78	6.88	34.74
PK	5.4216G	65.46	74.00	-8.54	4.97	3	Vertical	29	3.00	60.49	32.60	7.10	34.73
PK	5.4612G	60.36	68.20	-7.84	5.01	3	Vertical	29	3.00	55.35	32.62	7.11	34.72

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.17	54.00	-4.83	5.11	3	Horizontal	325	2.06	44.06	33.10	6.77	34.76
AV	5.274G	93.99	Inf	-Inf	4.91	3	Horizontal	325	2.06	89.08	32.75	6.90	34.74
AV	5.3556G	53.15	54.00	-0.85	4.98	3	Horizontal	325	2.06	48.17	32.69	7.02	34.73
PK	5.112G	60.93	74.00	-13.07	4.87	3	Horizontal	325	2.06	56.06	32.87	6.76	34.76
PK	5.2728G	105.22	Inf	-Inf	4.91	3	Horizontal	325	2.06	100.31	32.75	6.90	34.74
PK	5.3544G	64.51	74.00	-9.49	4.98	3	Horizontal	325	2.06	59.53	32.69	7.02	34.73
PK	5.4696G	58.89	68.20	-9.31	5.03	3	Horizontal	325	2.06	53.86	32.64	7.11	34.72



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7332G	42.94	54.00	-11.06	16.86	3	Vertical	286	1.08	26.08	38.20	13.15	34.49
PK	10.5016G	50.41	68.20	-17.79	14.01	3	Vertical	344	2.95	36.40	38.50	10.37	34.86
PK	15.7485G	54.86	74.00	-19.14	16.86	3	Vertical	286	1.08	38.00	38.20	13.16	34.50

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7306G	42.94	54.00	-11.06	16.86	3	Horizontal	278	1.14	26.08	38.20	13.14	34.48
PK	10.49976G	50.11	68.20	-18.09	14.00	3	Horizontal	269	1.62	36.11	38.50	10.36	34.86
PK	15.7611G	55.41	74.00	-18.59	16.79	3	Horizontal	278	1.14	38.62	38.13	13.17	34.51



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3912G	51.77	54.00	-2.23	4.97	3	Vertical	17	2.46	46.80	32.62	7.08	34.73
AV	5.5304G	97.32	Inf	-Inf	5.11	3	Vertical	17	2.46	92.21	32.70	7.14	34.73
PK	5.3492G	60.91	68.20	-7.29	4.97	3	Vertical	17	2.46	55.94	32.70	7.01	34.74
PK	5.3732G	64.29	74.00	-9.71	4.97	3	Vertical	17	2.46	59.32	32.65	7.05	34.73
PK	5.4692G	65.33	68.20	-2.87	5.03	3	Vertical	17	2.46	60.30	32.64	7.11	34.72
PK	5.5316G	109.08	Inf	-Inf	5.11	3	Vertical	17	2.46	103.97	32.70	7.14	34.73
PK	5.786G	66.99	68.20	-1.21	6.27	3	Vertical	17	2.46	60.72	33.82	7.23	34.78

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.02	54.00	-2.98	5.01	3	Horizontal	319	2.86	46.01	32.62	7.11	34.72
AV	5.582G	98.80	Inf	-Inf	5.17	3	Horizontal	319	2.86	93.63	32.76	7.15	34.74
PK	5.3336G	61.40	68.20	-6.80	4.95	3	Horizontal	319	2.86	56.45	32.70	6.99	34.74
PK	5.4332G	65.45	74.00	-8.55	4.97	3	Horizontal	319	2.86	60.48	32.60	7.10	34.73
PK	5.4632G	63.35	68.20	-4.85	5.02	3	Horizontal	319	2.86	58.33	32.63	7.11	34.72
PK	5.582G	110.29	Inf	-Inf	5.17	3	Horizontal	319	2.86	105.12	32.76	7.15	34.74
PK	5.7428G	67.89	68.20	-0.31	6.01	3	Horizontal	319	2.86	61.88	33.57	7.21	34.77



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14992G	38.94	54.00	-15.06	14.79	3	Vertical	57	1.00	24.15	38.70	10.51	34.42
PK	11.15304G	50.48	74.00	-23.52	14.80	3	Vertical	57	1.00	35.68	38.70	10.52	34.42
PK	16.726G	55.95	68.20	-12.25	18.01	3	Vertical	241	1.17	37.94	38.15	13.60	33.74

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1396G	41.43	54.00	-12.57	14.77	3	Horizontal	270	1.99	26.66	38.68	10.51	34.42
PK	11.15976G	52.53	74.00	-21.47	14.80	3	Horizontal	270	1.99	37.73	38.70	10.52	34.42
PK	16.7191G	55.95	68.20	-12.25	17.99	3	Horizontal	36	1.89	37.96	38.14	13.60	33.75



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.71638G	47.68	54.00	-6.32	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.80453G	37.97	54.00	-16.03	3	Vertical	29	2.91	-
Mode 1	Pass	AV	4.87396G	42.33	54.00	-11.67	3	Vertical	59	2.75	-
Mode 1	Pass	AV	7.31348G	41.17	54.00	-12.83	3	Vertical	0	1.30	-
Mode 1	Pass	AV	10.4766G	45.40	68.20	-22.80	3	Vertical	300	2.91	-
Mode 1	Pass	AV	13.33812G	46.19	54.00	-7.81	3	Vertical	192	1.64	-
Mode 1	Pass	AV	15.71925G	47.50	54.00	-6.50	3	Vertical	152	1.50	-
Mode 1	Pass	PK	4.80492G	47.49	74.00	-26.51	3	Vertical	29	2.91	-
Mode 1	Pass	PK	4.8739G	48.80	74.00	-25.20	3	Vertical	59	2.75	-
Mode 1	Pass	PK	7.31292G	51.62	74.00	-22.38	3	Vertical	0	1.30	-
Mode 1	Pass	PK	10.47395G	56.96	88.20	-31.24	3	Vertical	300	2.91	-
Mode 1	Pass	PK	13.32555G	57.85	74.00	-16.15	3	Vertical	192	1.64	-
Mode 1	Pass	PK	15.71755G	59.49	74.00	-14.51	3	Vertical	152	1.50	-
Mode 1	Pass	AV	4.80454G	37.73	54.00	-16.27	3	Horizontal	356	1.53	-
Mode 1	Pass	AV	4.87394G	46.31	54.00	-7.69	3	Horizontal	360	1.50	-
Mode 1	Pass	AV	7.30932G	42.82	54.00	-11.18	3	Horizontal	295	1.44	-
Mode 1	Pass	AV	10.47408G	50.03	68.20	-18.17	3	Horizontal	274	2.18	-
Mode 1	Pass	AV	13.33964G	46.31	54.00	-7.69	3	Horizontal	350	1.50	-
Mode 1	Pass	AV	15.71638G	47.68	54.00	-6.32	3	Horizontal	292	1.85	-
Mode 1	Pass	PK	4.80477G	47.67	74.00	-26.33	3	Horizontal	356	1.53	-
Mode 1	Pass	PK	4.8739G	50.72	74.00	-23.28	3	Horizontal	360	1.50	-
Mode 1	Pass	PK	7.30925G	52.26	74.00	-21.74	3	Horizontal	295	1.44	-
Mode 1	Pass	PK	10.4746G	62.14	88.20	-26.06	3	Horizontal	274	2.18	-
Mode 1	Pass	PK	13.33534G	58.80	74.00	-15.20	3	Horizontal	70	1.74	-
Mode 1	Pass	PK	15.71578G	59.46	74.00	-14.54	3	Horizontal	292	1.85	-




Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80453G	37.97	54.00	-16.03	3.90	3	Vertical	29	2.91	-	34.07	32.22	6.51	34.83
AV	4.87396G	42.33	54.00	-11.67	4.28	3	Vertical	59	2.75	-	38.05	32.50	6.59	34.81
AV	7.31348G	41.17	54.00	-12.83	10.03	3	Vertical	0	1.30	-	31.14	36.65	8.30	34.92
AV	10.4766G	45.40	68.20	-22.80	14.03	3	Vertical	300	2.91	-	31.37	38.55	10.36	34.88
AV	13.33812G	46.19	54.00	-7.81	18.45	3	Vertical	192	1.64	-	27.74	39.85	11.50	32.90
AV	15.71925G	47.50	54.00	-6.50	16.86	3	Vertical	152	1.50	-	30.64	38.20	13.14	34.48
PK	4.80492G	47.49	74.00	-26.51	3.91	3	Vertical	29	2.91	-	43.58	32.22	6.52	34.83
PK	4.8739G	48.80	74.00	-25.20	4.28	3	Vertical	59	2.75	-	44.52	32.50	6.59	34.81
PK	7.31292G	51.62	74.00	-22.38	10.03	3	Vertical	0	1.30	-	41.59	36.65	8.30	34.92
PK	10.47395G	56.96	88.20	-31.24	14.03	3	Vertical	300	2.91	-	42.93	38.55	10.36	34.88
PK	13.32555G	57.85	74.00	-16.15	18.37	3	Vertical	192	1.64	-	39.48	39.80	11.49	32.92
PK	15.71755G	59.49	74.00	-14.51	16.87	3	Vertical	152	1.50	-	42.62	38.20	13.14	34.47

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80454G	37.73	54.00	-16.27	3.90	3	Horizontal	356	1.53	-	33.83	32.22	6.51	34.83
AV	4.87394G	46.31	54.00	-7.69	4.28	3	Horizontal	360	1.50	-	42.03	32.50	6.59	34.81
AV	7.30932G	42.82	54.00	-11.18	10.03	3	Horizontal	295	1.44	-	32.79	36.66	8.29	34.92
AV	10.47408G	50.03	68.20	-18.17	14.03	3	Horizontal	274	2.18	-	36.00	38.55	10.36	34.88
AV	13.33964G	46.31	54.00	-7.69	18.46	3	Horizontal	350	1.50	-	27.85	39.86	11.50	32.90
AV	15.71638G	47.68	54.00	-6.32	16.86	3	Horizontal	292	1.85	-	30.82	38.20	13.13	34.47
PK	4.80477G	47.67	74.00	-26.33	3.91	3	Horizontal	356	1.53	-	43.76	32.22	6.52	34.83
PK	4.8739G	50.72	74.00	-23.28	4.28	3	Horizontal	360	1.50	-	46.44	32.50	6.59	34.81
PK	7.30925G	52.26	74.00	-21.74	10.03	3	Horizontal	295	1.44	-	42.23	36.66	8.29	34.92
PK	10.4746G	62.14	88.20	-26.06	14.03	3	Horizontal	274	2.18	-	48.11	38.55	10.36	34.88
PK	13.33534G	58.80	74.00	-15.20	18.44	3	Horizontal	70	1.74	-	40.36	39.84	11.50	32.90
PK	15.71578G	59.46	74.00	-14.54	16.86	3	Horizontal	292	1.85	-	42.60	38.20	13.13	34.47