5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.04823G	38.55	54.00	-15.45	15.87	3	Vertical	70	1.62	22.68	38.90	11.61	34.64
PK	12.03983G	49.20	74.00	-24.80	15.84	3	Vertical	70	1.62	33.36	38.88	11.61	34.65

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.05372G	38.67	54.00	-15.33	15.88	3	Horizontal	7	2.85	22.79	38.91	11.61	34.64
PK	12.04604G	48.55	74.00	-25.45	15.85	3	Horizontal	7	2.85	32.70	38.89	11.61	34.65

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.36307G	38.39	54.00	-15.61	15.93	3	Vertical	173	2.03	22.46	38.87	11.54	34.48
PK	12.36025G	50.37	74.00	-23.63	15.94	3	Vertical	173	2.03	34.43	38.88	11.54	34.48

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.37606G	38.40	54.00	-15.60	15.92	3	Horizontal	288	2.24	22.48	38.85	11.54	34.47
PK	12.35899G	49.73	74.00	-24.27	15.94	3	Horizontal	288	2.24	33.79	38.88	11.54	34.48

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.68061G	38.71	54.00	-15.29	16.74	3	Vertical	192	2.75	21.97	39.30	11.48	34.04
PK	12.68163G	49.61	74.00	-24.39	16.74	3	Vertical	192	2.75	32.87	39.30	11.48	34.04

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.67779G	38.68	54.00	-15.32	16.74	3	Horizontal	58	1.24	21.94	39.30	11.48	34.04
PK	12.70305G	49.07	88.20	-39.13	16.78	3	Horizontal	58	1.24	32.29	39.30	11.47	33.99

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.00592G	39.04	68.20	-29.16	17.72	3	Vertical	305	1.75	21.32	39.68	11.41	33.37
PK	13.00919G	49.56	88.20	-38.64	17.70	3	Vertical	305	1.75	31.86	39.66	11.41	33.37

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.00274G	39.02	68.20	-29.18	17.72	3	Horizontal	319	1.19	21.30	39.69	11.41	33.38
PK	13.00604G	49.29	88.20	-38.91	17.72	3	Horizontal	319	1.19	31.57	39.68	11.41	33.37

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.3324G	39.21	54.00	-14.79	18.26	3	Vertical	161	2.84	20.95	39.83	11.34	32.91
PK	13.33936G	51.20	74.00	-22.80	18.30	3	Vertical	161	2.84	32.90	39.86	11.34	32.90

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.34434G	39.31	54.00	-14.69	18.33	3	Horizontal	190	1.42	20.98	39.88	11.34	32.89
PK	13.33573G	51.01	74.00	-22.99	18.28	3	Horizontal	190	1.42	32.73	39.84	11.34	32.90

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.6413G	38.88	68.20	-29.32	18.33	3	Vertical	194	2.12	20.55	39.73	11.28	32.68
PK	13.65036G	49.98	88.20	-38.22	18.29	3	Vertical	194	2.12	31.69	39.70	11.27	32.68

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.64127G	38.85	68.20	-29.35	18.33	3	Horizontal	199	1.43	20.52	39.73	11.28	32.68
PK	13.64967G	49.19	88.20	-39.01	18.29	3	Horizontal	199	1.43	30.90	39.70	11.27	32.68

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	7.0345G	94.44	Inf	-Inf	8.67	3	Vertical	326	2.64	BP 1MHz	85.77	35.81	7.61	34.75
AV	7.0325G	87.88	Inf	-Inf	8.65	3	Vertical	326	2.64	BP 1MHz	79.23	35.79	7.61	34.75
PK	7.1375G	66.36	88.20	-21.84	9.22	3	Vertical	326	2.64	BP 1MHz	57.14	36.35	7.69	34.82
AV	7.1345G	52.76	68.20	-15.44	9.21	3	Vertical	326	2.64	BP 1MHz	43.55	36.34	7.68	34.81

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	6.9525G	106.75	Inf	-Inf	8.43	3	Horizontal	25	2.03	BP 1MHz	98.32	35.60	7.56	34.73
AV	6.9495G	100.79	Inf	-Inf	8.43	3	Horizontal	25	2.03	BP 1MHz	92.36	35.60	7.56	34.73
PK	7.1365G	80.54	88.20	-7.66	9.23	3	Horizontal	25	2.03	BP 1MHz	71.31	36.35	7.69	34.81
AV	7.1385G	62.73	68.20	-5.47	9.22	3	Horizontal	25	2.03	BP 1MHz	53.51	36.35	7.69	34.82

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.98452G	39.05	68.20	-29.15	18.27	3	Vertical	195	1.47	20.78	39.77	11.20	32.70
PK	13.96724G	49.36	88.20	-38.84	18.24	3	Vertical	195	1.47	31.12	39.73	11.21	32.70

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.98311G	39.04	68.20	-29.16	18.27	3	Horizontal	233	1.59	20.77	39.77	11.20	32.70
PK	13.96238G	50.10	88.20	-38.10	18.23	3	Horizontal	233	1.59	31.87	39.72	11.21	32.70

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.916G	51.10	68.20	-17.10	3.34	3	Vertical	168	2.72	47.76	34.50	5.87	37.03
AV	6.041G	85.05	Inf	-Inf	3.49	3	Vertical	168	2.72	81.56	34.50	5.94	36.95
PK	5.91G	67.89	88.20	-20.31	3.33	3	Vertical	168	2.72	64.56	34.50	5.87	37.04
PK	6.041G	97.32	Inf	-Inf	3.49	3	Vertical	168	2.72	93.83	34.50	5.94	36.95

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.915G	57.30	68.20	-10.90	3.34	3	Horizontal	352	2.65	53.96	34.50	5.87	37.03
AV	6.098G	97.14	Inf	-Inf	3.43	3	Horizontal	352	2.65	93.71	34.40	5.96	36.93
PK	5.918G	76.17	88.20	-12.03	3.34	3	Horizontal	352	2.65	72.83	34.50	5.87	37.03
PK	6.139G	110.63	Inf	-Inf	3.47	3	Horizontal	352	2.65	107.16	34.40	5.98	36.91

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.22464G	39.34	54.00	-14.66	10.17	3	Vertical	10	1.50	29.17	39.35	8.88	38.06
PK	12.1938G	53.09	74.00	-20.91	10.22	3	Vertical	10	1.50	42.87	39.39	8.87	38.04

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.18852G	39.40	54.00	-14.60	10.21	3	Horizontal	278	1.50	29.19	39.38	8.87	38.04
PK	12.25176G	53.27	74.00	-20.73	10.12	3	Horizontal	278	1.50	43.15	39.30	8.89	38.07

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.58952G	39.29	54.00	-14.71	10.11	3	Vertical	267	2.13	29.18	39.38	9.00	38.27
PK	12.56492G	51.36	74.00	-22.64	10.07	3	Vertical	267	2.13	41.29	39.33	8.99	38.25

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.57464G	39.13	54.00	-14.87	10.08	3	Horizontal	314	1.50	29.05	39.35	8.99	38.26
PK	12.5048G	51.46	74.00	-22.54	9.98	3	Horizontal	314	1.50	41.48	39.21	8.97	38.20

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.87928G	39.72	68.20	-28.48	10.56	3	Horizontal	109	2.62	-	29.16	39.96	9.09	38.49
PK	12.87784G	52.45	88.20	-35.75	10.56	3	Horizontal	109	2.62	-	41.89	39.96	9.09	38.49

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.88204G	39.76	68.20	-28.44	10.56	3	Horizontal	297	1.44	-	29.20	39.96	9.09	38.49
PK	12.90844G	51.86	88.20	-36.34	10.57	3	Horizontal	297	1.44	-	41.29	39.98	9.10	38.51

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.13952G	40.26	68.20	-27.94	10.47	3	Vertical	81	1.50	29.79	39.86	9.17	38.56
PK	13.14396G	53.57	88.20	-34.63	10.50	3	Vertical	81	1.50	43.07	39.88	9.18	38.56

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.14492G	40.40	68.20	-27.80	10.50	3	Horizontal	284	1.50	29.90	39.88	9.18	38.56
PK	13.1418G	53.64	88.20	-34.56	10.49	3	Horizontal	284	1.50	43.15	39.87	9.18	38.56

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.4384G	40.86	68.20	-27.34	11.10	3	Vertical	132	1.17	29.76	40.35	9.27	38.52
PK	13.5308G	53.52	88.20	-34.68	11.27	3	Vertical	132	1.17	42.25	40.46	9.30	38.49

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.46612G	40.77	68.20	-27.43	11.17	3	Horizontal	25	1.59	29.60	40.40	9.28	38.51
PK	13.5044G	53.70	88.20	-34.50	11.19	3	Horizontal	25	1.59	42.51	40.41	9.29	38.51

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.8385G	90.92	Inf	-Inf	5.94	3	Vertical	323	2.60	22_BP 1MI	84.98	36.25	6.37	36.68
AV	7.1255G	54.49	68.20	-13.71	6.75	3	Vertical	323	2.60	22_BP 1MI	47.74	36.85	6.49	36.59
PK	6.8385G	99.43	Inf	-Inf	5.94	3	Vertical	323	2.60	22_BP 1MI	93.49	36.25	6.37	36.68
PK	7.1495G	74.15	88.20	-14.05	6.91	3	Vertical	323	2.60	22_BP 1MI	67.24	37.00	6.50	36.59

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.7495G	101.04	Inf	-Inf	5.92	3	Horizontal	351	3.00	80_BP 1MI	95.12	36.30	6.32	36.70
AV	7.1485G	62.23	68.20	-5.97	6.90	3	Horizontal	351	3.00	80_BP 1MI	55.33	36.99	6.50	36.59
PK	6.7505G	109.93	Inf	-Inf	5.93	3	Horizontal	351	3.00	80_BP 1MI	104.00	36.30	6.33	36.70
PK	7.2085G	84.16	88.20	-4.04	7.09	3	Horizontal	351	3.00	80_BP 1MI	77.07	37.13	6.53	36.57

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.83976G	40.82	68.20	-27.38	11.30	3	Vertical	109	1.50	-	29.52	40.18	9.40	38.28
PK	13.81408G	54.74	88.20	-33.46	11.22	3	Vertical	109	1.50	-	43.52	40.13	9.39	38.30

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.84528G	40.79	68.20	-27.41	11.31	3	Horizontal	235	1.50	-	29.48	40.19	9.40	38.28
PK	13.8496G	54.90	88.20	-33.30	11.33	3	Horizontal	235	1.50	-	43.57	40.20	9.40	38.27

Antenna Gain (dBi)
Minimum gain
4.26

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.26	OFF	10	100	90	**Pass**
6	101	20	6455	Center	6455	-72.26	OFF	10	100	90	**Pass**
7	149	20	6695	Center	6695	-73.26	OFF	10	100	90	**Pass**
8	213	20	7015	Center	7015	-73.26	OFF	10	100	90	**Pass**

Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	63	320	6265	Low edge	6110	-67.26	OFF	10	100	90	**Pass**
				Center	6185	-65.26	OFF	10	100	90	**Pass**
				High edge	6260	-68.26	OFF	10	100	90	**Pass**
6,7	127	320	6585	Low edge	6430	-71.26	OFF	10	100	90	**Pass**
				Center	6505	-68.26	OFF	10	100	90	**Pass**
				High edge	6580	-68.26	OFF	10	100	90	**Pass**
7,8	159	320	6745	Low edge	6590	-72.26	OFF	10	100	90	**Pass**
				Center	6665	-67.26	OFF	10	100	90	**Pass**
				High edge	6740	-67.26	OFF	10	100	90	**Pass**
7,8	191	320	6905	Low edge	6910	-67.26	OFF	10	100	90	**Pass**
				Center	6985	-73.26	OFF	10	100	90	**Pass**
				High edge	7060	-66.26	OFF	10	100	90	**Pass**

Contention Based protocol 802.11be EHT20										
UNII Band	**Test Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Intetference frequency (MHz)**		**EUT Status**	**Injected AWGN Power (dBm)**	**Ant Gain (dBi)**	**Detection Power(dBm)**	**Detection Limit (dBm)**
5	53	20	6215	Center	6215	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	≤ -62
						ON	-71.00	4.26	-75.26	≤ -62
6	101	20	6455	Center	6455	OFF	-68.00	4.26	-72.26	≤ -62
						Minimal	-69.00	4.26	-73.26	≤ -62
						ON	-69.00	4.26	-73.26	≤ -62
7	149	20	6695	Center	6695	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	≤ -62
						ON	-71.00	4.26	-75.26	≤ -62
8	213	20	7015	Center	7015	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-71.00	4.26	-75.26	≤ -62
						ON	-72.00	4.26	-76.26	≤ -62

Contention Based protocol 802.11be EHT320										
UNII Band	**Test Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Intetference frequency (MHz)**		**EUT Status**	**Injected AWGN Power (dBm)**	**Ant Gain (dBi)**	**Detection Power(dBm)**	**Detection Limit (dBm)**
5	63	320	6265	Low edge	6110	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-68.00	4.26	-72.26	≤ -62
				Center	6265	OFF	-61.00	4.26	-65.26	≤ -62
						Minimal	-62.00	4.26	-66.26	≤ -62
						ON	-64.00	4.26	-68.26	≤ -62
				High edge	6420	OFF	-64.00	4.26	-68.26	≤ -62
						Minimal	-65.00	4.26	-69.26	≤ -62
						ON	-68.00	4.26	-72.26	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-67.00	4.26	-71.26	≤ -62
						Minimal	-68.00	4.26	-72.26	≤ -62
						ON	-69.00	4.26	-73.26	≤ -62
				Center	6585	OFF	-64.00	4.26	-68.26	≤ -62
						Minimal	-65.00	4.26	-69.26	≤ -62
						ON	-66.00	4.26	-70.26	≤ -62
				High edge	6740	OFF	-64.00	4.26	-68.26	≤ -62
						Minimal	-65.00	4.26	-69.26	≤ -62
						ON	-66.00	4.26	-70.26	≤ -62
6,7	159	320	6745	Low edge	6590	OFF	-68.00	4.26	-72.26	≤ -62
						Minimal	-69.00	4.26	-73.26	≤ -62
						ON	-70.00	4.26	-74.26	≤ -62
				Center	6745	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-65.00	4.26	-69.26	≤ -62
				High edge	6900	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-65.00	4.26	-69.26	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-63.00	4.26	-67.26	≤ -62
						Minimal	-64.00	4.26	-68.26	≤ -62
						ON	-65.00	4.26	-69.26	≤ -62
				Center	6905	OFF	-69.00	4.26	-73.26	≤ -62
						Minimal	-70.00	4.26	-74.26	≤ -62
						ON	-72.00	4.26	-76.26	≤ -62
				High edge	7060	OFF	-62.00	4.26	-66.26	≤ -62
						Minimal	-63.00	4.26	-67.26	≤ -62
						ON	-63.00	4.26	-67.26	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz



Bandwidth 20MHz: Traffic Loading Plot - 6455MHz



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz



Bandwidth 20MHz: Traffic Loading Plot - 7015MHz



Bandwidth 320MHz: Traffic Loading Plot - 6110MHz



Bandwidth 320MHz: Traffic Loading Plot - 6265MHz



Bandwidth 320MHz: Traffic Loading Plot - 6420MHz



Bandwidth 320MHz: Traffic Loading Plot - 6430MHz



Bandwidth 320MHz: Traffic Loading Plot - 6585MHz



Bandwidth 320MHz: Traffic Loading Plot - 6740MHz



Bandwidth 320MHz: Traffic Loading Plot - 6590MHz



Bandwidth 320MHz: Traffic Loading Plot - 6745MHz



Bandwidth 320MHz: Traffic Loading Plot - 6900MHz



Bandwidth 320MHz: Traffic Loading Plot - 6750MHz



Bandwidth 320MHz: Traffic Loading Plot - 6905MHz



Bandwidth 320MHz: Traffic Loading Plot - 7060MHz



1. Incumbent signal (AWGN) Plot

802.11be EHT20

Frequency (MHz): 6215 MHz



Date: 22.NOV.2023 08:44:19

AWGN Bandwidth: 10MHz

Frequency (MHz): 6455 MHz



Date: 22.NOV.2023 08:51:25

AWGN Bandwidth: 10MHz

Frequency (MHz): 6695 MHz



Date: 22.NOV.2023 08:50:29

AWGN Bandwidth: 10MHz

Frequency (MHz): 7015 MHz



Date: 22.NOV.2023 08:53:21

AWGN Bandwidth: 10MHz

802.11be EHT320

Frequency (MHz): 6110 MHz



Date: 22.NOV.2023 13:58:22

AWGN Bandwidth: 10MHz

Frequency (MHz): 6265 MHz



Date: 22.NOV.2023 14:01:02

AWGN Bandwidth: 10MHz

Frequency (MHz): 6420 MHz



Date: 22.NOV.2023 14:06:07

AWGN Bandwidth: 10MHz

Frequency (MHz): 6430 MHz



Date: 22.NOV.2023 13:35:17

AWGN Bandwidth: 10MHz

Frequency (MHz): 6585 MHz



Date: 22.NOV.2023 09:07:26

AWGN Bandwidth: 10MHz

Frequency (MHz): 6740 MHz



Date: 22.NOV.2023 09:08:22

AWGN Bandwidth: 10MHz

Frequency (MHz): 6590 MHz



Date: 22.NOV.2023 13:45:53

AWGN Bandwidth: 10MHz

Frequency (MHz): 6745 MHz



Date: 22.NOV.2023 13:41:44

AWGN Bandwidth: 10MHz

Frequency (MHz): 6900 MHz



Date: 22.NOV.2023 13:47:28

AWGN Bandwidth: 10MHz

Frequency (MHz): 6750 MHz



Date: 22.NOV.2023 13:40:05

AWGN Bandwidth: 10MHz

Frequency (MHz): 6905 MHz



Date: 22.NOV.2023 09:09:51

AWGN Bandwidth: 10MHz

Frequency (MHz): 7060 MHz



Date: 22.NOV.2023 09:10:36

AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot

Test CH 53 ; Incumbent signal 6215 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 63 ; Incumbent signal 6110 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.
Test CH 63 ; Incumbent signal 6265 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 63 ; Incumbent signal 6420 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.
Test CH 127 ; Incumbent signal 6430 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.
Test CH 127 ; Incumbent signal 6740 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6590 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.
Test CH 159 ; Incumbent signal 6745 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 159 ; Incumbent signal 6900 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.
Test CH 191 ; Incumbent signal 6750 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.
Test CH 191 ; Incumbent signal 7060 MHz

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot
Bandwidth (MHz): 20
Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -70dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -71 dBm)


Contention Based Protocol Threshold Level Verify Plot
Bandwidth (MHz): 320
Frequency (MHz): 6110 MHz (Threshold Level: -63dBm)


Frequency (MHz): 6110 MHz (Threshold Level: -64dBm)



Frequency (MHz): 6110 MHz (Threshold Level: -68dBm)



Frequency (MHz): 6265 MHz (Threshold Level: -61dBm)


Frequency (MHz): 6265 MHz (Threshold Level: -62dBm)


Bandwidth (MHz): 320
Frequency (MHz): 6265 MHz (Threshold Level: -64dBm)



Frequency (MHz): 6420 MHz (Threshold Level: -64dBm)



Frequency (MHz): 6420 MHz (Threshold Level: -65dBm)



Frequency (MHz): 6420 MHz (Threshold Level: -68dBm)



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.14824G	21.48	54.00	-32.52	3	Vertical	181	1.50
Mode 1	Pass	AV	1.71179G	20.26	68.20	-47.94	3	Vertical	246	1.50
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	3	Vertical	39	2.04
Mode 1	Pass	PK	1.14824G	34.63	74.00	-39.37	3	Vertical	181	1.50
Mode 1	Pass	PK	1.71179G	33.99	88.20	-54.21	3	Vertical	246	1.50
Mode 1	Pass	PK	8.21121G	49.08	74.00	-24.92	3	Vertical	39	2.04
Mode 1	Pass	AV	1.71745G	20.30	68.20	-47.90	3	Horizontal	286	1.49
Mode 1	Pass	AV	3.72699G	26.50	54.00	-27.50	3	Horizontal	4	1.43
Mode 1	Pass	AV	8.00313G	35.83	68.20	-32.37	3	Horizontal	339	2.24
Mode 1	Pass	PK	1.71745G	33.66	88.20	-54.54	3	Horizontal	286	1.49
Mode 1	Pass	PK	3.72699G	40.45	74.00	-33.55	3	Horizontal	4	1.43
Mode 1	Pass	PK	8.00313G	49.65	88.20	-38.55	3	Horizontal	339	2.24

Radiated Emissions above 1GHz_Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.14824G	21.48	54.00	-32.52	-14.42	3	Vertical	181	1.50	35.90	25.98	2.36	42.76
AV	1.71179G	20.26	68.20	-47.94	-14.80	3	Vertical	246	1.50	35.06	25.28	2.85	42.93
AV	8.21121G	35.18	54.00	-18.82	1.09	3	Vertical	39	2.04	34.09	37.24	7.20	43.35
PK	1.14824G	34.63	74.00	-39.37	-14.42	3	Vertical	181	1.50	49.05	25.98	2.36	42.76
PK	1.71179G	33.99	88.20	-54.21	-14.80	3	Vertical	246	1.50	48.79	25.28	2.85	42.93
PK	8.21121G	49.08	74.00	-24.92	1.09	3	Vertical	39	2.04	47.99	37.24	7.20	43.35

Radiated Emissions above 1GHz_Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV/m)	(dB/m)	(dB)	(dB)
AV	1.71745G	20.30	68.20	-47.90	-14.84	3	Horizontal	286	1.49	35.14	25.23	2.86	42.93
AV	3.72699G	26.50	54.00	-27.50	-9.09	3	Horizontal	4	1.43	35.59	30.21	4.35	43.65
AV	8.00313G	35.83	68.20	-32.37	0.69	3	Horizontal	339	2.24	35.14	37.40	6.89	43.60
PK	1.71745G	33.66	88.20	-54.54	-14.84	3	Horizontal	286	1.49	48.50	25.23	2.86	42.93
PK	3.72699G	40.45	74.00	-33.55	-9.09	3	Horizontal	4	1.43	49.54	30.21	4.35	43.65
PK	8.00313G	49.65	88.20	-38.55	0.69	3	Horizontal	339	2.24	48.96	37.40	6.89	43.60