





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.4143G	-13.65	6.374375G	-59.28	-53.65	-5.63	1
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.387604G	-10.81	6.48765G	-57.98	-50.81	-7.17	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.2194G	-5.88	6.1806G	-31.19	-25.95	-5.24	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.37579G	-5.11	6.6016G	-51.64	-45.11	-6.53	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.17578G	0.56	6.6226G	-41.05	-39.36	-1.69	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.469501G	-14.45	6.4321G	-61.25	-54.45	-6.80	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.527349G	-12.07	6.60415G	-57.65	-52.07	-5.58	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.5422G	-8.61	6.4019G	-54.46	-48.61	-5.85	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.46261G	-4.99	6.2308G	-51.46	-44.99	-6.47	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.880124G	-14.22	6.83515G	-60.31	-54.22	-6.09	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.667104G	-11.91	6.60115G	-57.65	-51.91	-5.74	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.63G	-7.34	6.581G	-32.62	-27.38	-5.24	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.63461G	-6.10	6.979G	-50.82	-46.10	-4.72	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.59504G	-2.89	6.2206G	-47.12	-42.94	-4.18	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.987777G	-14.24	6.9467G	-60.44	-54.24	-6.20	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.906705G	-9.62	6.99325G	-56.55	-49.62	-6.93	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.99061G	-7.89	6.8569G	-53.88	-47.89	-5.99	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.93101G	-5.21	6.6G	-50.55	-45.21	-5.34	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.77503G	-1.82	6.4002G	-46.39	-41.81	-4.58	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963573G	-10.88	5.994925G	-61.95	-50.88	-11.07	1
5955MHz	Pass	5.961323G	-10.92	5.99315G	-61.67	-50.92	-10.75	2
5955MHz	Pass	5.964123G	-11.13	5.99375G	-61.06	-51.13	-9.93	3
5955MHz	Pass	5.963848G	-11.14	5.9909G	-61.68	-51.14	-10.54	4
6195MHz	Pass	6.203748G	-12.20	6.23115G	-61.90	-52.20	-9.70	1
6195MHz	Pass	6.201873G	-11.78	6.231575G	-61.62	-51.78	-9.84	2
6195MHz	Pass	6.197024G	-12.07	6.242175G	-61.84	-52.07	-9.77	3
6195MHz	Pass	6.200299G	-12.57	6.23525G	-61.94	-52.57	-9.37	4
6415MHz	Pass	6.4143G	-13.65	6.374375G	-59.28	-53.65	-5.63	1
6415MHz	Pass	6.423023G	-14.35	6.3744G	-61.38	-54.35	-7.03	2
6415MHz	Pass	6.421598G	-13.97	6.458475G	-60.81	-53.97	-6.84	3
6415MHz	Pass	6.4169G	-14.37	6.451175G	-61.55	-54.37	-7.18	4
6435MHz	Pass	6.427452G	-13.57	6.468275G	-61.51	-53.57	-7.94	1
6435MHz	Pass	6.443673G	-13.92	6.394925G	-61.37	-53.92	-7.45	2
6435MHz	Pass	6.439699G	-13.60	6.467825G	-61.35	-53.60	-7.75	3
6435MHz	Pass	6.432651G	-14.40	6.472475G	-61.67	-54.40	-7.27	4
6475MHz	Pass	6.47395G	-13.59	6.43865G	-61.22	-53.59	-7.63	1
6475MHz	Pass	6.483398G	-13.93	6.43175G	-61.34	-53.93	-7.41	2
6475MHz	Pass	6.482248G	-13.68	6.4339G	-61.37	-53.68	-7.69	3
6475MHz	Pass	6.469501G	-14.45	6.4321G	-61.25	-54.45	-6.80	4
6515MHz	Pass	6.523898G	-13.97	6.548275G	-61.47	-53.97	-7.50	1
6515MHz	Pass	6.506002G	-14.49	6.4741G	-61.48	-54.49	-6.99	2
6515MHz	Pass	6.523998G	-14.39	6.4721G	-61.40	-54.39	-7.01	3
6515MHz	Pass	6.506002G	-14.97	6.466575G	-61.79	-54.97	-6.82	4
6535MHz	Pass	6.540974G	-13.75	6.57405G	-61.57	-53.75	-7.82	1
6535MHz	Pass	6.527252G	-14.36	6.5825G	-61.52	-54.36	-7.16	2
6535MHz	Pass	6.540849G	-14.46	6.502675G	-61.26	-54.46	-6.80	3
6535MHz	Pass	6.534125G	-14.76	6.58485G	-61.69	-54.76	-6.93	4
6695MHz	Pass	6.687552G	-12.04	6.650875G	-61.48	-52.04	-9.44	1
6695MHz	Pass	6.689101G	-12.03	6.737375G	-61.38	-52.03	-9.35	2
6695MHz	Pass	6.700274G	-12.42	6.731875G	-61.58	-52.42	-9.16	3
6695MHz	Pass	6.688077G	-12.93	6.744175G	-61.45	-52.93	-8.52	4
6875MHz	Pass	6.882498G	-12.89	6.911975G	-60.36	-52.89	-7.47	1
6875MHz	Pass	6.880124G	-14.22	6.83515G	-60.31	-54.22	-6.09	2
6875MHz	Pass	6.870651G	-13.32	6.835175G	-60.04	-53.32	-6.72	3
6875MHz	Pass	6.866877G	-13.84	6.83525G	-60.54	-53.84	-6.70	4
6895MHz	Pass	6.888827G	-12.61	6.94125G	-60.60	-52.61	-7.99	1
6895MHz	Pass	6.890701G	-13.89	6.93785G	-60.65	-53.89	-6.76	2
6895MHz	Pass	6.889251G	-13.05	6.932925G	-60.62	-53.05	-7.57	3
6895MHz	Pass	6.886002G	-13.49	6.940425G	-60.61	-53.49	-7.12	4
6995MHz	Pass	6.990101G	-13.03	6.95855G	-60.40	-53.03	-7.37	1
6995MHz	Pass	6.987777G	-14.24	6.9467G	-60.44	-54.24	-6.20	2
6995MHz	Pass	6.993075G	-13.28	6.9505G	-60.25	-53.28	-6.97	3
6995MHz	Pass	6.986377G	-14.09	6.95025G	-60.66	-54.09	-6.57	4
7095MHz	Pass	7.101348G	-14.62	7.056525G	-62.36	-54.62	-7.74	1
7095MHz	Pass	7.096675G	-16.29	7.046625G	-62.75	-56.29	-6.46	2
7095MHz	Pass	7.098774G	-15.18	7.139675G	-62.64	-55.18	-7.46	3
7095MHz	Pass	7.086652G	-15.48	7.131325G	-62.59	-55.48	-7.11	4
7115MHz	Pass	7.107802G	-14.66	7.0802G	-62.64	-54.66	-7.98	1
7115MHz	Pass	7.109676G	-16.37	7.07555G	-62.61	-56.37	-6.24	2
7115MHz	Pass	7.109301G	-15.18	7.07955G	-62.48	-55.18	-7.30	3
7115MHz	Pass	7.106327G	-15.65	7.0665G	-62.57	-55.65	-6.92	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.982296G	-6.97	6.03355G	-56.99	-46.97	-10.02	1



### Mask\_Non-Beamforming\_Radio 3

### Appendix E.1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.971948G	-7.12	6.0482G	-57.42	-47.12	-10.30	2
5965MHz	Pass	5.982396G	-7.42	6.0328G	-56.60	-47.42	-9.18	3
5965MHz	Pass	5.974498G	-7.44	6.0312G	-57.22	-47.44	-9.78	4
6205MHz	Pass	6.208899G	-8.36	6.2844G	-57.93	-48.36	-9.57	1
6205MHz	Pass	6.188454G	-7.93	6.27345G	-57.60	-47.93	-9.67	2
6205MHz	Pass	6.206G	-8.74	6.28765G	-57.72	-48.74	-8.98	3
6205MHz	Pass	6.193253G	-9.40	6.29025G	-57.97	-49.40	-8.57	4
6405MHz	Pass	6.418897G	-9.59	6.4829G	-57.96	-49.59	-8.37	1
6405MHz	Pass	6.412698G	-9.57	6.49195G	-57.92	-49.57	-8.35	2
6405MHz	Pass	6.387854G	-9.68	6.4735G	-57.87	-49.68	-8.19	3
6405MHz	Pass	6.387604G	-10.81	6.48765G	-57.98	-50.81	-7.17	4
6445MHz	Pass	6.428354G	-9.70	6.3745G	-57.26	-49.70	-7.56	1
6445MHz	Pass	6.432553G	-9.72	6.53025G	-57.96	-49.72	-8.24	2
6445MHz	Pass	6.448099G	-9.59	6.54275G	-57.95	-49.59	-8.36	3
6445MHz	Pass	6.428104G	-10.66	6.52875G	-57.99	-50.66	-7.33	4
6485MHz	Pass	6.492348G	-10.05	6.419G	-57.70	-50.05	-7.65	1
6485MHz	Pass	6.473203G	-9.95	6.4131G	-57.72	-49.95	-7.77	2
6485MHz	Pass	6.470754G	-10.28	6.4035G	-57.57	-50.28	-7.29	3
6485MHz	Pass	6.491148G	-10.75	6.3919G	-57.73	-50.75	-6.98	4
6525MHz	Pass	6.507454G	-10.83	6.4576G	-57.47	-50.83	-6.64	1
6525MHz	Pass	6.532598G	-10.83	6.4598G	-57.72	-50.83	-6.89	2
6525MHz	Pass	6.542796G	-11.49	6.4437G	-57.70	-51.49	-6.21	3
6525MHz	Pass	6.527349G	-12.07	6.60415G	-57.65	-52.07	-5.58	4
6565MHz	Pass	6.560201G	-10.04	6.47825G	-57.74	-50.04	-7.70	1
6565MHz	Pass	6.568399G	-9.91	6.4705G	-57.86	-49.91	-7.95	2
6565MHz	Pass	6.570249G	-10.16	6.4729G	-57.73	-50.16	-7.57	3
6565MHz	Pass	6.557452G	-11.00	6.46625G	-57.65	-51.00	-6.65	4
6685MHz	Pass	6.703295G	-10.75	6.60815G	-57.80	-50.75	-7.05	1
6685MHz	Pass	6.702196G	-10.62	6.60265G	-57.66	-50.62	-7.04	2
6685MHz	Pass	6.667654G	-11.15	6.61625G	-57.66	-51.15	-6.51	3
6685MHz	Pass	6.667104G	-11.91	6.60115G	-57.65	-51.91	-5.74	4
6885MHz	Pass	6.867404G	-10.06	6.9754G	-56.46	-50.06	-6.40	1
6885MHz	Pass	6.866705G	-9.70	6.9674G	-56.65	-49.70	-6.95	2
6885MHz	Pass	6.902946G	-10.33	6.97885G	-56.47	-50.33	-6.14	3
6885MHz	Pass	6.890149G	-10.75	6.98185G	-56.52	-50.75	-5.77	4
6925MHz	Pass	6.943795G	-8.41	6.99245G	-56.32	-48.41	-7.91	1
6925MHz	Pass	6.906955G	-8.88	6.9911G	-56.43	-48.88	-7.55	2
6925MHz	Pass	6.918952G	-9.14	6.991G	-56.54	-49.14	-7.40	3
6925MHz	Pass	6.906705G	-9.62	6.99325G	-56.55	-49.62	-6.93	4
7005MHz	Pass	6.987554G	-8.91	6.9302G	-56.78	-48.91	-7.87	1
7005MHz	Pass	6.999801G	-9.04	6.9342G	-56.61	-49.04	-7.57	2
7005MHz	Pass	6.988254G	-8.96	6.93985G	-56.64	-48.96	-7.68	3
7005MHz	Pass	6.989804G	-9.68	6.9155G	-56.80	-49.68	-7.12	4
7085MHz	Pass	7.068004G	-10.23	6.98855G	-58.78	-50.23	-8.55	1
7085MHz	Pass	7.067004G	-10.50	7.00295G	-58.92	-50.50	-8.42	2
7085MHz	Pass	7.066555G	-10.46	6.98875G	-58.00	-50.46	-7.54	3
7085MHz	Pass	7.08695G	-11.23	6.99315G	-59.09	-51.23	-7.86	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02119G	-4.19	6.1252G	-52.65	-44.19	-8.46	1
5985MHz	Pass	5.9963G	-3.94	6.029G	-32.72	-23.96	-8.76	2
5985MHz	Pass	6.00959G	-4.59	6.0295G	-33.68	-24.60	-9.08	3
5985MHz	Pass	6.01849G	-4.65	6.1196G	-53.88	-44.65	-9.23	4
6225MHz	Pass	6.19141G	-5.88	6.4177G	-54.35	-45.88	-8.47	1
6225MHz	Pass	6.2194G	-5.88	6.1806G	-31.19	-25.95	-5.24	2
6225MHz	Pass	6.2281G	-6.15	6.2684G	-33.61	-26.16	-7.45	3
6225MHz	Pass	6.2106G	-6.91	6.1815G	-34.03	-26.94	-7.09	4



### Mask\_Non-Beamforming\_Radio 3

### Appendix E.1


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3973G	-6.81	6.5214G	-54.71	-46.81	-7.90	1
6385MHz	Pass	6.41359G	-6.65	6.5737G	-54.72	-46.65	-8.07	2
6385MHz	Pass	6.3813G	-7.08	6.5564G	-54.47	-47.08	-7.39	3
6385MHz	Pass	6.3817G	-7.71	6.5467G	-54.67	-47.71	-6.96	4
6465MHz	Pass	6.42951G	-6.42	6.6122G	-54.65	-46.42	-8.23	1
6465MHz	Pass	6.4564G	-6.70	6.598G	-54.68	-46.70	-7.98	2
6465MHz	Pass	6.4725G	-6.80	6.6038G	-54.43	-46.80	-7.63	3
6465MHz	Pass	6.43831G	-7.63	6.3068G	-54.37	-47.63	-6.74	4
6545MHz	Pass	6.51771G	-7.62	6.3744G	-54.42	-47.62	-6.80	1
6545MHz	Pass	6.551G	-7.65	6.4128G	-54.83	-47.65	-7.18	2
6545MHz	Pass	6.56869G	-7.82	6.3745G	-54.06	-47.82	-6.24	3
6545MHz	Pass	6.5422G	-8.61	6.4019G	-54.46	-48.61	-5.85	4
6625MHz	Pass	6.6435G	-7.20	6.8218G	-54.07	-47.20	-6.87	1
6625MHz	Pass	6.63G	-7.34	6.581G	-32.62	-27.38	-5.24	2
6625MHz	Pass	6.59031G	-7.49	6.8136G	-54.24	-47.49	-6.75	3
6625MHz	Pass	6.6382G	-8.32	6.4412G	-54.08	-48.32	-5.76	4
6705MHz	Pass	6.72649G	-7.93	6.9034G	-54.18	-47.93	-6.25	1
6705MHz	Pass	6.7099G	-7.42	6.9035G	-54.47	-47.42	-7.05	2
6705MHz	Pass	6.67221G	-7.99	6.835G	-54.37	-47.99	-6.38	3
6705MHz	Pass	6.7178G	-8.81	6.8749G	-54.24	-48.81	-5.43	4
6785MHz	Pass	6.74801G	-5.54	6.9802G	-53.66	-45.54	-8.12	1
6785MHz	Pass	6.7814G	-5.57	6.9636G	-53.85	-45.57	-8.28	2
6785MHz	Pass	6.7905G	-6.14	6.985G	-53.28	-46.14	-7.14	3
6785MHz	Pass	6.7731G	-6.71	6.9684G	-53.32	-46.71	-6.61	4
6865MHz	Pass	6.84011G	-5.87	6.997G	-53.92	-45.87	-8.05	1
6865MHz	Pass	6.83321G	-5.79	6.9968G	-53.76	-45.79	-7.97	2
6865MHz	Pass	6.83961G	-6.20	6.9958G	-53.60	-46.20	-7.40	3
6865MHz	Pass	6.8576G	-6.67	6.9991G	-53.78	-46.35	-7.43	4
6945MHz	Pass	6.91381G	-6.12	6.8005G	-54.31	-46.12	-8.19	1
6945MHz	Pass	6.9427G	-6.04	6.8143G	-54.33	-46.04	-8.29	2
6945MHz	Pass	6.92391G	-5.86	6.8103G	-53.86	-45.86	-8.00	3
6945MHz	Pass	6.9531G	-6.57	6.8081G	-54.31	-46.57	-7.74	4
7025MHz	Pass	6.99991G	-6.95	6.89G	-54.06	-46.95	-7.11	1
7025MHz	Pass	6.99381G	-7.22	6.8852G	-54.38	-47.22	-7.16	2
7025MHz	Pass	6.98671G	-7.80	6.8893G	-53.93	-47.80	-6.13	3
7025MHz	Pass	6.99061G	-7.89	6.8569G	-53.88	-47.89	-5.99	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05379G	-3.30	6.285G	-51.37	-43.30	-8.07	1
6025MHz	Pass	6.0192G	-3.44	6.288G	-51.22	-43.44	-7.78	2
6025MHz	Pass	6.06099G	-3.69	6.2862G	-51.47	-43.69	-7.78	3
6025MHz	Pass	6.09278G	-3.89	6.406G	-51.28	-43.89	-7.39	4
6185MHz	Pass	6.13101G	-3.09	6.4424G	-51.11	-43.09	-8.02	1
6185MHz	Pass	6.23519G	-3.06	6.4468G	-50.93	-43.06	-7.87	2
6185MHz	Pass	6.12641G	-3.25	6.4418G	-50.97	-43.25	-7.72	3
6185MHz	Pass	6.24998G	-3.60	6.4356G	-50.97	-43.60	-7.37	4
6345MHz	Pass	6.26922G	-4.36	6.606G	-51.32	-44.36	-6.96	1
6345MHz	Pass	6.37019G	-4.03	6.603G	-51.23	-44.03	-7.20	2
6345MHz	Pass	6.3552G	-4.08	6.5976G	-50.96	-44.08	-6.88	3
6345MHz	Pass	6.37579G	-5.11	6.6016G	-51.64	-45.11	-6.53	4
6505MHz	Pass	6.44601G	-3.79	6.8962G	-51.31	-43.79	-7.52	1
6505MHz	Pass	6.47341G	-4.05	6.8266G	-51.45	-44.05	-7.40	2
6505MHz	Pass	6.4888G	-3.85	6.885G	-50.92	-43.85	-7.07	3
6505MHz	Pass	6.46261G	-4.99	6.2308G	-51.46	-44.99	-6.47	4
6665MHz	Pass	6.62021G	-5.39	6.9982G	-50.84	-45.39	-5.45	1
6665MHz	Pass	6.61521G	-5.12	6.9732G	-50.83	-45.12	-5.71	2
6665MHz	Pass	6.63141G	-5.27	6.9808G	-50.71	-45.27	-5.44	3







**Mask\_Non-Beamforming\_Radio 3**

**Appendix E.1**



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.63461G	-6.10	6.979G	-50.82	-46.10	-4.72	4
6825MHz	Pass	6.74802G	-3.42	6.4354G	-51.28	-43.42	-7.86	1
6825MHz	Pass	6.76142G	-3.36	6.5692G	-51.29	-43.23	-8.06	2
6825MHz	Pass	6.75642G	-3.89	6.4396G	-50.81	-43.89	-6.92	3
6825MHz	Pass	6.85259G	-4.16	6.4416G	-50.16	-44.16	-6.00	4
6985MHz	Pass	6.92162G	-4.19	6.7174G	-51.40	-44.19	-7.21	1
6985MHz	Pass	6.92122G	-4.45	6.7132G	-50.77	-44.45	-6.32	2
6985MHz	Pass	6.9654G	-4.66	6.7296G	-51.03	-44.66	-6.37	3
6985MHz	Pass	6.93101G	-5.21	6.6G	-50.55	-45.21	-5.34	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.08421G	0.90	6.603G	-40.86	-39.10	-1.76	1
6105MHz	Pass	6.17578G	0.56	6.6226G	-41.05	-39.36	-1.69	2
6105MHz	Pass	6.06901G	0.57	6.6142G	-43.86	-39.43	-4.43	3
6105MHz	Pass	6.25616G	0.16	6.6018G	-44.65	-39.84	-4.81	4
6265MHz	Pass	6.21021G	0.03	6.9906G	-46.78	-39.97	-6.81	1
6265MHz	Pass	6.37177G	0.00	6.7774G	-45.60	-40.00	-5.60	2
6265MHz	Pass	6.20861G	-0.35	6.777G	-46.32	-40.35	-5.97	3
6265MHz	Pass	6.29019G	-0.76	6.973G	-46.74	-40.76	-5.98	4
6425MHz	Pass	6.28623G	-0.10	6.9886G	-46.30	-40.10	-6.20	1
6425MHz	Pass	6.45419G	-0.21	6.9522G	-45.34	-40.21	-5.13	2
6425MHz	Pass	6.45019G	-0.54	6.943G	-46.05	-40.54	-5.51	3
6425MHz	Pass	6.4106G	-1.18	6.987G	-46.51	-41.18	-5.33	4
6585MHz	Pass	6.45623G	-0.80	6.0686G	-47.04	-40.80	-6.24	1
6585MHz	Pass	6.45383G	-0.77	6.0586G	-47.86	-40.77	-7.09	2
6585MHz	Pass	6.53101G	-1.40	6.0678G	-47.11	-41.38	-5.73	3
6585MHz	Pass	6.52302G	-1.90	6.0614G	-47.63	-41.94	-5.69	4
6745MHz	Pass	6.59264G	-1.83	6.2158G	-47.09	-41.83	-5.26	1
6745MHz	Pass	6.63023G	-1.74	6.2398G	-47.32	-41.60	-5.72	2
6745MHz	Pass	6.729G	-2.36	6.2262G	-47.22	-42.35	-4.87	3
6745MHz	Pass	6.59504G	-2.89	6.2206G	-47.12	-42.94	-4.18	4
6905MHz	Pass	6.75744G	-1.44	6.3762G	-46.21	-41.40	-4.81	1
6905MHz	Pass	6.76464G	-0.30	6.395G	-46.49	-40.29	-6.20	2
6905MHz	Pass	6.8854G	-1.43	6.3902G	-46.58	-41.43	-5.15	3
6905MHz	Pass	6.77503G	-1.82	6.4002G	-46.39	-41.81	-4.58	4











## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

### 6875MHz\_TX

05/12/2023

CF (Hz)  
6.875G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882498G	-12.89	6.911975G	-60.36	-52.89	-7.47	1
6.880124G	-14.22	6.83515G	-60.31	-54.22	-6.09	2
6.870651G	-13.32	6.835175G	-60.04	-53.32	-6.72	3
6.866877G	-13.84	6.83525G	-60.54	-53.84	-6.70	4

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

### 6895MHz\_TX

05/12/2023

CF (Hz)  
6.895G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS





Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888827G	-12.61	6.94125G	-60.60	-52.61	-7.99	1
6.890701G	-13.89	6.93785G	-60.65	-53.89	-6.76	2
6.889251G	-13.05	6.932925G	-60.62	-53.05	-7.57	3
6.886002G	-13.49	6.940425G	-60.61	-53.49	-7.12	4





6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7115MHz\_TX

05/12/2023

CF (Hz)  
7.115G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.107802G	-14.66	7.0802G	-62.64	-54.66	-7.98	1
7.109676G	-16.37	7.07555G	-62.61	-56.37	-6.24	2
7.109301G	-15.18	7.07955G	-62.48	-55.18	-7.30	3
7.106327G	-15.65	7.0665G	-62.57	-55.65	-6.92	4

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

05/12/2023

CF (Hz)  
5.965G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




Port 1



Port 2



Port 3



Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982296G	-6.97	6.03355G	-56.99	-46.97	-10.02	1
5.971948G	-7.12	6.0482G	-57.42	-47.12	-10.30	2
5.982396G	-7.42	6.0328G	-56.60	-47.42	-9.18	3
5.974498G	-7.44	6.0312G	-57.22	-47.44	-9.78	4































































6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

05/12/2023

CF (Hz)  
6.905G


Span (Hz)  
1.6G

RBW (Hz)  
5M

VBW (Hz)  
10M

Sweep Time (s)  
6.4m

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75744G	-1.44	6.3762G	-46.21	-41.40	-4.81	1
6.76464G	-0.30	6.395G	-46.49	-40.29	-6.20	2
6.8854G	-1.43	6.3902G	-46.58	-41.43	-5.15	3
6.77503G	-1.82	6.4002G	-46.39	-41.81	-4.58	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.408252G	-14.19	6.3744G	-61.73	-54.19	-7.54	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.389104G	-5.68	6.38365G	-35.36	-25.70	-9.66	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.2172G	-6.47	6.4096G	-54.14	-46.47	-7.67	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.3482G	-2.97	6.4974G	-32.46	-28.70	-3.76	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.279G	0.34	5.9586G	-26.04	-24.37	-1.67	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.470401G	-14.47	6.4345G	-62.24	-54.47	-7.77	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.515652G	-9.64	6.43285G	-57.99	-49.64	-8.35	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.5485G	-7.02	6.4034G	-54.04	-47.02	-7.02	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.52739G	-2.79	6.3692G	-34.72	-26.67	-8.05	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.882723G	-14.81	6.916575G	-61.28	-54.81	-6.47	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.901346G	-4.61	6.91665G	-31.19	-28.18	-3.01	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.58871G	-7.65	6.4374G	-54.38	-47.65	-6.73	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.74962G	-2.95	6.6694G	-30.70	-29.37	-1.33	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.60903G	0.14	6.365G	-38.11	-31.41	-6.70	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.889651G	-15.11	6.94105G	-61.25	-55.11	-6.14	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.999851G	-5.66	6.96815G	-37.32	-31.87	-5.45	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.91141G	-7.71	6.7825G	-54.12	-47.71	-6.41	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.94901G	-2.08	6.8598G	-27.97	-24.30	-3.67	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.84581G	-0.66	7.0694G	-24.04	-20.66	-3.38	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958799G	-11.66	5.992875G	-63.43	-51.66	-11.77	1
5955MHz	Pass	5.946752G	-11.53	5.987525G	-63.35	-51.53	-11.82	2
5955MHz	Pass	5.950801G	-11.72	5.9897G	-62.89	-51.72	-11.17	3
5955MHz	Pass	5.962923G	-11.61	5.9885G	-63.49	-51.61	-11.88	4
6195MHz	Pass	6.202923G	-12.59	6.238875G	-62.23	-52.59	-9.64	1
6195MHz	Pass	6.188227G	-12.67	6.232575G	-62.16	-52.67	-9.49	2
6195MHz	Pass	6.186752G	-12.72	6.229125G	-62.22	-52.72	-9.50	3
6195MHz	Pass	6.202723G	-13.53	6.236225G	-61.98	-53.53	-8.45	4
6415MHz	Pass	6.407152G	-13.79	6.3744G	-61.78	-53.79	-7.99	1
6415MHz	Pass	6.408252G	-14.19	6.3744G	-61.73	-54.19	-7.54	2
6415MHz	Pass	6.422398G	-13.59	6.37705G	-62.35	-53.59	-8.76	3
6415MHz	Pass	6.406052G	-14.15	6.448475G	-62.17	-54.15	-8.02	4
6435MHz	Pass	6.429276G	-11.41	6.401225G	-61.86	-51.41	-10.45	1
6435MHz	Pass	6.439949G	-11.64	6.4029G	-62.00	-51.64	-10.36	2
6435MHz	Pass	6.430526G	-11.41	6.38765G	-62.06	-51.41	-10.65	3
6435MHz	Pass	6.441973G	-12.59	6.388625G	-62.39	-52.59	-9.80	4
6475MHz	Pass	6.465902G	-13.79	6.427325G	-62.25	-53.79	-8.46	1
6475MHz	Pass	6.481248G	-14.01	6.4252G	-62.35	-54.01	-8.34	2
6475MHz	Pass	6.466827G	-13.45	6.42815G	-62.37	-53.45	-8.92	3
6475MHz	Pass	6.470401G	-14.47	6.4345G	-62.24	-54.47	-7.77	4
6515MHz	Pass	6.512751G	-11.22	6.47255G	-62.67	-51.22	-11.45	1
6515MHz	Pass	6.522423G	-10.63	6.473G	-62.80	-50.63	-12.17	2
6515MHz	Pass	6.505777G	-11.55	6.478375G	-62.54	-51.55	-10.99	3
6515MHz	Pass	6.507627G	-12.22	6.4812G	-62.71	-52.22	-10.49	4
6535MHz	Pass	6.543948G	-12.00	6.498425G	-62.83	-52.00	-10.83	1
6535MHz	Pass	6.527527G	-11.89	6.496025G	-62.92	-51.89	-11.03	2
6535MHz	Pass	6.540524G	-13.47	6.582025G	-62.68	-53.47	-9.21	3
6535MHz	Pass	6.527802G	-13.21	6.5686G	-62.72	-53.21	-9.51	4
6695MHz	Pass	6.703548G	-12.67	6.7286G	-62.59	-52.67	-9.92	1
6695MHz	Pass	6.692476G	-15.01	6.73845G	-62.67	-55.01	-7.66	2
6695MHz	Pass	6.687602G	-12.80	6.733875G	-62.46	-52.80	-9.66	3
6695MHz	Pass	6.686752G	-13.16	6.651275G	-62.41	-53.16	-9.25	4
6875MHz	Pass	6.884323G	-14.47	6.9172G	-61.35	-54.47	-6.88	1
6875MHz	Pass	6.866077G	-14.09	6.9248G	-61.47	-54.09	-7.38	2
6875MHz	Pass	6.882723G	-14.81	6.916575G	-61.28	-54.81	-6.47	3
6875MHz	Pass	6.867602G	-14.26	6.91265G	-61.18	-54.26	-6.92	4
6895MHz	Pass	6.900849G	-13.81	6.944575G	-61.01	-53.81	-7.20	1
6895MHz	Pass	6.889651G	-15.11	6.94105G	-61.25	-55.11	-6.14	2
6895MHz	Pass	6.886102G	-13.43	6.94405G	-61.39	-53.43	-7.96	3
6895MHz	Pass	6.886502G	-14.32	6.93685G	-61.14	-54.32	-6.82	4
6995MHz	Pass	6.988102G	-13.05	6.9565G	-61.23	-53.05	-8.18	1
6995MHz	Pass	6.990901G	-12.56	6.9633G	-60.86	-52.56	-8.30	2
6995MHz	Pass	6.986202G	-12.97	6.955625G	-61.05	-52.97	-8.08	3
6995MHz	Pass	7.002723G	-13.84	6.9555G	-61.10	-53.84	-7.26	4
7095MHz	Pass	7.102898G	-14.01	7.13475G	-66.70	-54.01	-12.69	1
7095MHz	Pass	7.085802G	-13.62	7.0587G	-66.80	-53.62	-13.18	2
7095MHz	Pass	7.088502G	-14.06	7.04535G	-66.61	-54.06	-12.55	3
7095MHz	Pass	7.100724G	-15.01	7.0469G	-66.94	-55.01	-11.93	4
7115MHz	Pass	7.107527G	-14.51	7.07315G	-66.88	-54.51	-12.37	1
7115MHz	Pass	7.120974G	-16.56	7.069225G	-66.79	-56.56	-10.23	2
7115MHz	Pass	7.122373G	-15.22	7.065625G	-66.69	-55.22	-11.47	3
7115MHz	Pass	7.107427G	-15.40	7.07545G	-67.07	-55.40	-11.67	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.976597G	-5.64	6.03555G	-57.92	-45.64	-12.28	1





### Mask\_Beamforming\_Radio 3

### Appendix E.2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.981346G	-5.39	6.0281G	-56.54	-45.06	-11.48	2
5965MHz	Pass	5.979346G	-5.19	6.03935G	-58.62	-45.19	-13.43	3
5965MHz	Pass	5.982396G	-6.08	6.0286G	-56.33	-45.84	-10.49	4
6205MHz	Pass	6.202001G	-5.65	6.1425G	-57.34	-45.65	-11.69	1
6205MHz	Pass	6.189804G	-5.58	6.28075G	-57.48	-45.58	-11.90	2
6205MHz	Pass	6.196302G	-5.58	6.27955G	-57.22	-45.58	-11.64	3
6205MHz	Pass	6.222496G	-6.16	6.227G	-37.61	-26.31	-11.30	4
6405MHz	Pass	6.389104G	-5.68	6.38365G	-35.36	-25.70	-9.66	1
6405MHz	Pass	6.418297G	-5.55	6.3277G	-57.46	-45.55	-11.91	2
6405MHz	Pass	6.400301G	-5.53	6.42615G	-35.87	-25.54	-10.33	3
6405MHz	Pass	6.411098G	-6.17	6.4268G	-37.86	-26.22	-11.64	4
6445MHz	Pass	6.428804G	-4.24	6.409G	-38.39	-29.69	-8.70	1
6445MHz	Pass	6.459696G	-3.92	6.423G	-35.84	-23.94	-11.90	2
6445MHz	Pass	6.427204G	-4.48	6.46665G	-35.31	-24.49	-10.82	3
6445MHz	Pass	6.441951G	-5.45	6.38035G	-56.85	-45.45	-11.40	4
6485MHz	Pass	6.477902G	-7.87	6.4012G	-57.67	-47.87	-9.80	1
6485MHz	Pass	6.480901G	-7.42	6.3919G	-57.72	-47.42	-10.30	2
6485MHz	Pass	6.469004G	-8.02	6.4096G	-57.81	-48.02	-9.79	3
6485MHz	Pass	6.471353G	-9.11	6.4145G	-57.51	-49.11	-8.40	4
6525MHz	Pass	6.542546G	-7.84	6.4484G	-57.91	-47.84	-10.07	1
6525MHz	Pass	6.506555G	-7.03	6.4284G	-58.01	-47.03	-10.98	2
6525MHz	Pass	6.508104G	-8.33	6.4319G	-57.77	-48.33	-9.44	3
6525MHz	Pass	6.515652G	-9.64	6.43285G	-57.99	-49.64	-8.35	4
6565MHz	Pass	6.576847G	-7.16	6.4668G	-57.82	-47.16	-10.66	1
6565MHz	Pass	6.569449G	-6.32	6.58665G	-37.56	-26.33	-11.23	2
6565MHz	Pass	6.582696G	-7.31	6.48225G	-58.23	-47.31	-10.92	3
6565MHz	Pass	6.551403G	-7.65	6.48845G	-58.11	-47.65	-10.46	4
6685MHz	Pass	6.666755G	-5.78	6.77915G	-57.72	-45.78	-11.94	1
6685MHz	Pass	6.702946G	-6.94	6.70635G	-37.28	-26.99	-10.29	2
6685MHz	Pass	6.666605G	-7.02	6.7631G	-57.88	-47.02	-10.86	3
6685MHz	Pass	6.669004G	-7.11	6.66355G	-37.15	-27.20	-9.95	4
6885MHz	Pass	6.901346G	-4.61	6.91665G	-31.19	-28.18	-3.01	1
6885MHz	Pass	6.902646G	-4.40	6.9073G	-35.18	-24.47	-10.71	2
6885MHz	Pass	6.899996G	-5.14	6.9071G	-35.38	-25.20	-10.18	3
6885MHz	Pass	6.870204G	-5.77	6.90655G	-35.60	-25.78	-9.82	4
6925MHz	Pass	6.907754G	-7.19	6.99465G	-56.95	-47.19	-9.76	1
6925MHz	Pass	6.910604G	-7.21	6.99775G	-57.55	-47.21	-10.34	2
6925MHz	Pass	6.906705G	-7.17	6.989G	-56.98	-47.17	-9.81	3
6925MHz	Pass	6.906605G	-8.42	6.9949G	-57.37	-48.42	-8.95	4
7005MHz	Pass	6.999851G	-5.66	6.96815G	-37.32	-31.87	-5.45	1
7005MHz	Pass	6.993603G	-4.22	6.91285G	-56.52	-44.22	-12.30	2
7005MHz	Pass	6.998002G	-6.16	6.94045G	-56.61	-46.16	-10.45	3
7005MHz	Pass	7.007299G	-7.37	6.9398G	-56.93	-47.37	-9.56	4
7085MHz	Pass	7.071303G	-7.96	7.04845G	-44.57	-33.33	-11.24	1
7085MHz	Pass	7.091098G	-7.92	7.0192G	-60.52	-47.92	-12.60	2
7085MHz	Pass	7.082201G	-7.05	6.9887G	-61.88	-47.05	-14.83	3
7085MHz	Pass	7.071303G	-8.89	7.0181G	-61.82	-48.89	-12.93	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01759G	-3.11	6.1211G	-54.58	-43.11	-11.47	1
5985MHz	Pass	6.02059G	-2.57	6.1697G	-55.15	-42.57	-12.58	2
5985MHz	Pass	6.003G	-3.62	6.1772G	-54.98	-43.62	-11.36	3
5985MHz	Pass	6.01699G	-3.89	6.1698G	-54.79	-43.89	-10.90	4
6225MHz	Pass	6.19981G	-5.63	6.3552G	-54.57	-45.63	-8.94	1
6225MHz	Pass	6.19641G	-5.77	6.4045G	-54.64	-45.77	-8.87	2
6225MHz	Pass	6.19841G	-5.45	6.4062G	-54.53	-45.45	-9.08	3
6225MHz	Pass	6.2172G	-6.47	6.4096G	-54.14	-46.47	-7.67	4





### Mask\_Beamforming\_Radio 3



### Appendix E.2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.3729G	-5.93	6.2553G	-54.90	-45.93	-8.97	1
6385MHz	Pass	6.41539G	-5.89	6.2572G	-55.06	-45.89	-9.17	2
6385MHz	Pass	6.3867G	-5.78	6.2202G	-54.38	-45.78	-8.60	3
6385MHz	Pass	6.42269G	-5.75	6.2271G	-54.56	-45.75	-8.81	4
6465MHz	Pass	6.4692G	-6.37	6.282G	-54.97	-46.37	-8.60	1
6465MHz	Pass	6.48859G	-5.89	6.2997G	-55.18	-45.89	-9.29	2
6465MHz	Pass	6.43271G	-6.13	6.2792G	-54.43	-46.13	-8.30	3
6465MHz	Pass	6.4774G	-6.91	6.3066G	-54.58	-46.91	-7.67	4
6545MHz	Pass	6.5534G	-6.54	6.4181G	-54.58	-46.54	-8.04	1
6545MHz	Pass	6.50791G	-4.81	6.4127G	-54.86	-44.81	-10.05	2
6545MHz	Pass	6.57619G	-5.84	6.3979G	-54.54	-45.84	-8.70	3
6545MHz	Pass	6.5485G	-7.02	6.4034G	-54.04	-47.02	-7.02	4
6625MHz	Pass	6.59251G	-5.78	6.8025G	-54.52	-45.78	-8.74	1
6625MHz	Pass	6.65399G	-5.93	6.8086G	-54.43	-45.93	-8.50	2
6625MHz	Pass	6.59331G	-6.34	6.8146G	-54.38	-46.34	-8.04	3
6625MHz	Pass	6.58871G	-7.65	6.4374G	-54.38	-47.65	-6.73	4
6705MHz	Pass	6.696G	-6.23	6.8916G	-54.33	-46.23	-8.10	1
6705MHz	Pass	6.68271G	-5.52	6.8968G	-54.42	-45.52	-8.90	2
6705MHz	Pass	6.68121G	-5.99	6.8951G	-54.36	-45.99	-8.37	3
6705MHz	Pass	6.66801G	-7.16	6.8352G	-54.15	-47.16	-6.99	4
6785MHz	Pass	6.74861G	-4.89	6.9766G	-53.90	-44.89	-9.01	1
6785MHz	Pass	6.76311G	-4.83	6.9682G	-54.15	-44.83	-9.32	2
6785MHz	Pass	6.769G	-4.58	6.9739G	-53.59	-44.58	-9.01	3
6785MHz	Pass	6.76211G	-5.66	6.9575G	-53.66	-45.66	-8.00	4
6865MHz	Pass	6.82771G	-7.38	6.9945G	-54.41	-47.33	-7.08	1
6865MHz	Pass	6.84111G	-6.84	6.998G	-54.61	-46.84	-7.77	2
6865MHz	Pass	6.8583G	-7.24	6.9956G	-54.04	-47.24	-6.80	3
6865MHz	Pass	6.82941G	-6.90	6.9901G	-54.04	-46.90	-7.14	4
6945MHz	Pass	6.92451G	-6.52	6.8101G	-54.41	-46.52	-7.89	1
6945MHz	Pass	6.956G	-7.17	6.8067G	-54.71	-47.17	-7.54	2
6945MHz	Pass	6.90761G	-6.19	6.8077G	-54.41	-46.19	-8.22	3
6945MHz	Pass	6.91141G	-7.71	6.7825G	-54.12	-47.71	-6.41	4
7025MHz	Pass	6.99201G	-5.12	6.8869G	-54.21	-45.12	-9.09	1
7025MHz	Pass	6.98841G	-3.95	6.8255G	-54.17	-43.95	-10.22	2
7025MHz	Pass	6.99331G	-4.90	6.8749G	-54.04	-44.90	-9.14	3
7025MHz	Pass	6.98891G	-6.80	6.8865G	-53.53	-46.80	-6.73	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07519G	-2.05	6.1804G	-35.58	-28.64	-6.94	1
6025MHz	Pass	6.05359G	-2.17	6.274G	-50.89	-42.17	-8.72	2
6025MHz	Pass	6.0204G	-2.59	6.2778G	-51.56	-42.59	-8.97	3
6025MHz	Pass	6.09858G	-2.18	6.2936G	-50.83	-42.18	-8.65	4
6185MHz	Pass	6.10802G	-2.50	6.4678G	-51.20	-42.50	-8.70	1
6185MHz	Pass	6.14161G	-2.88	6.4408G	-51.29	-42.84	-8.45	2
6185MHz	Pass	6.13741G	-2.76	6.4388G	-51.46	-42.72	-8.74	3
6185MHz	Pass	6.22139G	-2.66	6.4398G	-51.09	-42.66	-8.43	4
6345MHz	Pass	6.3482G	-2.97	6.4974G	-32.46	-28.70	-3.76	1
6345MHz	Pass	6.41518G	-2.37	6.5958G	-51.35	-42.37	-8.98	2
6345MHz	Pass	6.3614G	-2.46	6.602G	-51.54	-42.46	-9.08	3
6345MHz	Pass	6.41298G	-2.79	6.6096G	-51.40	-42.79	-8.61	4
6505MHz	Pass	6.52739G	-2.79	6.3692G	-34.72	-26.67	-8.05	1
6505MHz	Pass	6.48461G	-2.55	6.7976G	-51.54	-42.55	-8.99	2
6505MHz	Pass	6.53359G	-2.97	6.7952G	-51.09	-42.97	-8.12	3
6505MHz	Pass	6.45061G	-2.46	6.7946G	-51.29	-42.46	-8.83	4
6665MHz	Pass	6.59262G	-2.23	6.8098G	-35.78	-27.70	-8.08	1
6665MHz	Pass	6.71799G	-1.68	6.9704G	-50.93	-41.68	-9.25	2
6665MHz	Pass	6.61041G	-2.72	6.9392G	-50.90	-42.72	-8.18	3






Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.59882G	-3.14	6.2818G	-50.66	-43.14	-7.52	4
6825MHz	Pass	6.74962G	-2.95	6.6694G	-30.70	-29.37	-1.33	1
6825MHz	Pass	6.76202G	-1.46	6.5716G	-51.22	-41.36	-9.86	2
6825MHz	Pass	6.75502G	-2.48	6.574G	-50.72	-42.48	-8.24	3
6825MHz	Pass	6.8144G	-2.77	6.4424G	-50.45	-42.77	-7.68	4
6985MHz	Pass	6.94901G	-2.08	6.8598G	-27.97	-24.30	-3.67	1
6985MHz	Pass	6.9814G	-1.80	6.724G	-51.62	-41.80	-9.82	2
6985MHz	Pass	6.9966G	-2.57	6.733G	-50.58	-42.57	-8.01	3
6985MHz	Pass	6.91062G	0.03	6.7788G	-41.26	-33.96	-7.30	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0874G	0.30	6.377G	-27.29	-22.80	-4.49	1
6105MHz	Pass	6.13739G	0.55	6.8038G	-47.92	-39.50	-8.42	2
6105MHz	Pass	6.03582G	-0.01	6.6174G	-47.30	-39.99	-7.31	3
6105MHz	Pass	6.21697G	-0.30	6.611G	-47.61	-40.24	-7.37	4
6265MHz	Pass	6.279G	0.34	5.9586G	-26.04	-24.37	-1.67	1
6265MHz	Pass	6.28819G	0.69	6.777G	-46.08	-39.30	-6.78	2
6265MHz	Pass	6.35538G	0.30	6.7578G	-45.93	-39.68	-6.25	3
6265MHz	Pass	6.22981G	-0.03	6.7634G	-47.12	-40.04	-7.08	4
6425MHz	Pass	6.4314G	3.94	5.9526G	-36.64	-33.61	-3.03	1
6425MHz	Pass	6.57096G	1.14	6.8118G	-37.52	-30.69	-6.83	2
6425MHz	Pass	6.57616G	1.17	6.957G	-48.53	-38.84	-9.69	3
6425MHz	Pass	6.44779G	0.50	6.9274G	-50.83	-39.51	-11.32	4
6585MHz	Pass	6.5914G	0.41	6.3406G	-29.00	-20.86	-8.14	1
6585MHz	Pass	6.5702G	0.63	6.305G	-34.54	-24.87	-9.67	2
6585MHz	Pass	6.55581G	0.08	6.085G	-49.34	-39.82	-9.52	3
6585MHz	Pass	6.60579G	0.20	6.0638G	-50.04	-39.81	-10.23	4
6745MHz	Pass	6.7542G	1.18	6.4914G	-28.83	-18.96	-9.87	1
6745MHz	Pass	6.69501G	1.09	6.4898G	-28.99	-20.90	-8.09	2
6745MHz	Pass	6.60903G	0.14	6.365G	-38.11	-31.41	-6.70	3
6745MHz	Pass	6.64542G	0.13	6.3474G	-39.63	-32.37	-7.26	4
6905MHz	Pass	6.75224G	0.84	6.5898G	-28.03	-19.40	-8.63	1
6905MHz	Pass	6.75144G	0.31	6.5954G	-32.31	-23.90	-8.41	2
6905MHz	Pass	6.80103G	-0.68	6.347G	-50.22	-40.68	-9.54	3
6905MHz	Pass	6.84581G	-0.66	7.0694G	-24.04	-20.66	-3.38	4

























































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	PK	30M	32.13	40.00	-7.87	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	PK	30M	32.13	40.00	-7.87	3	Vertical	360	1.00
6745MHz	Pass	PK	51.34M	30.87	40.00	-9.13	3	Vertical	360	1.00
6745MHz	Pass	PK	189.08M	32.82	43.50	-10.68	3	Vertical	360	1.00
6745MHz	Pass	PK	245.34M	27.63	46.00	-18.37	3	Vertical	360	1.00
6745MHz	Pass	PK	414.12M	30.57	46.00	-15.43	3	Vertical	360	1.00
6745MHz	Pass	PK	482.02M	30.41	46.00	-15.59	3	Vertical	360	1.00
6745MHz	Pass	PK	41.64M	29.94	40.00	-10.06	3	Horizontal	0	1.00
6745MHz	Pass	PK	140.58M	31.81	43.50	-11.69	3	Horizontal	0	1.00
6745MHz	Pass	PK	191.02M	32.46	43.50	-11.04	3	Horizontal	0	1.00
6745MHz	Pass	PK	241.46M	29.82	46.00	-16.18	3	Horizontal	0	1.00
6745MHz	Pass	PK	388.9M	29.35	46.00	-16.65	3	Horizontal	0	1.00
6745MHz	Pass	PK	544.1M	32.18	46.00	-13.82	3	Horizontal	0	1.00



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.13	40.00	-7.87	-3.21	3	Vertical	360	1.00	35.34	22.98	1.21	27.40
PK	51.34M	30.87	40.00	-9.13	-12.41	3	Vertical	360	1.00	43.28	13.15	1.42	26.98
PK	189.08M	32.82	43.50	-10.68	-10.65	3	Vertical	360	1.00	43.47	14.22	2.65	27.52
PK	245.34M	27.63	46.00	-18.37	-7.11	3	Vertical	360	1.00	34.74	17.11	3.02	27.24
PK	414.12M	30.57	46.00	-15.43	-2.30	3	Vertical	360	1.00	32.87	21.73	4.01	28.04
PK	482.02M	30.41	46.00	-15.59	-1.42	3	Vertical	360	1.00	31.83	22.60	4.36	28.38

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	29.94	40.00	-10.06	-7.89	3	Horizontal	0	1.00	37.83	17.36	1.43	26.68
PK	140.58M	31.81	43.50	-11.69	-9.14	3	Horizontal	0	1.00	40.95	16.30	2.33	27.77
PK	191.02M	32.46	43.50	-11.04	-10.59	3	Horizontal	0	1.00	43.05	14.25	2.68	27.52
PK	241.46M	29.82	46.00	-16.18	-7.57	3	Horizontal	0	1.00	37.39	16.69	3.00	27.26
PK	388.9M	29.35	46.00	-16.65	-3.58	3	Horizontal	0	1.00	32.93	20.42	3.85	27.85
PK	544.1M	32.18	46.00	-13.82	-0.48	3	Horizontal	0	1.00	32.66	23.68	4.51	28.67



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	11.90988G	38.30	54.00	-15.70	3	Horizontal	34	2.24
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	12.41193G	38.31	54.00	-15.69	3	Horizontal	207	1.57
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	12.4484G	38.42	54.00	-15.58	3	Horizontal	240	2.58
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.05073G	38.73	54.00	-15.27	3	Vertical	136	2.90
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	12.19064G	39.01	54.00	-14.99	3	Horizontal	328	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	12.95217G	39.42	68.20	-28.78	3	Horizontal	302	2.63
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	12.9725G	39.43	68.20	-28.77	3	Horizontal	257	1.51
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	12.9324G	39.37	68.20	-28.83	3	Horizontal	281	2.83
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.00994G	39.26	68.20	-28.94	3	Vertical	85	1.30
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.39058G	39.29	54.00	-14.71	3	Horizontal	279	2.75
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.37219G	39.32	54.00	-14.68	3	Vertical	165	1.19
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.25102G	39.07	54.00	-14.93	3	Horizontal	14	2.83
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.33101G	39.26	54.00	-14.74	3	Vertical	293	1.68
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	13.46984G	40.47	68.20	-27.73	3	Horizontal	261	2.54
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	64.14	68.20	-4.06	3	Vertical	277	1.48
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	7.223G	49.71	68.20	-18.49	3	Vertical	291	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	7.1618G	49.36	68.20	-18.84	3	Vertical	306	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	7.1395G	54.57	68.20	-13.63	3	Vertical	302	1.54
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.1395G	61.50	68.20	-6.70	3	Vertical	316	1.10





Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9226G	46.04	68.20	-22.16	3	Vertical	6	1.60
5955MHz	Pass	AV	5.961G	98.94	Inf	-Inf	3	Vertical	6	1.60
5955MHz	Pass	PK	5.9058G	57.83	88.20	-30.37	3	Vertical	6	1.60
5955MHz	Pass	PK	5.9616G	109.94	Inf	-Inf	3	Vertical	6	1.60
5955MHz	Pass	AV	5.9202G	45.47	68.20	-22.73	3	Horizontal	292	3.00
5955MHz	Pass	AV	5.961G	94.19	Inf	-Inf	3	Horizontal	292	3.00
5955MHz	Pass	PK	5.91G	57.57	88.20	-30.63	3	Horizontal	292	3.00
5955MHz	Pass	PK	5.9598G	105.43	Inf	-Inf	3	Horizontal	292	3.00
5955MHz	Pass	AV	11.91007G	38.22	54.00	-15.78	3	Vertical	153	2.34
5955MHz	Pass	PK	11.90846G	50.18	74.00	-23.82	3	Vertical	153	2.34
5955MHz	Pass	AV	11.90988G	38.30	54.00	-15.70	3	Horizontal	34	2.24
5955MHz	Pass	PK	11.90758G	50.11	74.00	-23.89	3	Horizontal	34	2.24
6195MHz	Pass	AV	12.38975G	38.18	54.00	-15.82	3	Vertical	77	1.69
6195MHz	Pass	PK	12.39141G	49.54	74.00	-24.46	3	Vertical	77	1.69
6195MHz	Pass	AV	12.38757G	38.17	54.00	-15.83	3	Horizontal	288	2.36
6195MHz	Pass	PK	12.39027G	48.85	74.00	-25.15	3	Horizontal	288	2.36
6415MHz	Pass	AV	12.83156G	38.80	68.20	-29.40	3	Vertical	303	1.78
6415MHz	Pass	PK	12.82906G	49.34	88.20	-38.86	3	Vertical	303	1.78
6415MHz	Pass	AV	12.82837G	38.89	68.20	-29.31	3	Horizontal	85	2.50
6415MHz	Pass	PK	12.82863G	50.21	88.20	-37.99	3	Horizontal	85	2.50
6435MHz	Pass	AV	12.87193G	38.89	68.20	-29.31	3	Vertical	94	2.31
6435MHz	Pass	PK	12.86851G	49.65	88.20	-38.55	3	Vertical	94	2.31
6435MHz	Pass	AV	12.87216G	38.93	68.20	-29.27	3	Horizontal	29	2.58
6435MHz	Pass	PK	12.87003G	50.53	88.20	-37.67	3	Horizontal	29	2.58
6475MHz	Pass	AV	12.94895G	39.33	68.20	-28.87	3	Vertical	245	2.92
6475MHz	Pass	PK	12.95011G	50.40	88.20	-37.80	3	Vertical	245	2.92
6475MHz	Pass	AV	12.95217G	39.42	68.20	-28.78	3	Horizontal	302	2.63
6475MHz	Pass	PK	12.95118G	50.51	88.20	-37.69	3	Horizontal	302	2.63
6515MHz	Pass	AV	13.02803G	39.01	68.20	-29.19	3	Vertical	177	2.27
6515MHz	Pass	PK	13.02928G	50.67	88.20	-37.53	3	Vertical	177	2.27
6515MHz	Pass	AV	13.03034G	38.94	68.20	-29.26	3	Horizontal	198	2.21
6515MHz	Pass	PK	13.02877G	50.05	88.20	-38.15	3	Horizontal	198	2.21
6535MHz	Pass	AV	13.06783G	39.35	68.20	-28.85	3	Vertical	315	1.41
6535MHz	Pass	PK	13.06938G	50.42	88.20	-37.78	3	Vertical	315	1.41
6535MHz	Pass	AV	13.06827G	39.29	68.20	-28.91	3	Horizontal	201	2.36
6535MHz	Pass	PK	13.06988G	50.13	88.20	-38.07	3	Horizontal	201	2.36
6695MHz	Pass	AV	13.38769G	39.26	54.00	-14.74	3	Vertical	218	1.37
6695MHz	Pass	PK	13.38988G	49.88	74.00	-24.12	3	Vertical	218	1.37
6695MHz	Pass	AV	13.39058G	39.29	54.00	-14.71	3	Horizontal	279	2.75
6695MHz	Pass	PK	13.39096G	49.70	74.00	-24.30	3	Horizontal	279	2.75
6875MHz	Pass	AV	13.74939G	38.81	68.20	-29.39	3	Vertical	290	1.53
6875MHz	Pass	PK	13.75087G	49.37	88.20	-38.83	3	Vertical	290	1.53
6875MHz	Pass	AV	13.75002G	38.82	68.20	-29.38	3	Horizontal	346	2.01
6875MHz	Pass	PK	13.75125G	49.04	88.20	-39.16	3	Horizontal	346	2.01
6895MHz	Pass	AV	13.79136G	38.82	68.20	-29.38	3	Vertical	293	2.66
6895MHz	Pass	PK	13.79G	49.53	88.20	-38.67	3	Vertical	293	2.66
6895MHz	Pass	AV	13.78793G	38.82	68.20	-29.38	3	Horizontal	305	2.43
6895MHz	Pass	PK	13.78955G	50.20	88.20	-38.00	3	Horizontal	305	2.43
6995MHz	Pass	AV	13.98932G	39.38	68.20	-28.82	3	Vertical	68	1.36
6995MHz	Pass	PK	13.98783G	49.33	88.20	-38.87	3	Vertical	68	1.36
6995MHz	Pass	AV	13.98865G	39.30	68.20	-28.90	3	Horizontal	148	1.34
6995MHz	Pass	PK	13.98851G	50.18	88.20	-38.02	3	Horizontal	148	1.34
7095MHz	Pass	AV	7.0902G	98.69	Inf	-Inf	3	Vertical	279	1.50
7095MHz	Pass	AV	7.2342G	49.71	68.20	-18.49	3	Vertical	279	1.50
7095MHz	Pass	PK	7.0902G	110.69	Inf	-Inf	3	Vertical	279	1.50
7095MHz	Pass	PK	7.155G	62.39	88.20	-25.81	3	Vertical	279	1.50
7095MHz	Pass	AV	7.1004G	89.92	Inf	-Inf	3	Horizontal	292	2.20
7095MHz	Pass	AV	7.2402G	49.71	68.20	-18.49	3	Horizontal	292	2.20
7095MHz	Pass	PK	7.1004G	101.61	Inf	-Inf	3	Horizontal	292	2.20
7095MHz	Pass	PK	7.2342G	62.04	88.20	-26.16	3	Horizontal	292	2.20



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.19163G	38.98	68.20	-29.22	3	Vertical	42	1.73
7095MHz	Pass	PK	14.19169G	51.03	88.20	-37.17	3	Vertical	42	1.73
7095MHz	Pass	AV	14.19117G	39.13	68.20	-29.07	3	Horizontal	37	2.00
7095MHz	Pass	PK	14.19237G	50.87	88.20	-37.33	3	Horizontal	37	2.00
7115MHz	Pass	AV	7.1095G	101.12	Inf	-Inf	3	Vertical	277	1.48
7115MHz	Pass	AV	7.1255G	64.14	68.20	-4.06	3	Vertical	277	1.48
7115MHz	Pass	PK	7.1095G	106.56	Inf	-Inf	3	Vertical	277	1.48
7115MHz	Pass	PK	7.1255G	75.08	88.20	-13.12	3	Vertical	277	1.48
7115MHz	Pass	AV	7.1205G	91.12	Inf	-Inf	3	Horizontal	289	2.27
7115MHz	Pass	AV	7.1255G	60.89	68.20	-7.31	3	Horizontal	289	2.27
7115MHz	Pass	PK	7.1205G	96.90	Inf	-Inf	3	Horizontal	289	2.27
7115MHz	Pass	PK	7.1255G	69.58	88.20	-18.62	3	Horizontal	289	2.27
7115MHz	Pass	AV	14.2296G	39.12	68.20	-29.08	3	Vertical	253	2.14
7115MHz	Pass	PK	14.22919G	51.75	88.20	-36.45	3	Vertical	253	2.14
7115MHz	Pass	AV	14.22813G	39.25	68.20	-28.95	3	Horizontal	124	1.21
7115MHz	Pass	PK	14.23067G	50.93	88.20	-37.27	3	Horizontal	124	1.21
802.11be EHT40_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9146G	46.35	68.20	-21.85	3	Vertical	43	1.54
5965MHz	Pass	AV	5.9752G	95.16	Inf	-Inf	3	Vertical	43	1.54
5965MHz	Pass	PK	5.9044G	57.66	88.20	-30.54	3	Vertical	43	1.54
5965MHz	Pass	PK	5.9551G	105.30	Inf	-Inf	3	Vertical	43	1.54
5965MHz	Pass	AV	5.9113G	45.51	68.20	-22.69	3	Horizontal	306	3.00
5965MHz	Pass	AV	5.9713G	92.42	Inf	-Inf	3	Horizontal	306	3.00
5965MHz	Pass	PK	5.8897G	57.95	88.20	-30.25	3	Horizontal	306	3.00
5965MHz	Pass	PK	5.9728G	103.37	Inf	-Inf	3	Horizontal	306	3.00
5965MHz	Pass	AV	11.93242G	38.13	54.00	-15.87	3	Vertical	224	1.07
5965MHz	Pass	PK	11.93099G	49.64	74.00	-24.36	3	Vertical	224	1.07
5965MHz	Pass	AV	11.93233G	38.26	54.00	-15.74	3	Horizontal	281	2.28
5965MHz	Pass	PK	11.92892G	50.93	74.00	-23.07	3	Horizontal	281	2.28
6205MHz	Pass	AV	12.41043G	38.28	54.00	-15.72	3	Vertical	206	2.83
6205MHz	Pass	PK	12.40941G	48.89	74.00	-25.11	3	Vertical	206	2.83
6205MHz	Pass	AV	12.41193G	38.31	54.00	-15.69	3	Horizontal	207	1.57
6205MHz	Pass	PK	12.40829G	48.71	74.00	-25.29	3	Horizontal	207	1.57
6405MHz	Pass	AV	12.81167G	38.79	68.20	-29.41	3	Vertical	243	1.73
6405MHz	Pass	PK	12.81071G	49.38	88.20	-38.82	3	Vertical	243	1.73
6405MHz	Pass	AV	12.8104G	38.82	68.20	-29.38	3	Horizontal	354	1.65
6405MHz	Pass	PK	12.81123G	51.15	88.20	-37.05	3	Horizontal	354	1.65
6445MHz	Pass	AV	12.89156G	39.21	68.20	-28.99	3	Vertical	283	1.56
6445MHz	Pass	PK	12.89048G	49.75	88.20	-38.45	3	Vertical	283	1.56
6445MHz	Pass	AV	12.89176G	39.17	68.20	-29.03	3	Horizontal	51	2.46
6445MHz	Pass	PK	12.89004G	50.14	88.20	-38.06	3	Horizontal	51	2.46
6485MHz	Pass	AV	12.96883G	39.34	68.20	-28.86	3	Vertical	56	2.38
6485MHz	Pass	PK	12.9677G	51.07	88.20	-37.13	3	Vertical	56	2.38
6485MHz	Pass	AV	12.9725G	39.43	68.20	-28.77	3	Horizontal	257	1.51
6485MHz	Pass	PK	12.96919G	49.74	88.20	-38.46	3	Horizontal	257	1.51
6525MHz	Pass	AV	13.05148G	39.33	68.20	-28.87	3	Vertical	287	2.04
6525MHz	Pass	PK	13.04865G	50.88	88.20	-37.32	3	Vertical	287	2.04
6525MHz	Pass	AV	13.04993G	39.23	68.20	-28.97	3	Horizontal	223	2.78
6525MHz	Pass	PK	13.0506G	51.64	88.20	-36.56	3	Horizontal	223	2.78
6565MHz	Pass	AV	13.1323G	39.18	68.20	-29.02	3	Vertical	199	1.57
6565MHz	Pass	PK	13.12756G	50.06	88.20	-38.14	3	Vertical	199	1.57
6565MHz	Pass	AV	13.13227G	39.12	68.20	-29.08	3	Horizontal	11	1.46
6565MHz	Pass	PK	13.12996G	50.84	88.20	-37.36	3	Horizontal	11	1.46
6685MHz	Pass	AV	13.37219G	39.32	54.00	-14.68	3	Vertical	165	1.19
6685MHz	Pass	PK	13.36895G	50.54	74.00	-23.46	3	Vertical	165	1.19
6685MHz	Pass	AV	13.3687G	39.29	54.00	-14.71	3	Horizontal	280	2.58
6685MHz	Pass	PK	13.36788G	50.05	74.00	-23.95	3	Horizontal	280	2.58
6885MHz	Pass	AV	13.76864G	38.75	68.20	-29.45	3	Vertical	91	1.14
6885MHz	Pass	PK	13.76841G	48.75	88.20	-39.45	3	Vertical	91	1.14
6885MHz	Pass	AV	13.76956G	38.73	68.20	-29.47	3	Horizontal	247	2.32
6885MHz	Pass	PK	13.76965G	49.88	88.20	-38.32	3	Horizontal	247	2.32
6925MHz	Pass	AV	13.85238G	38.80	68.20	-29.40	3	Vertical	100	1.21



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.84909G	50.42	88.20	-37.78	3	Vertical	100	1.21
6925MHz	Pass	AV	13.85142G	38.86	68.20	-29.34	3	Horizontal	14	1.19
6925MHz	Pass	PK	13.85037G	49.28	88.20	-38.92	3	Horizontal	14	1.19
7005MHz	Pass	AV	14.00868G	39.15	68.20	-29.05	3	Vertical	108	1.55
7005MHz	Pass	PK	14.01188G	49.97	88.20	-38.23	3	Vertical	108	1.55
7005MHz	Pass	AV	14.00958G	39.19	68.20	-29.01	3	Horizontal	90	1.42
7005MHz	Pass	PK	14.01045G	49.67	88.20	-38.53	3	Horizontal	90	1.42
7085MHz	Pass	AV	7.0796G	99.43	Inf	-Inf	3	Vertical	291	1.50
7085MHz	Pass	AV	7.223G	49.71	68.20	-18.49	3	Vertical	291	1.50
7085MHz	Pass	PK	7.0994G	110.12	Inf	-Inf	3	Vertical	291	1.50
7085MHz	Pass	PK	7.2191G	61.88	88.20	-26.32	3	Vertical	291	1.50
7085MHz	Pass	AV	7.0793G	92.06	Inf	-Inf	3	Horizontal	318	2.90
7085MHz	Pass	AV	7.2317G	49.64	68.20	-18.56	3	Horizontal	318	2.90
7085MHz	Pass	PK	7.0793G	103.49	Inf	-Inf	3	Horizontal	318	2.90
7085MHz	Pass	PK	7.2032G	62.00	88.20	-26.20	3	Horizontal	318	2.90
7085MHz	Pass	AV	14.17143G	39.22	68.20	-28.98	3	Vertical	153	1.11
7085MHz	Pass	PK	14.17077G	50.42	88.20	-37.78	3	Vertical	153	1.11
7085MHz	Pass	AV	14.16968G	39.31	68.20	-28.89	3	Horizontal	222	2.37
7085MHz	Pass	PK	14.17223G	51.12	88.20	-37.08	3	Horizontal	222	2.37
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9215G	46.42	68.20	-21.78	3	Vertical	40	1.64
5985MHz	Pass	AV	6.011G	99.14	Inf	-Inf	3	Vertical	40	1.64
5985MHz	Pass	PK	5.92G	58.17	88.20	-30.03	3	Vertical	40	1.64
5985MHz	Pass	PK	6.0115G	109.37	Inf	-Inf	3	Vertical	40	1.64
5985MHz	Pass	AV	5.92G	45.76	68.20	-22.44	3	Horizontal	325	3.00
5985MHz	Pass	AV	5.971G	92.70	Inf	-Inf	3	Horizontal	325	3.00
5985MHz	Pass	PK	5.971G	56.95	88.20	-31.25	3	Horizontal	325	3.00
5985MHz	Pass	PK	5.971G	103.65	Inf	-Inf	3	Horizontal	325	3.00
5985MHz	Pass	AV	11.97005G	38.28	54.00	-15.72	3	Vertical	305	1.57
5985MHz	Pass	PK	11.97202G	50.10	74.00	-23.90	3	Vertical	305	1.57
5985MHz	Pass	AV	11.96771G	38.24	54.00	-15.76	3	Horizontal	293	1.51
5985MHz	Pass	PK	11.97105G	49.21	74.00	-24.79	3	Horizontal	293	1.51
6225MHz	Pass	AV	12.45097G	38.37	54.00	-15.63	3	Vertical	218	1.19
6225MHz	Pass	PK	12.45018G	49.57	74.00	-24.43	3	Vertical	218	1.19
6225MHz	Pass	AV	12.4484G	38.42	54.00	-15.58	3	Horizontal	240	2.58
6225MHz	Pass	PK	12.45116G	48.77	74.00	-25.23	3	Horizontal	240	2.58
6385MHz	Pass	AV	12.76774G	38.40	68.20	-29.80	3	Vertical	205	1.73
6385MHz	Pass	PK	12.77183G	49.76	88.20	-38.44	3	Vertical	205	1.73
6385MHz	Pass	AV	12.77212G	38.45	68.20	-29.75	3	Horizontal	93	2.32
6385MHz	Pass	PK	12.7681G	48.90	88.20	-39.30	3	Horizontal	93	2.32
6465MHz	Pass	AV	12.93006G	39.33	68.20	-28.87	3	Vertical	80	2.17
6465MHz	Pass	PK	12.93138G	49.83	88.20	-38.37	3	Vertical	80	2.17
6465MHz	Pass	AV	12.9324G	39.37	68.20	-28.83	3	Horizontal	281	2.83
6465MHz	Pass	PK	12.92841G	50.12	88.20	-38.08	3	Horizontal	281	2.83
6545MHz	Pass	AV	13.09158G	39.27	68.20	-28.93	3	Vertical	285	2.18
6545MHz	Pass	PK	13.08921G	49.72	88.20	-38.48	3	Vertical	285	2.18
6545MHz	Pass	AV	13.09016G	39.31	68.20	-28.89	3	Horizontal	209	1.32
6545MHz	Pass	PK	13.08891G	50.46	88.20	-37.74	3	Horizontal	209	1.32
6625MHz	Pass	AV	13.24784G	38.96	68.20	-29.24	3	Vertical	205	2.19
6625MHz	Pass	PK	13.2501G	49.53	74.00	-24.47	3	Vertical	205	2.19
6625MHz	Pass	AV	13.25102G	39.07	54.00	-14.93	3	Horizontal	14	2.83
6625MHz	Pass	PK	13.24923G	49.84	88.20	-38.36	3	Horizontal	14	2.83
6705MHz	Pass	AV	13.41023G	39.40	68.20	-28.80	3	Vertical	285	1.65
6705MHz	Pass	PK	13.41135G	49.94	88.20	-38.26	3	Vertical	285	1.65
6705MHz	Pass	AV	13.412G	39.42	68.20	-28.78	3	Horizontal	305	2.43
6705MHz	Pass	PK	13.40924G	49.99	88.20	-38.21	3	Horizontal	305	2.43
6785MHz	Pass	AV	13.5675G	39.55	68.20	-28.65	3	Vertical	155	2.36
6785MHz	Pass	PK	13.57204G	51.75	88.20	-36.45	3	Vertical	155	2.36
6785MHz	Pass	AV	13.5698G	39.50	68.20	-28.70	3	Horizontal	237	1.70
6785MHz	Pass	PK	13.57164G	50.28	88.20	-37.92	3	Horizontal	237	1.70
6865MHz	Pass	AV	13.72904G	38.74	68.20	-29.46	3	Vertical	344	1.76
6865MHz	Pass	PK	13.72802G	50.07	88.20	-38.13	3	Vertical	344	1.76



RSE TX above 1GHz\_Non-Beamforming\_Radio 3

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.73246G	38.75	68.20	-29.45	3	Horizontal	134	1.31
6865MHz	Pass	PK	13.73033G	49.46	88.20	-38.74	3	Horizontal	134	1.31
6945MHz	Pass	AV	13.88827G	39.15	68.20	-29.05	3	Vertical	122	2.60
6945MHz	Pass	PK	13.89244G	49.75	88.20	-38.45	3	Vertical	122	2.60
6945MHz	Pass	AV	13.88986G	39.27	68.20	-28.93	3	Horizontal	241	2.76
6945MHz	Pass	PK	13.8886G	49.33	88.20	-38.87	3	Horizontal	241	2.76
7025MHz	Pass	AV	6.9995G	98.91	Inf	-Inf	3	Vertical	306	1.50
7025MHz	Pass	AV	7.1618G	49.36	68.20	-18.84	3	Vertical	306	1.50
7025MHz	Pass	PK	7.0004G	110.03	Inf	-Inf	3	Vertical	306	1.50
7025MHz	Pass	PK	7.1645G	60.92	88.20	-27.28	3	Vertical	306	1.50
7025MHz	Pass	AV	7.0001G	86.81	Inf	-Inf	3	Horizontal	337	3.00
7025MHz	Pass	AV	7.1705G	49.34	68.20	-18.86	3	Horizontal	337	3.00
7025MHz	Pass	PK	7.0202G	97.34	Inf	-Inf	3	Horizontal	337	3.00
7025MHz	Pass	PK	7.157G	60.36	88.20	-27.84	3	Horizontal	337	3.00
7025MHz	Pass	AV	14.05215G	39.29	68.20	-28.91	3	Vertical	108	1.70
7025MHz	Pass	PK	14.05137G	50.68	88.20	-37.52	3	Vertical	108	1.70
7025MHz	Pass	AV	14.0512G	39.30	68.20	-28.90	3	Horizontal	308	1.08
7025MHz	Pass	PK	14.05112G	50.49	88.20	-37.71	3	Horizontal	308	1.08
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.922G	47.92	68.20	-20.28	3	Vertical	290	2.44
6025MHz	Pass	AV	6.042G	98.75	Inf	-Inf	3	Vertical	290	2.44
6025MHz	Pass	PK	5.9215G	59.26	88.20	-28.94	3	Vertical	290	2.44
6025MHz	Pass	PK	6.0625G	110.12	Inf	-Inf	3	Vertical	290	2.44
6025MHz	Pass	AV	5.917G	45.69	68.20	-22.51	3	Horizontal	316	3.00
6025MHz	Pass	AV	6.0705G	90.12	Inf	-Inf	3	Horizontal	316	3.00
6025MHz	Pass	PK	5.9115G	57.58	88.20	-30.62	3	Horizontal	316	3.00
6025MHz	Pass	PK	6.07G	101.31	Inf	-Inf	3	Horizontal	316	3.00
6025MHz	Pass	AV	12.05073G	38.73	54.00	-15.27	3	Vertical	136	2.90
6025MHz	Pass	PK	12.05242G	49.54	74.00	-24.46	3	Vertical	136	2.90
6025MHz	Pass	AV	12.04803G	38.66	54.00	-15.34	3	Horizontal	17	1.33
6025MHz	Pass	PK	12.05104G	51.10	74.00	-22.90	3	Horizontal	17	1.33
6185MHz	Pass	AV	12.37233G	38.28	54.00	-15.72	3	Vertical	111	2.61
6185MHz	Pass	PK	12.36949G	49.61	74.00	-24.39	3	Vertical	111	2.61
6185MHz	Pass	AV	12.36886G	38.29	54.00	-15.71	3	Horizontal	135	2.32
6185MHz	Pass	PK	12.3694G	50.34	74.00	-23.66	3	Horizontal	135	2.32
6345MHz	Pass	AV	12.68974G	38.64	54.00	-15.36	3	Vertical	49	2.11
6345MHz	Pass	PK	12.68764G	49.89	74.00	-24.11	3	Vertical	49	2.11
6345MHz	Pass	AV	12.6909G	38.59	54.00	-15.41	3	Horizontal	55	2.77
6345MHz	Pass	PK	12.69094G	51.73	74.00	-22.27	3	Horizontal	55	2.77
6505MHz	Pass	AV	13.00994G	39.26	68.20	-28.94	3	Vertical	85	1.30
6505MHz	Pass	PK	13.0078G	50.10	88.20	-38.10	3	Vertical	85	1.30
6505MHz	Pass	AV	13.00914G	39.22	68.20	-28.98	3	Horizontal	232	2.88
6505MHz	Pass	PK	13.00969G	49.57	88.20	-38.63	3	Horizontal	232	2.88
6665MHz	Pass	AV	13.33101G	39.26	54.00	-14.74	3	Vertical	293	1.68
6665MHz	Pass	PK	13.33247G	50.38	74.00	-23.62	3	Vertical	293	1.68
6665MHz	Pass	AV	13.33043G	39.25	54.00	-14.75	3	Horizontal	314	2.50
6665MHz	Pass	PK	13.32804G	49.91	74.00	-24.09	3	Horizontal	314	2.50
6825MHz	Pass	AV	13.64877G	38.99	68.20	-29.21	3	Vertical	148	2.45
6825MHz	Pass	PK	13.64842G	50.20	88.20	-38.00	3	Vertical	148	2.45
6825MHz	Pass	AV	13.64946G	39.01	68.20	-29.19	3	Horizontal	61	2.63
6825MHz	Pass	PK	13.65174G	50.72	88.20	-37.48	3	Horizontal	61	2.63
6985MHz	Pass	AV	6.9395G	98.62	Inf	-Inf	3	Vertical	302	1.54
6985MHz	Pass	AV	7.1395G	54.57	68.20	-13.63	3	Vertical	302	1.54
6985MHz	Pass	PK	6.9405G	109.35	Inf	-Inf	3	Vertical	302	1.54
6985MHz	Pass	PK	7.1415G	67.16	88.20	-21.04	3	Vertical	302	1.54
6985MHz	Pass	AV	6.929G	90.15	Inf	-Inf	3	Horizontal	323	2.27
6985MHz	Pass	AV	7.1295G	49.74	68.20	-18.46	3	Horizontal	323	2.27
6985MHz	Pass	PK	6.929G	101.88	Inf	-Inf	3	Horizontal	323	2.27
6985MHz	Pass	PK	7.235G	61.36	88.20	-26.84	3	Horizontal	323	2.27
6985MHz	Pass	AV	13.96754G	39.06	68.20	-29.14	3	Vertical	237	2.30
6985MHz	Pass	PK	13.96884G	50.11	88.20	-38.09	3	Vertical	237	2.30
6985MHz	Pass	AV	13.96789G	39.11	68.20	-29.09	3	Horizontal	168	1.80



RSE TX above 1GHz\_Non-Beamforming\_Radio 3


Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.96934G	50.14	88.20	-38.06	3	Horizontal	168	1.80
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	53.03	68.20	-15.17	3	Vertical	301	2.57
6105MHz	Pass	AV	6.062G	97.78	Inf	-Inf	3	Vertical	301	2.57
6105MHz	Pass	PK	5.92G	65.98	88.20	-22.22	3	Vertical	301	2.57
6105MHz	Pass	PK	6.061G	110.93	Inf	-Inf	3	Vertical	301	2.57
6105MHz	Pass	AV	5.91G	46.85	68.20	-21.35	3	Horizontal	342	1.69
6105MHz	Pass	AV	6.147G	88.40	Inf	-Inf	3	Horizontal	342	1.69
6105MHz	Pass	PK	5.924G	63.31	88.20	-24.89	3	Horizontal	342	1.69
6105MHz	Pass	PK	6.128G	102.27	Inf	-Inf	3	Horizontal	342	1.69
6105MHz	Pass	AV	12.19112G	38.85	54.00	-15.15	3	Vertical	245	2.68
6105MHz	Pass	PK	12.23088G	51.36	74.00	-22.64	3	Vertical	245	2.68
6105MHz	Pass	AV	12.19064G	39.01	54.00	-14.99	3	Horizontal	328	1.50
6105MHz	Pass	PK	12.22888G	52.44	74.00	-21.56	3	Horizontal	328	1.50
6265MHz	Pass	AV	12.52582G	38.69	54.00	-15.31	3	Vertical	270	2.89
6265MHz	Pass	PK	12.52668G	52.04	74.00	-21.96	3	Vertical	270	2.89
6265MHz	Pass	AV	12.5397G	38.65	54.00	-15.35	3	Horizontal	17	1.35
6265MHz	Pass	PK	12.53942G	51.69	74.00	-22.31	3	Horizontal	17	1.35
6425MHz	Pass	AV	12.8724G	39.32	68.20	-28.88	3	Vertical	224	1.76
6425MHz	Pass	PK	12.85336G	52.27	88.20	-35.93	3	Vertical	224	1.76
6425MHz	Pass	AV	12.8452G	39.37	68.20	-28.83	3	Horizontal	53	1.57
6425MHz	Pass	PK	12.84952G	51.76	88.20	-36.44	3	Horizontal	53	1.57
6585MHz	Pass	AV	13.16408G	40.14	68.20	-28.06	3	Vertical	79	1.50
6585MHz	Pass	PK	13.16342G	53.31	88.20	-34.89	3	Vertical	79	1.50
6585MHz	Pass	AV	13.16314G	40.16	68.20	-28.04	3	Horizontal	96	2.06
6585MHz	Pass	PK	13.1718G	52.52	88.20	-35.68	3	Horizontal	96	2.06
6745MHz	Pass	AV	13.45624G	40.42	68.20	-27.78	3	Vertical	322	1.90
6745MHz	Pass	PK	13.47352G	53.22	88.20	-34.98	3	Vertical	322	1.90
6745MHz	Pass	AV	13.46984G	40.47	68.20	-27.73	3	Horizontal	261	2.54
6745MHz	Pass	PK	13.50096G	52.53	88.20	-35.67	3	Horizontal	261	2.54
6905MHz	Pass	AV	6.8185G	101.15	Inf	-Inf	3	Vertical	316	1.10
6905MHz	Pass	AV	7.1395G	61.50	68.20	-6.70	3	Vertical	316	1.10
6905MHz	Pass	PK	6.8585G	110.75	Inf	-Inf	3	Vertical	316	1.10
6905MHz	Pass	PK	7.1595G	74.83	88.20	-13.37	3	Vertical	316	1.10
6905MHz	Pass	AV	6.8695G	93.26	Inf	-Inf	3	Horizontal	333	2.09
6905MHz	Pass	AV	7.1305G	55.54	68.20	-12.66	3	Horizontal	333	2.09
6905MHz	Pass	PK	6.8695G	102.02	Inf	-Inf	3	Horizontal	333	2.09
6905MHz	Pass	PK	7.1915G	67.64	88.20	-20.56	3	Horizontal	333	2.09
6905MHz	Pass	AV	13.80346G	40.62	68.20	-27.58	3	Vertical	284	1.39
6905MHz	Pass	PK	13.81986G	53.83	88.20	-34.37	3	Vertical	284	1.39
6905MHz	Pass	AV	13.80684G	40.58	68.20	-27.62	3	Horizontal	335	1.50
6905MHz	Pass	PK	13.8156G	54.44	88.20	-33.76	3	Horizontal	335	1.50



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	46.04	68.20	-22.16	6.25	3	Vertical	6	1.60	39.79	34.05	7.00	34.80
AV	5.961G	98.94	Inf	-Inf	6.21	3	Vertical	6	1.60	92.73	33.98	7.04	34.81
PK	5.9058G	57.83	88.20	-30.37	6.28	3	Vertical	6	1.60	51.55	34.09	6.99	34.80
PK	5.9616G	109.94	Inf	-Inf	6.21	3	Vertical	6	1.60	103.73	33.98	7.04	34.81

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	45.47	68.20	-22.73	6.26	3	Horizontal	292	3.00	39.21	34.06	7.00	34.80
AV	5.961G	94.19	Inf	-Inf	6.21	3	Horizontal	292	3.00	87.98	33.98	7.04	34.81
PK	5.91G	57.57	88.20	-30.63	6.27	3	Horizontal	292	3.00	51.30	34.08	6.99	34.80
PK	5.9598G	105.43	Inf	-Inf	6.21	3	Horizontal	292	3.00	99.22	33.98	7.04	34.81



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91007G	38.22	54.00	-15.78	15.56	3	Vertical	153	2.34	22.66	38.60	11.59	34.63
PK	11.90846G	50.18	74.00	-23.82	15.56	3	Vertical	153	2.34	34.62	38.60	11.59	34.63

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90988G	38.30	54.00	-15.70	15.56	3	Horizontal	34	2.24	22.74	38.60	11.59	34.63
PK	11.90758G	50.11	74.00	-23.89	15.56	3	Horizontal	34	2.24	34.55	38.60	11.59	34.63



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38975G	38.18	54.00	-15.82	15.89	3	Vertical	77	1.69	22.29	38.82	11.54	34.47
PK	12.39141G	49.54	74.00	-24.46	15.89	3	Vertical	77	1.69	33.65	38.82	11.54	34.47

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38757G	38.17	54.00	-15.83	15.89	3	Horizontal	288	2.36	22.28	38.82	11.54	34.47
PK	12.39027G	48.85	74.00	-25.15	15.89	3	Horizontal	288	2.36	32.96	38.82	11.54	34.47





5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83156G	38.80	68.20	-29.40	17.22	3	Vertical	303	1.78	21.58	39.50	11.45	33.73
PK	12.82906G	49.34	88.20	-38.86	17.22	3	Vertical	303	1.78	32.12	39.50	11.45	33.73

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82837G	38.89	68.20	-29.31	17.22	3	Horizontal	85	2.50	21.67	39.50	11.45	33.73
PK	12.82863G	50.21	88.20	-37.99	17.22	3	Horizontal	85	2.50	32.99	39.50	11.45	33.73



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87193G	38.89	68.20	-29.31	17.39	3	Vertical	94	2.31	21.50	39.59	11.44	33.64
PK	12.86851G	49.65	88.20	-38.55	17.36	3	Vertical	94	2.31	32.29	39.57	11.44	33.65

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87216G	38.93	68.20	-29.27	17.39	3	Horizontal	29	2.58	21.54	39.59	11.44	33.64
PK	12.87003G	50.53	88.20	-37.67	17.37	3	Horizontal	29	2.58	33.16	39.58	11.44	33.65



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94895G	39.33	68.20	-28.87	17.73	3	Vertical	245	2.92	21.60	39.80	11.42	33.49
PK	12.95011G	50.40	88.20	-37.80	17.74	3	Vertical	245	2.92	32.66	39.80	11.42	33.48

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95217G	39.42	68.20	-28.78	17.74	3	Horizontal	302	2.63	21.68	39.80	11.42	33.48
PK	12.95118G	50.51	88.20	-37.69	17.74	3	Horizontal	302	2.63	32.77	39.80	11.42	33.48



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02803G	39.01	68.20	-29.19	17.65	3	Vertical	177	2.27	21.36	39.59	11.40	33.34
PK	13.02928G	50.67	88.20	-37.53	17.64	3	Vertical	177	2.27	33.03	39.58	11.40	33.34

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03034G	38.94	68.20	-29.26	17.64	3	Horizontal	198	2.21	21.30	39.58	11.40	33.34
PK	13.02877G	50.05	88.20	-38.15	17.64	3	Horizontal	198	2.21	32.41	39.58	11.40	33.34



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06783G	39.35	68.20	-28.85	17.62	3	Vertical	315	1.41	21.73	39.50	11.40	33.28
PK	13.06938G	50.42	88.20	-37.78	17.62	3	Vertical	315	1.41	32.80	39.50	11.40	33.28

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06827G	39.29	68.20	-28.91	17.62	3	Horizontal	201	2.36	21.67	39.50	11.40	33.28
PK	13.06988G	50.13	88.20	-38.07	17.62	3	Horizontal	201	2.36	32.51	39.50	11.40	33.28



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38769G	39.26	54.00	-14.74	18.32	3	Vertical	218	1.37	20.94	39.82	11.33	32.83
PK	13.38988G	49.88	74.00	-24.12	18.32	3	Vertical	218	1.37	31.56	39.82	11.33	32.83

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39058G	39.29	54.00	-14.71	18.32	3	Horizontal	279	2.75	20.97	39.82	11.33	32.83
PK	13.39096G	49.70	74.00	-24.30	18.33	3	Horizontal	279	2.75	31.37	39.82	11.33	32.82



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74939G	38.81	68.20	-29.39	18.07	3	Vertical	290	1.53	20.74	39.50	11.25	32.68
PK	13.75087G	49.37	88.20	-38.83	18.06	3	Vertical	290	1.53	31.31	39.50	11.25	32.69

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75002G	38.82	68.20	-29.38	18.06	3	Horizontal	346	2.01	20.76	39.50	11.25	32.69
PK	13.75125G	49.04	88.20	-39.16	18.06	3	Horizontal	346	2.01	30.98	39.50	11.25	32.69



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79136G	38.82	68.20	-29.38	18.05	3	Vertical	293	2.66	20.77	39.50	11.24	32.69
PK	13.79G	49.53	88.20	-38.67	18.05	3	Vertical	293	2.66	31.48	39.50	11.24	32.69

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78793G	38.82	68.20	-29.38	18.05	3	Horizontal	305	2.43	20.77	39.50	11.24	32.69
PK	13.78955G	50.20	88.20	-38.00	18.05	3	Horizontal	305	2.43	32.15	39.50	11.24	32.69





6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98932G	39.38	68.20	-28.82	18.28	3	Vertical	68	1.36	21.10	39.78	11.20	32.70
PK	13.98783G	49.33	88.20	-38.87	18.28	3	Vertical	68	1.36	31.05	39.78	11.20	32.70

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98865G	39.30	68.20	-28.90	18.28	3	Horizontal	148	1.34	21.02	39.78	11.20	32.70
PK	13.98851G	50.18	88.20	-38.02	18.28	3	Horizontal	148	1.34	31.90	39.78	11.20	32.70



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0902G	98.69	Inf	-Inf	9.00	3	Vertical	279	1.50	89.69	36.14	7.65	34.79
AV	7.2342G	49.71	68.20	-18.49	9.44	3	Vertical	279	1.50	40.27	36.57	7.75	34.88
PK	7.0902G	110.69	Inf	-Inf	9.00	3	Vertical	279	1.50	101.69	36.14	7.65	34.79
PK	7.155G	62.39	88.20	-25.81	9.28	3	Vertical	279	1.50	53.11	36.41	7.70	34.83

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1004G	89.92	Inf	-Inf	9.07	3	Horizontal	292	2.20	80.85	36.20	7.66	34.79
AV	7.2402G	49.71	68.20	-18.49	9.45	3	Horizontal	292	2.20	40.26	36.58	7.75	34.88
PK	7.1004G	101.61	Inf	-Inf	9.07	3	Horizontal	292	2.20	92.54	36.20	7.66	34.79
PK	7.2342G	62.04	88.20	-26.16	9.44	3	Horizontal	292	2.20	52.60	36.57	7.75	34.88



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19163G	38.98	68.20	-29.22	18.25	3	Vertical	42	1.73	20.73	39.90	11.32	32.97
PK	14.19169G	51.03	88.20	-37.17	18.25	3	Vertical	42	1.73	32.78	39.90	11.32	32.97

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19117G	39.13	68.20	-29.07	18.25	3	Horizontal	37	2.00	20.88	39.90	11.32	32.97
PK	14.19237G	50.87	88.20	-37.33	18.25	3	Horizontal	37	2.00	32.62	39.90	11.32	32.97



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1095G	101.12	Inf	-Inf	9.11	3	Vertical	277	1.48	BP 1MHz	92.01	36.24	7.67	34.80
AV	7.1255G	64.14	68.20	-4.06	9.17	3	Vertical	277	1.48	BP 1MHz	54.97	36.30	7.68	34.81
PK	7.1095G	106.56	Inf	-Inf	9.11	3	Vertical	277	1.48	BP 1MHz	97.45	36.24	7.67	34.80
PK	7.1255G	75.08	88.20	-13.12	9.17	3	Vertical	277	1.48	BP 1MHz	65.91	36.30	7.68	34.81

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1205G	91.12	Inf	-Inf	9.15	3	Horizontal	289	2.27	BP 1MHz	81.97	36.28	7.67	34.80
AV	7.1255G	60.89	68.20	-7.31	9.17	3	Horizontal	289	2.27	BP 1MHz	51.72	36.30	7.68	34.81
PK	7.1205G	96.90	Inf	-Inf	9.15	3	Horizontal	289	2.27	BP 1MHz	87.75	36.28	7.67	34.80
PK	7.1255G	69.58	88.20	-18.62	9.17	3	Horizontal	289	2.27	BP 1MHz	60.41	36.30	7.68	34.81



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2296G	39.12	68.20	-29.08	18.15	3	Vertical	253	2.14	20.97	39.84	11.34	33.03
PK	14.22919G	51.75	88.20	-36.45	18.15	3	Vertical	253	2.14	33.60	39.84	11.34	33.03

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22813G	39.25	68.20	-28.95	18.16	3	Horizontal	124	1.21	21.09	39.84	11.34	33.02
PK	14.23067G	50.93	88.20	-37.27	18.15	3	Horizontal	124	1.21	32.78	39.84	11.34	33.03



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	46.35	68.20	-21.85	6.27	3	Vertical	43	1.54	40.08	34.07	7.00	34.80
AV	5.9752G	95.16	Inf	-Inf	6.18	3	Vertical	43	1.54	88.98	33.95	7.05	34.82
PK	5.9044G	57.66	88.20	-30.54	6.28	3	Vertical	43	1.54	51.38	34.09	6.99	34.80
PK	5.9551G	105.30	Inf	-Inf	6.21	3	Vertical	43	1.54	99.09	33.99	7.03	34.81

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9113G	45.51	68.20	-22.69	6.27	3	Horizontal	306	3.00	39.24	34.08	6.99	34.80
AV	5.9713G	92.42	Inf	-Inf	6.20	3	Horizontal	306	3.00	86.22	33.96	7.05	34.81
PK	5.8897G	57.95	88.20	-30.25	6.24	3	Horizontal	306	3.00	51.71	34.06	6.98	34.80
PK	5.9728G	103.37	Inf	-Inf	6.19	3	Horizontal	306	3.00	97.18	33.95	7.05	34.81



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93242G	38.13	54.00	-15.87	15.55	3	Vertical	224	1.07	22.58	38.60	11.59	34.64
PK	11.93099G	49.64	74.00	-24.36	15.55	3	Vertical	224	1.07	34.09	38.60	11.59	34.64

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93233G	38.26	54.00	-15.74	15.55	3	Horizontal	281	2.28	22.71	38.60	11.59	34.64
PK	11.92892G	50.93	74.00	-23.07	15.55	3	Horizontal	281	2.28	35.38	38.60	11.59	34.64



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6205MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41043G	38.28	54.00	-15.72	15.87	3	Vertical	206	2.83	22.41	38.80	11.53	34.46
PK	12.40941G	48.89	74.00	-25.11	15.87	3	Vertical	206	2.83	33.02	38.80	11.53	34.46

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41193G	38.31	54.00	-15.69	15.87	3	Horizontal	207	1.57	22.44	38.80	11.53	34.46
PK	12.40829G	48.71	74.00	-25.29	15.87	3	Horizontal	207	1.57	32.84	38.80	11.53	34.46





5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81167G	38.79	68.20	-29.41	17.18	3	Vertical	243	1.73	21.61	39.50	11.45	33.77
PK	12.81071G	49.38	88.20	-38.82	17.18	3	Vertical	243	1.73	32.20	39.50	11.45	33.77

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8104G	38.82	68.20	-29.38	17.18	3	Horizontal	354	1.65	21.64	39.50	11.45	33.77
PK	12.81123G	51.15	88.20	-37.05	17.18	3	Horizontal	354	1.65	33.97	39.50	11.45	33.77



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89156G	39.21	68.20	-28.99	17.50	3	Vertical	283	1.56	21.71	39.67	11.43	33.60
PK	12.89048G	49.75	88.20	-38.45	17.48	3	Vertical	283	1.56	32.27	39.66	11.43	33.61

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89176G	39.17	68.20	-29.03	17.50	3	Horizontal	51	2.46	21.67	39.67	11.43	33.60
PK	12.89004G	50.14	88.20	-38.06	17.48	3	Horizontal	51	2.46	32.66	39.66	11.43	33.61



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96883G	39.34	68.20	-28.86	17.74	3	Vertical	56	2.38	21.60	39.76	11.42	33.44
PK	12.9677G	51.07	88.20	-37.13	17.73	3	Vertical	56	2.38	33.34	39.76	11.42	33.45

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9725G	39.43	68.20	-28.77	17.74	3	Horizontal	257	1.51	21.69	39.76	11.42	33.44
PK	12.96919G	49.74	88.20	-38.46	17.74	3	Horizontal	257	1.51	32.00	39.76	11.42	33.44



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6525MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05148G	39.33	68.20	-28.87	17.59	3	Vertical	287	2.04	21.74	39.50	11.40	33.31
PK	13.04865G	50.88	88.20	-37.32	17.60	3	Vertical	287	2.04	33.28	39.51	11.40	33.31

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04993G	39.23	68.20	-28.97	17.59	3	Horizontal	223	2.78	21.64	39.50	11.40	33.31
PK	13.0506G	51.64	88.20	-36.56	17.59	3	Horizontal	223	2.78	34.05	39.50	11.40	33.31



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1323G	39.18	68.20	-29.02	17.75	3	Vertical	199	1.57	21.43	39.56	11.38	33.19
PK	13.12756G	50.06	88.20	-38.14	17.74	3	Vertical	199	1.57	32.32	39.56	11.38	33.20

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13227G	39.12	68.20	-29.08	17.75	3	Horizontal	11	1.46	21.37	39.56	11.38	33.19
PK	13.12996G	50.84	88.20	-37.36	17.74	3	Horizontal	11	1.46	33.10	39.56	11.38	33.20



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37219G	39.32	54.00	-14.68	18.34	3	Vertical	165	1.19	20.98	39.86	11.33	32.85
PK	13.36895G	50.54	74.00	-23.46	18.33	3	Vertical	165	1.19	32.21	39.86	11.33	32.86

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3687G	39.29	54.00	-14.71	18.33	3	Horizontal	280	2.58	20.96	39.86	11.33	32.86
PK	13.36788G	50.05	74.00	-23.95	18.33	3	Horizontal	280	2.58	31.72	39.86	11.33	32.86



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76864G	38.75	68.20	-29.45	18.06	3	Vertical	91	1.14	20.69	39.50	11.25	32.69
PK	13.76841G	48.75	88.20	-39.45	18.06	3	Vertical	91	1.14	30.69	39.50	11.25	32.69

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76956G	38.73	68.20	-29.47	18.06	3	Horizontal	247	2.32	20.67	39.50	11.25	32.69
PK	13.76955G	49.88	88.20	-38.32	18.06	3	Horizontal	247	2.32	31.82	39.50	11.25	32.69



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85238G	38.80	68.20	-29.40	18.04	3	Vertical	100	1.21	20.76	39.50	11.23	32.69
PK	13.84909G	50.42	88.20	-37.78	18.04	3	Vertical	100	1.21	32.38	39.50	11.23	32.69

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85142G	38.86	68.20	-29.34	18.04	3	Horizontal	14	1.19	20.82	39.50	11.23	32.69
PK	13.85037G	49.28	88.20	-38.92	18.04	3	Horizontal	14	1.19	31.24	39.50	11.23	32.69





6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00868G	39.15	68.20	-29.05	18.32	3	Vertical	108	1.55	20.83	39.82	11.21	32.71
PK	14.01188G	49.97	88.20	-38.23	18.31	3	Vertical	108	1.55	31.66	39.82	11.21	32.72

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00958G	39.19	68.20	-29.01	18.32	3	Horizontal	90	1.42	20.87	39.82	11.21	32.71
PK	14.01045G	49.67	88.20	-38.53	18.32	3	Horizontal	90	1.42	31.35	39.82	11.21	32.71



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0796G	99.43	Inf	-Inf	8.95	3	Vertical	291	1.50	90.48	36.08	7.65	34.78
AV	7.223G	49.71	68.20	-18.49	9.42	3	Vertical	291	1.50	40.29	36.55	7.74	34.87
PK	7.0994G	110.12	Inf	-Inf	9.07	3	Vertical	291	1.50	101.05	36.20	7.66	34.79
PK	7.2191G	61.88	88.20	-26.32	9.41	3	Vertical	291	1.50	52.47	36.54	7.74	34.87

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0793G	92.06	Inf	-Inf	8.95	3	Horizontal	318	2.90	83.11	36.08	7.65	34.78
AV	7.2317G	49.64	68.20	-18.56	9.44	3	Horizontal	318	2.90	40.20	36.56	7.75	34.87
PK	7.0793G	103.49	Inf	-Inf	8.95	3	Horizontal	318	2.90	94.54	36.08	7.65	34.78
PK	7.2032G	62.00	88.20	-26.20	9.38	3	Horizontal	318	2.90	52.62	36.51	7.73	34.86



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17143G	39.22	68.20	-28.98	18.27	3	Vertical	153	1.11	20.95	39.90	11.31	32.94
PK	14.17077G	50.42	88.20	-37.78	18.27	3	Vertical	153	1.11	32.15	39.90	11.31	32.94

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16968G	39.31	68.20	-28.89	18.27	3	Horizontal	222	2.37	21.04	39.90	11.31	32.94
PK	14.17223G	51.12	88.20	-37.08	18.27	3	Horizontal	222	2.37	32.85	39.90	11.31	32.94



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	46.42	68.20	-21.78	6.26	3	Vertical	40	1.64	40.16	34.06	7.00	34.80
AV	6.011G	99.14	Inf	-Inf	6.16	3	Vertical	40	1.64	92.98	33.90	7.08	34.82
PK	5.92G	58.17	88.20	-30.03	6.26	3	Vertical	40	1.64	51.91	34.06	7.00	34.80
PK	6.0115G	109.37	Inf	-Inf	6.16	3	Vertical	40	1.64	103.21	33.90	7.08	34.82

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	45.76	68.20	-22.44	6.26	3	Horizontal	325	3.00	39.50	34.06	7.00	34.80
AV	5.971G	92.70	Inf	-Inf	6.20	3	Horizontal	325	3.00	86.50	33.96	7.05	34.81
PK	5.917G	56.95	88.20	-31.25	6.27	3	Horizontal	325	3.00	50.68	34.07	7.00	34.80
PK	5.971G	103.65	Inf	-Inf	6.20	3	Horizontal	325	3.00	97.45	33.96	7.05	34.81



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97005G	38.28	54.00	-15.72	15.63	3	Vertical	305	1.57	22.65	38.68	11.61	34.66
PK	11.97202G	50.10	74.00	-23.90	15.64	3	Vertical	305	1.57	34.46	38.69	11.61	34.66

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96771G	38.24	54.00	-15.76	15.62	3	Horizontal	293	1.51	22.62	38.67	11.61	34.66
PK	11.97105G	49.21	74.00	-24.79	15.63	3	Horizontal	293	1.51	33.58	38.68	11.61	34.66



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6225MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.45097G	38.37	54.00	-15.63	15.89	3	Vertical	218	1.19	22.48	38.80	11.53	34.44
PK	12.45018G	49.57	74.00	-24.43	15.89	3	Vertical	218	1.19	33.68	38.80	11.53	34.44

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.4484G	38.42	54.00	-15.58	15.89	3	Horizontal	240	2.58	22.53	38.80	11.53	34.44
PK	12.45116G	48.77	74.00	-25.23	15.89	3	Horizontal	240	2.58	32.88	38.80	11.53	34.44



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76774G	38.40	68.20	-29.80	16.97	3	Vertical	205	1.73	21.43	39.37	11.46	33.86
PK	12.77183G	49.76	88.20	-38.44	17.00	3	Vertical	205	1.73	32.76	39.39	11.46	33.85

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77212G	38.45	68.20	-29.75	17.00	3	Horizontal	93	2.32	21.45	39.39	11.46	33.85
PK	12.7681G	48.90	88.20	-39.30	16.97	3	Horizontal	93	2.32	31.93	39.37	11.46	33.86



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93006G	39.33	68.20	-28.87	17.66	3	Vertical	80	2.17	21.67	39.76	11.42	33.52
PK	12.93138G	49.83	88.20	-38.37	17.66	3	Vertical	80	2.17	32.17	39.76	11.42	33.52

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9324G	39.37	68.20	-28.83	17.66	3	Horizontal	281	2.83	21.71	39.76	11.42	33.52
PK	12.92841G	50.12	88.20	-38.08	17.66	3	Horizontal	281	2.83	32.46	39.76	11.43	33.53





6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6545MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09158G	39.27	68.20	-28.93	17.64	3	Vertical	285	2.18	21.63	39.50	11.39	33.25
PK	13.08921G	49.72	88.20	-38.48	17.64	3	Vertical	285	2.18	32.08	39.50	11.39	33.25

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09016G	39.31	68.20	-28.89	17.64	3	Horizontal	209	1.32	21.67	39.50	11.39	33.25
PK	13.08891G	50.46	88.20	-37.74	17.64	3	Horizontal	209	1.32	32.82	39.50	11.39	33.25



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24784G	38.96	68.20	-29.24	17.93	3	Vertical	205	2.19	21.03	39.60	11.36	33.03
PK	13.2501G	49.53	74.00	-24.47	17.94	3	Vertical	205	2.19	31.59	39.60	11.36	33.02

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25102G	39.07	54.00	-14.93	17.94	3	Horizontal	14	2.83	21.13	39.60	11.36	33.02
PK	13.24923G	49.84	88.20	-38.36	17.93	3	Horizontal	14	2.83	31.91	39.60	11.36	33.03



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41023G	39.40	68.20	-28.80	18.36	3	Vertical	285	1.65	21.04	39.84	11.32	32.80
PK	13.41135G	49.94	88.20	-38.26	18.37	3	Vertical	285	1.65	31.57	39.85	11.32	32.80

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.412G	39.42	68.20	-28.78	18.38	3	Horizontal	305	2.43	21.04	39.85	11.32	32.79
PK	13.40924G	49.99	88.20	-38.21	18.36	3	Horizontal	305	2.43	31.63	39.84	11.32	32.80



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5675G	39.55	68.20	-28.65	18.65	3	Vertical	155	2.36	20.90	40.03	11.29	32.67
PK	13.57204G	51.75	88.20	-36.45	18.63	3	Vertical	155	2.36	33.12	40.01	11.29	32.67

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5698G	39.50	68.20	-28.70	18.64	3	Horizontal	237	1.70	20.86	40.02	11.29	32.67
PK	13.57164G	50.28	88.20	-37.92	18.63	3	Horizontal	237	1.70	31.65	40.01	11.29	32.67



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72904G	38.74	68.20	-29.46	18.12	3	Vertical	344	1.76	20.62	39.54	11.26	32.68
PK	13.72802G	50.07	88.20	-38.13	18.12	3	Vertical	344	1.76	31.95	39.54	11.26	32.68

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73246G	38.75	68.20	-29.45	18.12	3	Horizontal	134	1.31	20.63	39.54	11.26	32.68
PK	13.73033G	49.46	88.20	-38.74	18.12	3	Horizontal	134	1.31	31.34	39.54	11.26	32.68



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88827G	39.15	68.20	-29.05	18.11	3	Vertical	122	2.60	21.04	39.58	11.22	32.69
PK	13.89244G	49.75	88.20	-38.45	18.11	3	Vertical	122	2.60	31.64	39.58	11.22	32.69

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88986G	39.27	68.20	-28.93	18.11	3	Horizontal	241	2.76	21.16	39.58	11.22	32.69
PK	13.8886G	49.33	88.20	-38.87	18.11	3	Horizontal	241	2.76	31.22	39.58	11.22	32.69



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9995G	98.91	Inf	-Inf	8.46	3	Vertical	306	1.50	90.45	35.60	7.59	34.73
AV	7.1618G	49.36	68.20	-18.84	9.29	3	Vertical	306	1.50	40.07	36.42	7.70	34.83
PK	7.0004G	110.03	Inf	-Inf	8.46	3	Vertical	306	1.50	101.57	35.60	7.59	34.73
PK	7.1645G	60.92	88.20	-27.28	9.31	3	Vertical	306	1.50	51.61	36.43	7.71	34.83

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0001G	86.81	Inf	-Inf	8.46	3	Horizontal	337	3.00	78.35	35.60	7.59	34.73
AV	7.1705G	49.34	68.20	-18.86	9.31	3	Horizontal	337	3.00	40.03	36.44	7.71	34.84
PK	7.0202G	97.34	Inf	-Inf	8.58	3	Horizontal	337	3.00	88.76	35.72	7.60	34.74
PK	7.157G	60.36	88.20	-27.84	9.28	3	Horizontal	337	3.00	51.08	36.41	7.70	34.83



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05215G	39.29	68.20	-28.91	18.36	3	Vertical	108	1.70	20.93	39.90	11.23	32.77
PK	14.05137G	50.68	88.20	-37.52	18.36	3	Vertical	108	1.70	32.32	39.90	11.23	32.77

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0512G	39.30	68.20	-28.90	18.36	3	Horizontal	308	1.08	20.94	39.90	11.23	32.77
PK	14.05112G	50.49	88.20	-37.71	18.36	3	Horizontal	308	1.08	32.13	39.90	11.23	32.77





5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	47.92	68.20	-20.28	6.26	3	Vertical	290	2.44	41.66	34.06	7.00	34.80
AV	6.042G	98.75	Inf	-Inf	6.18	3	Vertical	290	2.44	92.57	33.90	7.09	34.81
PK	5.9215G	59.26	88.20	-28.94	6.26	3	Vertical	290	2.44	53.00	34.06	7.00	34.80
PK	6.0625G	110.12	Inf	-Inf	6.16	3	Vertical	290	2.44	103.96	33.87	7.10	34.81

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	45.69	68.20	-22.51	6.27	3	Horizontal	316	3.00	39.42	34.07	7.00	34.80
AV	6.0705G	90.12	Inf	-Inf	6.16	3	Horizontal	316	3.00	83.96	33.86	7.11	34.81
PK	5.9115G	57.58	88.20	-30.62	6.27	3	Horizontal	316	3.00	51.31	34.08	6.99	34.80
PK	6.07G	101.31	Inf	-Inf	6.16	3	Horizontal	316	3.00	95.15	33.86	7.11	34.81



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05073G	38.73	54.00	-15.27	15.87	3	Vertical	136	2.90	22.86	38.90	11.61	34.64
PK	12.05242G	49.54	74.00	-24.46	15.87	3	Vertical	136	2.90	33.67	38.90	11.61	34.64

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04803G	38.66	54.00	-15.34	15.86	3	Horizontal	17	1.33	22.80	38.90	11.61	34.65
PK	12.05104G	51.10	74.00	-22.90	15.87	3	Horizontal	17	1.33	35.23	38.90	11.61	34.64



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37233G	38.28	54.00	-15.72	15.92	3	Vertical	111	2.61	22.36	38.86	11.54	34.48
PK	12.36949G	49.61	74.00	-24.39	15.92	3	Vertical	111	2.61	33.69	38.86	11.54	34.48

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36886G	38.29	54.00	-15.71	15.92	3	Horizontal	135	2.32	22.37	38.86	11.54	34.48
PK	12.3694G	50.34	74.00	-23.66	15.92	3	Horizontal	135	2.32	34.42	38.86	11.54	34.48



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68974G	38.64	54.00	-15.36	16.76	3	Vertical	49	2.11	21.88	39.30	11.48	34.02
PK	12.68764G	49.89	74.00	-24.11	16.76	3	Vertical	49	2.11	33.13	39.30	11.48	34.02

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.6909G	38.59	54.00	-15.41	16.75	3	Horizontal	55	2.77	21.84	39.30	11.47	34.02
PK	12.69094G	51.73	74.00	-22.27	16.75	3	Horizontal	55	2.77	34.98	39.30	11.47	34.02



6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6505MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00994G	39.26	68.20	-28.94	17.70	3	Vertical	85	1.30	21.56	39.66	11.41	33.37
PK	13.0078G	50.10	88.20	-38.10	17.71	3	Vertical	85	1.30	32.39	39.67	11.41	33.37

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00914G	39.22	68.20	-28.98	17.70	3	Horizontal	232	2.88	21.52	39.66	11.41	33.37
PK	13.00969G	49.57	88.20	-38.63	17.70	3	Horizontal	232	2.88	31.87	39.66	11.41	33.37



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33101G	39.26	54.00	-14.74	18.25	3	Vertical	293	1.68	21.01	39.82	11.34	32.91
PK	13.33247G	50.38	74.00	-23.62	18.26	3	Vertical	293	1.68	32.12	39.83	11.34	32.91

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33043G	39.25	54.00	-14.75	18.25	3	Horizontal	314	2.50	21.00	39.82	11.34	32.91
PK	13.32804G	49.91	74.00	-24.09	18.24	3	Horizontal	314	2.50	31.67	39.81	11.34	32.91



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64877G	38.99	68.20	-29.21	18.29	3	Vertical	148	2.45	20.70	39.70	11.27	32.68
PK	13.64842G	50.20	88.20	-38.00	18.30	3	Vertical	148	2.45	31.90	39.71	11.27	32.68

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64946G	39.01	68.20	-29.19	18.29	3	Horizontal	61	2.63	20.72	39.70	11.27	32.68
PK	13.65174G	50.72	88.20	-37.48	18.29	3	Horizontal	61	2.63	32.43	39.70	11.27	32.68



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9395G	98.62	Inf	-Inf	8.43	3	Vertical	302	1.54	90.19	35.60	7.56	34.73
AV	7.1395G	54.57	68.20	-13.63	9.23	3	Vertical	302	1.54	45.34	36.36	7.69	34.82
PK	6.9405G	109.35	Inf	-Inf	8.43	3	Vertical	302	1.54	100.92	35.60	7.56	34.73
PK	7.1415G	67.16	88.20	-21.04	9.24	3	Vertical	302	1.54	57.92	36.37	7.69	34.82

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.929G	90.15	Inf	-Inf	8.42	3	Horizontal	323	2.27	81.73	35.60	7.55	34.73
AV	7.1295G	49.74	68.20	-18.46	9.19	3	Horizontal	323	2.27	40.55	36.32	7.68	34.81
PK	6.929G	101.88	Inf	-Inf	8.42	3	Horizontal	323	2.27	93.46	35.60	7.55	34.73
PK	7.235G	61.36	88.20	-26.84	9.44	3	Horizontal	323	2.27	51.92	36.57	7.75	34.88





6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96754G	39.06	68.20	-29.14	18.25	3	Vertical	237	2.30	20.81	39.74	11.21	32.70
PK	13.96884G	50.11	88.20	-38.09	18.25	3	Vertical	237	2.30	31.86	39.74	11.21	32.70

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96789G	39.11	68.20	-29.09	18.25	3	Horizontal	168	1.80	20.86	39.74	11.21	32.70
PK	13.96934G	50.14	88.20	-38.06	18.25	3	Horizontal	168	1.80	31.89	39.74	11.21	32.70



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	53.03	68.20	-15.17	3.35	3	Vertical	301	2.57	49.68	34.50	5.88	37.03
AV	6.062G	97.78	Inf	-Inf	3.48	3	Vertical	301	2.57	94.30	34.48	5.95	36.95
PK	5.92G	65.98	88.20	-22.22	3.35	3	Vertical	301	2.57	62.63	34.50	5.88	37.03
PK	6.061G	110.93	Inf	-Inf	3.48	3	Vertical	301	2.57	107.45	34.48	5.95	36.95

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91G	46.85	68.20	-21.35	3.33	3	Horizontal	342	1.69	43.52	34.50	5.87	37.04
AV	6.147G	88.40	Inf	-Inf	3.48	3	Horizontal	342	1.69	84.92	34.40	5.99	36.91
PK	5.924G	63.31	88.20	-24.89	3.35	3	Horizontal	342	1.69	59.96	34.50	5.88	37.03
PK	6.128G	102.27	Inf	-Inf	3.46	3	Horizontal	342	1.69	98.81	34.40	5.98	36.92



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.19112G	38.85	54.00	-15.15	10.21	3	Vertical	245	2.68	28.64	39.38	8.87	38.04
PK	12.23088G	51.36	74.00	-22.64	10.16	3	Vertical	245	2.68	41.20	39.34	8.88	38.06

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.19064G	39.01	54.00	-14.99	10.21	3	Horizontal	328	1.50	28.80	39.38	8.87	38.04
PK	12.22888G	52.44	74.00	-21.56	10.16	3	Horizontal	328	1.50	42.28	39.34	8.88	38.06



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6265MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.52582G	38.69	54.00	-15.31	10.01	3	Vertical	270	2.89	28.68	39.25	8.98	38.22
PK	12.52668G	52.04	74.00	-21.96	10.01	3	Vertical	270	2.89	42.03	39.25	8.98	38.22

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.5397G	38.65	54.00	-15.35	10.03	3	Horizontal	17	1.35	28.62	39.28	8.98	38.23
PK	12.53942G	51.69	74.00	-22.31	10.03	3	Horizontal	17	1.35	41.66	39.28	8.98	38.23



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6425MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8724G	39.32	68.20	-28.88	10.55	3	Vertical	224	1.76	28.77	39.94	9.09	38.48
PK	12.85336G	52.27	88.20	-35.93	10.52	3	Vertical	224	1.76	41.75	39.91	9.08	38.47

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8452G	39.37	68.20	-28.83	10.50	3	Horizontal	53	1.57	28.87	39.88	9.08	38.46
PK	12.84952G	51.76	88.20	-36.44	10.51	3	Horizontal	53	1.57	41.25	39.90	9.08	38.47



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6585MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.16408G	40.14	68.20	-28.06	10.49	3	Vertical	79	1.50	29.65	39.87	9.18	38.56
PK	13.16342G	53.31	88.20	-34.89	10.49	3	Vertical	79	1.50	42.82	39.87	9.18	38.56

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.16314G	40.16	68.20	-28.04	10.49	3	Horizontal	96	2.06	29.67	39.87	9.18	38.56
PK	13.1718G	52.52	88.20	-35.68	10.48	3	Horizontal	96	2.06	42.04	39.86	9.18	38.56



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.45624G	40.42	68.20	-27.78	11.16	3	Vertical	322	1.90	29.26	40.40	9.28	38.52
PK	13.47352G	53.22	88.20	-34.98	11.17	3	Vertical	322	1.90	42.05	40.40	9.28	38.51

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.46984G	40.47	68.20	-27.73	11.17	3	Horizontal	261	2.54	29.30	40.40	9.28	38.51
PK	13.50096G	52.53	88.20	-35.67	11.18	3	Horizontal	261	2.54	41.35	40.40	9.29	38.51



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8185G	101.15	Inf	-Inf	6.01	3	Vertical	316	1.10	15_BP 1M	95.14	36.33	6.36	36.68
AV	7.1395G	61.50	68.20	-6.70	6.85	3	Vertical	316	1.10	15_BP 1M	54.65	36.94	6.50	36.59
PK	6.8585G	110.75	Inf	-Inf	5.90	3	Vertical	316	1.10	15_BP 1M	104.85	36.20	6.37	36.67
PK	7.1595G	74.83	88.20	-13.37	6.94	3	Vertical	316	1.10	15_BP 1M	67.89	37.02	6.51	36.59

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8695G	93.26	Inf	-Inf	5.91	3	Horizontal	333	2.09	15_BP 1M	87.35	36.20	6.38	36.67
AV	7.1305G	55.54	68.20	-12.66	6.79	3	Horizontal	333	2.09	15_BP 1M	48.75	36.88	6.50	36.59
PK	6.8695G	102.02	Inf	-Inf	5.91	3	Horizontal	333	2.09	15_BP 1M	96.11	36.20	6.38	36.67
PK	7.1915G	67.64	88.20	-20.56	7.03	3	Horizontal	333	2.09	15_BP 1M	60.61	37.08	6.53	36.58





6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80346G	40.62	68.20	-27.58	11.20	3	Vertical	284	1.39	29.42	40.11	9.39	38.30
PK	13.81986G	53.83	88.20	-34.37	11.24	3	Vertical	284	1.39	42.59	40.14	9.39	38.29

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80684G	40.58	68.20	-27.62	11.20	3	Horizontal	335	1.50	29.38	40.11	9.39	38.30
PK	13.8156G	54.44	88.20	-33.76	11.22	3	Horizontal	335	1.50	43.22	40.13	9.39	38.30



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.0652G	39.19	54.00	-14.81	3	Horizontal	130	1.50
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.42125G	38.21	54.00	-15.79	3	Vertical	175	2.89
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.44595G	38.26	54.00	-15.74	3	Vertical	148	2.90
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9025G	55.68	68.20	-12.52	3	Horizontal	15	2.45
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	5.915G	57.30	68.20	-10.90	3	Horizontal	352	2.65
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.87682G	39.26	68.20	-28.94	3	Horizontal	292	2.65
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.94216G	39.38	68.20	-28.82	3	Horizontal	207	1.26
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.94083G	39.46	68.20	-28.74	3	Horizontal	73	1.14
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.00592G	39.04	68.20	-29.16	3	Vertical	305	1.75
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	13.14492G	40.40	68.20	-27.80	3	Horizontal	284	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.38736G	39.65	54.00	-14.35	3	Horizontal	265	1.65
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.35845G	39.39	54.00	-14.61	3	Vertical	12	2.38
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.25201G	38.94	54.00	-15.06	3	Horizontal	166	2.95
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.34434G	39.31	54.00	-14.69	3	Horizontal	190	1.42
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	PK	7.2085G	84.16	88.20	-4.04	3	Horizontal	351	3.00
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	68.17	68.20	-0.03	3	Horizontal	358	2.10
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	56.62	68.20	-11.58	3	Horizontal	344	2.83
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9025G	55.68	68.20	-12.52	3	Horizontal	15	2.45
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1385G	62.73	68.20	-5.47	3	Horizontal	25	2.03



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9136G	45.76	68.20	-22.44	3	Vertical	276	2.75
5955MHz	Pass	AV	5.9541G	88.00	Inf	-Inf	3	Vertical	276	2.75
5955MHz	Pass	PK	5.8485G	57.26	88.20	-30.94	3	Vertical	276	2.75
5955MHz	Pass	PK	5.9517G	99.89	Inf	-Inf	3	Vertical	276	2.75
5955MHz	Pass	AV	5.9244G	46.01	68.20	-22.19	3	Horizontal	312	2.71
5955MHz	Pass	AV	5.9637G	99.55	Inf	-Inf	3	Horizontal	312	2.71
5955MHz	Pass	PK	5.9226G	60.27	88.20	-27.93	3	Horizontal	312	2.71
5955MHz	Pass	PK	5.9616G	110.05	Inf	-Inf	3	Horizontal	312	2.71
5955MHz	Pass	AV	12.0204G	39.11	54.00	-14.89	3	Vertical	297	1.50
5955MHz	Pass	PK	11.92024G	50.48	74.00	-23.52	3	Vertical	297	1.50
5955MHz	Pass	AV	12.0652G	39.19	54.00	-14.81	3	Horizontal	130	1.50
5955MHz	Pass	PK	12.00856G	51.42	74.00	-22.58	3	Horizontal	130	1.50
6195MHz	Pass	AV	12.38151G	38.72	54.00	-15.28	3	Vertical	356	1.51
6195MHz	Pass	PK	12.37743G	48.83	74.00	-25.17	3	Vertical	356	1.51
6195MHz	Pass	AV	12.28024G	38.89	54.00	-15.11	3	Horizontal	236	1.00
6195MHz	Pass	PK	12.23096G	49.29	74.00	-24.71	3	Horizontal	236	1.00
6415MHz	Pass	AV	12.94072G	39.82	68.20	-28.38	3	Vertical	333	1.86
6415MHz	Pass	PK	12.9372G	50.11	88.20	-38.09	3	Vertical	333	1.86
6415MHz	Pass	AV	12.94168G	39.70	68.20	-28.50	3	Horizontal	5	2.27
6415MHz	Pass	PK	12.97592G	50.38	88.20	-37.82	3	Horizontal	5	2.27
6435MHz	Pass	AV	12.86516G	39.03	68.20	-29.17	3	Vertical	130	1.36
6435MHz	Pass	PK	12.8676G	51.78	88.20	-36.42	3	Vertical	130	1.36
6435MHz	Pass	AV	12.87682G	39.26	68.20	-28.94	3	Horizontal	292	2.65
6435MHz	Pass	PK	12.8761G	52.08	88.20	-36.12	3	Horizontal	292	2.65
6475MHz	Pass	AV	12.94934G	39.14	68.20	-29.06	3	Vertical	354	1.38
6475MHz	Pass	PK	12.94888G	51.27	88.20	-36.93	3	Vertical	354	1.38
6475MHz	Pass	AV	12.95842G	39.16	68.20	-29.04	3	Horizontal	52	1.23
6475MHz	Pass	PK	12.94896G	51.92	88.20	-36.28	3	Horizontal	52	1.23
6515MHz	Pass	AV	13.0222G	39.26	68.20	-28.94	3	Vertical	0	1.03
6515MHz	Pass	PK	13.03222G	50.92	88.20	-37.28	3	Vertical	0	1.03
6515MHz	Pass	AV	13.02466G	39.12	68.20	-29.08	3	Horizontal	220	1.19
6515MHz	Pass	PK	13.03066G	52.07	88.20	-36.13	3	Horizontal	220	1.19
6535MHz	Pass	AV	13.03G	39.35	68.20	-28.85	3	Vertical	236	1.77
6535MHz	Pass	PK	13.04456G	52.00	88.20	-36.20	3	Vertical	236	1.77
6535MHz	Pass	AV	13.03496G	39.38	68.20	-28.82	3	Horizontal	345	2.87
6535MHz	Pass	PK	13.10688G	52.22	88.20	-35.98	3	Horizontal	345	2.87
6695MHz	Pass	AV	13.405G	39.75	68.20	-28.45	3	Vertical	149	2.06
6695MHz	Pass	PK	13.39678G	49.67	74.00	-24.33	3	Vertical	149	2.06
6695MHz	Pass	AV	13.38736G	39.65	54.00	-14.35	3	Horizontal	265	1.65
6695MHz	Pass	PK	13.40023G	50.83	88.20	-37.37	3	Horizontal	265	1.65
6875MHz	Pass	AV	13.7638G	39.18	68.20	-29.02	3	Vertical	22	1.68
6875MHz	Pass	PK	13.73527G	50.44	88.20	-37.76	3	Vertical	22	1.68
6875MHz	Pass	AV	13.89208G	39.64	68.20	-28.56	3	Horizontal	340	1.70
6875MHz	Pass	PK	13.88792G	49.35	88.20	-38.85	3	Horizontal	340	1.70
6895MHz	Pass	AV	13.78964G	39.17	68.20	-29.03	3	Vertical	70	2.22
6895MHz	Pass	PK	13.78754G	49.90	88.20	-38.30	3	Vertical	70	2.22
6895MHz	Pass	AV	13.7843G	39.09	68.20	-29.11	3	Horizontal	48	1.87
6895MHz	Pass	PK	13.77635G	48.42	88.20	-39.78	3	Horizontal	48	1.87
6995MHz	Pass	AV	13.99885G	39.64	68.20	-28.56	3	Vertical	211	1.60
6995MHz	Pass	PK	13.98184G	49.17	88.20	-39.03	3	Vertical	211	1.60
6995MHz	Pass	AV	14.01176G	39.68	68.20	-28.52	3	Horizontal	217	1.71
6995MHz	Pass	PK	14.06712G	50.84	88.20	-37.36	3	Horizontal	217	1.71
7095MHz	Pass	AV	7.0866G	87.59	Inf	-Inf	3	Vertical	291	2.35
7095MHz	Pass	AV	7.2384G	49.99	68.20	-18.21	3	Vertical	291	2.35
7095MHz	Pass	PK	7.0887G	98.57	Inf	-Inf	3	Vertical	291	2.35
7095MHz	Pass	PK	7.2039G	61.08	88.20	-27.12	3	Vertical	291	2.35
7095MHz	Pass	AV	7.1037G	98.74	Inf	-Inf	3	Horizontal	344	2.26
7095MHz	Pass	AV	7.2264G	50.21	68.20	-17.99	3	Horizontal	344	2.26
7095MHz	Pass	PK	7.0899G	109.48	Inf	-Inf	3	Horizontal	344	2.26
7095MHz	Pass	PK	7.2276G	61.51	88.20	-26.69	3	Horizontal	344	2.26



RSE TX above 1GHz\_Beamforming\_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.32024G	39.81	68.20	-28.39	3	Vertical	188	1.48
7095MHz	Pass	PK	14.26936G	50.13	88.20	-38.07	3	Vertical	188	1.48
7095MHz	Pass	AV	14.17653G	39.53	68.20	-28.67	3	Horizontal	280	2.91
7095MHz	Pass	PK	14.20209G	49.87	88.20	-38.33	3	Horizontal	280	2.91
7115MHz	Pass	PK	7.1235G	95.69	Inf	-Inf	3	Vertical	325	2.15
7115MHz	Pass	AV	7.1235G	88.68	Inf	-Inf	3	Vertical	325	2.15
7115MHz	Pass	PK	7.1255G	71.49	88.20	-16.71	3	Vertical	325	2.15
7115MHz	Pass	AV	7.1255G	61.92	68.20	-6.28	3	Vertical	325	2.15
7115MHz	Pass	PK	7.1085G	105.46	Inf	-Inf	3	Horizontal	358	2.10
7115MHz	Pass	AV	7.1075G	98.46	Inf	-Inf	3	Horizontal	358	2.10
7115MHz	Pass	PK	7.1255G	78.64	88.20	-9.56	3	Horizontal	358	2.10
7115MHz	Pass	AV	7.1255G	68.17	68.20	-0.03	3	Horizontal	358	2.10
7115MHz	Pass	AV	14.17208G	39.86	68.20	-28.34	3	Vertical	317	2.66
7115MHz	Pass	PK	14.25624G	51.18	88.20	-37.02	3	Vertical	317	2.66
7115MHz	Pass	AV	14.34104G	39.77	68.20	-28.43	3	Horizontal	31	1.45
7115MHz	Pass	PK	14.18232G	50.42	88.20	-37.78	3	Horizontal	31	1.45
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.8828G	43.33	68.20	-24.87	3	Vertical	318	2.52
5965MHz	Pass	AV	5.971G	81.19	Inf	-Inf	3	Vertical	318	2.52
5965MHz	Pass	PK	5.8786G	55.66	88.20	-32.54	3	Vertical	318	2.52
5965MHz	Pass	PK	5.959G	93.57	Inf	-Inf	3	Vertical	318	2.52
5965MHz	Pass	AV	5.9164G	45.79	68.20	-22.41	3	Horizontal	27	2.94
5965MHz	Pass	AV	5.9569G	100.11	Inf	-Inf	3	Horizontal	27	2.94
5965MHz	Pass	PK	5.9236G	63.05	88.20	-25.15	3	Horizontal	27	2.94
5965MHz	Pass	PK	5.9557G	112.82	Inf	-Inf	3	Horizontal	27	2.94
5965MHz	Pass	AV	11.958G	37.44	54.00	-16.56	3	Vertical	82	2.53
5965MHz	Pass	PK	11.95112G	49.69	74.00	-24.31	3	Vertical	82	2.53
5965MHz	Pass	AV	11.94944G	37.37	54.00	-16.63	3	Horizontal	320	1.77
5965MHz	Pass	PK	11.9248G	50.67	74.00	-23.33	3	Horizontal	320	1.77
6205MHz	Pass	AV	12.42125G	38.21	54.00	-15.79	3	Vertical	175	2.89
6205MHz	Pass	PK	12.41543G	48.27	74.00	-25.73	3	Vertical	175	2.89
6205MHz	Pass	AV	12.34228G	38.19	54.00	-15.81	3	Horizontal	126	2.08
6205MHz	Pass	PK	12.35624G	50.26	74.00	-23.74	3	Horizontal	126	2.08
6405MHz	Pass	AV	12.93512G	39.26	68.20	-28.94	3	Vertical	332	2.19
6405MHz	Pass	PK	12.89288G	49.83	88.20	-38.37	3	Vertical	332	2.19
6405MHz	Pass	AV	12.62047G	38.15	54.00	-15.85	3	Horizontal	223	1.51
6405MHz	Pass	PK	12.66216G	49.91	74.00	-24.09	3	Horizontal	223	1.51
6445MHz	Pass	AV	12.90467G	39.11	68.20	-29.09	3	Vertical	210	1.19
6445MHz	Pass	PK	12.88001G	49.78	88.20	-38.42	3	Vertical	210	1.19
6445MHz	Pass	AV	12.90455G	39.05	68.20	-29.15	3	Horizontal	185	2.43
6445MHz	Pass	PK	12.89228G	49.67	88.20	-38.53	3	Horizontal	185	2.43
6485MHz	Pass	AV	12.95635G	39.18	68.20	-29.02	3	Vertical	253	1.71
6485MHz	Pass	PK	12.97048G	50.82	88.20	-37.38	3	Vertical	253	1.71
6485MHz	Pass	AV	12.94216G	39.38	68.20	-28.82	3	Horizontal	207	1.26
6485MHz	Pass	PK	12.8916G	49.63	88.20	-38.57	3	Horizontal	207	1.26
6525MHz	Pass	AV	13.04679G	38.94	68.20	-29.26	3	Vertical	318	2.34
6525MHz	Pass	PK	13.06269G	48.88	88.20	-39.32	3	Vertical	318	2.34
6525MHz	Pass	AV	12.94088G	39.36	68.20	-28.84	3	Horizontal	52	2.90
6525MHz	Pass	PK	13.02568G	50.58	88.20	-37.62	3	Horizontal	52	2.90
6565MHz	Pass	AV	13.13078G	38.97	68.20	-29.23	3	Vertical	77	2.63
6565MHz	Pass	PK	13.11761G	49.92	88.20	-38.28	3	Vertical	77	2.63
6565MHz	Pass	AV	13.13047G	39.30	68.20	-28.90	3	Horizontal	294	2.89
6565MHz	Pass	PK	13.23944G	50.25	88.20	-37.95	3	Horizontal	294	2.89
6685MHz	Pass	AV	13.35845G	39.39	54.00	-14.61	3	Vertical	12	2.38
6685MHz	Pass	PK	13.36502G	49.10	74.00	-24.90	3	Vertical	12	2.38
6685MHz	Pass	AV	13.35548G	39.34	54.00	-14.66	3	Horizontal	52	2.67
6685MHz	Pass	PK	13.37234G	49.75	74.00	-24.25	3	Horizontal	52	2.67
6885MHz	Pass	AV	13.76745G	38.77	68.20	-29.43	3	Vertical	239	2.88
6885MHz	Pass	PK	13.78215G	49.53	88.20	-38.67	3	Vertical	239	2.88
6885MHz	Pass	AV	13.78413G	38.69	68.20	-29.51	3	Horizontal	37	2.32
6885MHz	Pass	PK	13.76937G	48.66	88.20	-39.54	3	Horizontal	37	2.32
6925MHz	Pass	AV	13.84968G	45.55	68.20	-22.65	3	Vertical	277	2.67



RSE TX above 1GHz\_Beamforming\_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.87016G	58.97	88.20	-29.23	3	Vertical	277	2.67
6925MHz	Pass	AV	13.85248G	45.42	68.20	-22.78	3	Horizontal	276	1.98
6925MHz	Pass	PK	13.82184G	57.91	88.20	-30.29	3	Horizontal	276	1.98
7005MHz	Pass	AV	13.99869G	39.10	68.20	-29.10	3	Vertical	4	2.08
7005MHz	Pass	PK	14.00208G	49.84	88.20	-38.36	3	Vertical	4	2.08
7005MHz	Pass	AV	14.00196G	39.06	68.20	-29.14	3	Horizontal	58	2.10
7005MHz	Pass	PK	14.00769G	49.03	88.20	-39.17	3	Horizontal	58	2.10
7085MHz	Pass	AV	7.103G	89.55	Inf	-Inf	3	Vertical	300	2.25
7085MHz	Pass	AV	7.1267G	50.92	68.20	-17.28	3	Vertical	300	2.25
7085MHz	Pass	PK	7.103G	100.40	Inf	-Inf	3	Vertical	300	2.25
7085MHz	Pass	PK	7.1978G	61.22	88.20	-26.98	3	Vertical	300	2.25
7085MHz	Pass	AV	7.0667G	99.93	Inf	-Inf	3	Horizontal	344	2.83
7085MHz	Pass	AV	7.1255G	56.62	68.20	-11.58	3	Horizontal	344	2.83
7085MHz	Pass	PK	7.0697G	110.52	Inf	-Inf	3	Horizontal	344	2.83
7085MHz	Pass	PK	7.1285G	71.38	88.20	-16.82	3	Horizontal	344	2.83
7085MHz	Pass	AV	14.17678G	39.21	68.20	-28.99	3	Vertical	179	1.56
7085MHz	Pass	PK	14.17555G	49.39	88.20	-38.81	3	Vertical	179	1.56
7085MHz	Pass	AV	14.17411G	39.16	68.20	-29.04	3	Horizontal	272	1.34
7085MHz	Pass	PK	14.16595G	49.26	88.20	-38.94	3	Horizontal	272	1.34
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9175G	44.06	68.20	-24.14	3	Vertical	76	2.23
5985MHz	Pass	AV	6.0175G	85.88	Inf	-Inf	3	Vertical	76	2.23
5985MHz	Pass	PK	5.876G	55.92	88.20	-32.28	3	Vertical	76	2.23
5985MHz	Pass	PK	6.017G	98.32	Inf	-Inf	3	Vertical	76	2.23
5985MHz	Pass	AV	5.925G	47.60	68.20	-20.60	3	Horizontal	340	2.16
5985MHz	Pass	AV	6.0195G	95.89	Inf	-Inf	3	Horizontal	340	2.16
5985MHz	Pass	PK	5.9185G	62.23	88.20	-25.97	3	Horizontal	340	2.16
5985MHz	Pass	PK	6.0155G	107.65	Inf	-Inf	3	Horizontal	340	2.16
5985MHz	Pass	AV	12.00584G	37.75	54.00	-16.25	3	Vertical	335	1.22
5985MHz	Pass	PK	11.93064G	50.49	74.00	-23.51	3	Vertical	335	1.22
5985MHz	Pass	AV	12.00808G	37.74	54.00	-16.26	3	Horizontal	164	1.17
5985MHz	Pass	PK	11.99448G	50.34	74.00	-23.66	3	Horizontal	164	1.17
6225MHz	Pass	AV	12.44595G	38.26	54.00	-15.74	3	Vertical	148	2.90
6225MHz	Pass	PK	12.45216G	48.62	74.00	-25.38	3	Vertical	148	2.90
6225MHz	Pass	AV	12.44247G	38.21	54.00	-15.79	3	Horizontal	236	2.62
6225MHz	Pass	PK	12.44895G	49.06	74.00	-24.94	3	Horizontal	236	2.62
6385MHz	Pass	AV	12.78374G	38.72	68.20	-29.48	3	Vertical	87	1.51
6385MHz	Pass	PK	12.75506G	49.77	88.20	-38.43	3	Vertical	87	1.51
6385MHz	Pass	AV	12.78386G	38.70	68.20	-29.50	3	Horizontal	79	2.30
6385MHz	Pass	PK	12.76349G	49.18	88.20	-39.02	3	Horizontal	79	2.30
6465MHz	Pass	AV	12.94038G	39.37	68.20	-28.83	3	Vertical	203	2.51
6465MHz	Pass	PK	12.92256G	49.78	88.20	-38.42	3	Vertical	203	2.51
6465MHz	Pass	AV	12.94083G	39.46	68.20	-28.74	3	Horizontal	73	1.14
6465MHz	Pass	PK	12.93666G	49.87	88.20	-38.33	3	Horizontal	73	1.14
6545MHz	Pass	AV	13.08772G	39.17	68.20	-29.03	3	Vertical	323	2.97
6545MHz	Pass	PK	13.08319G	49.06	88.20	-39.14	3	Vertical	323	2.97
6545MHz	Pass	AV	13.08913G	39.21	68.20	-28.99	3	Horizontal	355	2.94
6545MHz	Pass	PK	13.08625G	49.24	88.20	-38.96	3	Horizontal	355	2.94
6625MHz	Pass	AV	13.24883G	39.03	68.20	-29.17	3	Vertical	253	2.95
6625MHz	Pass	PK	13.24544G	49.01	88.20	-39.19	3	Vertical	253	2.95
6625MHz	Pass	AV	13.25201G	38.94	54.00	-15.06	3	Horizontal	166	2.95
6625MHz	Pass	PK	13.25G	50.21	74.00	-23.79	3	Horizontal	166	2.95
6705MHz	Pass	AV	13.41927G	39.28	68.20	-28.92	3	Vertical	256	1.48
6705MHz	Pass	PK	13.40637G	49.15	88.20	-39.05	3	Vertical	256	1.48
6705MHz	Pass	AV	13.41897G	39.38	68.20	-28.82	3	Horizontal	246	1.84
6705MHz	Pass	PK	13.41489G	50.49	88.20	-37.71	3	Horizontal	246	1.84
6785MHz	Pass	AV	13.56835G	39.29	68.20	-28.91	3	Vertical	127	1.82
6785MHz	Pass	PK	13.58383G	49.35	88.20	-38.85	3	Vertical	127	1.82
6785MHz	Pass	AV	13.56865G	39.28	68.20	-28.92	3	Horizontal	43	1.03
6785MHz	Pass	PK	13.5643G	49.65	88.20	-38.55	3	Horizontal	43	1.03
6865MHz	Pass	AV	13.72961G	38.72	68.20	-29.48	3	Vertical	75	2.69
6865MHz	Pass	PK	13.74113G	50.17	88.20	-38.03	3	Vertical	75	2.69



RSE TX above 1GHz\_Beamforming\_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.74221G	38.64	68.20	-29.56	3	Horizontal	241	1.83
6865MHz	Pass	PK	13.72283G	49.63	88.20	-38.57	3	Horizontal	241	1.83
6945MHz	Pass	AV	13.90245G	39.12	68.20	-29.08	3	Vertical	270	1.94
6945MHz	Pass	PK	13.88133G	49.55	88.20	-38.65	3	Vertical	270	1.94
6945MHz	Pass	AV	13.90215G	39.15	68.20	-29.05	3	Horizontal	144	2.78
6945MHz	Pass	PK	13.90224G	49.58	88.20	-38.62	3	Horizontal	144	2.78
7025MHz	Pass	AV	5.8985G	46.77	68.20	-21.43	3	Vertical	187	2.92
7025MHz	Pass	AV	6.0625G	86.97	Inf	-Inf	3	Vertical	187	2.92
7025MHz	Pass	PK	5.902G	59.23	88.20	-28.97	3	Vertical	187	2.92
7025MHz	Pass	PK	6.062G	97.91	Inf	-Inf	3	Vertical	187	2.92
7025MHz	Pass	AV	5.9025G	55.68	68.20	-12.52	3	Horizontal	15	2.45
7025MHz	Pass	AV	6.0995G	98.33	Inf	-Inf	3	Horizontal	15	2.45
7025MHz	Pass	PK	5.9125G	66.27	88.20	-21.93	3	Horizontal	15	2.45
7025MHz	Pass	PK	5.996G	109.53	Inf	-Inf	3	Horizontal	15	2.45
7025MHz	Pass	AV	12.04823G	38.55	54.00	-15.45	3	Vertical	70	1.62
7025MHz	Pass	PK	12.03983G	49.20	74.00	-24.80	3	Vertical	70	1.62
7025MHz	Pass	AV	12.05372G	38.67	54.00	-15.33	3	Horizontal	7	2.85
7025MHz	Pass	PK	12.04604G	48.55	74.00	-25.45	3	Horizontal	7	2.85
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.8985G	46.77	68.20	-21.43	3	Vertical	187	2.92
6025MHz	Pass	AV	6.0625G	86.97	Inf	-Inf	3	Vertical	187	2.92
6025MHz	Pass	PK	5.902G	59.23	88.20	-28.97	3	Vertical	187	2.92
6025MHz	Pass	PK	6.062G	97.91	Inf	-Inf	3	Vertical	187	2.92
6025MHz	Pass	AV	5.9025G	55.68	68.20	-12.52	3	Horizontal	15	2.45
6025MHz	Pass	AV	6.0995G	98.33	Inf	-Inf	3	Horizontal	15	2.45
6025MHz	Pass	PK	5.9125G	66.27	88.20	-21.93	3	Horizontal	15	2.45
6025MHz	Pass	PK	5.996G	109.53	Inf	-Inf	3	Horizontal	15	2.45
6025MHz	Pass	AV	12.04823G	38.55	54.00	-15.45	3	Vertical	70	1.62
6025MHz	Pass	PK	12.03983G	49.20	74.00	-24.80	3	Vertical	70	1.62
6025MHz	Pass	AV	12.05372G	38.67	54.00	-15.33	3	Horizontal	7	2.85
6025MHz	Pass	PK	12.04604G	48.55	74.00	-25.45	3	Horizontal	7	2.85
6185MHz	Pass	AV	12.36307G	38.39	54.00	-15.61	3	Vertical	173	2.03
6185MHz	Pass	PK	12.36025G	50.37	74.00	-23.63	3	Vertical	173	2.03
6185MHz	Pass	AV	12.37606G	38.40	54.00	-15.60	3	Horizontal	288	2.24
6185MHz	Pass	PK	12.35899G	49.73	74.00	-24.27	3	Horizontal	288	2.24
6345MHz	Pass	AV	12.68061G	38.71	54.00	-15.29	3	Vertical	192	2.75
6345MHz	Pass	PK	12.68163G	49.61	74.00	-24.39	3	Vertical	192	2.75
6345MHz	Pass	AV	12.67779G	38.68	54.00	-15.32	3	Horizontal	58	1.24
6345MHz	Pass	PK	12.70305G	49.07	88.20	-39.13	3	Horizontal	58	1.24
6505MHz	Pass	AV	13.00592G	39.04	68.20	-29.16	3	Vertical	305	1.75
6505MHz	Pass	PK	13.00919G	49.56	88.20	-38.64	3	Vertical	305	1.75
6505MHz	Pass	AV	13.00274G	39.02	68.20	-29.18	3	Horizontal	319	1.19
6505MHz	Pass	PK	13.00604G	49.29	88.20	-38.91	3	Horizontal	319	1.19
6665MHz	Pass	AV	13.3324G	39.21	54.00	-14.79	3	Vertical	161	2.84
6665MHz	Pass	PK	13.33936G	51.20	74.00	-22.80	3	Vertical	161	2.84
6665MHz	Pass	AV	13.34434G	39.31	54.00	-14.69	3	Horizontal	190	1.42
6665MHz	Pass	PK	13.33573G	51.01	74.00	-22.99	3	Horizontal	190	1.42
6825MHz	Pass	AV	13.6413G	38.88	68.20	-29.32	3	Vertical	194	2.12
6825MHz	Pass	PK	13.65036G	49.98	88.20	-38.22	3	Vertical	194	2.12
6825MHz	Pass	AV	13.64127G	38.85	68.20	-29.35	3	Horizontal	199	1.43
6825MHz	Pass	PK	13.64967G	49.19	88.20	-39.01	3	Horizontal	199	1.43
6985MHz	Pass	PK	7.0345G	94.44	Inf	-Inf	3	Vertical	326	2.64
6985MHz	Pass	AV	7.0325G	87.88	Inf	-Inf	3	Vertical	326	2.64
6985MHz	Pass	PK	7.1375G	66.36	88.20	-21.84	3	Vertical	326	2.64
6985MHz	Pass	AV	7.1345G	52.76	68.20	-15.44	3	Vertical	326	2.64
6985MHz	Pass	PK	6.9525G	106.75	Inf	-Inf	3	Horizontal	25	2.03
6985MHz	Pass	AV	6.9495G	100.79	Inf	-Inf	3	Horizontal	25	2.03
6985MHz	Pass	PK	7.1365G	80.54	88.20	-7.66	3	Horizontal	25	2.03
6985MHz	Pass	AV	7.1385G	62.73	68.20	-5.47	3	Horizontal	25	2.03
6985MHz	Pass	AV	13.98452G	39.05	68.20	-29.15	3	Vertical	195	1.47
6985MHz	Pass	PK	13.96724G	49.36	88.20	-38.84	3	Vertical	195	1.47
6985MHz	Pass	AV	13.98311G	39.04	68.20	-29.16	3	Horizontal	233	1.59



RSE TX above 1GHz\_Beamforming\_Radio 3


Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.96238G	50.10	88.20	-38.10	3	Horizontal	233	1.59
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.916G	51.10	68.20	-17.10	3	Vertical	168	2.72
6105MHz	Pass	AV	6.041G	85.05	Inf	-Inf	3	Vertical	168	2.72
6105MHz	Pass	PK	5.91G	67.89	88.20	-20.31	3	Vertical	168	2.72
6105MHz	Pass	PK	6.041G	97.32	Inf	-Inf	3	Vertical	168	2.72
6105MHz	Pass	AV	5.915G	57.30	68.20	-10.90	3	Horizontal	352	2.65
6105MHz	Pass	AV	6.098G	97.14	Inf	-Inf	3	Horizontal	352	2.65
6105MHz	Pass	PK	5.918G	76.17	88.20	-12.03	3	Horizontal	352	2.65
6105MHz	Pass	PK	6.139G	110.63	Inf	-Inf	3	Horizontal	352	2.65
6105MHz	Pass	AV	12.22464G	39.34	54.00	-14.66	3	Vertical	10	1.50
6105MHz	Pass	PK	12.1938G	53.09	74.00	-20.91	3	Vertical	10	1.50
6105MHz	Pass	AV	12.18852G	39.40	54.00	-14.60	3	Horizontal	278	1.50
6105MHz	Pass	PK	12.25176G	53.27	74.00	-20.73	3	Horizontal	278	1.50
6265MHz	Pass	AV	12.58952G	39.29	54.00	-14.71	3	Vertical	267	2.13
6265MHz	Pass	PK	12.56492G	51.36	74.00	-22.64	3	Vertical	267	2.13
6265MHz	Pass	AV	12.57464G	39.13	54.00	-14.87	3	Horizontal	314	1.50
6265MHz	Pass	PK	12.5048G	51.46	74.00	-22.54	3	Horizontal	314	1.50
6425MHz	Pass	AV	12.87928G	39.72	68.20	-28.48	3	Horizontal	109	2.62
6425MHz	Pass	PK	12.87784G	52.45	88.20	-35.75	3	Horizontal	109	2.62
6425MHz	Pass	AV	12.88204G	39.76	68.20	-28.44	3	Horizontal	297	1.44
6425MHz	Pass	PK	12.90844G	51.86	88.20	-36.34	3	Horizontal	297	1.44
6585MHz	Pass	AV	13.13952G	40.26	68.20	-27.94	3	Vertical	81	1.50
6585MHz	Pass	PK	13.14396G	53.57	88.20	-34.63	3	Vertical	81	1.50
6585MHz	Pass	AV	13.14492G	40.40	68.20	-27.80	3	Horizontal	284	1.50
6585MHz	Pass	PK	13.1418G	53.64	88.20	-34.56	3	Horizontal	284	1.50
6745MHz	Pass	AV	13.4384G	40.86	68.20	-27.34	3	Vertical	132	1.17
6745MHz	Pass	PK	13.5308G	53.52	88.20	-34.68	3	Vertical	132	1.17
6745MHz	Pass	AV	13.46612G	40.77	68.20	-27.43	3	Horizontal	25	1.59
6745MHz	Pass	PK	13.5044G	53.70	88.20	-34.50	3	Horizontal	25	1.59
6905MHz	Pass	AV	6.8385G	90.92	Inf	-Inf	3	Vertical	323	2.60
6905MHz	Pass	AV	7.1255G	54.49	68.20	-13.71	3	Vertical	323	2.60
6905MHz	Pass	PK	6.8385G	99.43	Inf	-Inf	3	Vertical	323	2.60
6905MHz	Pass	PK	7.1495G	74.15	88.20	-14.05	3	Vertical	323	2.60
6905MHz	Pass	AV	6.7495G	101.04	Inf	-Inf	3	Horizontal	351	3.00
6905MHz	Pass	AV	7.1485G	62.23	68.20	-5.97	3	Horizontal	351	3.00
6905MHz	Pass	PK	6.7505G	109.93	Inf	-Inf	3	Horizontal	351	3.00
6905MHz	Pass	PK	7.2085G	84.16	88.20	-4.04	3	Horizontal	351	3.00
6905MHz	Pass	AV	13.83976G	40.82	68.20	-27.38	3	Vertical	109	1.50
6905MHz	Pass	PK	13.81408G	54.74	88.20	-33.46	3	Vertical	109	1.50
6905MHz	Pass	AV	13.84528G	40.79	68.20	-27.41	3	Horizontal	235	1.50
6905MHz	Pass	PK	13.8496G	54.90	88.20	-33.30	3	Horizontal	235	1.50



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9136G	45.76	68.20	-22.44	6.27	3	Vertical	276	2.75	39.49	34.07	7.00	34.80
AV	5.9541G	88.00	Inf	-Inf	6.21	3	Vertical	276	2.75	81.79	33.99	7.03	34.81
PK	5.8485G	57.26	88.20	-30.94	6.05	3	Vertical	276	2.75	51.21	33.90	6.94	34.79
PK	5.9517G	99.89	Inf	-Inf	6.22	3	Vertical	276	2.75	93.67	34.00	7.03	34.81

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	46.01	68.20	-22.19	6.26	3	Horizontal	312	2.71	39.75	34.05	7.01	34.80
AV	5.9637G	99.55	Inf	-Inf	6.20	3	Horizontal	312	2.71	93.35	33.97	7.04	34.81
PK	5.9226G	60.27	88.20	-27.93	6.25	3	Horizontal	312	2.71	54.02	34.05	7.00	34.80
PK	5.9616G	110.05	Inf	-Inf	6.21	3	Horizontal	312	2.71	103.84	33.98	7.04	34.81





5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0204G	39.11	54.00	-14.89	15.80	3	Vertical	297	1.50	23.31	38.84	11.62	34.66
PK	11.92024G	50.48	74.00	-23.52	15.56	3	Vertical	297	1.50	34.92	38.60	11.59	34.63

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0652G	39.19	54.00	-14.81	15.90	3	Horizontal	130	1.50	23.29	38.93	11.61	34.64
PK	12.00856G	51.42	74.00	-22.58	15.77	3	Horizontal	130	1.50	35.65	38.82	11.62	34.67



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38151G	38.72	54.00	-15.28	15.91	3	Vertical	356	1.51	22.81	38.84	11.54	34.47
PK	12.37743G	48.83	74.00	-25.17	15.92	3	Vertical	356	1.51	32.91	38.85	11.54	34.47

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28024G	38.89	54.00	-15.11	15.88	3	Horizontal	236	1.00	23.01	38.84	11.56	34.52
PK	12.23096G	49.29	74.00	-24.71	15.92	3	Horizontal	236	1.00	33.37	38.90	11.57	34.55



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94072G	39.82	68.20	-28.38	17.70	3	Vertical	333	1.86	22.12	39.78	11.42	33.50
PK	12.9372G	50.11	88.20	-38.09	17.68	3	Vertical	333	1.86	32.43	39.77	11.42	33.51

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94168G	39.70	68.20	-28.50	17.70	3	Horizontal	5	2.27	22.00	39.78	11.42	33.50
PK	12.97592G	50.38	88.20	-37.82	17.74	3	Horizontal	5	2.27	32.64	39.75	11.42	33.43



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86516G	39.03	68.20	-29.17	17.34	3	Vertical	130	1.36	21.69	39.56	11.44	33.66
PK	12.8676G	51.78	88.20	-36.42	17.36	3	Vertical	130	1.36	34.42	39.57	11.44	33.65

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87682G	39.26	68.20	-28.94	17.42	3	Horizontal	292	2.65	21.84	39.61	11.44	33.63
PK	12.8761G	52.08	88.20	-36.12	17.40	3	Horizontal	292	2.65	34.68	39.60	11.44	33.64



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94934G	39.14	68.20	-29.06	17.74	3	Vertical	354	1.38	21.40	39.80	11.42	33.48
PK	12.94888G	51.27	88.20	-36.93	17.73	3	Vertical	354	1.38	33.54	39.80	11.42	33.49

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95842G	39.16	68.20	-29.04	17.73	3	Horizontal	52	1.23	21.43	39.78	11.42	33.47
PK	12.94896G	51.92	88.20	-36.28	17.73	3	Horizontal	52	1.23	34.19	39.80	11.42	33.49



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0222G	39.26	68.20	-28.94	17.67	3	Vertical	0	1.03	21.59	39.61	11.41	33.35
PK	13.03222G	50.92	88.20	-37.28	17.64	3	Vertical	0	1.03	33.28	39.57	11.40	33.33

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02466G	39.12	68.20	-29.08	17.66	3	Horizontal	220	1.19	21.46	39.60	11.40	33.34
PK	13.03066G	52.07	88.20	-36.13	17.64	3	Horizontal	220	1.19	34.43	39.58	11.40	33.34



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03G	39.35	68.20	-28.85	17.64	3	Vertical	236	1.77	21.71	39.58	11.40	33.34
PK	13.04456G	52.00	88.20	-36.20	17.60	3	Vertical	236	1.77	34.40	39.52	11.40	33.32

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03496G	39.38	68.20	-28.82	17.63	3	Horizontal	345	2.87	21.75	39.56	11.40	33.33
PK	13.10688G	52.22	88.20	-35.98	17.67	3	Horizontal	345	2.87	34.55	39.51	11.39	33.23



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.405G	39.75	68.20	-28.45	18.34	3	Vertical	149	2.06	21.41	39.82	11.32	32.80
PK	13.39678G	49.67	74.00	-24.33	18.32	3	Vertical	149	2.06	31.35	39.81	11.33	32.82

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38736G	39.65	54.00	-14.35	18.33	3	Horizontal	265	1.65	21.32	39.83	11.33	32.83
PK	13.40023G	50.83	88.20	-37.37	18.32	3	Horizontal	265	1.65	32.51	39.80	11.33	32.81





6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7638G	39.18	68.20	-29.02	18.06	3	Vertical	22	1.68	21.12	39.50	11.25	32.69
PK	13.73527G	50.44	88.20	-37.76	18.11	3	Vertical	22	1.68	32.33	39.53	11.26	32.68

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89208G	39.64	68.20	-28.56	18.11	3	Horizontal	340	1.70	21.53	39.58	11.22	32.69
PK	13.88792G	49.35	88.20	-38.85	18.11	3	Horizontal	340	1.70	31.24	39.58	11.22	32.69



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78964G	39.17	68.20	-29.03	18.05	3	Vertical	70	2.22	21.12	39.50	11.24	32.69
PK	13.78754G	49.90	88.20	-38.30	18.05	3	Vertical	70	2.22	31.85	39.50	11.24	32.69

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7843G	39.09	68.20	-29.11	18.06	3	Horizontal	48	1.87	21.03	39.50	11.25	32.69
PK	13.77635G	48.42	88.20	-39.78	18.06	3	Horizontal	48	1.87	30.36	39.50	11.25	32.69



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99885G	39.64	68.20	-28.56	18.30	3	Vertical	211	1.60	21.34	39.80	11.20	32.70
PK	13.98184G	49.17	88.20	-39.03	18.26	3	Vertical	211	1.60	30.91	39.76	11.20	32.70

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01176G	39.68	68.20	-28.52	18.31	3	Horizontal	217	1.71	21.37	39.82	11.21	32.72
PK	14.06712G	50.84	88.20	-37.36	18.37	3	Horizontal	217	1.71	32.47	39.93	11.24	32.80



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0866G	87.59	Inf	-Inf	8.99	3	Vertical	291	2.35	78.60	36.12	7.65	34.78
AV	7.2384G	49.99	68.20	-18.21	9.45	3	Vertical	291	2.35	40.54	36.58	7.75	34.88
PK	7.0887G	98.57	Inf	-Inf	9.00	3	Vertical	291	2.35	89.57	36.13	7.65	34.78
PK	7.2039G	61.08	88.20	-27.12	9.38	3	Vertical	291	2.35	51.70	36.51	7.73	34.86

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1037G	98.74	Inf	-Inf	9.08	3	Horizontal	344	2.26	89.66	36.21	7.66	34.79
AV	7.2264G	50.21	68.20	-17.99	9.43	3	Horizontal	344	2.26	40.78	36.55	7.75	34.87
PK	7.0899G	109.48	Inf	-Inf	9.00	3	Horizontal	344	2.26	100.48	36.14	7.65	34.79
PK	7.2276G	61.51	88.20	-26.69	9.44	3	Horizontal	344	2.26	52.07	36.56	7.75	34.87



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.32024G	39.81	68.20	-28.39	18.09	3	Vertical	188	1.48	21.72	39.84	11.40	33.15
PK	14.26936G	50.13	88.20	-38.07	18.09	3	Vertical	188	1.48	32.04	39.80	11.37	33.08

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17653G	39.53	68.20	-28.67	18.26	3	Horizontal	280	2.91	21.27	39.90	11.31	32.95
PK	14.20209G	49.87	88.20	-38.33	18.24	3	Horizontal	280	2.91	31.63	39.90	11.33	32.99



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.1235G	95.69	Inf	-Inf	9.16	3	Vertical	325	2.15	BP 1MHz	86.53	36.29	7.68	34.81
AV	7.1235G	88.68	Inf	-Inf	9.16	3	Vertical	325	2.15	BP 1MHz	79.52	36.29	7.68	34.81
PK	7.1255G	71.49	88.20	-16.71	9.17	3	Vertical	325	2.15	BP 1MHz	62.32	36.30	7.68	34.81
AV	7.1255G	61.92	68.20	-6.28	9.17	3	Vertical	325	2.15	BP 1MHz	52.75	36.30	7.68	34.81

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.1085G	105.46	Inf	-Inf	9.10	3	Horizontal	358	2.10	BP 1MHz	96.36	36.23	7.67	34.80
AV	7.1075G	98.46	Inf	-Inf	9.10	3	Horizontal	358	2.10	BP 1MHz	89.36	36.23	7.67	34.80
PK	7.1255G	78.64	88.20	-9.56	9.17	3	Horizontal	358	2.10	BP 1MHz	69.47	36.30	7.68	34.81
AV	7.1255G	68.17	68.20	-0.03	9.17	3	Horizontal	358	2.10	BP 1MHz	59.00	36.30	7.68	34.81



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.24029G	39.51	68.20	-28.69	18.13	3	Vertical	157	1.57	21.38	39.82	11.35	33.04
PK	14.23531G	49.89	88.20	-38.31	18.15	3	Vertical	157	1.57	31.74	39.83	11.35	33.03

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22313G	39.65	68.20	-28.55	18.17	3	Horizontal	44	2.61	21.48	39.85	11.34	33.02
PK	14.21824G	48.93	88.20	-39.27	18.19	3	Horizontal	44	2.61	30.74	39.86	11.34	33.01



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8828G	43.33	68.20	-24.87	6.20	3	Vertical	318	2.52	37.13	34.03	6.97	34.80
AV	5.971G	81.19	Inf	-Inf	6.20	3	Vertical	318	2.52	74.99	33.96	7.05	34.81
PK	5.8786G	55.66	88.20	-32.54	6.18	3	Vertical	318	2.52	49.48	34.01	6.97	34.80
PK	5.959G	93.57	Inf	-Inf	6.21	3	Vertical	318	2.52	87.36	33.98	7.04	34.81

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9164G	45.79	68.20	-22.41	6.27	3	Horizontal	27	2.94	39.52	34.07	7.00	34.80
AV	5.9569G	100.11	Inf	-Inf	6.21	3	Horizontal	27	2.94	93.90	33.99	7.03	34.81
PK	5.9236G	63.05	88.20	-25.15	6.26	3	Horizontal	27	2.94	56.79	34.05	7.01	34.80
PK	5.9557G	112.82	Inf	-Inf	6.21	3	Horizontal	27	2.94	106.61	33.99	7.03	34.81





5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.958G	37.44	54.00	-16.56	15.58	3	Vertical	82	2.53	21.86	38.63	11.60	34.65
PK	11.95112G	49.69	74.00	-24.31	15.55	3	Vertical	82	2.53	34.14	38.60	11.60	34.65

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94944G	37.37	54.00	-16.63	15.55	3	Horizontal	320	1.77	21.82	38.60	11.60	34.65
PK	11.9248G	50.67	74.00	-23.33	15.55	3	Horizontal	320	1.77	35.12	38.60	11.59	34.64



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6205MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.42125G	38.21	54.00	-15.79	15.88	3	Vertical	175	2.89	22.33	38.80	11.53	34.45
PK	12.41543G	48.27	74.00	-25.73	15.88	3	Vertical	175	2.89	32.39	38.80	11.53	34.45

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34228G	38.19	54.00	-15.81	15.94	3	Horizontal	126	2.08	22.25	38.88	11.55	34.49
PK	12.35624G	50.26	74.00	-23.74	15.96	3	Horizontal	126	2.08	34.30	38.89	11.55	34.48



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93512G	39.26	68.20	-28.94	17.68	3	Vertical	332	2.19	21.58	39.77	11.42	33.51
PK	12.89288G	49.83	88.20	-38.37	17.50	3	Vertical	332	2.19	32.33	39.67	11.43	33.60

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.62047G	38.15	54.00	-15.85	16.51	3	Horizontal	223	1.51	21.64	39.18	11.49	34.16
PK	12.66216G	49.91	74.00	-24.09	16.70	3	Horizontal	223	1.51	33.21	39.30	11.48	34.08



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90467G	39.11	68.20	-29.09	17.56	3	Vertical	210	1.19	21.55	39.71	11.43	33.58
PK	12.88001G	49.78	88.20	-38.42	17.43	3	Vertical	210	1.19	32.35	39.62	11.44	33.63

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90455G	39.05	68.20	-29.15	17.56	3	Horizontal	185	2.43	21.49	39.71	11.43	33.58
PK	12.89228G	49.67	88.20	-38.53	17.50	3	Horizontal	185	2.43	32.17	39.67	11.43	33.60



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95635G	39.18	68.20	-29.02	17.74	3	Vertical	253	1.71	21.44	39.79	11.42	33.47
PK	12.97048G	50.82	88.20	-37.38	17.74	3	Vertical	253	1.71	33.08	39.76	11.42	33.44

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94216G	39.38	68.20	-28.82	17.70	3	Horizontal	207	1.26	21.68	39.78	11.42	33.50
PK	12.8916G	49.63	88.20	-38.57	17.50	3	Horizontal	207	1.26	32.13	39.67	11.43	33.60



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6525MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04679G	38.94	68.20	-29.26	17.60	3	Vertical	318	2.34	21.34	39.51	11.40	33.31
PK	13.06269G	48.88	88.20	-39.32	17.61	3	Vertical	318	2.34	31.27	39.50	11.40	33.29

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94088G	39.36	68.20	-28.84	17.70	3	Horizontal	52	2.90	21.66	39.78	11.42	33.50
PK	13.02568G	50.58	88.20	-37.62	17.66	3	Horizontal	52	2.90	32.92	39.60	11.40	33.34



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13078G	38.97	68.20	-29.23	17.75	3	Vertical	77	2.63	21.22	39.56	11.38	33.19
PK	13.11761G	49.92	88.20	-38.28	17.72	3	Vertical	77	2.63	32.20	39.54	11.39	33.21

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13047G	39.30	68.20	-28.90	17.75	3	Horizontal	294	2.89	21.55	39.56	11.38	33.19
PK	13.23944G	50.25	88.20	-37.95	17.92	3	Horizontal	294	2.89	32.33	39.60	11.36	33.04



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.35845G	39.39	54.00	-14.61	18.34	3	Vertical	12	2.38	21.05	39.88	11.33	32.87
PK	13.36502G	49.10	74.00	-24.90	18.34	3	Vertical	12	2.38	30.76	39.87	11.33	32.86

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.35548G	39.34	54.00	-14.66	18.35	3	Horizontal	52	2.67	20.99	39.89	11.34	32.88
PK	13.37234G	49.75	74.00	-24.25	18.34	3	Horizontal	52	2.67	31.41	39.86	11.33	32.85





6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76745G	38.77	68.20	-29.43	18.06	3	Vertical	239	2.88	20.71	39.50	11.25	32.69
PK	13.78215G	49.53	88.20	-38.67	18.06	3	Vertical	239	2.88	31.47	39.50	11.25	32.69

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78413G	38.69	68.20	-29.51	18.06	3	Horizontal	37	2.32	20.63	39.50	11.25	32.69
PK	13.76937G	48.66	88.20	-39.54	18.06	3	Horizontal	37	2.32	30.60	39.50	11.25	32.69



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84968G	45.55	68.20	-22.65	18.04	3	Vertical	277	2.67	27.51	39.50	11.23	32.69
PK	13.87016G	58.97	88.20	-29.23	18.08	3	Vertical	277	2.67	40.89	39.54	11.23	32.69

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85248G	45.42	68.20	-22.78	18.04	3	Horizontal	276	1.98	27.38	39.50	11.23	32.69
PK	13.82184G	57.91	88.20	-30.29	18.05	3	Horizontal	276	1.98	39.86	39.50	11.24	32.69



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99869G	39.10	68.20	-29.10	18.30	3	Vertical	4	2.08	20.80	39.80	11.20	32.70
PK	14.00208G	49.84	88.20	-38.36	18.30	3	Vertical	4	2.08	31.54	39.80	11.20	32.70

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00196G	39.06	68.20	-29.14	18.30	3	Horizontal	58	2.10	20.76	39.80	11.20	32.70
PK	14.00769G	49.03	88.20	-39.17	18.31	3	Horizontal	58	2.10	30.72	39.82	11.20	32.71



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.103G	89.55	Inf	-Inf	9.08	3	Vertical	300	2.25	80.47	36.21	7.66	34.79
AV	7.1267G	50.92	68.20	-17.28	9.18	3	Vertical	300	2.25	41.74	36.31	7.68	34.81
PK	7.103G	100.40	Inf	-Inf	9.08	3	Vertical	300	2.25	91.32	36.21	7.66	34.79
PK	7.1978G	61.22	88.20	-26.98	9.38	3	Vertical	300	2.25	51.84	36.50	7.73	34.85

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0667G	99.93	Inf	-Inf	8.87	3	Horizontal	344	2.83	91.06	36.00	7.64	34.77
AV	7.1255G	56.62	68.20	-11.58	9.17	3	Horizontal	344	2.83	47.45	36.30	7.68	34.81
PK	7.0697G	110.52	Inf	-Inf	8.89	3	Horizontal	344	2.83	101.63	36.02	7.64	34.77
PK	7.1285G	71.38	88.20	-16.82	9.18	3	Horizontal	344	2.83	62.20	36.31	7.68	34.81



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17678G	39.21	68.20	-28.99	18.26	3	Vertical	179	1.56	20.95	39.90	11.31	32.95
PK	14.17555G	49.39	88.20	-38.81	18.26	3	Vertical	179	1.56	31.13	39.90	11.31	32.95

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17411G	39.16	68.20	-29.04	18.26	3	Horizontal	272	1.34	20.90	39.90	11.31	32.95
PK	14.16595G	49.26	88.20	-38.94	18.26	3	Horizontal	272	1.34	31.00	39.90	11.30	32.94



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9175G	44.06	68.20	-24.14	6.26	3	Vertical	76	2.23	37.80	34.06	7.00	34.80
AV	6.0175G	85.88	Inf	-Inf	6.16	3	Vertical	76	2.23	79.72	33.90	7.08	34.82
PK	5.876G	55.92	88.20	-32.28	6.16	3	Vertical	76	2.23	49.76	34.00	6.96	34.80
PK	6.017G	98.32	Inf	-Inf	6.16	3	Vertical	76	2.23	92.16	33.90	7.08	34.82

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	47.60	68.20	-20.60	6.26	3	Horizontal	340	2.16	41.34	34.05	7.01	34.80
AV	6.0195G	95.89	Inf	-Inf	6.16	3	Horizontal	340	2.16	89.73	33.90	7.08	34.82
PK	5.9185G	62.23	88.20	-25.97	6.26	3	Horizontal	340	2.16	55.97	34.06	7.00	34.80
PK	6.0155G	107.65	Inf	-Inf	6.16	3	Horizontal	340	2.16	101.49	33.90	7.08	34.82



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.00584G	37.75	54.00	-16.25	15.76	3	Vertical	335	1.22	21.99	38.81	11.62	34.67
PK	11.93064G	50.49	74.00	-23.51	15.55	3	Vertical	335	1.22	34.94	38.60	11.59	34.64

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.00808G	37.74	54.00	-16.26	15.77	3	Horizontal	164	1.17	21.97	38.82	11.62	34.67
PK	11.99448G	50.34	74.00	-23.66	15.73	3	Horizontal	164	1.17	34.61	38.78	11.62	34.67



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6225MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.44595G	38.26	54.00	-15.74	15.89	3	Vertical	148	2.90	22.37	38.80	11.53	34.44
PK	12.45216G	48.62	74.00	-25.38	15.90	3	Vertical	148	2.90	32.72	38.80	11.53	34.43

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.44247G	38.21	54.00	-15.79	15.89	3	Horizontal	236	2.62	22.32	38.80	11.53	34.44
PK	12.44895G	49.06	74.00	-24.94	15.89	3	Horizontal	236	2.62	33.17	38.80	11.53	34.44





5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.78374G	38.72	68.20	-29.48	17.06	3	Vertical	87	1.51	21.66	39.43	11.46	33.83
PK	12.75506G	49.77	88.20	-38.43	16.90	3	Vertical	87	1.51	32.87	39.32	11.46	33.88

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.78386G	38.70	68.20	-29.50	17.07	3	Horizontal	79	2.30	21.63	39.44	11.46	33.83
PK	12.76349G	49.18	88.20	-39.02	16.94	3	Horizontal	79	2.30	32.24	39.35	11.46	33.87



6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94038G	39.37	68.20	-28.83	17.70	3	Vertical	203	2.51	21.67	39.78	11.42	33.50
PK	12.92256G	49.78	88.20	-38.42	17.64	3	Vertical	203	2.51	32.14	39.75	11.43	33.54

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94083G	39.46	68.20	-28.74	17.70	3	Horizontal	73	1.14	21.76	39.78	11.42	33.50
PK	12.93666G	49.87	88.20	-38.33	17.68	3	Horizontal	73	1.14	32.19	39.77	11.42	33.51



6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6545MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08772G	39.17	68.20	-29.03	17.63	3	Vertical	323	2.97	21.54	39.50	11.39	33.26
PK	13.08319G	49.06	88.20	-39.14	17.63	3	Vertical	323	2.97	31.43	39.50	11.39	33.26

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08913G	39.21	68.20	-28.99	17.64	3	Horizontal	355	2.94	21.57	39.50	11.39	33.25
PK	13.08625G	49.24	88.20	-38.96	17.63	3	Horizontal	355	2.94	31.61	39.50	11.39	33.26



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24883G	39.03	68.20	-29.17	17.93	3	Vertical	253	2.95	21.10	39.60	11.36	33.03
PK	13.24544G	49.01	88.20	-39.19	17.93	3	Vertical	253	2.95	31.08	39.60	11.36	33.03

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25201G	38.94	54.00	-15.06	17.94	3	Horizontal	166	2.95	21.00	39.60	11.36	33.02
PK	13.25G	50.21	74.00	-23.79	17.94	3	Horizontal	166	2.95	32.27	39.60	11.36	33.02



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41927G	39.28	68.20	-28.92	18.42	3	Vertical	256	1.48	20.86	39.88	11.32	32.78
PK	13.40637G	49.15	88.20	-39.05	18.35	3	Vertical	256	1.48	30.80	39.83	11.32	32.80

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41897G	39.38	68.20	-28.82	18.41	3	Horizontal	246	1.84	20.97	39.88	11.32	32.79
PK	13.41489G	50.49	88.20	-37.71	18.39	3	Horizontal	246	1.84	32.10	39.86	11.32	32.79



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56835G	39.29	68.20	-28.91	18.65	3	Vertical	127	1.82	20.64	40.03	11.29	32.67
PK	13.56838G	49.35	88.20	-38.85	18.57	3	Vertical	127	1.82	30.78	39.96	11.29	32.68

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56865G	39.28	68.20	-28.92	18.65	3	Horizontal	43	1.03	20.63	40.03	11.29	32.67
PK	13.5643G	49.65	88.20	-38.55	18.66	3	Horizontal	43	1.03	30.99	40.04	11.29	32.67



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72961G	38.72	68.20	-29.48	18.12	3	Vertical	75	2.69	20.60	39.54	11.26	32.68
PK	13.74113G	50.17	88.20	-38.03	18.09	3	Vertical	75	2.69	32.08	39.52	11.25	32.68

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74221G	38.64	68.20	-29.56	18.09	3	Horizontal	241	1.83	20.55	39.52	11.25	32.68
PK	13.72283G	49.63	88.20	-38.57	18.13	3	Horizontal	241	1.83	31.50	39.55	11.26	32.68



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.90245G	39.12	68.20	-29.08	18.13	3	Vertical	270	1.94	20.99	39.60	11.22	32.69
PK	13.88133G	49.55	88.20	-38.65	18.09	3	Vertical	270	1.94	31.46	39.56	11.22	32.69

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.90215G	39.15	68.20	-29.05	18.13	3	Horizontal	144	2.78	21.02	39.60	11.22	32.69
PK	13.90224G	49.58	88.20	-38.62	18.13	3	Horizontal	144	2.78	31.45	39.60	11.22	32.69





6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.028G	87.15	Inf	-Inf	8.63	3	Vertical	296	2.04	78.52	35.77	7.61	34.75
AV	7.1705G	49.14	68.20	-19.06	9.31	3	Vertical	296	2.04	39.83	36.44	7.71	34.84
PK	7.0262G	98.37	Inf	-Inf	8.62	3	Vertical	296	2.04	89.75	35.76	7.61	34.75
PK	7.1285G	60.56	88.20	-27.64	9.18	3	Vertical	296	2.04	51.38	36.31	7.68	34.81

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.998G	98.75	Inf	-Inf	8.46	3	Horizontal	332	2.37	90.29	35.60	7.59	34.73
AV	7.1252G	50.81	68.20	-17.39	9.17	3	Horizontal	332	2.37	41.64	36.30	7.68	34.81
PK	6.9989G	110.40	Inf	-Inf	8.46	3	Horizontal	332	2.37	101.94	35.60	7.59	34.73
PK	7.1291G	62.84	88.20	-25.36	9.19	3	Horizontal	332	2.37	53.65	36.32	7.68	34.81



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.06422G	39.18	68.20	-29.02	18.38	3	Vertical	238	2.78	20.80	39.93	11.24	32.79
PK	14.05204G	49.76	88.20	-38.44	18.36	3	Vertical	238	2.78	31.40	39.90	11.23	32.77

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.06215G	39.30	68.20	-28.90	18.37	3	Horizontal	261	2.41	20.93	39.92	11.24	32.79
PK	14.03902G	50.02	88.20	-38.18	18.34	3	Horizontal	261	2.41	31.68	39.88	11.22	32.76



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8985G	46.77	68.20	-21.43	6.27	3	Vertical	187	2.92	40.50	34.09	6.98	34.80
AV	6.0625G	86.97	Inf	-Inf	6.16	3	Vertical	187	2.92	80.81	33.87	7.10	34.81
PK	5.902G	59.23	88.20	-28.97	6.29	3	Vertical	187	2.92	52.94	34.10	6.99	34.80
PK	6.062G	97.91	Inf	-Inf	6.17	3	Vertical	187	2.92	91.74	33.88	7.10	34.81

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9025G	55.68	68.20	-12.52	6.28	3	Horizontal	15	2.45	49.40	34.09	6.99	34.80
AV	6.0995G	98.33	Inf	-Inf	6.12	3	Horizontal	15	2.45	92.21	33.80	7.12	34.80
PK	5.9125G	66.27	88.20	-21.93	6.28	3	Horizontal	15	2.45	59.99	34.08	7.00	34.80
PK	5.996G	109.53	Inf	-Inf	6.16	3	Horizontal	15	2.45	103.37	33.91	7.07	34.82