




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	110.19	Inf	-Inf	2.86	3	Vertical	335	2.62	107.33	34.19	5.80	37.13
PK	5.6402G	64.04	68.20	-4.16	1.84	3	Vertical	335	2.62	62.20	33.36	5.72	37.24
PK	5.7806G	122.57	Inf	-Inf	2.85	3	Vertical	335	2.62	119.72	34.18	5.80	37.13
PK	6.0842G	58.11	68.20	-10.09	3.45	3	Vertical	335	2.62	54.66	34.43	5.96	36.94

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	101.00	Inf	-Inf	2.98	3	Horizontal	69	2.77	98.02	34.29	5.81	37.12
PK	5.645G	62.41	68.20	-5.79	1.87	3	Horizontal	69	2.77	60.54	33.38	5.72	37.23
PK	5.7998G	113.52	Inf	-Inf	2.99	3	Horizontal	69	2.77	110.53	34.30	5.81	37.12
PK	6.035G	58.31	68.20	-9.89	3.48	3	Horizontal	69	2.77	54.83	34.50	5.94	36.96



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5956G	38.71	54.00	-15.29	9.72	3	Vertical	192	1.55	28.99	39.02	8.62	37.92
PK	11.59616G	52.25	74.00	-21.75	9.72	3	Vertical	192	1.55	42.53	39.02	8.62	37.92

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58008G	38.58	54.00	-15.42	9.77	3	Horizontal	192	1.55	28.81	39.08	8.61	37.92
PK	11.58408G	51.92	74.00	-22.08	9.75	3	Horizontal	192	1.55	42.17	39.06	8.61	37.92



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.133G	53.54	54.00	-0.46	1.61	3	Vertical	84	2.55	51.93	33.40	5.45	37.24
AV	5.213G	102.02	Inf	-Inf	1.49	3	Vertical	84	2.55	100.53	33.25	5.50	37.26
AV	5.354G	46.62	54.00	-7.38	1.28	3	Vertical	84	2.55	45.34	33.00	5.58	37.30
PK	5.142G	66.27	74.00	-7.73	1.62	3	Vertical	84	2.55	64.65	33.40	5.46	37.24
PK	5.213G	114.62	Inf	-Inf	1.49	3	Vertical	84	2.55	113.13	33.25	5.50	37.26
PK	5.354G	59.97	74.00	-14.03	1.28	3	Vertical	84	2.55	58.69	33.00	5.58	37.30

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	47.06	54.00	-6.94	1.62	3	Horizontal	53	2.62	45.44	33.40	5.46	37.24
AV	5.202G	93.77	Inf	-Inf	1.52	3	Horizontal	53	2.62	92.25	33.29	5.49	37.26
AV	5.353G	43.23	54.00	-10.77	1.28	3	Horizontal	53	2.62	41.95	33.00	5.58	37.30
PK	5.141G	59.88	74.00	-14.12	1.62	3	Horizontal	53	2.62	58.26	33.40	5.46	37.24
PK	5.201G	106.24	Inf	-Inf	1.53	3	Horizontal	53	2.62	104.71	33.30	5.49	37.26
PK	5.443G	56.35	74.00	-17.65	1.40	3	Horizontal	53	2.62	54.95	33.09	5.63	37.32



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42672G	51.75	68.20	-16.45	9.65	3	Vertical	192	1.55	42.10	39.10	8.07	37.52

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44816G	52.04	68.20	-16.16	9.67	3	Horizontal	192	1.55	42.37	39.10	8.08	37.51



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	46.54	54.00	-7.46	1.62	3	Vertical	83	2.30	44.92	33.40	5.46	37.24
AV	5.253G	101.66	Inf	-Inf	1.34	3	Vertical	83	2.30	100.32	33.09	5.52	37.27
AV	5.353G	53.18	54.00	-0.82	1.28	3	Vertical	83	2.30	51.90	33.00	5.58	37.30
PK	5.141G	58.91	74.00	-15.09	1.62	3	Vertical	83	2.30	57.29	33.40	5.46	37.24
PK	5.272G	114.14	Inf	-Inf	1.31	3	Vertical	83	2.30	112.83	33.06	5.53	37.28
PK	5.352G	66.54	74.00	-7.46	1.28	3	Vertical	83	2.30	65.26	33.00	5.58	37.30
PK	5.519G	58.15	68.20	-10.05	1.49	3	Vertical	83	2.30	56.66	33.16	5.66	37.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	42.87	54.00	-11.13	1.62	3	Horizontal	54	1.00	41.25	33.40	5.46	37.24
AV	5.283G	87.23	Inf	-Inf	1.29	3	Horizontal	54	1.00	85.94	33.03	5.54	37.28
AV	5.352G	43.28	54.00	-10.72	1.28	3	Horizontal	54	1.00	42.00	33.00	5.58	37.30
PK	5.147G	55.60	74.00	-18.40	1.62	3	Horizontal	54	1.00	53.98	33.40	5.46	37.24
PK	5.264G	100.69	Inf	-Inf	1.33	3	Horizontal	54	1.00	99.36	33.07	5.53	37.27
PK	5.353G	56.24	74.00	-17.76	1.28	3	Horizontal	54	1.00	54.96	33.00	5.58	37.30
PK	5.538G	56.16	68.20	-12.04	1.48	3	Horizontal	54	1.00	54.68	33.12	5.67	37.31



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59568G	52.51	68.20	-15.69	10.00	3	Vertical	192	1.55	42.51	39.37	8.15	37.52

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58192G	52.32	68.20	-15.88	9.89	3	Horizontal	192	1.55	42.43	39.26	8.14	37.51



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.64	54.00	-10.36	1.28	3	Vertical	55	2.56	42.36	33.00	5.58	37.30
AV	5.446G	53.34	54.00	-0.66	1.40	3	Vertical	55	2.56	51.94	33.09	5.63	37.32
AV	5.564G	103.61	Inf	-Inf	1.52	3	Vertical	55	2.56	102.09	33.13	5.68	37.29
PK	5.337G	57.42	68.20	-10.78	1.28	3	Vertical	55	2.56	56.14	33.00	5.57	37.29
PK	5.447G	65.51	74.00	-8.49	1.39	3	Vertical	55	2.56	64.12	33.09	5.63	37.33
PK	5.465G	67.31	68.20	-0.89	1.44	3	Vertical	55	2.56	65.87	33.13	5.64	37.33
PK	5.524G	116.16	Inf	-Inf	1.50	3	Vertical	55	2.56	114.66	33.15	5.67	37.32
PK	5.751G	60.04	68.20	-8.16	2.64	3	Vertical	55	2.56	57.40	34.01	5.78	37.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.11	54.00	-11.89	1.28	3	Horizontal	141	2.45	40.83	33.00	5.58	37.30
AV	5.456G	48.25	54.00	-5.75	1.42	3	Horizontal	141	2.45	46.83	33.11	5.64	37.33
AV	5.509G	95.77	Inf	-Inf	1.51	3	Horizontal	141	2.45	94.26	33.18	5.66	37.33
PK	5.33G	55.43	68.20	-12.77	1.28	3	Horizontal	141	2.45	54.15	33.00	5.57	37.29
PK	5.456G	62.90	74.00	-11.10	1.42	3	Horizontal	141	2.45	61.48	33.11	5.64	37.33
PK	5.461G	61.19	68.20	-7.01	1.43	3	Horizontal	141	2.45	59.76	33.12	5.64	37.33
PK	5.509G	107.30	Inf	-Inf	1.51	3	Horizontal	141	2.45	105.79	33.18	5.66	37.33
PK	5.761G	57.09	68.20	-11.11	2.71	3	Horizontal	141	2.45	54.38	34.07	5.79	37.15



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02224G	38.67	54.00	-15.33	9.96	3	Vertical	192	1.55	28.71	39.21	8.35	37.60
PK	11.08944G	51.31	74.00	-22.69	9.83	3	Vertical	192	1.55	41.48	39.10	8.38	37.65

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.024G	38.64	54.00	-15.36	9.94	3	Horizontal	192	1.55	28.70	39.20	8.35	37.61
PK	11.04736G	51.88	74.00	-22.12	9.85	3	Horizontal	192	1.55	42.03	39.11	8.36	37.62



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	45.66	54.00	-8.34	1.40	3	Vertical	54	2.39	44.26	33.10	5.63	37.33
AV	5.584G	103.73	Inf	-Inf	1.58	3	Vertical	54	2.39	102.15	33.17	5.69	37.28
PK	5.452G	58.25	74.00	-15.75	1.40	3	Vertical	54	2.39	56.85	33.10	5.63	37.33
PK	5.464G	61.80	68.20	-6.40	1.44	3	Vertical	54	2.39	60.36	33.13	5.64	37.33
PK	5.624G	116.02	Inf	-Inf	1.76	3	Vertical	54	2.39	114.26	33.30	5.71	37.25
PK	5.726G	67.00	68.20	-1.20	2.50	3	Vertical	54	2.39	64.50	33.90	5.77	37.17

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	42.69	54.00	-11.31	1.43	3	Horizontal	157	2.79	41.26	33.12	5.64	37.33
AV	5.646G	96.49	Inf	-Inf	1.88	3	Horizontal	157	2.79	94.61	33.38	5.73	37.23
PK	5.373G	55.69	74.00	-18.31	1.29	3	Horizontal	157	2.79	54.40	33.00	5.59	37.30
PK	5.465G	55.01	68.20	-13.19	1.44	3	Horizontal	157	2.79	53.57	33.13	5.64	37.33
PK	5.627G	108.76	Inf	-Inf	1.77	3	Horizontal	157	2.79	106.99	33.31	5.71	37.25
PK	5.727G	59.57	68.20	-8.63	2.51	3	Horizontal	157	2.79	57.06	33.91	5.77	37.17



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18384G	39.28	54.00	-14.72	9.85	3	Vertical	192	1.55	29.43	39.13	8.43	37.71
PK	11.2344G	52.51	74.00	-21.49	9.95	3	Vertical	192	1.55	42.56	39.24	8.45	37.74

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23184G	39.17	54.00	-14.83	9.94	3	Horizontal	192	1.55	29.23	39.23	8.45	37.74
PK	11.22992G	52.25	74.00	-21.75	9.93	3	Horizontal	192	1.55	42.32	39.22	8.45	37.74



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	48.07	54.00	-5.93	1.41	3	Vertical	52	2.65	46.66	33.11	5.63	37.33
AV	5.685G	106.84	Inf	-Inf	2.23	3	Vertical	52	2.65	104.61	33.68	5.75	37.20
PK	5.452G	60.47	74.00	-13.53	1.40	3	Vertical	52	2.65	59.07	33.10	5.63	37.33
PK	5.47G	61.10	68.20	-7.10	1.45	3	Vertical	52	2.65	59.65	33.14	5.64	37.33
PK	5.684G	119.56	Inf	-Inf	2.22	3	Vertical	52	2.65	117.34	33.67	5.75	37.20
PK	5.857G	65.14	68.20	-3.06	3.09	3	Vertical	52	2.65	62.05	34.33	5.84	37.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.446G	43.01	54.00	-10.99	1.40	3	Horizontal	53	2.26	41.61	33.09	5.63	37.32
AV	5.709G	97.03	Inf	-Inf	2.41	3	Horizontal	53	2.26	94.62	33.84	5.76	37.19
PK	5.445G	56.22	74.00	-17.78	1.40	3	Horizontal	53	2.26	54.82	33.09	5.63	37.32
PK	5.468G	55.69	68.20	-12.51	1.45	3	Horizontal	53	2.26	54.24	33.14	5.64	37.33
PK	5.728G	109.46	Inf	-Inf	2.51	3	Horizontal	53	2.26	106.95	33.91	5.77	37.17
PK	5.854G	61.70	68.20	-6.50	3.08	3	Horizontal	53	2.26	58.62	34.32	5.84	37.08



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37376G	39.47	54.00	-14.53	10.18	3	Vertical	192	1.55	29.29	39.50	8.52	37.84
PK	11.37968G	52.99	74.00	-21.01	10.18	3	Vertical	192	1.55	42.81	39.50	8.52	37.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3752G	39.51	54.00	-14.49	10.18	3	Horizontal	192	1.55	29.33	39.50	8.52	37.84
PK	11.34064G	52.86	74.00	-21.14	10.15	3	Horizontal	192	1.55	42.71	39.46	8.50	37.81



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7798G	105.43	Inf	-Inf	2.85	3	Vertical	297	2.87	102.58	34.18	5.80	37.13
PK	5.6394G	65.61	68.20	-2.59	1.84	3	Vertical	297	2.87	63.77	33.36	5.72	37.24
PK	5.7798G	116.81	Inf	-Inf	2.85	3	Vertical	297	2.87	113.96	34.18	5.80	37.13
PK	6.027G	58.02	68.20	-10.18	3.47	3	Vertical	297	2.87	54.55	34.50	5.93	36.96

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7738G	96.57	Inf	-Inf	2.80	3	Horizontal	54	2.51	93.77	34.14	5.80	37.14
PK	5.6502G	58.08	68.35	-10.27	1.90	3	Horizontal	54	2.51	56.18	33.40	5.73	37.23
PK	5.7738G	108.67	Inf	-Inf	2.80	3	Horizontal	54	2.51	105.87	34.14	5.80	37.14
PK	6.0474G	57.96	68.20	-10.24	3.49	3	Horizontal	54	2.51	54.47	34.50	5.94	36.95



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51784G	38.66	54.00	-15.34	9.99	3	Vertical	192	1.55	28.67	39.33	8.58	37.92
PK	11.58328G	51.62	74.00	-22.38	9.76	3	Vertical	192	1.55	41.86	39.07	8.61	37.92

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5204G	38.75	54.00	-15.25	9.98	3	Horizontal	192	1.55	28.77	39.32	8.58	37.92
PK	11.57192G	52.06	74.00	-21.94	9.80	3	Horizontal	192	1.55	42.26	39.11	8.61	37.92



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1336G	52.72	54.00	-1.28	1.61	3	Vertical	81	2.81	51.11	33.40	5.45	37.24
AV	5.2128G	97.89	Inf	-Inf	1.49	3	Vertical	81	2.81	96.40	33.25	5.50	37.26
AV	5.3532G	51.85	54.00	-2.15	1.28	3	Vertical	81	2.81	50.57	33.00	5.58	37.30
PK	5.1132G	68.69	74.00	-5.31	1.61	3	Vertical	81	2.81	67.08	33.40	5.44	37.23
PK	5.1924G	110.87	Inf	-Inf	1.56	3	Vertical	81	2.81	109.31	33.32	5.49	37.25
PK	5.3532G	65.59	74.00	-8.41	1.28	3	Vertical	81	2.81	64.31	33.00	5.58	37.30
PK	5.472G	61.89	68.20	-6.31	1.45	3	Vertical	81	2.81	60.44	33.14	5.64	37.33

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	45.38	54.00	-8.62	1.62	3	Horizontal	49	2.37	43.76	33.40	5.46	37.24
AV	5.2224G	89.81	Inf	-Inf	1.45	3	Horizontal	49	2.37	88.36	33.21	5.50	37.26
AV	5.3724G	44.00	54.00	-10.00	1.29	3	Horizontal	49	2.37	42.71	33.00	5.59	37.30
PK	5.1324G	57.86	74.00	-16.14	1.61	3	Horizontal	49	2.37	56.25	33.40	5.45	37.24
PK	5.2224G	101.85	Inf	-Inf	1.45	3	Horizontal	49	2.37	100.40	33.21	5.50	37.26
PK	5.3964G	57.28	74.00	-16.72	1.30	3	Horizontal	49	2.37	55.98	33.00	5.61	37.31
PK	5.5392G	56.01	68.20	-12.19	1.48	3	Horizontal	49	2.37	54.53	33.12	5.67	37.31



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46256G	53.16	68.20	-15.04	9.65	3	Vertical	192	1.55	43.51	39.07	8.09	37.51

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45232G	52.05	68.20	-16.15	9.67	3	Horizontal	192	1.55	42.38	39.10	8.08	37.51



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	51.19	54.00	-2.81	1.40	3	Vertical	54	2.42	49.79	33.09	5.63	37.32
AV	5.6444G	99.26	Inf	-Inf	1.87	3	Vertical	54	2.42	97.39	33.38	5.72	37.23
PK	5.3192G	58.39	68.20	-9.81	1.27	3	Vertical	54	2.42	57.12	33.00	5.56	37.29
PK	5.4236G	64.99	74.00	-9.01	1.35	3	Vertical	54	2.42	63.64	33.05	5.62	37.32
PK	5.4632G	64.24	68.20	-3.96	1.44	3	Vertical	54	2.42	62.80	33.13	5.64	37.33
PK	5.564G	111.63	Inf	-Inf	1.52	3	Vertical	54	2.42	110.11	33.13	5.68	37.29
PK	5.7452G	66.37	68.20	-1.83	2.60	3	Vertical	54	2.42	63.77	33.98	5.78	37.16

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	47.47	54.00	-6.53	1.40	3	Horizontal	142	2.57	46.07	33.10	5.63	37.33
AV	5.5088G	91.43	Inf	-Inf	1.51	3	Horizontal	142	2.57	89.92	33.18	5.66	37.33
PK	5.348G	56.26	68.20	-11.94	1.28	3	Horizontal	142	2.57	54.98	33.00	5.58	37.30
PK	5.4488G	59.81	74.00	-14.19	1.40	3	Horizontal	142	2.57	58.41	33.10	5.63	37.33
PK	5.468G	60.31	68.20	-7.89	1.45	3	Horizontal	142	2.57	58.86	33.14	5.64	37.33
PK	5.5676G	103.40	Inf	-Inf	1.54	3	Horizontal	142	2.57	101.86	33.14	5.69	37.29
PK	5.7548G	59.09	68.20	-9.11	2.67	3	Horizontal	142	2.57	56.42	34.03	5.79	37.15



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18192G	39.06	54.00	-14.94	9.86	3	Vertical	192	1.55	29.20	39.14	8.43	37.71
PK	11.14096G	52.52	74.00	-21.48	9.91	3	Vertical	192	1.55	42.61	39.18	8.41	37.68

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17008G	39.00	54.00	-15.00	9.88	3	Horizontal	192	1.55	29.12	39.16	8.42	37.70
PK	11.1896G	51.83	74.00	-22.17	9.83	3	Horizontal	192	1.55	42.00	39.12	8.43	37.72



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.14824G	21.48	54.00	-32.52	3	Vertical	181	1.50
Mode 1	Pass	AV	1.71179G	20.26	68.20	-47.94	3	Vertical	246	1.50
Mode 1	Pass	AV	8.21121G	35.18	54.00	-18.82	3	Vertical	39	2.04
Mode 1	Pass	PK	1.14824G	34.63	74.00	-39.37	3	Vertical	181	1.50
Mode 1	Pass	PK	1.71179G	33.99	88.20	-54.21	3	Vertical	246	1.50
Mode 1	Pass	PK	8.21121G	49.08	74.00	-24.92	3	Vertical	39	2.04
Mode 1	Pass	AV	1.71745G	20.30	68.20	-47.90	3	Horizontal	286	1.49
Mode 1	Pass	AV	3.72699G	26.50	54.00	-27.50	3	Horizontal	4	1.43
Mode 1	Pass	AV	8.00313G	35.83	68.20	-32.37	3	Horizontal	339	2.24
Mode 1	Pass	PK	1.71745G	33.66	88.20	-54.54	3	Horizontal	286	1.49
Mode 1	Pass	PK	3.72699G	40.45	74.00	-33.55	3	Horizontal	4	1.43
Mode 1	Pass	PK	8.00313G	49.65	88.20	-38.55	3	Horizontal	339	2.24

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.14824G	21.48	54.00	-32.52	-14.42	3	Vertical	181	1.50	35.90	25.98	2.36	42.76
AV	1.71179G	20.26	68.20	-47.94	-14.80	3	Vertical	246	1.50	35.06	25.28	2.85	42.93
AV	8.21121G	35.18	54.00	-18.82	1.09	3	Vertical	39	2.04	34.09	37.24	7.20	43.35
PK	1.14824G	34.63	74.00	-39.37	-14.42	3	Vertical	181	1.50	49.05	25.98	2.36	42.76
PK	1.71179G	33.99	88.20	-54.21	-14.80	3	Vertical	246	1.50	48.79	25.28	2.85	42.93
PK	8.21121G	49.08	74.00	-24.92	1.09	3	Vertical	39	2.04	47.99	37.24	7.20	43.35

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.71745G	20.30	68.20	-47.90	-14.84	3	Horizontal	286	1.49	35.14	25.23	2.86	42.93
AV	3.72699G	26.50	54.00	-27.50	-9.09	3	Horizontal	4	1.43	35.59	30.21	4.35	43.65
AV	8.00313G	35.83	68.20	-32.37	0.69	3	Horizontal	339	2.24	35.14	37.40	6.89	43.60
PK	1.71745G	33.66	88.20	-54.54	-14.84	3	Horizontal	286	1.49	48.50	25.23	2.86	42.93
PK	3.72699G	40.45	74.00	-33.55	-9.09	3	Horizontal	4	1.43	49.54	30.21	4.35	43.65
PK	8.00313G	49.65	88.20	-38.55	0.69	3	Horizontal	339	2.24	48.96	37.40	6.89	43.60