Brand: EnGenius, Model: ENH500-AX






48
49
50
51
52
53
54
55
56
57
58
59
60



EnGenius®
ENH500 802.11/a/n


EnGenius
Station6 2x2 Patch
INDICATORS
LINK QUALITY
Secondary

EnGenius
Station6 2x2 Patch
Model: ENH500-AX
FCC ID: A8J-ENH500AX
IC: 10103A-ENH500AX
CAN ICES-003(B)/NMB-003(B)
Input Rating: 54V/0.6A
802.3 at PoE
IP55
Management SSID: ENMGMT1339D5
ETH MAC: 88DC971339D4
5GHz MAC: 88DC971339D6
S/N: 22B0XC411M41
HW : v1.0.0
US00Z
Manufactured By EnGenius Networks No. 500,
Fusing 3rd Rd., Kuei-Shan Dist., Taoyuan City, Taiwan

Main LAN
Secondary
Reset

LAN
POE

EnGenius® EPA5006GR
54V GIGABIT SINGLE PORT PoE ADAPTER
MODEL : EPA5006GR
INPUT : 100-240VAC ~ 0.8A, 50-60Hz
OUTPUT : 54V ⎓ 0.6A
PIN 4,5: 54V
PIN 7,8: RETURN
WARNING :
RISK OF ELECTRIC SHOCK
DO NOT OPEN, INDOOR USE ONLY
FOR INDOOR USE ONLY
IS 13252(Part 1) /
IEC60950-1
RoHS
LISTED
I.T.E.
E206448
R-41142425
www.bis.gov.in
Achtung:
Gefahr durch Stromschlag
Nicht öffnen, nur für Anwendungen in
geschlossenen Räumen bestimmt
S/N:
227255613
EnGenius Networks Europe BV.
Made in Taiwan