



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1328G	44.77	54.00	-9.23	7.98	3	Vertical	351	1.61	-
5180MHz	Pass	AV	5.1832G	95.67	Inf	-Inf	7.92	3	Vertical	351	1.61	-
5180MHz	Pass	PK	5.0944G	55.99	74.00	-18.01	8.00	3	Vertical	351	1.61	-
5180MHz	Pass	PK	5.1828G	104.18	Inf	-Inf	7.92	3	Vertical	351	1.61	-
5180MHz	Pass	AV	5.1372G	50.40	54.00	-3.60	7.98	3	Horizontal	0	1.55	-
5180MHz	Pass	AV	5.1832G	107.19	Inf	-Inf	7.92	3	Horizontal	0	1.55	-
5180MHz	Pass	PK	5.1444G	61.48	74.00	-12.52	7.97	3	Horizontal	0	1.55	-
5180MHz	Pass	PK	5.1824G	116.26	Inf	-Inf	7.93	3	Horizontal	0	1.55	-
5180MHz	Pass	AV	15.54744G	45.28	54.00	-8.72	17.54	3	Vertical	129	1.50	-
5180MHz	Pass	PK	10.36612G	55.86	68.20	-12.34	17.15	3	Vertical	245	1.95	-
5180MHz	Pass	PK	15.55416G	57.20	74.00	-16.80	17.52	3	Vertical	129	1.50	-
5180MHz	Pass	AV	15.53994G	45.28	54.00	-8.72	17.58	3	Horizontal	125	1.50	-
5180MHz	Pass	PK	10.36546G	56.87	68.20	-11.33	17.15	3	Horizontal	122	2.76	-
5180MHz	Pass	PK	15.5298G	57.41	74.00	-16.59	17.62	3	Horizontal	125	1.50	-
5200MHz	Pass	AV	5.15G	44.51	54.00	-9.49	7.96	3	Vertical	348	1.76	-
5200MHz	Pass	AV	5.2032G	96.47	Inf	-Inf	7.89	3	Vertical	348	1.76	-
5200MHz	Pass	PK	5.1156G	56.24	74.00	-17.76	8.00	3	Vertical	348	1.76	-
5200MHz	Pass	PK	5.2028G	104.93	Inf	-Inf	7.89	3	Vertical	348	1.76	-
5200MHz	Pass	AV	5.1496G	49.32	54.00	-4.68	7.96	3	Horizontal	3	1.71	-
5200MHz	Pass	AV	5.1992G	107.90	Inf	-Inf	7.90	3	Horizontal	3	1.71	-
5200MHz	Pass	PK	5.1488G	60.19	74.00	-13.81	7.96	3	Horizontal	3	1.71	-
5200MHz	Pass	PK	5.2032G	116.35	Inf	-Inf	7.89	3	Horizontal	3	1.71	-
5200MHz	Pass	AV	15.60672G	45.12	54.00	-8.88	17.30	3	Vertical	230	2.39	-
5200MHz	Pass	PK	10.39958G	56.04	68.20	-12.16	17.20	3	Vertical	317	1.91	-
5200MHz	Pass	PK	15.6015G	56.91	74.00	-17.09	17.31	3	Vertical	230	2.39	-
5200MHz	Pass	AV	15.59712G	45.07	54.00	-8.93	17.33	3	Horizontal	196	2.03	-
5200MHz	Pass	PK	10.39958G	55.92	68.20	-12.28	17.20	3	Horizontal	40	1.51	-
5200MHz	Pass	PK	15.61278G	56.85	74.00	-17.15	17.28	3	Horizontal	196	2.09	-
5240MHz	Pass	AV	5.096G	44.49	54.00	-9.51	8.01	3	Vertical	0	1.39	-
5240MHz	Pass	AV	5.2412G	96.55	Inf	-Inf	7.80	3	Vertical	0	1.39	-
5240MHz	Pass	AV	5.3708G	44.64	54.00	-9.36	7.85	3	Vertical	0	1.39	-
5240MHz	Pass	PK	5.1146G	55.76	74.00	-18.24	8.00	3	Vertical	0	1.39	-
5240MHz	Pass	PK	5.2364G	105.25	Inf	-Inf	7.81	3	Vertical	0	1.39	-
5240MHz	Pass	PK	5.3768G	55.98	74.00	-18.02	7.87	3	Vertical	0	1.39	-
5240MHz	Pass	AV	5.15G	47.20	54.00	-6.80	7.96	3	Horizontal	4	1.80	-
5240MHz	Pass	AV	5.2424G	108.37	Inf	-Inf	7.79	3	Horizontal	4	1.80	-
5240MHz	Pass	AV	5.3564G	50.11	54.00	-3.89	7.81	3	Horizontal	4	1.80	-
5240MHz	Pass	PK	5.144G	58.26	74.00	-15.74	7.97	3	Horizontal	4	1.80	-
5240MHz	Pass	PK	5.243G	116.83	Inf	-Inf	7.79	3	Horizontal	4	1.80	-
5240MHz	Pass	PK	5.3768G	61.76	74.00	-12.24	7.87	3	Horizontal	4	1.80	-
5240MHz	Pass	AV	15.72216G	44.92	54.00	-9.08	16.81	3	Vertical	110	1.40	-
5240MHz	Pass	PK	10.474G	55.89	68.20	-12.31	17.33	3	Vertical	39	1.22	-
5240MHz	Pass	PK	15.72222G	56.94	74.00	-17.06	16.81	3	Vertical	110	1.40	-
5240MHz	Pass	AV	15.7344G	44.76	54.00	-9.24	16.77	3	Horizontal	311	1.33	-
5240MHz	Pass	PK	10.49236G	55.98	68.20	-12.22	17.36	3	Horizontal	5	2.08	-
5240MHz	Pass	PK	15.70704G	56.54	74.00	-17.46	16.89	3	Horizontal	311	1.33	-
5745MHz	Pass	AV	5.7474G	101.65	Inf	-Inf	8.51	3	Vertical	2	1.81	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.5206G	56.72	68.20	-11.48	8.37	3	Vertical	2	1.81	-
5745MHz	Pass	PK	5.7474G	110.34	Inf	-Inf	8.51	3	Vertical	2	1.81	-
5745MHz	Pass	PK	5.9862G	57.22	68.20	-10.98	9.02	3	Vertical	2	1.81	-
5745MHz	Pass	AV	5.7486G	113.93	Inf	-Inf	8.52	3	Horizontal	0	1.74	-
5745MHz	Pass	PK	5.5086G	62.80	68.20	-5.40	8.39	3	Horizontal	0	1.74	-
5745MHz	Pass	PK	5.7474G	122.57	Inf	-Inf	8.51	3	Horizontal	0	1.74	-
5745MHz	Pass	PK	5.9862G	60.04	68.20	-8.16	9.02	3	Horizontal	0	1.74	-
5745MHz	Pass	AV	11.49102G	45.56	54.00	-8.44	17.91	3	Vertical	25	1.77	-
5745MHz	Pass	PK	11.49228G	57.10	74.00	-16.90	17.91	3	Vertical	25	1.77	-
5745MHz	Pass	PK	17.23512G	60.82	68.20	-7.38	21.37	3	Vertical	220	1.50	-
5745MHz	Pass	AV	11.4879G	44.92	54.00	-9.08	17.92	3	Horizontal	251	1.48	-
5745MHz	Pass	PK	11.4879G	56.37	74.00	-17.63	17.92	3	Horizontal	251	1.48	-
5745MHz	Pass	PK	17.24598G	60.87	68.20	-7.33	21.45	3	Horizontal	261	1.49	-
5785MHz	Pass	AV	5.7802G	101.76	Inf	-Inf	8.59	3	Vertical	12	1.79	-
5785MHz	Pass	PK	5.515G	56.83	68.20	-11.37	8.38	3	Vertical	12	1.79	-
5785MHz	Pass	PK	5.791G	109.80	Inf	-Inf	8.61	3	Vertical	12	1.79	-
5785MHz	Pass	PK	5.9602G	57.45	68.20	-10.75	8.98	3	Vertical	12	1.79	-
5785MHz	Pass	AV	5.7814G	113.86	Inf	-Inf	8.60	3	Horizontal	0	1.67	-
5785MHz	Pass	PK	5.5306G	62.84	68.20	-5.36	8.35	3	Horizontal	0	1.67	-
5785MHz	Pass	PK	5.785G	122.21	Inf	-Inf	8.61	3	Horizontal	0	1.67	-
5785MHz	Pass	PK	5.9422G	59.57	68.20	-8.63	8.95	3	Horizontal	0	1.67	-
5785MHz	Pass	AV	11.5634G	43.90	54.00	-10.10	17.86	3	Vertical	280	1.11	-
5785MHz	Pass	PK	11.56478G	55.70	74.00	-18.30	17.86	3	Vertical	280	1.11	-
5785MHz	Pass	PK	17.3409G	61.93	68.20	-6.27	22.14	3	Vertical	310	1.73	-
5785MHz	Pass	AV	11.56418G	43.90	54.00	-10.10	17.86	3	Horizontal	37	1.45	-
5785MHz	Pass	PK	11.55974G	55.55	74.00	-18.45	17.87	3	Horizontal	37	1.45	-
5785MHz	Pass	PK	17.36856G	61.82	68.20	-6.38	22.34	3	Horizontal	122	1.81	-
5825MHz	Pass	AV	5.8274G	102.17	Inf	-Inf	8.70	3	Vertical	15	1.76	-
5825MHz	Pass	PK	5.633G	56.58	68.20	-11.62	8.30	3	Vertical	15	1.76	-
5825MHz	Pass	PK	5.8274G	110.62	Inf	-Inf	8.70	3	Vertical	15	1.76	-
5825MHz	Pass	PK	5.9522G	56.72	68.20	-11.48	8.96	3	Vertical	15	1.76	-
5825MHz	Pass	AV	5.8238G	114.04	Inf	-Inf	8.70	3	Horizontal	0	1.70	-
5825MHz	Pass	PK	5.627G	63.20	68.20	-5.00	8.29	3	Horizontal	0	1.70	-
5825MHz	Pass	PK	5.819G	122.36	Inf	-Inf	8.69	3	Horizontal	0	1.70	-
5825MHz	Pass	PK	5.9882G	60.15	68.20	-8.05	9.02	3	Horizontal	0	1.70	-
5825MHz	Pass	AV	11.65792G	44.08	54.00	-9.92	17.79	3	Vertical	294	2.44	-
5825MHz	Pass	PK	11.65612G	55.53	74.00	-18.47	17.80	3	Vertical	294	2.44	-
5825MHz	Pass	PK	17.46222G	62.50	68.20	-5.70	23.03	3	Vertical	19	2.34	-
5825MHz	Pass	AV	11.6473G	44.87	54.00	-9.13	17.81	3	Horizontal	124	1.59	-
5825MHz	Pass	PK	11.64682G	56.90	74.00	-17.10	17.81	3	Horizontal	124	1.59	-
5825MHz	Pass	PK	17.48868G	62.76	68.20	-5.44	23.23	3	Horizontal	337	1.32	-
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1372G	44.18	54.00	-9.82	7.98	3	Vertical	357	1.42	-
5180MHz	Pass	AV	5.1832G	95.39	Inf	-Inf	7.92	3	Vertical	357	1.42	-
5180MHz	Pass	PK	5.1268G	56.32	74.00	-17.68	8.00	3	Vertical	357	1.42	-
5180MHz	Pass	PK	5.1816G	105.04	Inf	-Inf	7.93	3	Vertical	357	1.42	-
5180MHz	Pass	AV	5.1348G	50.38	54.00	-3.62	7.98	3	Horizontal	0	1.54	-
5180MHz	Pass	AV	5.1832G	107.20	Inf	-Inf	7.92	3	Horizontal	0	1.54	-
5180MHz	Pass	PK	5.1328G	61.72	74.00	-12.28	7.98	3	Horizontal	0	1.54	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1816G	117.23	Inf	-Inf	7.93	3	Horizontal	0	1.54	-
5180MHz	Pass	AV	15.54996G	44.86	54.00	-9.14	17.53	3	Vertical	35	1.19	-
5180MHz	Pass	PK	10.36966G	55.91	68.20	-12.29	17.14	3	Vertical	313	1.35	-
5180MHz	Pass	PK	15.53622G	57.28	74.00	-16.72	17.59	3	Vertical	35	1.19	-
5180MHz	Pass	AV	15.54G	44.86	54.00	-9.14	17.58	3	Horizontal	283	1.23	-
5180MHz	Pass	PK	10.34704G	55.69	68.20	-12.51	17.11	3	Horizontal	339	2.02	-
5180MHz	Pass	PK	15.5397G	56.86	74.00	-17.14	17.58	3	Horizontal	283	1.23	-
5200MHz	Pass	AV	5.15G	44.12	54.00	-9.88	7.96	3	Vertical	358	1.50	-
5200MHz	Pass	AV	5.2032G	96.13	Inf	-Inf	7.89	3	Vertical	358	1.50	-
5200MHz	Pass	PK	5.1064G	56.23	74.00	-17.77	8.02	3	Vertical	358	1.50	-
5200MHz	Pass	PK	5.2016G	105.99	Inf	-Inf	7.90	3	Vertical	358	1.50	-
5200MHz	Pass	AV	5.15G	49.39	54.00	-4.61	7.96	3	Horizontal	3	1.70	-
5200MHz	Pass	AV	5.2032G	107.60	Inf	-Inf	7.89	3	Horizontal	3	1.70	-
5200MHz	Pass	PK	5.1448G	60.96	74.00	-13.04	7.97	3	Horizontal	3	1.70	-
5200MHz	Pass	PK	5.2016G	117.65	Inf	-Inf	7.90	3	Horizontal	3	1.70	-
5200MHz	Pass	AV	15.58602G	44.65	54.00	-9.35	17.39	3	Vertical	175	2.10	-
5200MHz	Pass	PK	10.39784G	55.79	68.20	-12.41	17.20	3	Vertical	37	1.52	-
5200MHz	Pass	PK	15.58878G	57.51	74.00	-16.49	17.37	3	Vertical	175	2.10	-
5200MHz	Pass	AV	15.5889G	44.61	54.00	-9.39	17.37	3	Horizontal	86	2.32	-
5200MHz	Pass	PK	10.40246G	55.91	68.20	-12.29	17.20	3	Horizontal	140	2.10	-
5200MHz	Pass	PK	15.6114G	56.76	74.00	-17.24	17.28	3	Horizontal	86	2.32	-
5240MHz	Pass	AV	5.132G	44.02	54.00	-9.98	7.99	3	Vertical	0	1.40	-
5240MHz	Pass	AV	5.2454G	96.59	Inf	-Inf	7.78	3	Vertical	0	1.40	-
5240MHz	Pass	AV	5.3582G	44.22	54.00	-9.78	7.82	3	Vertical	0	1.40	-
5240MHz	Pass	PK	5.1242G	55.56	74.00	-18.44	7.99	3	Vertical	0	1.40	-
5240MHz	Pass	PK	5.2436G	105.83	Inf	-Inf	7.79	3	Vertical	0	1.40	-
5240MHz	Pass	PK	5.3822G	56.16	74.00	-17.84	7.89	3	Vertical	0	1.40	-
5240MHz	Pass	AV	5.15G	46.82	54.00	-7.18	7.96	3	Horizontal	0	1.82	-
5240MHz	Pass	AV	5.243G	107.83	Inf	-Inf	7.79	3	Horizontal	0	1.82	-
5240MHz	Pass	AV	5.363G	49.56	54.00	-4.44	7.84	3	Horizontal	0	1.82	-
5240MHz	Pass	PK	5.1188G	58.69	74.00	-15.31	7.99	3	Horizontal	0	1.82	-
5240MHz	Pass	PK	5.2418G	117.94	Inf	-Inf	7.79	3	Horizontal	0	1.82	-
5240MHz	Pass	PK	5.3636G	61.29	74.00	-12.71	7.84	3	Horizontal	0	1.82	-
5240MHz	Pass	AV	15.72372G	44.28	54.00	-9.72	16.81	3	Vertical	190	2.13	-
5240MHz	Pass	PK	10.48762G	55.43	68.20	-12.77	17.35	3	Vertical	280	1.01	-
5240MHz	Pass	PK	15.71004G	56.53	74.00	-17.47	16.88	3	Vertical	190	2.13	-
5240MHz	Pass	AV	15.72666G	44.43	54.00	-9.57	16.80	3	Horizontal	60	1.67	-
5240MHz	Pass	PK	10.46656G	55.98	68.20	-12.22	17.32	3	Horizontal	144	2.35	-
5240MHz	Pass	PK	15.7218G	56.60	74.00	-17.40	16.82	3	Horizontal	60	1.67	-
5745MHz	Pass	AV	5.7474G	102.05	Inf	-Inf	8.51	3	Vertical	14	1.88	-
5745MHz	Pass	PK	5.5386G	56.87	68.20	-11.33	8.34	3	Vertical	14	1.88	-
5745MHz	Pass	PK	5.7474G	111.81	Inf	-Inf	8.51	3	Vertical	14	1.88	-
5745MHz	Pass	PK	5.9622G	56.88	68.20	-11.32	8.98	3	Vertical	14	1.88	-
5745MHz	Pass	AV	5.7498G	113.11	Inf	-Inf	8.52	3	Horizontal	0	1.66	-
5745MHz	Pass	PK	5.6202G	62.91	68.20	-5.29	8.28	3	Horizontal	0	1.66	-
5745MHz	Pass	PK	5.7438G	122.25	Inf	-Inf	8.51	3	Horizontal	0	1.66	-
5745MHz	Pass	PK	5.9418G	58.55	68.20	-9.65	8.95	3	Horizontal	0	1.66	-
5745MHz	Pass	AV	11.4879G	43.98	54.00	-10.02	17.92	3	Vertical	121	2.16	-
5745MHz	Pass	PK	11.4765G	56.53	74.00	-17.47	17.93	3	Vertical	121	2.16	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	17.22708G	61.15	68.20	-7.05	21.31	3	Vertical	96	2.22	-
5745MHz	Pass	AV	11.49558G	43.86	54.00	-10.14	17.91	3	Horizontal	67	1.72	-
5745MHz	Pass	PK	11.4837G	56.21	74.00	-17.79	17.91	3	Horizontal	67	1.72	-
5745MHz	Pass	PK	17.22108G	61.34	68.20	-6.86	21.27	3	Horizontal	106	1.41	-
5785MHz	Pass	AV	5.7862G	101.41	Inf	-Inf	8.61	3	Vertical	14	1.81	-
5785MHz	Pass	PK	5.587G	56.72	68.20	-11.48	8.27	3	Vertical	14	1.81	-
5785MHz	Pass	PK	5.7862G	111.18	Inf	-Inf	8.61	3	Vertical	14	1.81	-
5785MHz	Pass	PK	5.965G	56.39	68.20	-11.81	8.99	3	Vertical	14	1.81	-
5785MHz	Pass	AV	5.7886G	112.85	Inf	-Inf	8.61	3	Horizontal	0	1.65	-
5785MHz	Pass	PK	5.491G	63.02	68.20	-5.18	8.36	3	Horizontal	0	1.65	-
5785MHz	Pass	PK	5.7838G	122.37	Inf	-Inf	8.61	3	Horizontal	0	1.65	-
5785MHz	Pass	PK	5.9482G	60.24	68.20	-7.96	8.97	3	Horizontal	0	1.65	-
5785MHz	Pass	AV	11.57054G	43.45	54.00	-10.55	17.85	3	Vertical	31	2.30	-
5785MHz	Pass	PK	11.5583G	55.34	74.00	-18.66	17.87	3	Vertical	31	2.30	-
5785MHz	Pass	PK	17.36562G	63.23	68.20	-4.97	22.32	3	Vertical	154	1.29	-
5785MHz	Pass	AV	11.56994G	43.98	54.00	-10.02	17.86	3	Horizontal	124	1.51	-
5785MHz	Pass	PK	11.5706G	55.77	74.00	-18.23	17.85	3	Horizontal	124	1.51	-
5785MHz	Pass	PK	17.36034G	62.94	68.20	-5.26	22.29	3	Horizontal	23	2.27	-
5825MHz	Pass	AV	5.8262G	101.26	Inf	-Inf	8.70	3	Vertical	68	1.41	-
5825MHz	Pass	PK	5.6102G	56.96	68.20	-11.24	8.27	3	Vertical	68	1.41	-
5825MHz	Pass	PK	5.8262G	111.26	Inf	-Inf	8.70	3	Vertical	68	1.41	-
5825MHz	Pass	PK	5.9714G	56.73	68.20	-11.47	9.00	3	Vertical	68	1.41	-
5825MHz	Pass	AV	5.8202G	112.67	Inf	-Inf	8.69	3	Horizontal	0	1.69	-
5825MHz	Pass	PK	5.6342G	62.70	68.20	-5.50	8.30	3	Horizontal	0	1.69	-
5825MHz	Pass	PK	5.8262G	122.42	Inf	-Inf	8.70	3	Horizontal	0	1.69	-
5825MHz	Pass	PK	5.9822G	60.95	68.20	-7.25	9.02	3	Horizontal	0	1.69	-
5825MHz	Pass	AV	11.63902G	43.16	54.00	-10.84	17.81	3	Vertical	134	1.81	-
5825MHz	Pass	PK	11.64892G	55.90	74.00	-18.10	17.81	3	Vertical	134	1.81	-
5825MHz	Pass	PK	17.46084G	62.58	68.20	-5.62	23.02	3	Vertical	226	2.29	-
5825MHz	Pass	AV	11.64634G	43.50	54.00	-10.50	17.81	3	Horizontal	36	2.47	-
5825MHz	Pass	PK	11.66464G	55.60	74.00	-18.40	17.79	3	Horizontal	36	2.47	-
5825MHz	Pass	PK	17.4711G	62.67	68.20	-5.53	23.10	3	Horizontal	23	1.81	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	45.00	54.00	-9.00	7.96	3	Vertical	360	1.59	-
5190MHz	Pass	AV	5.1944G	93.30	Inf	-Inf	7.90	3	Vertical	360	1.59	-
5190MHz	Pass	PK	5.1324G	56.30	74.00	-17.70	7.99	3	Vertical	360	1.59	-
5190MHz	Pass	PK	5.194G	101.44	Inf	-Inf	7.90	3	Vertical	360	1.59	-
5190MHz	Pass	AV	5.1496G	53.49	54.00	-0.51	7.96	3	Horizontal	0	1.61	-
5190MHz	Pass	AV	5.1944G	104.95	Inf	-Inf	7.90	3	Horizontal	0	1.61	-
5190MHz	Pass	PK	5.1496G	64.24	74.00	-9.76	7.96	3	Horizontal	0	1.61	-
5190MHz	Pass	PK	5.194G	113.29	Inf	-Inf	7.90	3	Horizontal	0	1.61	-
5190MHz	Pass	AV	15.56908G	44.21	54.00	-9.79	17.45	3	Vertical	23	1.86	-
5190MHz	Pass	PK	10.37796G	55.02	68.20	-13.18	17.16	3	Vertical	104	2.48	-
5190MHz	Pass	PK	15.56837G	56.06	74.00	-17.94	17.46	3	Vertical	23	1.86	-
5190MHz	Pass	AV	15.56757G	44.09	54.00	-9.91	17.46	3	Horizontal	263	1.76	-
5190MHz	Pass	PK	10.37819G	55.55	68.20	-12.65	17.16	3	Horizontal	115	1.95	-
5190MHz	Pass	PK	15.56863G	55.98	74.00	-18.02	17.45	3	Horizontal	263	1.76	-
5230MHz	Pass	AV	5.1364G	43.46	54.00	-10.54	7.98	3	Vertical	360	1.32	-
5230MHz	Pass	AV	5.2348G	93.36	Inf	-Inf	7.82	3	Vertical	360	1.32	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	PK	5.1348G	54.65	74.00	-19.35	7.98	3	Vertical	360	1.32	-
5230MHz	Pass	PK	5.2352G	101.41	Inf	-Inf	7.81	3	Vertical	360	1.32	-
5230MHz	Pass	AV	5.1496G	47.19	54.00	-6.81	7.96	3	Horizontal	0	1.50	-
5230MHz	Pass	AV	5.238G	104.82	Inf	-Inf	7.81	3	Horizontal	0	1.50	-
5230MHz	Pass	PK	5.1472G	58.97	74.00	-15.03	7.97	3	Horizontal	0	1.50	-
5230MHz	Pass	PK	5.2372G	113.00	Inf	-Inf	7.81	3	Horizontal	0	1.50	-
5230MHz	Pass	AV	15.68798G	43.71	54.00	-10.29	16.96	3	Vertical	184	2.38	-
5230MHz	Pass	PK	10.45818G	54.69	68.20	-13.51	17.30	3	Vertical	252	1.97	-
5230MHz	Pass	PK	15.68831G	56.07	74.00	-17.93	16.96	3	Vertical	184	2.38	-
5230MHz	Pass	AV	15.68866G	43.71	54.00	-10.29	16.96	3	Horizontal	327	1.69	-
5230MHz	Pass	PK	10.46054G	54.93	68.20	-13.27	17.30	3	Horizontal	139	1.97	-
5230MHz	Pass	PK	15.69076G	55.35	74.00	-18.65	16.95	3	Horizontal	327	1.69	-
5755MHz	Pass	AV	5.7466G	98.38	Inf	-Inf	8.51	3	Vertical	16	1.71	-
5755MHz	Pass	PK	5.557G	56.27	68.20	-11.93	8.32	3	Vertical	16	1.71	-
5755MHz	Pass	PK	5.7466G	106.70	Inf	-Inf	8.51	3	Vertical	16	1.71	-
5755MHz	Pass	PK	5.929G	55.50	68.20	-12.70	8.93	3	Vertical	16	1.71	-
5755MHz	Pass	AV	5.7514G	109.87	Inf	-Inf	8.52	3	Horizontal	0	1.62	-
5755MHz	Pass	PK	5.5894G	62.80	68.20	-5.40	8.26	3	Horizontal	0	1.62	-
5755MHz	Pass	PK	5.7502G	118.22	Inf	-Inf	8.52	3	Horizontal	0	1.62	-
5755MHz	Pass	PK	5.9518G	58.05	68.20	-10.15	8.96	3	Horizontal	0	1.62	-
5755MHz	Pass	AV	11.51073G	43.17	54.00	-10.83	17.89	3	Vertical	139	1.37	-
5755MHz	Pass	PK	11.50806G	54.53	74.00	-19.47	17.90	3	Vertical	139	1.37	-
5755MHz	Pass	PK	17.26423G	60.33	68.20	-7.87	21.58	3	Vertical	170	2.41	-
5755MHz	Pass	AV	11.5082G	43.04	54.00	-10.96	17.90	3	Horizontal	44	1.48	-
5755MHz	Pass	PK	11.50884G	54.92	74.00	-19.08	17.90	3	Horizontal	44	1.48	-
5755MHz	Pass	PK	17.26302G	60.17	68.20	-8.03	21.58	3	Horizontal	65	1.04	-
5795MHz	Pass	AV	5.7962G	96.88	Inf	-Inf	8.63	3	Vertical	4	1.79	-
5795MHz	Pass	PK	5.5874G	55.87	68.20	-12.33	8.27	3	Vertical	4	1.79	-
5795MHz	Pass	PK	5.7962G	105.04	Inf	-Inf	8.63	3	Vertical	4	1.79	-
5795MHz	Pass	PK	5.9534G	56.16	68.20	-12.04	8.96	3	Vertical	4	1.79	-
5795MHz	Pass	AV	5.7842G	109.70	Inf	-Inf	8.61	3	Horizontal	0	1.67	-
5795MHz	Pass	PK	5.6486G	63.50	68.20	-4.70	8.33	3	Horizontal	0	1.67	-
5795MHz	Pass	PK	5.7866G	117.88	Inf	-Inf	8.61	3	Horizontal	0	1.67	-
5795MHz	Pass	PK	5.9666G	58.36	68.20	-9.84	8.99	3	Horizontal	0	1.67	-
5795MHz	Pass	AV	11.58781G	43.14	54.00	-10.86	17.85	3	Vertical	124	2.38	-
5795MHz	Pass	PK	11.58962G	55.22	74.00	-18.78	17.85	3	Vertical	124	2.38	-
5795MHz	Pass	PK	17.38507G	61.36	68.20	-6.84	22.47	3	Vertical	263	1.48	-
5795MHz	Pass	AV	11.58987G	43.26	54.00	-10.74	17.85	3	Horizontal	85	2.18	-
5795MHz	Pass	PK	11.59113G	54.92	74.00	-19.08	17.84	3	Horizontal	85	2.18	-
5795MHz	Pass	PK	17.38412G	61.18	68.20	-7.02	22.47	3	Horizontal	226	1.20	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	44.06	54.00	-9.94	7.96	3	Vertical	0	1.28	-
5210MHz	Pass	AV	5.236G	89.06	Inf	-Inf	7.81	3	Vertical	0	1.28	-
5210MHz	Pass	AV	5.354G	43.87	54.00	-10.13	7.81	3	Vertical	0	1.28	-
5210MHz	Pass	PK	5.15G	54.57	74.00	-19.43	7.96	3	Vertical	0	1.28	-
5210MHz	Pass	PK	5.234G	98.27	Inf	-Inf	7.82	3	Vertical	0	1.28	-
5210MHz	Pass	PK	5.435G	55.10	74.00	-18.90	8.09	3	Vertical	0	1.28	-
5210MHz	Pass	AV	5.15G	53.76	54.00	-0.24	7.96	3	Horizontal	5	1.75	-
5210MHz	Pass	AV	5.234G	100.28	Inf	-Inf	7.82	3	Horizontal	5	1.75	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.355G	49.83	54.00	-4.17	7.81	3	Horizontal	5	1.75	-
5210MHz	Pass	PK	5.15G	65.65	74.00	-8.35	7.96	3	Horizontal	5	1.75	-
5210MHz	Pass	PK	5.234G	109.66	Inf	-Inf	7.82	3	Horizontal	5	1.75	-
5210MHz	Pass	PK	5.359G	61.29	74.00	-12.71	7.82	3	Horizontal	5	1.75	-
5210MHz	Pass	AV	15.62855G	43.94	54.00	-10.06	17.22	3	Vertical	294	1.90	-
5210MHz	Pass	PK	10.42202G	55.20	68.20	-13.00	17.24	3	Vertical	300	2.13	-
5210MHz	Pass	PK	15.63153G	56.01	74.00	-17.99	17.19	3	Vertical	294	1.90	-
5210MHz	Pass	AV	15.62769G	44.07	54.00	-9.93	17.21	3	Horizontal	53	1.61	-
5210MHz	Pass	PK	10.41851G	54.37	68.20	-13.83	17.22	3	Horizontal	55	1.81	-
5210MHz	Pass	PK	15.63083G	55.66	74.00	-18.34	17.20	3	Horizontal	53	1.61	-
5775MHz	Pass	AV	5.7654G	94.55	Inf	-Inf	8.55	3	Vertical	16	1.80	-
5775MHz	Pass	PK	5.649G	58.40	68.20	-9.80	8.33	3	Vertical	16	1.80	-
5775MHz	Pass	PK	5.763G	102.74	Inf	-Inf	8.55	3	Vertical	16	1.80	-
5775MHz	Pass	PK	5.9622G	56.59	68.20	-11.61	8.98	3	Vertical	16	1.80	-
5775MHz	Pass	AV	5.769G	106.12	Inf	-Inf	8.57	3	Horizontal	0	1.66	-
5775MHz	Pass	PK	5.6502G	67.96	68.35	-0.39	8.32	3	Horizontal	0	1.66	-
5775MHz	Pass	PK	5.7534G	114.71	Inf	-Inf	8.53	3	Horizontal	0	1.66	-
5775MHz	Pass	PK	5.9262G	61.50	68.20	-6.70	8.93	3	Horizontal	0	1.66	-
5775MHz	Pass	AV	11.54817G	42.90	54.00	-11.10	17.88	3	Vertical	26	1.52	-
5775MHz	Pass	PK	11.54935G	54.78	74.00	-19.22	17.88	3	Vertical	26	1.52	-
5775MHz	Pass	PK	17.31512G	60.79	68.20	-7.41	21.95	3	Vertical	133	1.72	-
5775MHz	Pass	AV	11.54914G	43.03	54.00	-10.97	17.88	3	Horizontal	53	1.61	-
5775MHz	Pass	PK	11.54872G	55.04	74.00	-18.96	17.88	3	Horizontal	53	1.61	-
5775MHz	Pass	PK	17.32662G	60.23	68.20	-7.97	22.05	3	Horizontal	324	1.21	-

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1328G	44.77	54.00	-9.23	7.98	3	Vertical	351	1.61	-	36.79	31.73	5.99	29.74
AV	5.1832G	95.67	Inf	-Inf	7.92	3	Vertical	351	1.61	-	87.75	31.63	6.02	29.73
PK	5.0944G	55.99	74.00	-18.01	8.00	3	Vertical	351	1.61	-	47.99	31.78	5.97	29.75
PK	5.1828G	104.18	Inf	-Inf	7.92	3	Vertical	351	1.61	-	96.26	31.63	6.02	29.73

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1372G	50.40	54.00	-3.60	7.98	3	Horizontal	0	1.55	-	42.42	31.73	5.99	29.74
AV	5.1832G	107.19	Inf	-Inf	7.92	3	Horizontal	0	1.55	-	99.27	31.63	6.02	29.73
PK	5.1444G	61.48	74.00	-12.52	7.97	3	Horizontal	0	1.55	-	53.51	31.71	6.00	29.74
PK	5.1824G	116.26	Inf	-Inf	7.93	3	Horizontal	0	1.55	-	108.33	31.64	6.02	29.73

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54744G	45.28	54.00	-8.72	17.54	3	Vertical	129	1.50	-	27.74	38.55	10.81	31.82
PK	10.36612G	55.86	68.20	-12.34	17.15	3	Vertical	245	1.95	-	38.71	39.38	8.70	30.93
PK	15.55416G	57.20	74.00	-16.80	17.52	3	Vertical	129	1.50	-	39.68	38.52	10.82	31.82

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53994G	45.28	54.00	-8.72	17.58	3	Horizontal	125	1.50	-	27.70	38.58	10.81	31.81
PK	10.36546G	56.87	68.20	-11.33	17.15	3	Horizontal	122	2.76	-	39.72	39.38	8.70	30.93
PK	15.5298G	57.41	74.00	-16.59	17.62	3	Horizontal	125	1.50	-	39.79	38.62	10.81	31.81

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.51	54.00	-9.49	7.96	3	Vertical	348	1.76	-	36.55	31.70	6.00	29.74
AV	5.2032G	96.47	Inf	-Inf	7.89	3	Vertical	348	1.76	-	88.58	31.59	6.03	29.73
PK	5.1156G	56.24	74.00	-17.76	8.00	3	Vertical	348	1.76	-	48.24	31.77	5.98	29.75
PK	5.2028G	104.93	Inf	-Inf	7.89	3	Vertical	348	1.76	-	97.04	31.59	6.03	29.73

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.32	54.00	-4.68	7.96	3	Horizontal	3	1.71	-	41.36	31.70	6.00	29.74
AV	5.1992G	107.90	Inf	-Inf	7.90	3	Horizontal	3	1.71	-	100.00	31.60	6.03	29.73
PK	5.1488G	60.19	74.00	-13.81	7.96	3	Horizontal	3	1.71	-	52.23	31.70	6.00	29.74
PK	5.2032G	116.35	Inf	-Inf	7.89	3	Horizontal	3	1.71	-	108.46	31.59	6.03	29.73

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60672G	45.12	54.00	-8.88	17.30	3	Vertical	230	2.39	-	27.82	38.29	10.84	31.83
PK	10.39958G	56.04	68.20	-12.16	17.20	3	Vertical	317	1.91	-	38.84	39.42	8.72	30.94
PK	15.6015G	56.91	74.00	-17.09	17.31	3	Vertical	230	2.39	-	39.60	38.31	10.83	31.83

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59712G	45.07	54.00	-8.93	17.33	3	Horizontal	196	2.03	-	27.74	38.33	10.83	31.83
PK	10.39958G	55.92	68.20	-12.28	17.20	3	Horizontal	40	1.51	-	38.72	39.42	8.72	30.94
PK	15.61278G	56.85	74.00	-17.15	17.28	3	Horizontal	196	2.09	-	39.57	38.27	10.84	31.83

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.096G	44.49	54.00	-9.51	8.01	3	Vertical	0	1.39	-	36.48	31.79	5.97	29.75
AV	5.2412G	96.55	Inf	-Inf	7.80	3	Vertical	0	1.39	-	88.75	31.48	6.05	29.73
AV	5.3708G	44.64	54.00	-9.36	7.85	3	Vertical	0	1.39	-	36.79	31.44	6.12	29.71
PK	5.1146G	55.76	74.00	-18.24	8.00	3	Vertical	0	1.39	-	47.76	31.77	5.98	29.75
PK	5.2364G	105.25	Inf	-Inf	7.81	3	Vertical	0	1.39	-	97.44	31.49	6.05	29.73
PK	5.3768G	55.98	74.00	-18.02	7.87	3	Vertical	0	1.39	-	48.11	31.45	6.12	29.70

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.20	54.00	-6.80	7.96	3	Horizontal	4	1.80	-	39.24	31.70	6.00	29.74
AV	5.2424G	108.37	Inf	-Inf	7.79	3	Horizontal	4	1.80	-	100.58	31.47	6.05	29.73
AV	5.3564G	50.11	54.00	-3.89	7.81	3	Horizontal	4	1.80	-	42.30	31.41	6.11	29.71
PK	5.144G	58.26	74.00	-15.74	7.97	3	Horizontal	4	1.80	-	50.29	31.71	6.00	29.74
PK	5.243G	116.83	Inf	-Inf	7.79	3	Horizontal	4	1.80	-	109.04	31.47	6.05	29.73
PK	5.3768G	61.76	74.00	-12.24	7.87	3	Horizontal	4	1.80	-	53.89	31.45	6.12	29.70

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72216G	44.92	54.00	-9.08	16.81	3	Vertical	110	1.40	-	28.11	37.79	10.88	31.86
PK	10.474G	55.89	68.20	-12.31	17.33	3	Vertical	39	1.22	-	38.56	39.52	8.77	30.96
PK	15.72222G	56.94	74.00	-17.06	16.81	3	Vertical	110	1.40	-	40.13	37.79	10.88	31.86

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7344G	44.76	54.00	-9.24	16.77	3	Horizontal	311	1.33	-	27.99	37.74	10.89	31.86
PK	10.49236G	55.98	68.20	-12.22	17.36	3	Horizontal	5	2.08	-	38.62	39.54	8.78	30.96
PK	15.70704G	56.54	74.00	-17.46	16.89	3	Horizontal	311	1.33	-	39.65	37.86	10.88	31.85

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	101.65	Inf	-Inf	8.51	3	Vertical	2	1.81	-	93.14	31.89	6.39	29.77
PK	5.5206G	56.72	68.20	-11.48	8.37	3	Vertical	2	1.81	-	48.35	31.86	6.21	29.70
PK	5.7474G	110.34	Inf	-Inf	8.51	3	Vertical	2	1.81	-	101.83	31.89	6.39	29.77
PK	5.9862G	57.22	68.20	-10.98	9.02	3	Vertical	2	1.81	-	48.20	32.29	6.58	29.85

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	113.93	Inf	-Inf	8.52	3	Horizontal	0	1.74	-	105.41	31.90	6.39	29.77
PK	5.5086G	62.80	68.20	-5.40	8.39	3	Horizontal	0	1.74	-	54.41	31.88	6.20	29.69
PK	5.7474G	122.57	Inf	-Inf	8.51	3	Horizontal	0	1.74	-	114.06	31.89	6.39	29.77
PK	5.9862G	60.04	68.20	-8.16	9.02	3	Horizontal	0	1.74	-	51.02	32.29	6.58	29.85

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49102G	45.56	54.00	-8.44	17.91	3	Vertical	25	1.77	-	27.65	39.46	9.47	31.02
PK	11.49228G	57.10	74.00	-16.90	17.91	3	Vertical	25	1.77	-	39.19	39.46	9.47	31.02
PK	17.23512G	60.82	68.20	-7.38	21.37	3	Vertical	220	1.50	-	39.45	41.65	11.40	31.68

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4879G	44.92	54.00	-9.08	17.92	3	Horizontal	251	1.48	-	27.00	39.47	9.47	31.02
PK	11.4879G	56.37	74.00	-17.63	17.92	3	Horizontal	251	1.48	-	38.45	39.47	9.47	31.02
PK	17.24598G	60.87	68.20	-7.33	21.45	3	Horizontal	261	1.49	-	39.42	41.72	11.40	31.67

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	101.76	Inf	-Inf	8.59	3	Vertical	12	1.79	-	93.17	31.96	6.41	29.78
PK	5.515G	56.83	68.20	-11.37	8.38	3	Vertical	12	1.79	-	48.45	31.87	6.20	29.69
PK	5.791G	109.80	Inf	-Inf	8.61	3	Vertical	12	1.79	-	101.19	31.98	6.42	29.79
PK	5.9602G	57.45	68.20	-10.75	8.98	3	Vertical	12	1.79	-	48.47	32.26	6.56	29.84

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	113.86	Inf	-Inf	8.60	3	Horizontal	0	1.67	-	105.26	31.96	6.42	29.78
PK	5.5306G	62.84	68.20	-5.36	8.35	3	Horizontal	0	1.67	-	54.49	31.84	6.21	29.70
PK	5.785G	122.21	Inf	-Inf	8.61	3	Horizontal	0	1.67	-	113.60	31.97	6.42	29.78
PK	5.9422G	59.57	68.20	-8.63	8.95	3	Horizontal	0	1.67	-	50.62	32.24	6.54	29.83

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5634G	43.90	54.00	-10.10	17.86	3	Vertical	280	1.11	-	26.04	39.35	9.52	31.01
PK	11.56478G	55.70	74.00	-18.30	17.86	3	Vertical	280	1.11	-	37.84	39.35	9.52	31.01
PK	17.3409G	61.93	68.20	-6.27	22.14	3	Vertical	310	1.73	-	39.79	42.35	11.43	31.64

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56418G	43.90	54.00	-10.10	17.86	3	Horizontal	37	1.45	-	26.04	39.35	9.52	31.01
PK	11.55974G	55.55	74.00	-18.45	17.87	3	Horizontal	37	1.45	-	37.68	39.36	9.52	31.01
PK	17.36856G	61.82	68.20	-6.38	22.34	3	Horizontal	122	1.81	-	39.48	42.53	11.44	31.63

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	102.17	Inf	-Inf	8.70	3	Vertical	15	1.76	-	93.47	32.05	6.45	29.80
PK	5.633G	56.58	68.20	-11.62	8.30	3	Vertical	15	1.76	-	48.28	31.73	6.30	29.73
PK	5.8274G	110.62	Inf	-Inf	8.70	3	Vertical	15	1.76	-	101.92	32.05	6.45	29.80
PK	5.9522G	56.72	68.20	-11.48	8.96	3	Vertical	15	1.76	-	47.76	32.25	6.55	29.84

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	114.04	Inf	-Inf	8.70	3	Horizontal	0	1.70	-	105.34	32.05	6.45	29.80
PK	5.627G	63.20	68.20	-5.00	8.29	3	Horizontal	0	1.70	-	54.91	31.73	6.29	29.73
PK	5.819G	122.36	Inf	-Inf	8.69	3	Horizontal	0	1.70	-	113.67	32.04	6.45	29.80
PK	5.9882G	60.15	68.20	-8.05	9.02	3	Horizontal	0	1.70	-	51.13	32.29	6.58	29.85

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65792G	44.08	54.00	-9.92	17.79	3	Vertical	294	2.44	-	26.29	39.21	9.58	31.00
PK	11.65612G	55.53	74.00	-18.47	17.80	3	Vertical	294	2.44	-	37.73	39.22	9.58	31.00
PK	17.46222G	62.50	68.20	-5.70	23.03	3	Vertical	19	2.34	-	39.47	43.15	11.47	31.59

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6473G	44.87	54.00	-9.13	17.81	3	Horizontal	124	1.59	-	27.06	39.23	9.58	31.00
PK	11.64682G	56.90	74.00	-17.10	17.81	3	Horizontal	124	1.59	-	39.09	39.23	9.58	31.00
PK	17.48868G	62.76	68.20	-5.44	23.23	3	Horizontal	337	1.32	-	39.53	43.33	11.48	31.58

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1372G	44.18	54.00	-9.82	7.98	3	Vertical	357	1.42	-	36.20	31.73	5.99	29.74
AV	5.1832G	95.39	Inf	-Inf	7.92	3	Vertical	357	1.42	-	87.47	31.63	6.02	29.73
PK	5.1268G	56.32	74.00	-17.68	8.00	3	Vertical	357	1.42	-	48.32	31.75	5.99	29.74
PK	5.1816G	105.04	Inf	-Inf	7.93	3	Vertical	357	1.42	-	97.11	31.64	6.02	29.73

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1348G	50.38	54.00	-3.62	7.98	3	Horizontal	0	1.54	-	42.40	31.73	5.99	29.74
AV	5.1832G	107.20	Inf	-Inf	7.92	3	Horizontal	0	1.54	-	99.28	31.63	6.02	29.73
PK	5.1328G	61.72	74.00	-12.28	7.98	3	Horizontal	0	1.54	-	53.74	31.73	5.99	29.74
PK	5.1816G	117.23	Inf	-Inf	7.93	3	Horizontal	0	1.54	-	109.30	31.64	6.02	29.73

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54996G	44.86	54.00	-9.14	17.53	3	Vertical	35	1.19	-	27.33	38.54	10.81	31.82
PK	10.36966G	55.91	68.20	-12.29	17.14	3	Vertical	313	1.35	-	38.77	39.38	8.70	30.94
PK	15.53622G	57.28	74.00	-16.72	17.59	3	Vertical	35	1.19	-	39.69	38.59	10.81	31.81

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54G	44.86	54.00	-9.14	17.58	3	Horizontal	283	1.23	-	27.28	38.58	10.81	31.81
PK	10.34704G	55.69	68.20	-12.51	17.11	3	Horizontal	339	2.02	-	38.58	39.35	8.69	30.93
PK	15.5397G	56.86	74.00	-17.14	17.58	3	Horizontal	283	1.23	-	39.28	38.58	10.81	31.81

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.12	54.00	-9.88	7.96	3	Vertical	358	1.50	-	36.16	31.70	6.00	29.74
AV	5.2032G	96.13	Inf	-Inf	7.89	3	Vertical	358	1.50	-	88.24	31.59	6.03	29.73
PK	5.1064G	56.23	74.00	-17.77	8.02	3	Vertical	358	1.50	-	48.21	31.79	5.98	29.75
PK	5.2016G	105.99	Inf	-Inf	7.90	3	Vertical	358	1.50	-	98.09	31.60	6.03	29.73

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.39	54.00	-4.61	7.96	3	Horizontal	3	1.70	-	41.43	31.70	6.00	29.74
AV	5.2032G	107.60	Inf	-Inf	7.89	3	Horizontal	3	1.70	-	99.71	31.59	6.03	29.73
PK	5.1448G	60.96	74.00	-13.04	7.97	3	Horizontal	3	1.70	-	52.99	31.71	6.00	29.74
PK	5.2016G	117.65	Inf	-Inf	7.90	3	Horizontal	3	1.70	-	109.75	31.60	6.03	29.73

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58602G	44.65	54.00	-9.35	17.39	3	Vertical	175	2.10	-	27.26	38.38	10.83	31.82
PK	10.39784G	55.79	68.20	-12.41	17.20	3	Vertical	37	1.52	-	38.59	39.42	8.72	30.94
PK	15.58878G	57.51	74.00	-16.49	17.37	3	Vertical	175	2.10	-	40.14	38.37	10.83	31.83

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5889G	44.61	54.00	-9.39	17.37	3	Horizontal	86	2.32	-	27.24	38.37	10.83	31.83
PK	10.40246G	55.91	68.20	-12.29	17.20	3	Horizontal	140	2.10	-	38.71	39.42	8.72	30.94
PK	15.6114G	56.76	74.00	-17.24	17.28	3	Horizontal	86	2.32	-	39.48	38.27	10.84	31.83

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.132G	44.02	54.00	-9.98	7.99	3	Vertical	0	1.40	-	36.03	31.74	5.99	29.74
AV	5.2454G	96.59	Inf	-Inf	7.78	3	Vertical	0	1.40	-	88.81	31.46	6.05	29.73
AV	5.3582G	44.22	54.00	-9.78	7.82	3	Vertical	0	1.40	-	36.40	31.42	6.11	29.71
PK	5.1242G	55.56	74.00	-18.44	7.99	3	Vertical	0	1.40	-	47.57	31.75	5.99	29.75
PK	5.2436G	105.83	Inf	-Inf	7.79	3	Vertical	0	1.40	-	98.04	31.47	6.05	29.73
PK	5.3822G	56.16	74.00	-17.84	7.89	3	Vertical	0	1.40	-	48.27	31.46	6.13	29.70

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.82	54.00	-7.18	7.96	3	Horizontal	0	1.82	-	38.86	31.70	6.00	29.74
AV	5.243G	107.83	Inf	-Inf	7.79	3	Horizontal	0	1.82	-	100.04	31.47	6.05	29.73
AV	5.363G	49.56	54.00	-4.44	7.84	3	Horizontal	0	1.82	-	41.72	31.43	6.12	29.71
PK	5.1188G	58.69	74.00	-15.31	7.99	3	Horizontal	0	1.82	-	50.70	31.76	5.98	29.75
PK	5.2418G	117.94	Inf	-Inf	7.79	3	Horizontal	0	1.82	-	110.15	31.47	6.05	29.73
PK	5.3636G	61.29	74.00	-12.71	7.84	3	Horizontal	0	1.82	-	53.45	31.43	6.12	29.71

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72372G	44.28	54.00	-9.72	16.81	3	Vertical	190	2.13	-	27.47	37.79	10.88	31.86
PK	10.48762G	55.43	68.20	-12.77	17.35	3	Vertical	280	1.01	-	38.08	39.53	8.78	30.96
PK	15.71004G	56.53	74.00	-17.47	16.88	3	Vertical	190	2.13	-	39.65	37.85	10.88	31.85

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72666G	44.43	54.00	-9.57	16.80	3	Horizontal	60	1.67	-	27.63	37.78	10.88	31.86
PK	10.46656G	55.98	68.20	-12.22	17.32	3	Horizontal	144	2.35	-	38.66	39.51	8.77	30.96
PK	15.7218G	56.60	74.00	-17.40	16.82	3	Horizontal	60	1.67	-	39.78	37.80	10.88	31.86

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	102.05	Inf	-Inf	8.51	3	Vertical	14	1.88	-	93.54	31.89	6.39	29.77
PK	5.5386G	56.87	68.20	-11.33	8.34	3	Vertical	14	1.88	-	48.53	31.82	6.22	29.70
PK	5.7474G	111.81	Inf	-Inf	8.51	3	Vertical	14	1.88	-	103.30	31.89	6.39	29.77
PK	5.9622G	56.88	68.20	-11.32	8.98	3	Vertical	14	1.88	-	47.90	32.26	6.56	29.84

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	113.11	Inf	-Inf	8.52	3	Horizontal	0	1.66	-	104.59	31.90	6.39	29.77
PK	5.6202G	62.91	68.20	-5.29	8.28	3	Horizontal	0	1.66	-	54.63	31.72	6.29	29.73
PK	5.7438G	122.25	Inf	-Inf	8.51	3	Horizontal	0	1.66	-	113.74	31.89	6.39	29.77
PK	5.9418G	58.55	68.20	-9.65	8.95	3	Horizontal	0	1.66	-	49.60	32.24	6.54	29.83

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4879G	43.98	54.00	-10.02	17.92	3	Vertical	121	2.16	-	26.06	39.47	9.47	31.02
PK	11.4765G	56.53	74.00	-17.47	17.93	3	Vertical	121	2.16	-	38.60	39.49	9.46	31.02
PK	17.22708G	61.15	68.20	-7.05	21.31	3	Vertical	96	2.22	-	39.84	41.60	11.39	31.68

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49558G	43.86	54.00	-10.14	17.91	3	Horizontal	67	1.72	-	25.95	39.46	9.47	31.02
PK	11.4837G	56.21	74.00	-17.79	17.91	3	Horizontal	67	1.72	-	38.30	39.47	9.46	31.02
PK	17.22108G	61.34	68.20	-6.86	21.27	3	Horizontal	106	1.41	-	40.07	41.56	11.39	31.68

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	101.41	Inf	-Inf	8.61	3	Vertical	14	1.81	-	92.80	31.97	6.42	29.78
PK	5.587G	56.72	68.20	-11.48	8.27	3	Vertical	14	1.81	-	48.45	31.73	6.26	29.72
PK	5.7862G	111.18	Inf	-Inf	8.61	3	Vertical	14	1.81	-	102.57	31.97	6.42	29.78
PK	5.965G	56.39	68.20	-11.81	8.99	3	Vertical	14	1.81	-	47.40	32.27	6.56	29.84

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	112.85	Inf	-Inf	8.61	3	Horizontal	0	1.65	-	104.24	31.98	6.42	29.79
PK	5.491G	63.02	68.20	-5.18	8.36	3	Horizontal	0	1.65	-	54.66	31.86	6.19	29.69
PK	5.7838G	122.37	Inf	-Inf	8.61	3	Horizontal	0	1.65	-	113.76	31.97	6.42	29.78
PK	5.9482G	60.24	68.20	-7.96	8.97	3	Horizontal	0	1.65	-	51.27	32.25	6.55	29.83

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57054G	43.45	54.00	-10.55	17.85	3	Vertical	31	2.30	-	25.60	39.34	9.52	31.01
PK	11.5583G	55.34	74.00	-18.66	17.87	3	Vertical	31	2.30	-	37.47	39.36	9.52	31.01
PK	17.36562G	63.23	68.20	-4.97	22.32	3	Vertical	154	1.29	-	40.91	42.51	11.44	31.63

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56994G	43.98	54.00	-10.02	17.86	3	Horizontal	124	1.51	-	26.12	39.35	9.52	31.01
PK	11.5706G	55.77	74.00	-18.23	17.85	3	Horizontal	124	1.51	-	37.92	39.34	9.52	31.01
PK	17.36034G	62.94	68.20	-5.26	22.29	3	Horizontal	23	2.27	-	40.65	42.48	11.44	31.63

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	101.26	Inf	-Inf	8.70	3	Vertical	68	1.41	-	92.56	32.05	6.45	29.80
PK	5.6102G	56.96	68.20	-11.24	8.27	3	Vertical	68	1.41	-	48.69	31.71	6.28	29.72
PK	5.8262G	111.26	Inf	-Inf	8.70	3	Vertical	68	1.41	-	102.56	32.05	6.45	29.80
PK	5.9714G	56.73	68.20	-11.47	9.00	3	Vertical	68	1.41	-	47.73	32.27	6.57	29.84

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	112.67	Inf	-Inf	8.69	3	Horizontal	0	1.69	-	103.98	32.04	6.45	29.80
PK	5.6342G	62.70	68.20	-5.50	8.30	3	Horizontal	0	1.69	-	54.40	31.73	6.30	29.73
PK	5.8262G	122.42	Inf	-Inf	8.70	3	Horizontal	0	1.69	-	113.72	32.05	6.45	29.80
PK	5.9822G	60.95	68.20	-7.25	9.02	3	Horizontal	0	1.69	-	51.93	32.28	6.58	29.84

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63902G	43.16	54.00	-10.84	17.81	3	Vertical	134	1.81	-	25.35	39.24	9.57	31.00
PK	11.64892G	55.90	74.00	-18.10	17.81	3	Vertical	134	1.81	-	38.09	39.23	9.58	31.00
PK	17.46084G	62.58	68.20	-5.62	23.02	3	Vertical	226	2.29	-	39.56	43.14	11.47	31.59

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64634G	43.50	54.00	-10.50	17.81	3	Horizontal	36	2.47	-	25.69	39.23	9.58	31.00
PK	11.66464G	55.60	74.00	-18.40	17.79	3	Horizontal	36	2.47	-	37.81	39.20	9.59	31.00
PK	17.4711G	62.67	68.20	-5.53	23.10	3	Horizontal	23	1.81	-	39.57	43.21	11.48	31.59

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.00	54.00	-9.00	7.96	3	Vertical	360	1.59	-	37.04	31.70	6.00	29.74
AV	5.1944G	93.30	Inf	-Inf	7.90	3	Vertical	360	1.59	-	85.40	31.61	6.02	29.73
PK	5.1324G	56.30	74.00	-17.70	7.99	3	Vertical	360	1.59	-	48.31	31.74	5.99	29.74
PK	5.194G	101.44	Inf	-Inf	7.90	3	Vertical	360	1.59	-	93.54	31.61	6.02	29.73

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.49	54.00	-0.51	7.96	3	Horizontal	0	1.61	-	45.53	31.70	6.00	29.74
AV	5.1944G	104.95	Inf	-Inf	7.90	3	Horizontal	0	1.61	-	97.05	31.61	6.02	29.73
PK	5.1496G	64.24	74.00	-9.76	7.96	3	Horizontal	0	1.61	-	56.28	31.70	6.00	29.74
PK	5.194G	113.29	Inf	-Inf	7.90	3	Horizontal	0	1.61	-	105.39	31.61	6.02	29.73

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56908G	44.21	54.00	-9.79	17.45	3	Vertical	23	1.86	-	26.76	38.45	10.82	31.82
PK	10.37796G	55.02	68.20	-13.18	17.16	3	Vertical	104	2.48	-	37.86	39.39	8.71	30.94
PK	15.56837G	56.06	74.00	-17.94	17.46	3	Vertical	23	1.86	-	38.60	38.46	10.82	31.82

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56757G	44.09	54.00	-9.91	17.46	3	Horizontal	263	1.76	-	26.63	38.46	10.82	31.82
PK	10.37819G	55.55	68.20	-12.65	17.16	3	Horizontal	115	1.95	-	38.39	39.39	8.71	30.94
PK	15.56863G	55.98	74.00	-18.02	17.45	3	Horizontal	263	1.76	-	38.53	38.45	10.82	31.82

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1364G	43.46	54.00	-10.54	7.98	3	Vertical	360	1.32	-	35.48	31.73	5.99	29.74
AV	5.2348G	93.36	Inf	-Inf	7.82	3	Vertical	360	1.32	-	85.54	31.50	6.05	29.73
PK	5.1348G	54.65	74.00	-19.35	7.98	3	Vertical	360	1.32	-	46.67	31.73	5.99	29.74
PK	5.2352G	101.41	Inf	-Inf	7.81	3	Vertical	360	1.32	-	93.60	31.49	6.05	29.73

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.19	54.00	-6.81	7.96	3	Horizontal	0	1.50	-	39.23	31.70	6.00	29.74
AV	5.238G	104.82	Inf	-Inf	7.81	3	Horizontal	0	1.50	-	97.01	31.49	6.05	29.73
PK	5.1472G	58.97	74.00	-15.03	7.97	3	Horizontal	0	1.50	-	51.00	31.71	6.00	29.74
PK	5.2372G	113.00	Inf	-Inf	7.81	3	Horizontal	0	1.50	-	105.19	31.49	6.05	29.73

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68798G	43.71	54.00	-10.29	16.96	3	Vertical	184	2.38	-	26.75	37.94	10.87	31.85
PK	10.45818G	54.69	68.20	-13.51	17.30	3	Vertical	252	1.97	-	37.39	39.50	8.76	30.96
PK	15.68831G	56.07	74.00	-17.93	16.96	3	Vertical	184	2.38	-	39.11	37.94	10.87	31.85

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68866G	43.71	54.00	-10.29	16.96	3	Horizontal	327	1.69	-	26.75	37.94	10.87	31.85
PK	10.46054G	54.93	68.20	-13.27	17.30	3	Horizontal	139	1.97	-	37.63	39.50	8.76	30.96
PK	15.69076G	55.35	74.00	-18.65	16.95	3	Horizontal	327	1.69	-	38.40	37.93	10.87	31.85

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	98.38	Inf	-Inf	8.51	3	Vertical	16	1.71	-	89.87	31.89	6.39	29.77
PK	5.557G	56.27	68.20	-11.93	8.32	3	Vertical	16	1.71	-	47.95	31.79	6.24	29.71
PK	5.7466G	106.70	Inf	-Inf	8.51	3	Vertical	16	1.71	-	98.19	31.89	6.39	29.77
PK	5.929G	55.50	68.20	-12.70	8.93	3	Vertical	16	1.71	-	46.57	32.23	6.53	29.83

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	109.87	Inf	-Inf	8.52	3	Horizontal	0	1.62	-	101.35	31.90	6.39	29.77
PK	5.5894G	62.80	68.20	-5.40	8.26	3	Horizontal	0	1.62	-	54.54	31.72	6.26	29.72
PK	5.7502G	118.22	Inf	-Inf	8.52	3	Horizontal	0	1.62	-	109.70	31.90	6.39	29.77
PK	5.9518G	58.05	68.20	-10.15	8.96	3	Horizontal	0	1.62	-	49.09	32.25	6.55	29.84

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51073G	43.17	54.00	-10.83	17.89	3	Vertical	139	1.37	-	25.28	39.43	9.48	31.02
PK	11.50806G	54.53	74.00	-19.47	17.90	3	Vertical	139	1.37	-	36.63	39.44	9.48	31.02
PK	17.26423G	60.33	68.20	-7.87	21.58	3	Vertical	170	2.41	-	38.75	41.84	11.41	31.67

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5082G	43.04	54.00	-10.96	17.90	3	Horizontal	44	1.48	-	25.14	39.44	9.48	31.02
PK	11.50884G	54.92	74.00	-19.08	17.90	3	Horizontal	44	1.48	-	37.02	39.44	9.48	31.02
PK	17.26302G	60.17	68.20	-8.03	21.58	3	Horizontal	65	1.04	-	38.59	41.84	11.41	31.67

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	96.88	Inf	-Inf	8.63	3	Vertical	4	1.79	-	88.25	31.99	6.43	29.79
PK	5.5874G	55.87	68.20	-12.33	8.27	3	Vertical	4	1.79	-	47.60	31.73	6.26	29.72
PK	5.7962G	105.04	Inf	-Inf	8.63	3	Vertical	4	1.79	-	96.41	31.99	6.43	29.79
PK	5.9534G	56.16	68.20	-12.04	8.96	3	Vertical	4	1.79	-	47.20	32.25	6.55	29.84

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7842G	109.70	Inf	-Inf	8.61	3	Horizontal	0	1.67	-	101.09	31.97	6.42	29.78
PK	5.6486G	63.50	68.20	-4.70	8.33	3	Horizontal	0	1.67	-	55.17	31.75	6.31	29.73
PK	5.7866G	117.88	Inf	-Inf	8.61	3	Horizontal	0	1.67	-	109.27	31.97	6.42	29.78
PK	5.9666G	58.36	68.20	-9.84	8.99	3	Horizontal	0	1.67	-	49.37	32.27	6.56	29.84

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58781G	43.14	54.00	-10.86	17.85	3	Vertical	124	2.38	-	25.29	39.32	9.54	31.01
PK	11.58962G	55.22	74.00	-18.78	17.85	3	Vertical	124	2.38	-	37.37	39.32	9.54	31.01
PK	17.38507G	61.36	68.20	-6.84	22.47	3	Vertical	263	1.48	-	38.89	42.64	11.45	31.62

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58987G	43.26	54.00	-10.74	17.85	3	Horizontal	85	2.18	-	25.41	39.32	9.54	31.01
PK	11.59113G	54.92	74.00	-19.08	17.84	3	Horizontal	85	2.18	-	37.08	39.31	9.54	31.01
PK	17.38412G	61.18	68.20	-7.02	22.47	3	Horizontal	226	1.20	-	38.71	42.64	11.45	31.62

802.11ac VHT80_Nss1,(MCS0)_2TX

22/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.06	54.00	-9.94	7.96	3	Vertical	0	1.28	-	36.10	31.70	6.00	29.74
AV	5.236G	89.06	Inf	-Inf	7.81	3	Vertical	0	1.28	-	81.25	31.49	6.05	29.73
AV	5.354G	43.87	54.00	-10.13	7.81	3	Vertical	0	1.28	-	36.06	31.41	6.11	29.71
PK	5.15G	54.57	74.00	-19.43	7.96	3	Vertical	0	1.28	-	46.61	31.70	6.00	29.74
PK	5.234G	98.27	Inf	-Inf	7.82	3	Vertical	0	1.28	-	90.45	31.50	6.05	29.73
PK	5.435G	55.10	74.00	-18.90	8.09	3	Vertical	0	1.28	-	47.01	31.64	6.15	29.70

802.11ac VHT80_Nss1,(MCS0)_2TX

22/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.76	54.00	-0.24	7.96	3	Horizontal	5	1.75	-	45.80	31.70	6.00	29.74
AV	5.234G	100.28	Inf	-Inf	7.82	3	Horizontal	5	1.75	-	92.46	31.50	6.05	29.73
AV	5.355G	49.83	54.00	-4.17	7.81	3	Horizontal	5	1.75	-	42.02	31.41	6.11	29.71
PK	5.15G	65.65	74.00	-8.35	7.96	3	Horizontal	5	1.75	-	57.69	31.70	6.00	29.74
PK	5.234G	109.66	Inf	-Inf	7.82	3	Horizontal	5	1.75	-	101.84	31.50	6.05	29.73
PK	5.359G	61.29	74.00	-12.71	7.82	3	Horizontal	5	1.75	-	53.47	31.42	6.11	29.71

802.11ac VHT80_Nss1,(MCS0)_2TX

22/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62855G	43.94	54.00	-10.06	17.22	3	Vertical	294	1.90	-	26.72	38.20	10.85	31.83
PK	10.42202G	55.20	68.20	-13.00	17.24	3	Vertical	300	2.13	-	37.96	39.45	8.74	30.95
PK	15.63153G	56.01	74.00	-17.99	17.19	3	Vertical	294	1.90	-	38.82	38.18	10.85	31.84

802.11ac VHT80_Nss1,(MCS0)_2TX

22/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62769G	44.07	54.00	-9.93	17.21	3	Horizontal	53	1.61	-	26.86	38.20	10.84	31.83
PK	10.41851G	54.37	68.20	-13.83	17.22	3	Horizontal	55	1.81	-	37.15	39.44	8.73	30.95
PK	15.63083G	55.66	74.00	-18.34	17.20	3	Horizontal	53	1.61	-	38.46	38.19	10.85	31.84

802.11ac VHT80_Nss1,(MCS0)_2TX

22/06/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	94.55	Inf	-Inf	8.55	3	Vertical	16	1.80	-	86.00	31.93	6.40	29.78
PK	5.649G	58.40	68.20	-9.80	8.33	3	Vertical	16	1.80	-	50.07	31.75	6.31	29.73
PK	5.763G	102.74	Inf	-Inf	8.55	3	Vertical	16	1.80	-	94.19	31.93	6.40	29.78
PK	5.9622G	56.59	68.20	-11.61	8.98	3	Vertical	16	1.80	-	47.61	32.26	6.56	29.84

802.11ac VHT80_Nss1,(MCS0)_2TX

22/06/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.769G	106.12	Inf	-Inf	8.57	3	Horizontal	0	1.66	-	97.55	31.94	6.41	29.78
PK	5.6502G	67.96	68.35	-0.39	8.32	3	Horizontal	0	1.66	-	59.64	31.75	6.31	29.74
PK	5.7534G	114.71	Inf	-Inf	8.53	3	Horizontal	0	1.66	-	106.18	31.91	6.39	29.77
PK	5.9262G	61.50	68.20	-6.70	8.93	3	Horizontal	0	1.66	-	52.57	32.23	6.53	29.83

802.11ac VHT80_Nss1,(MCS0)_2TX

22/06/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54817G	42.90	54.00	-11.10	17.88	3	Vertical	26	1.52	-	25.02	39.38	9.51	31.01
PK	11.54935G	54.78	74.00	-19.22	17.88	3	Vertical	26	1.52	-	36.90	39.38	9.51	31.01
PK	17.31512G	60.79	68.20	-7.41	21.95	3	Vertical	133	1.72	-	38.84	42.18	11.42	31.65

802.11ac VHT80_Nss1,(MCS0)_2TX

22/06/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54914G	43.03	54.00	-10.97	17.88	3	Horizontal	53	1.61	-	25.15	39.38	9.51	31.01
PK	11.54872G	55.04	74.00	-18.96	17.88	3	Horizontal	53	1.61	-	37.16	39.38	9.51	31.01
PK	17.32662G	60.23	68.20	-7.97	22.05	3	Horizontal	324	1.21	-	38.18	42.26	11.43	31.64



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	82.38M	36.12	40.00	-3.88	-14.24	3	Vertical	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	82.38M	36.12	40.00	-3.88	-14.24	3	Vertical	0	1.00	-
5775MHz	Pass	PK	125.06M	27.65	43.50	-15.85	-8.92	3	Vertical	0	1.00	-
5775MHz	Pass	PK	324.88M	26.82	46.00	-19.18	-5.46	3	Vertical	0	1.00	-
5775MHz	Pass	PK	646.92M	30.48	46.00	-15.52	-0.33	3	Vertical	0	1.00	-
5775MHz	Pass	PK	722.58M	34.97	46.00	-11.03	0.29	3	Vertical	0	1.00	-
5775MHz	Pass	PK	889.42M	29.47	46.00	-16.53	2.27	3	Vertical	0	1.00	-
5775MHz	Pass	PK	74.62M	32.34	40.00	-7.66	-15.34	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	158.04M	31.23	43.50	-12.27	-10.49	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	324.88M	34.31	46.00	-11.69	-5.46	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	437.4M	31.81	46.00	-14.19	-3.00	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	610.06M	34.03	46.00	-11.97	-0.75	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	774.96M	36.24	46.00	-9.76	1.15	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	82.38M	36.12	40.00	-3.88	-14.24	3	Vertical	0	1.00	-
5775MHz	Pass	PK	125.06M	27.65	43.50	-15.85	-8.92	3	Vertical	0	1.00	-
5775MHz	Pass	PK	324.88M	26.82	46.00	-19.18	-5.46	3	Vertical	0	1.00	-
5775MHz	Pass	PK	646.92M	30.48	46.00	-15.52	-0.33	3	Vertical	0	1.00	-
5775MHz	Pass	PK	722.58M	34.97	46.00	-11.03	0.29	3	Vertical	0	1.00	-
5775MHz	Pass	PK	889.42M	29.47	46.00	-16.53	2.27	3	Vertical	0	1.00	-
5775MHz	Pass	PK	74.62M	32.34	40.00	-7.66	-15.34	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	158.04M	31.23	43.50	-12.27	-10.49	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	324.88M	34.31	46.00	-11.69	-5.46	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	437.4M	31.81	46.00	-14.19	-3.00	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	610.06M	34.03	46.00	-11.97	-0.75	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	774.96M	36.24	46.00	-9.76	1.15	3	Horizontal	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	82.38M	36.12	40.00	-3.88	-14.24	3	Vertical	0	1.00	-	50.36	12.27	1.28	27.79
PK	125.06M	27.65	43.50	-15.85	-8.92	3	Vertical	0	1.00	-	36.57	17.08	1.68	27.68
PK	324.88M	26.82	46.00	-19.18	-5.46	3	Vertical	0	1.00	-	32.28	18.78	3.05	27.29
PK	646.92M	30.48	46.00	-15.52	-0.33	3	Vertical	0	1.00	-	30.81	24.25	3.79	28.37
PK	722.58M	34.97	46.00	-11.03	0.29	3	Vertical	0	1.00	-	34.68	24.42	4.08	28.21
PK	889.42M	29.47	46.00	-16.53	2.27	3	Vertical	0	1.00	-	27.20	25.57	4.32	27.62

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	74.62M	32.34	40.00	-7.66	-15.34	3	Horizontal	360	1.00	-	47.68	11.30	1.15	27.79
PK	158.04M	31.23	43.50	-12.27	-10.49	3	Horizontal	360	1.00	-	41.72	15.13	1.93	27.55
PK	324.88M	34.31	46.00	-11.69	-5.46	3	Horizontal	360	1.00	-	39.77	18.78	3.05	27.29
PK	437.4M	31.81	46.00	-14.19	-3.00	3	Horizontal	360	1.00	-	34.81	21.81	3.22	28.03
PK	610.06M	34.03	46.00	-11.97	-0.75	3	Horizontal	360	1.00	-	34.78	23.98	3.70	28.43
PK	774.96M	36.24	46.00	-9.76	1.15	3	Horizontal	360	1.00	-	35.09	25.07	4.14	28.06



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.144G	47.91	54.00	-6.09	7.97	3	Vertical	205	1.49	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.148G	47.60	54.00	-6.40	7.96	3	Vertical	201	1.49	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1396G	49.33	54.00	-4.67	9.04	3	Vertical	171	1.49	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.55	54.00	-0.45	9.06	3	Vertical	159	1.44	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.48957G	46.69	54.00	-7.31	17.92	3	Horizontal	100	1.95	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	60.94	68.20	-7.26	8.33	3	Vertical	135	1.41	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	5.6506G	68.41	68.64	-0.23	9.94	3	Vertical	233	1.42	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6454G	65.90	68.20	-2.30	9.94	3	Vertical	233	1.45	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.144G	47.91	54.00	-6.09	7.97	3	Vertical	205	1.49	-
5180MHz	Pass	AV	5.1806G	105.92	Inf	-Inf	7.93	3	Vertical	205	1.49	-
5180MHz	Pass	PK	5.1402G	59.45	74.00	-14.55	7.98	3	Vertical	205	1.49	-
5180MHz	Pass	PK	5.1856G	114.65	Inf	-Inf	7.92	3	Vertical	205	1.49	-
5180MHz	Pass	AV	5.1334G	43.69	54.00	-10.31	7.98	3	Horizontal	1	1.09	-
5180MHz	Pass	AV	5.1852G	94.45	Inf	-Inf	7.92	3	Horizontal	1	1.09	-
5180MHz	Pass	PK	5.136G	55.10	74.00	-18.90	7.98	3	Horizontal	1	1.09	-
5180MHz	Pass	PK	5.185G	103.71	Inf	-Inf	7.92	3	Horizontal	1	1.09	-
5180MHz	Pass	PK	10.384G	55.05	68.20	-13.15	17.17	3	Vertical	269	1.41	-
5180MHz	Pass	PK	10.3791G	54.59	68.20	-13.61	17.16	3	Horizontal	132	1.83	-
5200MHz	Pass	AV	5.1492G	46.07	54.00	-7.93	7.96	3	Vertical	207	1.39	-
5200MHz	Pass	AV	5.2028G	106.06	Inf	-Inf	7.89	3	Vertical	207	1.39	-
5200MHz	Pass	PK	5.1432G	56.67	74.00	-17.33	7.97	3	Vertical	207	1.39	-
5200MHz	Pass	PK	5.2028G	114.48	Inf	-Inf	7.89	3	Vertical	207	1.39	-
5200MHz	Pass	AV	5.1352G	43.45	54.00	-10.55	7.98	3	Horizontal	360	1.09	-
5200MHz	Pass	AV	5.1976G	94.33	Inf	-Inf	7.90	3	Horizontal	360	1.09	-
5200MHz	Pass	PK	5.102G	54.35	74.00	-19.65	8.03	3	Horizontal	360	1.09	-
5200MHz	Pass	PK	5.1972G	102.74	Inf	-Inf	7.91	3	Horizontal	360	1.09	-
5200MHz	Pass	PK	10.40211G	55.02	68.20	-13.18	17.20	3	Vertical	3	1.96	-
5200MHz	Pass	PK	10.40239G	54.67	68.20	-13.53	17.20	3	Horizontal	112	1.43	-
5240MHz	Pass	AV	5.1194G	45.00	54.00	-9.00	7.99	3	Vertical	202	1.39	-
5240MHz	Pass	AV	5.243G	105.93	Inf	-Inf	7.79	3	Vertical	202	1.39	-
5240MHz	Pass	AV	5.3588G	45.86	54.00	-8.14	7.82	3	Vertical	202	1.39	-
5240MHz	Pass	PK	5.132G	56.03	74.00	-17.97	7.99	3	Vertical	202	1.39	-
5240MHz	Pass	PK	5.2382G	114.45	Inf	-Inf	7.81	3	Vertical	202	1.39	-
5240MHz	Pass	PK	5.3606G	57.43	74.00	-16.57	7.82	3	Vertical	202	1.39	-
5240MHz	Pass	AV	5.114G	43.52	54.00	-10.48	8.00	3	Horizontal	0	1.03	-
5240MHz	Pass	AV	5.2376G	94.11	Inf	-Inf	7.81	3	Horizontal	0	1.03	-
5240MHz	Pass	AV	5.363G	43.16	54.00	-10.84	7.84	3	Horizontal	0	1.03	-
5240MHz	Pass	PK	5.1314G	55.59	74.00	-18.41	7.99	3	Horizontal	0	1.03	-
5240MHz	Pass	PK	5.2376G	102.28	Inf	-Inf	7.81	3	Horizontal	0	1.03	-
5240MHz	Pass	PK	5.35G	55.46	74.00	-18.54	7.80	3	Horizontal	0	1.03	-
5240MHz	Pass	PK	10.47875G	55.16	68.20	-13.04	17.34	3	Vertical	224	2.08	-
5240MHz	Pass	PK	10.48088G	54.98	68.20	-13.22	17.35	3	Horizontal	290	1.44	-
5745MHz	Pass	AV	5.7462G	114.04	Inf	-Inf	8.51	3	Vertical	134	1.40	-
5745MHz	Pass	PK	5.649G	60.67	68.20	-7.53	8.33	3	Vertical	134	1.40	-
5745MHz	Pass	PK	5.7414G	122.39	Inf	-Inf	8.49	3	Vertical	134	1.40	-
5745MHz	Pass	PK	5.9898G	56.60	68.20	-11.60	9.02	3	Vertical	134	1.40	-
5745MHz	Pass	AV	5.7438G	103.73	Inf	-Inf	8.51	3	Horizontal	185	1.01	-
5745MHz	Pass	PK	5.6034G	55.26	68.20	-12.94	8.25	3	Horizontal	185	1.01	-
5745MHz	Pass	PK	5.739G	112.34	Inf	-Inf	8.49	3	Horizontal	185	1.01	-
5745MHz	Pass	PK	5.9346G	55.38	68.20	-12.82	8.94	3	Horizontal	185	1.01	-
5745MHz	Pass	AV	11.49167G	44.70	54.00	-9.30	17.91	3	Vertical	82	2.03	-
5745MHz	Pass	PK	11.48782G	55.74	74.00	-18.26	17.92	3	Vertical	82	2.03	-
5745MHz	Pass	AV	11.48957G	46.69	54.00	-7.31	17.92	3	Horizontal	100	1.95	-
5745MHz	Pass	PK	11.49247G	57.57	74.00	-16.43	17.91	3	Horizontal	100	1.95	-
5785MHz	Pass	AV	5.7862G	114.57	Inf	-Inf	8.61	3	Vertical	130	1.43	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.5378G	59.90	68.20	-8.30	8.34	3	Vertical	130	1.43	-
5785MHz	Pass	PK	5.7814G	123.25	Inf	-Inf	8.60	3	Vertical	130	1.43	-
5785MHz	Pass	PK	5.941G	57.32	68.20	-10.88	8.95	3	Vertical	130	1.43	-
5785MHz	Pass	AV	5.7838G	102.76	Inf	-Inf	8.61	3	Horizontal	254	1.01	-
5785MHz	Pass	PK	5.5702G	55.63	68.20	-12.57	8.30	3	Horizontal	254	1.01	-
5785MHz	Pass	PK	5.7886G	110.82	Inf	-Inf	8.61	3	Horizontal	254	1.01	-
5785MHz	Pass	PK	5.9842G	55.35	68.20	-12.85	9.01	3	Horizontal	254	1.01	-
5785MHz	Pass	AV	11.56938G	44.68	54.00	-9.32	17.86	3	Vertical	20	1.27	-
5785MHz	Pass	PK	11.57049G	55.37	74.00	-18.63	17.85	3	Vertical	20	1.27	-
5785MHz	Pass	AV	11.56979G	46.15	54.00	-7.85	17.86	3	Horizontal	7	1.58	-
5785MHz	Pass	PK	11.57191G	57.67	74.00	-16.33	17.85	3	Horizontal	7	1.58	-
5825MHz	Pass	AV	5.8274G	114.87	Inf	-Inf	8.70	3	Vertical	112	1.50	-
5825MHz	Pass	PK	5.5742G	59.72	68.20	-8.48	8.29	3	Vertical	112	1.50	-
5825MHz	Pass	PK	5.8286G	123.35	Inf	-Inf	8.71	3	Vertical	112	1.50	-
5825MHz	Pass	PK	5.9834G	57.82	68.20	-10.38	9.01	3	Vertical	112	1.50	-
5825MHz	Pass	AV	5.8262G	101.65	Inf	-Inf	8.70	3	Horizontal	251	2.23	-
5825MHz	Pass	PK	5.543G	55.45	68.20	-12.75	8.33	3	Horizontal	251	2.23	-
5825MHz	Pass	PK	5.8214G	109.62	Inf	-Inf	8.69	3	Horizontal	251	2.23	-
5825MHz	Pass	PK	5.957G	56.10	68.20	-12.10	8.98	3	Horizontal	251	2.23	-
5825MHz	Pass	AV	11.6514G	44.07	54.00	-9.93	17.80	3	Vertical	11	1.50	-
5825MHz	Pass	PK	11.6563G	55.59	74.00	-18.41	17.80	3	Vertical	11	1.50	-
5825MHz	Pass	AV	11.652G	46.62	54.00	-7.38	17.80	3	Horizontal	45	1.50	-
5825MHz	Pass	PK	11.6521G	57.06	74.00	-16.94	17.80	3	Horizontal	45	1.50	-
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.148G	47.60	54.00	-6.40	7.96	3	Vertical	201	1.49	-
5180MHz	Pass	AV	5.1746G	105.26	Inf	-Inf	7.92	3	Vertical	201	1.49	-
5180MHz	Pass	PK	5.147G	58.89	74.00	-15.11	7.97	3	Vertical	201	1.49	-
5180MHz	Pass	PK	5.1736G	114.87	Inf	-Inf	7.92	3	Vertical	201	1.49	-
5180MHz	Pass	AV	5.1408G	43.35	54.00	-10.65	7.98	3	Horizontal	47	1.02	-
5180MHz	Pass	AV	5.1832G	93.28	Inf	-Inf	7.92	3	Horizontal	47	1.02	-
5180MHz	Pass	PK	5.1448G	55.45	74.00	-18.55	7.97	3	Horizontal	47	1.02	-
5180MHz	Pass	PK	5.1816G	103.34	Inf	-Inf	7.93	3	Horizontal	47	1.02	-
5180MHz	Pass	PK	10.3605G	55.17	68.20	-13.03	17.14	3	Vertical	331	1.77	-
5180MHz	Pass	PK	10.35873G	55.46	68.20	-12.74	17.13	3	Horizontal	89	2.02	-
5200MHz	Pass	AV	5.15G	45.97	54.00	-8.03	7.96	3	Vertical	178	1.50	-
5200MHz	Pass	AV	5.1968G	105.29	Inf	-Inf	7.91	3	Vertical	178	1.50	-
5200MHz	Pass	PK	5.1496G	56.82	74.00	-17.18	7.96	3	Vertical	178	1.50	-
5200MHz	Pass	PK	5.1988G	115.46	Inf	-Inf	7.90	3	Vertical	178	1.50	-
5200MHz	Pass	AV	5.136G	43.18	54.00	-10.82	7.98	3	Horizontal	4	1.01	-
5200MHz	Pass	AV	5.1928G	93.21	Inf	-Inf	7.90	3	Horizontal	4	1.01	-
5200MHz	Pass	PK	5.126G	55.19	74.00	-18.81	8.00	3	Horizontal	4	1.01	-
5200MHz	Pass	PK	5.1936G	102.21	Inf	-Inf	7.90	3	Horizontal	4	1.01	-
5200MHz	Pass	PK	10.39983G	55.38	68.20	-12.82	17.20	3	Vertical	20	1.47	-
5200MHz	Pass	PK	10.39863G	55.40	68.20	-12.80	17.20	3	Horizontal	50	2.02	-
5240MHz	Pass	AV	5.15G	44.54	54.00	-9.46	7.96	3	Vertical	147	1.40	-
5240MHz	Pass	AV	5.2364G	105.65	Inf	-Inf	7.81	3	Vertical	147	1.40	-
5240MHz	Pass	AV	5.36G	45.46	54.00	-8.54	7.82	3	Vertical	147	1.40	-
5240MHz	Pass	PK	5.1176G	56.32	74.00	-17.68	7.99	3	Vertical	147	1.40	-
5240MHz	Pass	PK	5.2364G	114.80	Inf	-Inf	7.81	3	Vertical	147	1.40	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3618G	57.30	74.00	-16.70	7.83	3	Vertical	147	1.40	-
5240MHz	Pass	AV	5.1362G	43.18	54.00	-10.82	7.98	3	Horizontal	0	1.03	-
5240MHz	Pass	AV	5.2328G	93.01	Inf	-Inf	7.82	3	Horizontal	0	1.03	-
5240MHz	Pass	AV	5.3774G	43.07	54.00	-10.93	7.87	3	Horizontal	0	1.03	-
5240MHz	Pass	PK	5.1188G	54.85	74.00	-19.15	7.99	3	Horizontal	0	1.03	-
5240MHz	Pass	PK	5.2334G	102.54	Inf	-Inf	7.82	3	Horizontal	0	1.03	-
5240MHz	Pass	PK	5.357G	55.15	74.00	-18.85	7.81	3	Horizontal	0	1.03	-
5240MHz	Pass	PK	10.47905G	55.29	68.20	-12.91	17.34	3	Vertical	159	2.25	-
5240MHz	Pass	PK	10.47782G	54.78	68.20	-13.42	17.33	3	Horizontal	250	1.46	-
5745MHz	Pass	AV	5.7474G	114.34	Inf	-Inf	8.51	3	Vertical	135	1.41	-
5745MHz	Pass	PK	5.6478G	60.94	68.20	-7.26	8.33	3	Vertical	135	1.41	-
5745MHz	Pass	PK	5.7486G	123.30	Inf	-Inf	8.52	3	Vertical	135	1.41	-
5745MHz	Pass	PK	5.9526G	57.45	68.20	-10.75	8.96	3	Vertical	135	1.41	-
5745MHz	Pass	AV	5.7474G	101.91	Inf	-Inf	8.51	3	Horizontal	316	2.10	-
5745MHz	Pass	PK	5.4954G	55.85	68.20	-12.35	8.38	3	Horizontal	316	2.10	-
5745MHz	Pass	PK	5.7462G	111.61	Inf	-Inf	8.51	3	Horizontal	316	2.10	-
5745MHz	Pass	PK	5.9442G	55.71	68.20	-12.49	8.96	3	Horizontal	316	2.10	-
5745MHz	Pass	AV	11.4866G	44.88	54.00	-9.12	17.92	3	Vertical	201	1.76	-
5745MHz	Pass	PK	11.4953G	55.60	74.00	-18.40	17.91	3	Vertical	201	1.76	-
5745MHz	Pass	AV	11.4728G	45.23	54.00	-8.77	17.93	3	Horizontal	326	1.40	-
5745MHz	Pass	PK	11.4933G	56.59	74.00	-17.41	17.91	3	Horizontal	326	1.40	-
5785MHz	Pass	AV	5.7886G	114.65	Inf	-Inf	8.61	3	Vertical	134	1.48	-
5785MHz	Pass	PK	5.6218G	60.23	68.20	-7.97	8.28	3	Vertical	134	1.48	-
5785MHz	Pass	PK	5.7886G	123.83	Inf	-Inf	8.61	3	Vertical	134	1.48	-
5785MHz	Pass	PK	5.9518G	57.57	68.20	-10.63	8.96	3	Vertical	134	1.48	-
5785MHz	Pass	AV	5.7826G	102.23	Inf	-Inf	8.61	3	Horizontal	238	1.61	-
5785MHz	Pass	PK	5.5726G	55.49	68.20	-12.71	8.29	3	Horizontal	238	1.61	-
5785MHz	Pass	PK	5.7814G	110.91	Inf	-Inf	8.60	3	Horizontal	238	1.61	-
5785MHz	Pass	PK	5.9434G	56.56	68.20	-11.64	8.95	3	Horizontal	238	1.61	-
5785MHz	Pass	AV	11.572G	43.72	54.00	-10.28	17.85	3	Vertical	263	2.12	-
5785MHz	Pass	PK	11.5572G	55.59	74.00	-18.41	17.86	3	Vertical	263	2.12	-
5785MHz	Pass	AV	11.5734G	45.29	54.00	-8.71	17.86	3	Horizontal	40	1.39	-
5785MHz	Pass	PK	11.5591G	57.21	74.00	-16.79	17.87	3	Horizontal	40	1.39	-
5825MHz	Pass	AV	5.8286G	114.15	Inf	-Inf	8.71	3	Vertical	135	1.44	-
5825MHz	Pass	PK	5.6246G	60.43	68.20	-7.77	8.28	3	Vertical	135	1.44	-
5825MHz	Pass	PK	5.8298G	123.62	Inf	-Inf	8.71	3	Vertical	135	1.44	-
5825MHz	Pass	PK	5.927G	58.27	68.20	-9.93	8.93	3	Vertical	135	1.44	-
5825MHz	Pass	AV	5.8226G	101.05	Inf	-Inf	8.70	3	Horizontal	239	1.60	-
5825MHz	Pass	PK	5.5862G	55.69	68.20	-12.51	8.27	3	Horizontal	239	1.60	-
5825MHz	Pass	PK	5.8214G	109.86	Inf	-Inf	8.69	3	Horizontal	239	1.60	-
5825MHz	Pass	PK	5.9726G	55.61	68.20	-12.59	9.00	3	Horizontal	239	1.60	-
5825MHz	Pass	AV	11.6419G	44.81	54.00	-9.19	17.81	3	Vertical	319	1.44	-
5825MHz	Pass	PK	11.6517G	55.32	74.00	-18.68	17.80	3	Vertical	319	1.44	-
5825MHz	Pass	AV	11.6256G	45.90	54.00	-8.10	17.82	3	Horizontal	71	2.33	-
5825MHz	Pass	PK	11.6392G	56.82	74.00	-17.18	17.81	3	Horizontal	71	2.33	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1396G	49.33	54.00	-4.67	9.04	3	Vertical	171	1.49	-
5190MHz	Pass	AV	5.1976G	102.03	Inf	-Inf	9.15	3	Vertical	171	1.49	-
5190MHz	Pass	PK	5.14G	61.36	74.00	-12.64	9.04	3	Vertical	171	1.49	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.1972G	111.92	Inf	-Inf	9.15	3	Vertical	171	1.49	-
5190MHz	Pass	AV	5.1412G	46.38	54.00	-7.62	9.05	3	Horizontal	357	1.01	-
5190MHz	Pass	AV	5.2004G	90.98	Inf	-Inf	9.15	3	Horizontal	357	1.01	-
5190MHz	Pass	PK	5.1464G	59.27	74.00	-14.73	9.05	3	Horizontal	357	1.01	-
5190MHz	Pass	PK	5.2G	100.88	Inf	-Inf	9.15	3	Horizontal	357	1.01	-
5190MHz	Pass	PK	10.3659G	54.66	68.20	-13.54	18.78	3	Vertical	161	1.50	-
5190MHz	Pass	PK	10.38852G	55.48	68.20	-12.72	18.80	3	Horizontal	162	1.49	-
5230MHz	Pass	AV	5.1424G	47.43	54.00	-6.57	9.05	3	Vertical	206	1.49	-
5230MHz	Pass	AV	5.2244G	101.94	Inf	-Inf	9.19	3	Vertical	206	1.49	-
5230MHz	Pass	PK	5.1484G	59.37	74.00	-14.63	9.05	3	Vertical	206	1.49	-
5230MHz	Pass	PK	5.2248G	111.99	Inf	-Inf	9.19	3	Vertical	206	1.49	-
5230MHz	Pass	AV	5.1424G	46.72	54.00	-7.28	9.05	3	Horizontal	231	2.77	-
5230MHz	Pass	AV	5.2316G	88.79	Inf	-Inf	9.20	3	Horizontal	231	2.77	-
5230MHz	Pass	PK	5.1448G	58.82	74.00	-15.18	9.05	3	Horizontal	231	2.77	-
5230MHz	Pass	PK	5.2312G	98.62	Inf	-Inf	9.20	3	Horizontal	231	2.77	-
5230MHz	Pass	PK	10.45934G	54.95	68.20	-13.25	18.89	3	Vertical	125	1.50	-
5230MHz	Pass	PK	10.4531G	55.46	68.20	-12.74	18.88	3	Horizontal	167	2.96	-
5755MHz	Pass	AV	5.7478G	111.75	Inf	-Inf	10.12	3	Vertical	233	1.42	-
5755MHz	Pass	PK	5.6506G	68.41	68.64	-0.23	9.94	3	Vertical	233	1.42	-
5755MHz	Pass	PK	5.7478G	121.88	Inf	-Inf	10.12	3	Vertical	233	1.42	-
5755MHz	Pass	PK	5.9278G	61.37	68.20	-6.83	10.42	3	Vertical	233	1.42	-
5755MHz	Pass	AV	5.7622G	98.33	Inf	-Inf	10.14	3	Horizontal	239	1.50	-
5755MHz	Pass	PK	5.6482G	60.85	68.20	-7.35	9.95	3	Horizontal	239	1.50	-
5755MHz	Pass	PK	5.7622G	107.63	Inf	-Inf	10.14	3	Horizontal	239	1.50	-
5755MHz	Pass	PK	5.953G	60.24	68.20	-7.96	10.46	3	Horizontal	239	1.50	-
5755MHz	Pass	AV	11.49626G	41.98	54.00	-12.02	19.26	3	Vertical	20	2.93	-
5755MHz	Pass	PK	11.50868G	55.02	74.00	-18.98	19.26	3	Vertical	20	2.93	-
5755MHz	Pass	AV	11.51012G	43.81	54.00	-10.19	19.26	3	Horizontal	45	1.51	-
5755MHz	Pass	PK	11.51552G	56.00	74.00	-18.00	19.25	3	Horizontal	45	1.51	-
5795MHz	Pass	AV	5.789G	110.82	Inf	-Inf	10.17	3	Vertical	133	1.39	-
5795MHz	Pass	PK	5.6378G	62.96	68.20	-5.24	9.92	3	Vertical	133	1.39	-
5795MHz	Pass	PK	5.7902G	120.81	Inf	-Inf	10.18	3	Vertical	133	1.39	-
5795MHz	Pass	PK	5.9306G	62.83	68.20	-5.37	10.42	3	Vertical	133	1.39	-
5795MHz	Pass	AV	5.8022G	97.75	Inf	-Inf	10.20	3	Horizontal	241	1.39	-
5795MHz	Pass	PK	5.5862G	60.27	68.20	-7.93	9.83	3	Horizontal	241	1.39	-
5795MHz	Pass	PK	5.8034G	107.22	Inf	-Inf	10.20	3	Horizontal	241	1.39	-
5795MHz	Pass	PK	5.9654G	60.44	68.20	-7.76	10.49	3	Horizontal	241	1.39	-
5795MHz	Pass	AV	11.5885G	42.12	54.00	-11.88	19.21	3	Vertical	11	1.27	-
5795MHz	Pass	PK	11.57614G	55.12	74.00	-18.88	19.22	3	Vertical	11	1.27	-
5795MHz	Pass	AV	11.59432G	43.87	54.00	-10.13	19.21	3	Horizontal	46	1.40	-
5795MHz	Pass	PK	11.5756G	56.43	74.00	-17.57	19.22	3	Horizontal	46	1.40	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.55	54.00	-0.45	9.06	3	Vertical	159	1.44	-
5210MHz	Pass	AV	5.233G	95.32	Inf	-Inf	9.20	3	Vertical	159	1.44	-
5210MHz	Pass	AV	5.351G	48.10	54.00	-5.90	9.42	3	Vertical	159	1.44	-
5210MHz	Pass	PK	5.15G	66.43	74.00	-7.57	9.06	3	Vertical	159	1.44	-
5210MHz	Pass	PK	5.234G	107.87	Inf	-Inf	9.20	3	Vertical	159	1.44	-
5210MHz	Pass	PK	5.398G	60.52	74.00	-13.48	9.51	3	Vertical	159	1.44	-
5210MHz	Pass	AV	5.15G	47.65	54.00	-6.35	9.06	3	Horizontal	7	1.09	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.233G	87.29	Inf	-Inf	9.20	3	Horizontal	7	1.09	-
5210MHz	Pass	AV	5.428G	47.43	54.00	-6.57	9.56	3	Horizontal	7	1.09	-
5210MHz	Pass	PK	5.136G	59.13	74.00	-14.87	9.03	3	Horizontal	7	1.09	-
5210MHz	Pass	PK	5.234G	96.62	Inf	-Inf	9.20	3	Horizontal	7	1.09	-
5210MHz	Pass	PK	5.4G	60.27	74.00	-13.73	9.51	3	Horizontal	7	1.09	-
5210MHz	Pass	PK	10.4287G	55.09	68.20	-13.11	18.85	3	Vertical	164	1.49	-
5210MHz	Pass	PK	10.41016G	55.23	68.20	-12.97	18.83	3	Horizontal	6	2.87	-
5775MHz	Pass	AV	5.7666G	102.42	Inf	-Inf	10.14	3	Vertical	233	1.45	-
5775MHz	Pass	PK	5.6454G	65.90	68.20	-2.30	9.94	3	Vertical	233	1.45	-
5775MHz	Pass	PK	5.745G	112.04	Inf	-Inf	10.10	3	Vertical	233	1.45	-
5775MHz	Pass	PK	5.9298G	61.57	68.20	-6.63	10.42	3	Vertical	233	1.45	-
5775MHz	Pass	AV	5.769G	91.29	Inf	-Inf	10.15	3	Horizontal	312	1.77	-
5775MHz	Pass	PK	5.643G	60.18	68.20	-8.02	9.94	3	Horizontal	312	1.77	-
5775MHz	Pass	PK	5.7678G	100.88	Inf	-Inf	10.14	3	Horizontal	312	1.77	-
5775MHz	Pass	PK	5.9262G	60.86	68.20	-7.34	10.42	3	Horizontal	312	1.77	-
5775MHz	Pass	AV	11.53914G	42.07	54.00	-11.93	19.24	3	Vertical	199	1.50	-
5775MHz	Pass	PK	11.54148G	55.07	74.00	-18.93	19.24	3	Vertical	199	1.50	-
5775MHz	Pass	AV	11.54994G	42.80	54.00	-11.20	19.24	3	Horizontal	38	1.34	-
5775MHz	Pass	PK	11.55444G	55.50	74.00	-18.50	19.23	3	Horizontal	38	1.34	-

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.91	54.00	-6.09	7.97	3	Vertical	205	1.49	-	39.94	31.71	6.00	29.74
AV	5.1806G	105.92	Inf	-Inf	7.93	3	Vertical	205	1.49	-	97.99	31.64	6.02	29.73
PK	5.1402G	59.45	74.00	-14.55	7.98	3	Vertical	205	1.49	-	51.47	31.72	6.00	29.74
PK	5.1856G	114.65	Inf	-Inf	7.92	3	Vertical	205	1.49	-	106.73	31.63	6.02	29.73

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1334G	43.69	54.00	-10.31	7.98	3	Horizontal	1	1.09	-	35.71	31.73	5.99	29.74
AV	5.1852G	94.45	Inf	-Inf	7.92	3	Horizontal	1	1.09	-	86.53	31.63	6.02	29.73
PK	5.136G	55.10	74.00	-18.90	7.98	3	Horizontal	1	1.09	-	47.12	31.73	5.99	29.74
PK	5.185G	103.71	Inf	-Inf	7.92	3	Horizontal	1	1.09	-	95.79	31.63	6.02	29.73

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.384G	55.05	68.20	-13.15	17.17	3	Vertical	269	1.41	-	37.88	39.40	8.71	30.94

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3791G	54.59	68.20	-13.61	17.16	3	Horizontal	132	1.83	-	37.43	39.39	8.71	30.94

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	46.07	54.00	-7.93	7.96	3	Vertical	207	1.39	-	38.11	31.70	6.00	29.74
AV	5.2028G	106.06	Inf	-Inf	7.89	3	Vertical	207	1.39	-	98.17	31.59	6.03	29.73
PK	5.1432G	56.67	74.00	-17.33	7.97	3	Vertical	207	1.39	-	48.70	31.71	6.00	29.74
PK	5.2028G	114.48	Inf	-Inf	7.89	3	Vertical	207	1.39	-	106.59	31.59	6.03	29.73

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1352G	43.45	54.00	-10.55	7.98	3	Horizontal	360	1.09	-	35.47	31.73	5.99	29.74
AV	5.1976G	94.33	Inf	-Inf	7.90	3	Horizontal	360	1.09	-	86.43	31.60	6.03	29.73
PK	5.102G	54.35	74.00	-19.65	8.03	3	Horizontal	360	1.09	-	46.32	31.80	5.98	29.75
PK	5.1972G	102.74	Inf	-Inf	7.91	3	Horizontal	360	1.09	-	94.83	31.61	6.03	29.73

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40211G	55.02	68.20	-13.18	17.20	3	Vertical	3	1.96	-	37.82	39.42	8.72	30.94

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40239G	54.67	68.20	-13.53	17.20	3	Horizontal	112	1.43	-	37.47	39.42	8.72	30.94

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1194G	45.00	54.00	-9.00	7.99	3	Vertical	202	1.39	-	37.01	31.76	5.98	29.75
AV	5.243G	105.93	Inf	-Inf	7.79	3	Vertical	202	1.39	-	98.14	31.47	6.05	29.73
AV	5.3588G	45.86	54.00	-8.14	7.82	3	Vertical	202	1.39	-	38.04	31.42	6.11	29.71
PK	5.132G	56.03	74.00	-17.97	7.99	3	Vertical	202	1.39	-	48.04	31.74	5.99	29.74
PK	5.2382G	114.45	Inf	-Inf	7.81	3	Vertical	202	1.39	-	106.64	31.49	6.05	29.73
PK	5.3606G	57.43	74.00	-16.57	7.82	3	Vertical	202	1.39	-	49.61	31.42	6.11	29.71

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.114G	43.52	54.00	-10.48	8.00	3	Horizontal	0	1.03	-	35.52	31.77	5.98	29.75
AV	5.2376G	94.11	Inf	-Inf	7.81	3	Horizontal	0	1.03	-	86.30	31.49	6.05	29.73
AV	5.363G	43.16	54.00	-10.84	7.84	3	Horizontal	0	1.03	-	35.32	31.43	6.12	29.71
PK	5.1314G	55.59	74.00	-18.41	7.99	3	Horizontal	0	1.03	-	47.60	31.74	5.99	29.74
PK	5.2376G	102.28	Inf	-Inf	7.81	3	Horizontal	0	1.03	-	94.47	31.49	6.05	29.73
PK	5.35G	55.46	74.00	-18.54	7.80	3	Horizontal	0	1.03	-	47.66	31.40	6.11	29.71

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47875G	55.16	68.20	-13.04	17.34	3	Vertical	224	2.08	-	37.82	39.52	8.78	30.96

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48088G	54.98	68.20	-13.22	17.35	3	Horizontal	290	1.44	-	37.63	39.53	8.78	30.96

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	114.04	Inf	-Inf	8.51	3	Vertical	134	1.40	-	105.53	31.89	6.39	29.77
PK	5.649G	60.67	68.20	-7.53	8.33	3	Vertical	134	1.40	-	52.34	31.75	6.31	29.73
PK	5.7414G	122.39	Inf	-Inf	8.49	3	Vertical	134	1.40	-	113.90	31.88	6.38	29.77
PK	5.9898G	56.60	68.20	-11.60	9.02	3	Vertical	134	1.40	-	47.58	32.29	6.58	29.85

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	103.73	Inf	-Inf	8.51	3	Horizontal	185	1.01	-	95.22	31.89	6.39	29.77
PK	5.6034G	55.26	68.20	-12.94	8.25	3	Horizontal	185	1.01	-	47.01	31.70	6.27	29.72
PK	5.739G	112.34	Inf	-Inf	8.49	3	Horizontal	185	1.01	-	103.85	31.88	6.38	29.77
PK	5.9346G	55.38	68.20	-12.82	8.94	3	Horizontal	185	1.01	-	46.44	32.23	6.54	29.83

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49167G	44.70	54.00	-9.30	17.91	3	Vertical	82	2.03	-	26.79	39.46	9.47	31.02
PK	11.48782G	55.74	74.00	-18.26	17.92	3	Vertical	82	2.03	-	37.82	39.47	9.47	31.02

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48957G	46.69	54.00	-7.31	17.92	3	Horizontal	100	1.95	-	28.77	39.47	9.47	31.02
PK	11.49247G	57.57	74.00	-16.43	17.91	3	Horizontal	100	1.95	-	39.66	39.46	9.47	31.02

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	114.57	Inf	-Inf	8.61	3	Vertical	130	1.43	-	105.96	31.97	6.42	29.78
PK	5.5378G	59.90	68.20	-8.30	8.34	3	Vertical	130	1.43	-	51.56	31.82	6.22	29.70
PK	5.7814G	123.25	Inf	-Inf	8.60	3	Vertical	130	1.43	-	114.65	31.96	6.42	29.78
PK	5.941G	57.32	68.20	-10.88	8.95	3	Vertical	130	1.43	-	48.37	32.24	6.54	29.83

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	102.76	Inf	-Inf	8.61	3	Horizontal	254	1.01	-	94.15	31.97	6.42	29.78
PK	5.5702G	55.63	68.20	-12.57	8.30	3	Horizontal	254	1.01	-	47.33	31.76	6.25	29.71
PK	5.7886G	110.82	Inf	-Inf	8.61	3	Horizontal	254	1.01	-	102.21	31.98	6.42	29.79
PK	5.9842G	55.35	68.20	-12.85	9.01	3	Horizontal	254	1.01	-	46.34	32.28	6.58	29.85

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56938G	44.68	54.00	-9.32	17.86	3	Vertical	20	1.27	-	26.82	39.35	9.52	31.01
PK	11.57049G	55.37	74.00	-18.63	17.85	3	Vertical	20	1.27	-	37.52	39.34	9.52	31.01

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56979G	46.15	54.00	-7.85	17.86	3	Horizontal	7	1.58	-	28.29	39.35	9.52	31.01
PK	11.57191G	57.67	74.00	-16.33	17.85	3	Horizontal	7	1.58	-	39.82	39.34	9.52	31.01

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	114.87	Inf	-Inf	8.70	3	Vertical	112	1.50	-	106.17	32.05	6.45	29.80
PK	5.5742G	59.72	68.20	-8.48	8.29	3	Vertical	112	1.50	-	51.43	31.75	6.25	29.71
PK	5.8286G	123.35	Inf	-Inf	8.71	3	Vertical	112	1.50	-	114.64	32.06	6.45	29.80
PK	5.9834G	57.82	68.20	-10.38	9.01	3	Vertical	112	1.50	-	48.81	32.28	6.58	29.85

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	101.65	Inf	-Inf	8.70	3	Horizontal	251	2.23	-	92.95	32.05	6.45	29.80
PK	5.543G	55.45	68.20	-12.75	8.33	3	Horizontal	251	2.23	-	47.12	31.81	6.22	29.70
PK	5.8214G	109.62	Inf	-Inf	8.69	3	Horizontal	251	2.23	-	100.93	32.04	6.45	29.80
PK	5.957G	56.10	68.20	-12.10	8.98	3	Horizontal	251	2.23	-	47.12	32.26	6.56	29.84

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6514G	44.07	54.00	-9.93	17.80	3	Vertical	11	1.50	-	26.27	39.22	9.58	31.00
PK	11.6563G	55.59	74.00	-18.41	17.80	3	Vertical	11	1.50	-	37.79	39.22	9.58	31.00

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.652G	46.62	54.00	-7.38	17.80	3	Horizontal	45	1.50	-	28.82	39.22	9.58	31.00
PK	11.6521G	57.06	74.00	-16.94	17.80	3	Horizontal	45	1.50	-	39.26	39.22	9.58	31.00

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	47.60	54.00	-6.40	7.96	3	Vertical	201	1.49	-	39.64	31.70	6.00	29.74
AV	5.1746G	105.26	Inf	-Inf	7.92	3	Vertical	201	1.49	-	97.34	31.65	6.01	29.74
PK	5.147G	58.89	74.00	-15.11	7.97	3	Vertical	201	1.49	-	50.92	31.71	6.00	29.74
PK	5.1736G	114.87	Inf	-Inf	7.92	3	Vertical	201	1.49	-	106.95	31.65	6.01	29.74

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1408G	43.35	54.00	-10.65	7.98	3	Horizontal	47	1.02	-	35.37	31.72	6.00	29.74
AV	5.1832G	93.28	Inf	-Inf	7.92	3	Horizontal	47	1.02	-	85.36	31.63	6.02	29.73
PK	5.1448G	55.45	74.00	-18.55	7.97	3	Horizontal	47	1.02	-	47.48	31.71	6.00	29.74
PK	5.1816G	103.34	Inf	-Inf	7.93	3	Horizontal	47	1.02	-	95.41	31.64	6.02	29.73

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3605G	55.17	68.20	-13.03	17.14	3	Vertical	331	1.77	-	38.03	39.37	8.70	30.93

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35873G	55.46	68.20	-12.74	17.13	3	Horizontal	89	2.02	-	38.33	39.37	8.69	30.93

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.97	54.00	-8.03	7.96	3	Vertical	178	1.50	-	38.01	31.70	6.00	29.74
AV	5.1968G	105.29	Inf	-Inf	7.91	3	Vertical	178	1.50	-	97.38	31.61	6.03	29.73
PK	5.1496G	56.82	74.00	-17.18	7.96	3	Vertical	178	1.50	-	48.86	31.70	6.00	29.74
PK	5.1988G	115.46	Inf	-Inf	7.90	3	Vertical	178	1.50	-	107.56	31.60	6.03	29.73

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	43.18	54.00	-10.82	7.98	3	Horizontal	4	1.01	-	35.20	31.73	5.99	29.74
AV	5.1928G	93.21	Inf	-Inf	7.90	3	Horizontal	4	1.01	-	85.31	31.61	6.02	29.73
PK	5.126G	55.19	74.00	-18.81	8.00	3	Horizontal	4	1.01	-	47.19	31.75	5.99	29.74
PK	5.1936G	102.21	Inf	-Inf	7.90	3	Horizontal	4	1.01	-	94.31	31.61	6.02	29.73

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39983G	55.38	68.20	-12.82	17.20	3	Vertical	20	1.47	-	38.18	39.42	8.72	30.94

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39863G	55.40	68.20	-12.80	17.20	3	Horizontal	50	2.02	-	38.20	39.42	8.72	30.94

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.54	54.00	-9.46	7.96	3	Vertical	147	1.40	-	36.58	31.70	6.00	29.74
AV	5.2364G	105.65	Inf	-Inf	7.81	3	Vertical	147	1.40	-	97.84	31.49	6.05	29.73
AV	5.36G	45.46	54.00	-8.54	7.82	3	Vertical	147	1.40	-	37.64	31.42	6.11	29.71
PK	5.1176G	56.32	74.00	-17.68	7.99	3	Vertical	147	1.40	-	48.33	31.76	5.98	29.75
PK	5.2364G	114.80	Inf	-Inf	7.81	3	Vertical	147	1.40	-	106.99	31.49	6.05	29.73
PK	5.3618G	57.30	74.00	-16.70	7.83	3	Vertical	147	1.40	-	49.47	31.42	6.12	29.71

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1362G	43.18	54.00	-10.82	7.98	3	Horizontal	0	1.03	-	35.20	31.73	5.99	29.74
AV	5.2328G	93.01	Inf	-Inf	7.82	3	Horizontal	0	1.03	-	85.19	31.50	6.05	29.73
AV	5.3774G	43.07	54.00	-10.93	7.87	3	Horizontal	0	1.03	-	35.20	31.45	6.12	29.70
PK	5.1188G	54.85	74.00	-19.15	7.99	3	Horizontal	0	1.03	-	46.86	31.76	5.98	29.75
PK	5.2334G	102.54	Inf	-Inf	7.82	3	Horizontal	0	1.03	-	94.72	31.50	6.05	29.73
PK	5.357G	55.15	74.00	-18.85	7.81	3	Horizontal	0	1.03	-	47.34	31.41	6.11	29.71

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47905G	55.29	68.20	-12.91	17.34	3	Vertical	159	2.25	-	37.95	39.52	8.78	30.96

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47782G	54.78	68.20	-13.42	17.33	3	Horizontal	250	1.46	-	37.45	39.52	8.77	30.96

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	114.34	Inf	-Inf	8.51	3	Vertical	135	1.41	-	105.83	31.89	6.39	29.77
PK	5.6478G	60.94	68.20	-7.26	8.33	3	Vertical	135	1.41	-	52.61	31.75	6.31	29.73
PK	5.7486G	123.30	Inf	-Inf	8.52	3	Vertical	135	1.41	-	114.78	31.90	6.39	29.77
PK	5.9526G	57.45	68.20	-10.75	8.96	3	Vertical	135	1.41	-	48.49	32.25	6.55	29.84

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	101.91	Inf	-Inf	8.51	3	Horizontal	316	2.10	-	93.40	31.89	6.39	29.77
PK	5.4954G	55.85	68.20	-12.35	8.38	3	Horizontal	316	2.10	-	47.47	31.88	6.19	29.69
PK	5.7462G	111.61	Inf	-Inf	8.51	3	Horizontal	316	2.10	-	103.10	31.89	6.39	29.77
PK	5.9442G	55.71	68.20	-12.49	8.96	3	Horizontal	316	2.10	-	46.75	32.24	6.55	29.83

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4866G	44.88	54.00	-9.12	17.92	3	Vertical	201	1.76	-	26.96	39.47	9.47	31.02
PK	11.4953G	55.60	74.00	-18.40	17.91	3	Vertical	201	1.76	-	37.69	39.46	9.47	31.02

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4728G	45.23	54.00	-8.77	17.93	3	Horizontal	326	1.40	-	27.30	39.49	9.46	31.02
PK	11.4933G	56.59	74.00	-17.41	17.91	3	Horizontal	326	1.40	-	38.68	39.46	9.47	31.02

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	114.65	Inf	-Inf	8.61	3	Vertical	134	1.48	-	106.04	31.98	6.42	29.79
PK	5.6218G	60.23	68.20	-7.97	8.28	3	Vertical	134	1.48	-	51.95	31.72	6.29	29.73
PK	5.7886G	123.83	Inf	-Inf	8.61	3	Vertical	134	1.48	-	115.22	31.98	6.42	29.79
PK	5.9518G	57.57	68.20	-10.63	8.96	3	Vertical	134	1.48	-	48.61	32.25	6.55	29.84

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	102.23	Inf	-Inf	8.61	3	Horizontal	238	1.61	-	93.62	31.97	6.42	29.78
PK	5.5726G	55.49	68.20	-12.71	8.29	3	Horizontal	238	1.61	-	47.20	31.75	6.25	29.71
PK	5.7814G	110.91	Inf	-Inf	8.60	3	Horizontal	238	1.61	-	102.31	31.96	6.42	29.78
PK	5.9434G	56.56	68.20	-11.64	8.95	3	Horizontal	238	1.61	-	47.61	32.24	6.54	29.83

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.572G	43.72	54.00	-10.28	17.85	3	Vertical	263	2.12	-	25.87	39.34	9.52	31.01
PK	11.5572G	55.59	74.00	-18.41	17.86	3	Vertical	263	2.12	-	37.73	39.36	9.51	31.01

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5734G	45.29	54.00	-8.71	17.86	3	Horizontal	40	1.39	-	27.43	39.34	9.53	31.01
PK	11.5591G	57.21	74.00	-16.79	17.87	3	Horizontal	40	1.39	-	39.34	39.36	9.52	31.01

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	114.15	Inf	-Inf	8.71	3	Vertical	135	1.44	-	105.44	32.06	6.45	29.80
PK	5.6246G	60.43	68.20	-7.77	8.28	3	Vertical	135	1.44	-	52.15	31.72	6.29	29.73
PK	5.8298G	123.62	Inf	-Inf	8.71	3	Vertical	135	1.44	-	114.91	32.06	6.45	29.80
PK	5.927G	58.27	68.20	-9.93	8.93	3	Vertical	135	1.44	-	49.34	32.23	6.53	29.83

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	101.05	Inf	-Inf	8.70	3	Horizontal	239	1.60	-	92.35	32.05	6.45	29.80
PK	5.5862G	55.69	68.20	-12.51	8.27	3	Horizontal	239	1.60	-	47.42	31.73	6.26	29.72
PK	5.8214G	109.86	Inf	-Inf	8.69	3	Horizontal	239	1.60	-	101.17	32.04	6.45	29.80
PK	5.9726G	55.61	68.20	-12.59	9.00	3	Horizontal	239	1.60	-	46.61	32.27	6.57	29.84

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6419G	44.81	54.00	-9.19	17.81	3	Vertical	319	1.44	-	27.00	39.24	9.57	31.00
PK	11.6517G	55.32	74.00	-18.68	17.80	3	Vertical	319	1.44	-	37.52	39.22	9.58	31.00

802.11ac VHT20_Nss1,(MCS0)_2TX

22/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6256G	45.90	54.00	-8.10	17.82	3	Horizontal	71	2.33	-	28.08	39.26	9.56	31.00
PK	11.6392G	56.82	74.00	-17.18	17.81	3	Horizontal	71	2.33	-	39.01	39.24	9.57	31.00

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	49.33	54.00	-4.67	9.04	3	Vertical	171	1.49	-	40.29	31.76	7.02	29.74
AV	5.1976G	102.03	Inf	-Inf	9.15	3	Vertical	171	1.49	-	92.88	31.78	7.10	29.73
PK	5.14G	61.36	74.00	-12.64	9.04	3	Vertical	171	1.49	-	52.32	31.76	7.02	29.74
PK	5.1972G	111.92	Inf	-Inf	9.15	3	Vertical	171	1.49	-	102.77	31.78	7.10	29.73

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	46.38	54.00	-7.62	9.05	3	Horizontal	357	1.01	-	37.33	31.76	7.03	29.74
AV	5.2004G	90.98	Inf	-Inf	9.15	3	Horizontal	357	1.01	-	81.83	31.78	7.10	29.73
PK	5.1464G	59.27	74.00	-14.73	9.05	3	Horizontal	357	1.01	-	50.22	31.76	7.03	29.74
PK	5.2G	100.88	Inf	-Inf	9.15	3	Horizontal	357	1.01	-	91.73	31.78	7.10	29.73

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3659G	54.66	68.20	-13.54	18.78	3	Vertical	161	1.50	-	35.88	39.38	10.33	30.93

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38852G	55.48	68.20	-12.72	18.80	3	Horizontal	162	1.49	-	36.68	39.41	10.33	30.94

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	47.43	54.00	-6.57	9.05	3	Vertical	206	1.49	-	38.38	31.76	7.03	29.74
AV	5.2244G	101.94	Inf	-Inf	9.19	3	Vertical	206	1.49	-	92.75	31.79	7.13	29.73
PK	5.1484G	59.37	74.00	-14.63	9.05	3	Vertical	206	1.49	-	50.32	31.76	7.03	29.74
PK	5.2248G	111.99	Inf	-Inf	9.19	3	Vertical	206	1.49	-	102.80	31.79	7.13	29.73

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	46.72	54.00	-7.28	9.05	3	Horizontal	231	2.77	-	37.67	31.76	7.03	29.74
AV	5.2316G	88.79	Inf	-Inf	9.20	3	Horizontal	231	2.77	-	79.59	31.79	7.14	29.73
PK	5.1448G	58.82	74.00	-15.18	9.05	3	Horizontal	231	2.77	-	49.77	31.76	7.03	29.74
PK	5.2312G	98.62	Inf	-Inf	9.20	3	Horizontal	231	2.77	-	89.42	31.79	7.14	29.73

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45934G	54.95	68.20	-13.25	18.89	3	Vertical	125	1.50	-	36.06	39.50	10.35	30.96

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4531G	55.46	68.20	-12.74	18.88	3	Horizontal	167	2.96	-	36.58	39.49	10.34	30.95

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7478G	111.75	Inf	-Inf	10.12	3	Vertical	233	1.42	-	101.63	32.25	7.64	29.77
PK	5.6506G	68.41	68.64	-0.23	9.94	3	Vertical	233	1.42	-	58.47	32.11	7.57	29.74
PK	5.7478G	121.88	Inf	-Inf	10.12	3	Vertical	233	1.42	-	111.76	32.25	7.64	29.77
PK	5.9278G	61.37	68.20	-6.83	10.42	3	Vertical	233	1.42	-	50.95	32.50	7.75	29.83

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7622G	98.33	Inf	-Inf	10.14	3	Horizontal	239	1.50	-	88.19	32.27	7.64	29.77
PK	5.6482G	60.85	68.20	-7.35	9.95	3	Horizontal	239	1.50	-	50.90	32.11	7.57	29.73
PK	5.7622G	107.63	Inf	-Inf	10.14	3	Horizontal	239	1.50	-	97.49	32.27	7.64	29.77
PK	5.953G	60.24	68.20	-7.96	10.46	3	Horizontal	239	1.50	-	49.78	32.53	7.77	29.84

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49626G	41.98	54.00	-12.02	19.26	3	Vertical	20	2.93	-	22.72	39.60	10.68	31.02
PK	11.50868G	55.02	74.00	-18.98	19.26	3	Vertical	20	2.93	-	35.76	39.59	10.69	31.02

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51012G	43.81	54.00	-10.19	19.26	3	Horizontal	45	1.51	-	24.55	39.59	10.69	31.02
PK	11.51552G	56.00	74.00	-18.00	19.25	3	Horizontal	45	1.51	-	36.75	39.58	10.69	31.02

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	110.82	Inf	-Inf	10.17	3	Vertical	133	1.39	-	100.65	32.30	7.66	29.79
PK	5.6378G	62.96	68.20	-5.24	9.92	3	Vertical	133	1.39	-	53.04	32.09	7.56	29.73
PK	5.7902G	120.81	Inf	-Inf	10.18	3	Vertical	133	1.39	-	110.63	32.31	7.66	29.79
PK	5.9306G	62.83	68.20	-5.37	10.42	3	Vertical	133	1.39	-	52.41	32.50	7.75	29.83

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8022G	97.75	Inf	-Inf	10.20	3	Horizontal	241	1.39	-	87.55	32.32	7.67	29.79
PK	5.5862G	60.27	68.20	-7.93	9.83	3	Horizontal	241	1.39	-	50.44	32.02	7.53	29.72
PK	5.8034G	107.22	Inf	-Inf	10.20	3	Horizontal	241	1.39	-	97.02	32.32	7.67	29.79
PK	5.9654G	60.44	68.20	-7.76	10.49	3	Horizontal	241	1.39	-	49.95	32.55	7.78	29.84

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5885G	42.12	54.00	-11.88	19.21	3	Vertical	11	1.27	-	22.91	39.49	10.73	31.01
PK	11.57614G	55.12	74.00	-18.88	19.22	3	Vertical	11	1.27	-	35.90	39.51	10.72	31.01

802.11ac VHT40_Nss1,(MCS0)_2TX

22/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59432G	43.87	54.00	-10.13	19.21	3	Horizontal	46	1.40	-	24.66	39.49	10.73	31.01
PK	11.5756G	56.43	74.00	-17.57	19.22	3	Horizontal	46	1.40	-	37.21	39.51	10.72	31.01

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	9.06	3	Vertical	159	1.44	-	44.49	31.76	7.04	29.74
AV	5.233G	95.32	Inf	-Inf	9.20	3	Vertical	159	1.44	-	86.12	31.79	7.14	29.73
AV	5.351G	48.10	54.00	-5.90	9.42	3	Vertical	159	1.44	-	38.68	31.84	7.29	29.71
PK	5.15G	66.43	74.00	-7.57	9.06	3	Vertical	159	1.44	-	57.37	31.76	7.04	29.74
PK	5.234G	107.87	Inf	-Inf	9.20	3	Vertical	159	1.44	-	98.67	31.79	7.14	29.73
PK	5.398G	60.52	74.00	-13.48	9.51	3	Vertical	159	1.44	-	51.01	31.86	7.35	29.70

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.65	54.00	-6.35	9.06	3	Horizontal	7	1.09	-	38.59	31.76	7.04	29.74
AV	5.233G	87.29	Inf	-Inf	9.20	3	Horizontal	7	1.09	-	78.09	31.79	7.14	29.73
AV	5.428G	47.43	54.00	-6.57	9.56	3	Horizontal	7	1.09	-	37.87	31.87	7.39	29.70
PK	5.136G	59.13	74.00	-14.87	9.03	3	Horizontal	7	1.09	-	50.10	31.75	7.02	29.74
PK	5.234G	96.62	Inf	-Inf	9.20	3	Horizontal	7	1.09	-	87.42	31.79	7.14	29.73
PK	5.4G	60.27	74.00	-13.73	9.51	3	Horizontal	7	1.09	-	50.76	31.86	7.35	29.70

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4287G	55.09	68.20	-13.11	18.85	3	Vertical	164	1.49	-	36.24	39.46	10.34	30.95

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41016G	55.23	68.20	-12.97	18.83	3	Horizontal	6	2.87	-	36.40	39.43	10.34	30.94

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	102.42	Inf	-Inf	10.14	3	Vertical	233	1.45	-	92.28	32.27	7.65	29.78
PK	5.6454G	65.90	68.20	-2.30	9.94	3	Vertical	233	1.45	-	55.96	32.10	7.57	29.73
PK	5.745G	112.04	Inf	-Inf	10.10	3	Vertical	233	1.45	-	101.94	32.24	7.63	29.77
PK	5.9298G	61.57	68.20	-6.63	10.42	3	Vertical	233	1.45	-	51.15	32.50	7.75	29.83

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.769G	91.29	Inf	-Inf	10.15	3	Horizontal	312	1.77	-	81.14	32.28	7.65	29.78
PK	5.643G	60.18	68.20	-8.02	9.94	3	Horizontal	312	1.77	-	50.24	32.10	7.57	29.73
PK	5.7678G	100.88	Inf	-Inf	10.14	3	Horizontal	312	1.77	-	90.74	32.27	7.65	29.78
PK	5.9262G	60.86	68.20	-7.34	10.42	3	Horizontal	312	1.77	-	50.44	32.50	7.75	29.83

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53914G	42.07	54.00	-11.93	19.24	3	Vertical	199	1.50	-	22.83	39.55	10.71	31.02
PK	11.54148G	55.07	74.00	-18.93	19.24	3	Vertical	199	1.50	-	35.83	39.55	10.71	31.02

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54994G	42.80	54.00	-11.20	19.24	3	Horizontal	38	1.34	-	23.56	39.54	10.71	31.01
PK	11.55444G	55.50	74.00	-18.50	19.23	3	Horizontal	38	1.34	-	36.27	39.53	10.71	31.01



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	32.81M	28.73	40.00	-11.27	-9.49	3	Vertical	0	3.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	32.81M	28.73	40.00	-11.27	-9.49	3	Vertical	0	3.00	-
5775MHz_PoE	Pass	PK	190.26M	28.88	43.50	-14.62	-16.54	3	Vertical	0	3.00	-
5775MHz_PoE	Pass	PK	292.88M	24.28	46.00	-21.72	-11.82	3	Vertical	0	3.00	-
5775MHz_PoE	Pass	PK	325.22M	26.02	46.00	-19.98	-11.04	3	Vertical	0	3.00	-
5775MHz_PoE	Pass	PK	562.8M	27.00	46.00	-19.00	-4.73	3	Vertical	0	3.00	-
5775MHz_PoE	Pass	PK	976.1M	40.09	54.00	-13.91	-0.51	3	Vertical	0	3.00	-
5775MHz_PoE	Pass	PK	31.41M	25.00	40.00	-15.00	-8.83	3	Horizontal	360	3.00	-
5775MHz_PoE	Pass	PK	193.07M	27.65	43.50	-15.85	-16.42	3	Horizontal	360	3.00	-
5775MHz_PoE	Pass	PK	268.99M	26.88	46.00	-19.12	-11.56	3	Horizontal	360	3.00	-
5775MHz_PoE	Pass	PK	467.2M	28.60	46.00	-17.40	-6.73	3	Horizontal	360	3.00	-
5775MHz_PoE	Pass	PK	775.07M	31.78	46.00	-14.22	-2.91	3	Horizontal	360	3.00	-
5775MHz_PoE	Pass	PK	976.1M	39.81	54.00	-14.19	-0.51	3	Horizontal	360	3.00	-

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	32.81M	28.73	40.00	-11.27	-9.49	3	Vertical	0	3.00	-	38.22	22.17	0.91	32.57
PK	190.26M	28.88	43.50	-14.62	-16.54	3	Vertical	0	3.00	-	45.42	13.98	1.94	32.46
PK	292.88M	24.28	46.00	-21.72	-11.82	3	Vertical	0	3.00	-	36.10	18.14	2.34	32.30
PK	325.22M	26.02	46.00	-19.98	-11.04	3	Vertical	0	3.00	-	37.06	18.74	2.47	32.25
PK	562.8M	27.00	46.00	-19.00	-4.73	3	Vertical	0	3.00	-	31.73	23.82	3.32	31.87
PK	976.1M	40.09	54.00	-13.91	-0.51	3	Vertical	0	3.00	-	40.60	26.29	4.56	31.36

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.41M	25.00	40.00	-15.00	-8.83	3	Horizontal	360	3.00	-	33.83	22.91	0.83	32.57
PK	193.07M	27.65	43.50	-15.85	-16.42	3	Horizontal	360	3.00	-	44.07	14.09	1.95	32.46
PK	268.99M	26.88	46.00	-19.12	-11.56	3	Horizontal	360	3.00	-	38.44	18.53	2.24	32.33
PK	467.2M	28.60	46.00	-17.40	-6.73	3	Horizontal	360	3.00	-	35.33	22.25	3.04	32.02
PK	775.07M	31.78	46.00	-14.22	-2.91	3	Horizontal	360	3.00	-	34.69	24.85	3.86	31.62
PK	976.1M	39.81	54.00	-14.19	-0.51	3	Horizontal	360	3.00	-	40.32	26.29	4.56	31.36



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3624G	47.89	54.00	-6.11	2.58	3	Vertical	348	2.31	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3882G	47.67	54.00	-6.33	2.61	3	Vertical	343	2.14	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.148G	46.63	54.00	-7.37	2.30	3	Horizontal	350	1.62	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.355G	48.48	54.00	-5.52	2.57	3	Vertical	344	2.21	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.5534G	64.92	68.20	-3.28	2.89	3	Horizontal	345	1.74	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.5098G	63.85	68.20	-4.35	2.80	3	Horizontal	347	1.83	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	5.6278G	65.05	68.20	-3.15	3.04	3	Horizontal	344	1.78	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	67.30	68.20	-0.90	3.09	3	Horizontal	41	1.01	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1432G	46.08	54.00	-7.92	2.29	3	Vertical	356	2.31	-
5180MHz_TX	Pass	AV	5.1854G	94.18	Inf	-Inf	2.34	3	Vertical	356	2.31	-
5180MHz_TX	Pass	PK	5.1372G	57.88	74.00	-16.12	2.28	3	Vertical	356	2.31	-
5180MHz_TX	Pass	PK	5.183G	102.84	Inf	-Inf	2.34	3	Vertical	356	2.31	-
5180MHz_TX	Pass	AV	5.1384G	47.47	54.00	-6.53	2.29	3	Horizontal	354	1.61	-
5180MHz_TX	Pass	AV	5.1828G	98.16	Inf	-Inf	2.34	3	Horizontal	354	1.61	-
5180MHz_TX	Pass	PK	5.1338G	58.89	74.00	-15.11	2.28	3	Horizontal	354	1.61	-
5180MHz_TX	Pass	PK	5.182G	107.56	Inf	-Inf	2.34	3	Horizontal	354	1.61	-
5180MHz_TX	Pass	PK	10.34656G	55.72	68.20	-12.48	12.11	3	Vertical	311	1.07	-
5180MHz_TX	Pass	PK	10.34536G	55.86	68.20	-12.34	12.11	3	Horizontal	188	2.99	-
5200MHz_TX	Pass	AV	5.15G	45.99	54.00	-8.01	2.30	3	Vertical	356	2.31	-
5200MHz_TX	Pass	AV	5.2032G	94.20	Inf	-Inf	2.36	3	Vertical	356	2.31	-
5200MHz_TX	Pass	PK	5.1012G	57.52	74.00	-16.48	2.24	3	Vertical	356	2.31	-
5200MHz_TX	Pass	PK	5.2032G	103.13	Inf	-Inf	2.36	3	Vertical	356	2.31	-
5200MHz_TX	Pass	AV	5.12G	47.35	54.00	-6.65	2.27	3	Horizontal	354	1.68	-
5200MHz_TX	Pass	AV	5.2052G	98.11	Inf	-Inf	2.36	3	Horizontal	354	1.68	-
5200MHz_TX	Pass	PK	5.1088G	59.02	74.00	-14.98	2.25	3	Horizontal	354	1.68	-
5200MHz_TX	Pass	PK	5.2056G	107.97	Inf	-Inf	2.36	3	Horizontal	354	1.68	-
5200MHz_TX	Pass	PK	10.40042G	55.80	68.20	-12.40	12.25	3	Vertical	31	2.19	-
5200MHz_TX	Pass	PK	10.38992G	55.09	68.20	-13.11	12.23	3	Horizontal	3	1.08	-
5240MHz_TX	Pass	AV	5.12G	46.31	54.00	-7.69	2.27	3	Vertical	348	2.31	-
5240MHz_TX	Pass	AV	5.237G	96.16	Inf	-Inf	2.41	3	Vertical	348	2.31	-
5240MHz_TX	Pass	AV	5.3624G	47.89	54.00	-6.11	2.58	3	Vertical	348	2.31	-
5240MHz_TX	Pass	PK	5.0972G	57.91	74.00	-16.09	2.24	3	Vertical	348	2.31	-
5240MHz_TX	Pass	PK	5.237G	105.36	Inf	-Inf	2.41	3	Vertical	348	2.31	-
5240MHz_TX	Pass	PK	5.3774G	59.40	74.00	-14.60	2.60	3	Vertical	348	2.31	-
5240MHz_TX	Pass	AV	5.12G	47.07	54.00	-6.93	2.27	3	Horizontal	0	1.72	-
5240MHz_TX	Pass	AV	5.2454G	97.65	Inf	-Inf	2.43	3	Horizontal	0	1.72	-
5240MHz_TX	Pass	AV	5.3564G	47.20	54.00	-6.80	2.58	3	Horizontal	0	1.72	-
5240MHz_TX	Pass	PK	5.1278G	58.09	74.00	-15.91	2.27	3	Horizontal	0	1.72	-
5240MHz_TX	Pass	PK	5.2454G	107.83	Inf	-Inf	2.43	3	Horizontal	0	1.72	-
5240MHz_TX	Pass	PK	5.3588G	58.48	74.00	-15.52	2.58	3	Horizontal	0	1.72	-
5240MHz_TX	Pass	PK	10.39868G	55.51	68.20	-12.69	12.25	3	Vertical	225	1.49	-
5240MHz_TX	Pass	PK	10.41008G	55.82	68.20	-12.38	12.27	3	Horizontal	22	1.24	-
5745MHz_TX	Pass	AV	5.7438G	111.73	Inf	-Inf	3.27	3	Vertical	342	1.74	-
5745MHz_TX	Pass	PK	5.577G	62.34	68.20	-5.86	2.94	3	Vertical	342	1.74	-
5745MHz_TX	Pass	PK	5.7438G	120.02	Inf	-Inf	3.27	3	Vertical	342	1.74	-
5745MHz_TX	Pass	PK	5.9346G	59.68	68.20	-8.52	3.64	3	Vertical	342	1.74	-
5745MHz_TX	Pass	AV	5.7462G	107.57	Inf	-Inf	3.27	3	Horizontal	0	1.75	-
5745MHz_TX	Pass	PK	5.481G	61.50	68.20	-6.70	2.74	3	Horizontal	0	1.75	-
5745MHz_TX	Pass	PK	5.7474G	116.39	Inf	-Inf	3.28	3	Horizontal	0	1.75	-
5745MHz_TX	Pass	PK	5.9646G	58.44	68.20	-9.76	3.70	3	Horizontal	0	1.75	-
5745MHz_TX	Pass	AV	11.49282G	43.72	54.00	-10.28	13.24	3	Vertical	60	2.04	-
5745MHz_TX	Pass	PK	11.50092G	55.59	74.00	-18.41	13.23	3	Vertical	60	2.04	-
5745MHz_TX	Pass	AV	11.49882G	43.84	54.00	-10.16	13.23	3	Horizontal	189	2.22	-
5745MHz_TX	Pass	PK	11.4915G	56.77	74.00	-17.23	13.24	3	Horizontal	189	2.22	-
5785MHz_TX	Pass	AV	5.7838G	111.23	Inf	-Inf	3.34	3	Vertical	340	1.73	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz_TX	Pass	PK	5.5846G	62.59	68.20	-5.61	2.96	3	Vertical	340	1.73	-
5785MHz_TX	Pass	PK	5.779G	120.10	Inf	-Inf	3.33	3	Vertical	340	1.73	-
5785MHz_TX	Pass	PK	5.977G	60.05	68.20	-8.15	3.72	3	Vertical	340	1.73	-
5785MHz_TX	Pass	AV	5.7826G	113.26	Inf	-Inf	3.33	3	Horizontal	345	1.74	-
5785MHz_TX	Pass	PK	5.5534G	64.92	68.20	-3.28	2.89	3	Horizontal	345	1.74	-
5785MHz_TX	Pass	PK	5.7874G	122.84	Inf	-Inf	3.35	3	Horizontal	345	1.74	-
5785MHz_TX	Pass	PK	5.965G	59.51	68.20	-8.69	3.70	3	Horizontal	345	1.74	-
5785MHz_TX	Pass	AV	11.57036G	44.24	54.00	-9.76	13.16	3	Vertical	194	1.92	-
5785MHz_TX	Pass	PK	11.56478G	55.87	74.00	-18.13	13.17	3	Vertical	194	1.92	-
5785MHz_TX	Pass	AV	11.57324G	44.24	54.00	-9.76	13.15	3	Horizontal	340	1.59	-
5785MHz_TX	Pass	PK	11.56082G	56.69	74.00	-17.31	13.16	3	Horizontal	340	1.59	-
5825MHz_TX	Pass	AV	5.8238G	111.77	Inf	-Inf	3.42	3	Vertical	341	1.79	-
5825MHz_TX	Pass	PK	5.567G	63.19	68.20	-5.01	2.92	3	Vertical	341	1.79	-
5825MHz_TX	Pass	PK	5.8238G	120.24	Inf	-Inf	3.42	3	Vertical	341	1.79	-
5825MHz_TX	Pass	PK	5.969G	60.27	68.20	-7.93	3.71	3	Vertical	341	1.79	-
5825MHz_TX	Pass	AV	5.8226G	111.34	Inf	-Inf	3.42	3	Horizontal	346	1.50	-
5825MHz_TX	Pass	PK	5.5478G	62.05	68.20	-6.15	2.88	3	Horizontal	346	1.50	-
5825MHz_TX	Pass	PK	5.8178G	121.08	Inf	-Inf	3.41	3	Horizontal	346	1.50	-
5825MHz_TX	Pass	PK	5.9282G	59.09	68.20	-9.11	3.63	3	Horizontal	346	1.50	-
5825MHz_TX	Pass	AV	11.64274G	44.17	54.00	-9.83	13.08	3	Vertical	55	1.41	-
5825MHz_TX	Pass	PK	11.66266G	56.52	74.00	-17.48	13.06	3	Vertical	55	1.41	-
5825MHz_TX	Pass	AV	11.64442G	44.17	54.00	-9.83	13.08	3	Horizontal	325	2.33	-
5825MHz_TX	Pass	PK	11.6362G	56.19	74.00	-17.81	13.08	3	Horizontal	325	2.33	-
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1388G	45.49	54.00	-8.51	2.29	3	Vertical	357	2.32	-
5180MHz_TX	Pass	AV	5.1828G	93.22	Inf	-Inf	2.34	3	Vertical	357	2.32	-
5180MHz_TX	Pass	PK	5.1438G	58.66	74.00	-15.34	2.30	3	Vertical	357	2.32	-
5180MHz_TX	Pass	PK	5.1818G	103.61	Inf	-Inf	2.34	3	Vertical	357	2.32	-
5180MHz_TX	Pass	AV	5.1394G	46.75	54.00	-7.25	2.29	3	Horizontal	353	1.75	-
5180MHz_TX	Pass	AV	5.1872G	97.23	Inf	-Inf	2.34	3	Horizontal	353	1.75	-
5180MHz_TX	Pass	PK	5.135G	58.73	74.00	-15.27	2.28	3	Horizontal	353	1.75	-
5180MHz_TX	Pass	PK	5.1818G	107.27	Inf	-Inf	2.34	3	Horizontal	353	1.75	-
5180MHz_TX	Pass	PK	10.34818G	55.34	68.20	-12.86	12.12	3	Vertical	340	2.08	-
5180MHz_TX	Pass	PK	10.37356G	55.66	68.20	-12.54	12.19	3	Horizontal	16	1.01	-
5200MHz_TX	Pass	AV	5.1476G	45.86	54.00	-8.14	2.30	3	Vertical	345	2.40	-
5200MHz_TX	Pass	AV	5.2028G	95.56	Inf	-Inf	2.36	3	Vertical	345	2.40	-
5200MHz_TX	Pass	PK	5.1288G	57.67	74.00	-16.33	2.27	3	Vertical	345	2.40	-
5200MHz_TX	Pass	PK	5.2016G	106.16	Inf	-Inf	2.36	3	Vertical	345	2.40	-
5200MHz_TX	Pass	AV	5.12G	46.62	54.00	-7.38	2.27	3	Horizontal	353	1.88	-
5200MHz_TX	Pass	AV	5.1968G	97.24	Inf	-Inf	2.36	3	Horizontal	353	1.88	-
5200MHz_TX	Pass	PK	5.1376G	58.32	74.00	-15.68	2.29	3	Horizontal	353	1.88	-
5200MHz_TX	Pass	PK	5.2016G	107.61	Inf	-Inf	2.36	3	Horizontal	353	1.88	-
5200MHz_TX	Pass	PK	10.39472G	55.20	68.20	-13.00	12.23	3	Vertical	139	2.10	-
5200MHz_TX	Pass	PK	10.40552G	55.08	68.20	-13.12	12.26	3	Horizontal	269	2.13	-
5240MHz_TX	Pass	AV	5.1362G	45.34	54.00	-8.66	2.28	3	Vertical	343	2.14	-
5240MHz_TX	Pass	AV	5.243G	96.64	Inf	-Inf	2.42	3	Vertical	343	2.14	-
5240MHz_TX	Pass	AV	5.3882G	47.67	54.00	-6.33	2.61	3	Vertical	343	2.14	-
5240MHz_TX	Pass	PK	5.1428G	57.52	74.00	-16.48	2.29	3	Vertical	343	2.14	-
5240MHz_TX	Pass	PK	5.2418G	106.86	Inf	-Inf	2.42	3	Vertical	343	2.14	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz_TX	Pass	PK	5.3822G	60.33	74.00	-13.67	2.61	3	Vertical	343	2.14	-
5240MHz_TX	Pass	AV	5.12G	46.92	54.00	-7.08	2.27	3	Horizontal	355	1.74	-
5240MHz_TX	Pass	AV	5.2418G	98.42	Inf	-Inf	2.42	3	Horizontal	355	1.74	-
5240MHz_TX	Pass	AV	5.3606G	47.22	54.00	-6.78	2.58	3	Horizontal	355	1.74	-
5240MHz_TX	Pass	PK	5.1308G	59.19	74.00	-14.81	2.27	3	Horizontal	355	1.74	-
5240MHz_TX	Pass	PK	5.2418G	109.21	Inf	-Inf	2.42	3	Horizontal	355	1.74	-
5240MHz_TX	Pass	PK	5.3732G	58.82	74.00	-15.18	2.60	3	Horizontal	355	1.74	-
5240MHz_TX	Pass	PK	10.49374G	55.46	68.20	-12.74	12.48	3	Vertical	330	1.96	-
5240MHz_TX	Pass	PK	10.48882G	55.95	68.20	-12.25	12.48	3	Horizontal	25	1.61	-
5745MHz_TX	Pass	AV	5.7498G	110.08	Inf	-Inf	3.28	3	Vertical	343	1.82	-
5745MHz_TX	Pass	PK	5.5782G	62.50	68.20	-5.70	2.95	3	Vertical	343	1.82	-
5745MHz_TX	Pass	PK	5.7474G	120.25	Inf	-Inf	3.28	3	Vertical	343	1.82	-
5745MHz_TX	Pass	PK	5.9658G	59.85	68.20	-8.35	3.71	3	Vertical	343	1.82	-
5745MHz_TX	Pass	AV	5.7426G	112.70	Inf	-Inf	3.27	3	Horizontal	347	1.83	-
5745MHz_TX	Pass	PK	5.5098G	63.85	68.20	-4.35	2.80	3	Horizontal	347	1.83	-
5745MHz_TX	Pass	PK	5.7474G	123.02	Inf	-Inf	3.28	3	Horizontal	347	1.83	-
5745MHz_TX	Pass	PK	5.9346G	59.20	68.20	-9.00	3.64	3	Horizontal	347	1.83	-
5745MHz_TX	Pass	AV	11.50212G	43.13	54.00	-10.87	13.23	3	Vertical	18	1.03	-
5745MHz_TX	Pass	PK	11.49138G	55.51	74.00	-18.49	13.24	3	Vertical	18	1.03	-
5745MHz_TX	Pass	AV	11.49666G	43.01	54.00	-10.99	13.23	3	Horizontal	120	1.53	-
5745MHz_TX	Pass	PK	11.48376G	56.17	74.00	-17.83	13.24	3	Horizontal	120	1.53	-
5785MHz_TX	Pass	AV	5.7826G	110.24	Inf	-Inf	3.33	3	Vertical	341	1.75	-
5785MHz_TX	Pass	PK	5.6218G	62.97	68.20	-5.23	3.03	3	Vertical	341	1.75	-
5785MHz_TX	Pass	PK	5.7814G	119.84	Inf	-Inf	3.33	3	Vertical	341	1.75	-
5785MHz_TX	Pass	PK	5.9242G	59.93	68.79	-8.86	3.62	3	Vertical	341	1.75	-
5785MHz_TX	Pass	AV	5.7778G	110.89	Inf	-Inf	3.32	3	Horizontal	343	1.50	-
5785MHz_TX	Pass	PK	5.5138G	63.30	68.20	-4.90	2.80	3	Horizontal	343	1.50	-
5785MHz_TX	Pass	PK	5.7814G	120.85	Inf	-Inf	3.33	3	Horizontal	343	1.50	-
5785MHz_TX	Pass	PK	5.9698G	59.39	68.20	-8.81	3.71	3	Horizontal	343	1.50	-
5785MHz_TX	Pass	AV	11.58326G	43.48	54.00	-10.52	13.14	3	Vertical	53	1.65	-
5785MHz_TX	Pass	PK	11.57852G	56.04	74.00	-17.96	13.15	3	Vertical	53	1.65	-
5785MHz_TX	Pass	AV	11.56652G	43.49	54.00	-10.51	13.16	3	Horizontal	180	1.03	-
5785MHz_TX	Pass	PK	11.55974G	56.80	74.00	-17.20	13.16	3	Horizontal	180	1.03	-
5825MHz_TX	Pass	AV	5.831G	110.18	Inf	-Inf	3.43	3	Vertical	341	1.73	-
5825MHz_TX	Pass	PK	5.591G	62.72	68.20	-5.48	2.97	3	Vertical	341	1.73	-
5825MHz_TX	Pass	PK	5.8298G	119.68	Inf	-Inf	3.43	3	Vertical	341	1.73	-
5825MHz_TX	Pass	PK	5.9354G	60.90	68.20	-7.30	3.64	3	Vertical	341	1.73	-
5825MHz_TX	Pass	AV	5.8238G	110.96	Inf	-Inf	3.42	3	Horizontal	343	1.83	-
5825MHz_TX	Pass	PK	5.5574G	62.02	68.20	-6.18	2.89	3	Horizontal	343	1.83	-
5825MHz_TX	Pass	PK	5.8262G	121.56	Inf	-Inf	3.42	3	Horizontal	343	1.83	-
5825MHz_TX	Pass	PK	5.9546G	58.57	68.20	-9.63	3.68	3	Horizontal	343	1.83	-
5825MHz_TX	Pass	AV	11.64778G	43.35	54.00	-10.65	13.08	3	Vertical	244	1.46	-
5825MHz_TX	Pass	PK	11.65894G	55.97	74.00	-18.03	13.05	3	Vertical	244	1.46	-
5825MHz_TX	Pass	AV	11.64772G	43.35	54.00	-10.65	13.08	3	Horizontal	88	1.48	-
5825MHz_TX	Pass	PK	11.64118G	55.77	74.00	-18.23	13.09	3	Horizontal	88	1.48	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.1476G	46.48	54.00	-7.52	2.30	3	Vertical	345	2.23	-
5190MHz_TX	Pass	AV	5.188G	92.98	Inf	-Inf	2.35	3	Vertical	345	2.23	-
5190MHz_TX	Pass	PK	5.1356G	58.54	74.00	-15.46	2.28	3	Vertical	345	2.23	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz_TX	Pass	PK	5.1848G	101.62	Inf	-Inf	2.34	3	Vertical	345	2.23	-
5190MHz_TX	Pass	AV	5.148G	46.63	54.00	-7.37	2.30	3	Horizontal	350	1.62	-
5190MHz_TX	Pass	AV	5.1984G	94.52	Inf	-Inf	2.36	3	Horizontal	350	1.62	-
5190MHz_TX	Pass	PK	5.1428G	59.30	74.00	-14.70	2.29	3	Horizontal	350	1.62	-
5190MHz_TX	Pass	PK	5.2012G	103.74	Inf	-Inf	2.36	3	Horizontal	350	1.62	-
5190MHz_TX	Pass	PK	10.37376G	55.35	68.20	-12.85	12.19	3	Vertical	161	1.93	-
5190MHz_TX	Pass	PK	10.368G	54.96	68.20	-13.24	12.17	3	Horizontal	174	1.99	-
5230MHz_TX	Pass	AV	5.1396G	45.97	54.00	-8.03	2.29	3	Vertical	345	2.33	-
5230MHz_TX	Pass	AV	5.2356G	93.97	Inf	-Inf	2.41	3	Vertical	345	2.33	-
5230MHz_TX	Pass	PK	5.1384G	57.71	74.00	-16.29	2.29	3	Vertical	345	2.33	-
5230MHz_TX	Pass	PK	5.2344G	102.27	Inf	-Inf	2.41	3	Vertical	345	2.33	-
5230MHz_TX	Pass	AV	5.1328G	46.37	54.00	-7.63	2.28	3	Horizontal	0	1.75	-
5230MHz_TX	Pass	AV	5.2332G	94.68	Inf	-Inf	2.41	3	Horizontal	0	1.75	-
5230MHz_TX	Pass	PK	5.13G	57.83	74.00	-16.17	2.27	3	Horizontal	0	1.75	-
5230MHz_TX	Pass	PK	5.2368G	103.25	Inf	-Inf	2.41	3	Horizontal	0	1.75	-
5230MHz_TX	Pass	PK	10.45526G	56.46	68.20	-11.74	12.38	3	Vertical	327	1.21	-
5230MHz_TX	Pass	PK	10.46828G	55.30	68.20	-12.90	12.42	3	Horizontal	15	2.43	-
5755MHz_TX	Pass	AV	5.7502G	108.35	Inf	-Inf	3.28	3	Vertical	341	1.70	-
5755MHz_TX	Pass	PK	5.5906G	63.63	68.20	-4.57	2.96	3	Vertical	341	1.70	-
5755MHz_TX	Pass	PK	5.7502G	116.80	Inf	-Inf	3.28	3	Vertical	341	1.70	-
5755MHz_TX	Pass	PK	5.9866G	59.65	68.20	-8.55	3.74	3	Vertical	341	1.70	-
5755MHz_TX	Pass	AV	5.7466G	110.34	Inf	-Inf	3.27	3	Horizontal	344	1.78	-
5755MHz_TX	Pass	PK	5.6278G	65.05	68.20	-3.15	3.04	3	Horizontal	344	1.78	-
5755MHz_TX	Pass	PK	5.7634G	119.04	Inf	-Inf	3.30	3	Horizontal	344	1.78	-
5755MHz_TX	Pass	PK	5.9638G	59.50	68.20	-8.70	3.70	3	Horizontal	344	1.78	-
5755MHz_TX	Pass	AV	11.52398G	43.72	54.00	-10.28	13.21	3	Vertical	72	2.32	-
5755MHz_TX	Pass	PK	11.51318G	56.56	74.00	-17.44	13.22	3	Vertical	72	2.32	-
5755MHz_TX	Pass	AV	11.51G	43.63	54.00	-10.37	13.22	3	Horizontal	218	1.93	-
5755MHz_TX	Pass	PK	11.49896G	55.61	74.00	-18.39	13.23	3	Horizontal	218	1.93	-
5795MHz_TX	Pass	AV	5.7926G	108.28	Inf	-Inf	3.36	3	Vertical	340	1.76	-
5795MHz_TX	Pass	PK	5.6246G	62.98	68.20	-5.22	3.04	3	Vertical	340	1.76	-
5795MHz_TX	Pass	PK	5.7902G	116.92	Inf	-Inf	3.35	3	Vertical	340	1.76	-
5795MHz_TX	Pass	PK	5.9402G	59.34	68.20	-8.86	3.65	3	Vertical	340	1.76	-
5795MHz_TX	Pass	AV	5.8034G	109.92	Inf	-Inf	3.38	3	Horizontal	345	1.88	-
5795MHz_TX	Pass	PK	5.5154G	63.69	68.20	-4.51	2.80	3	Horizontal	345	1.88	-
5795MHz_TX	Pass	PK	5.8022G	118.49	Inf	-Inf	3.37	3	Horizontal	345	1.88	-
5795MHz_TX	Pass	PK	5.9654G	59.93	68.20	-8.27	3.70	3	Horizontal	345	1.88	-
5795MHz_TX	Pass	AV	11.58166G	44.20	54.00	-9.80	13.14	3	Vertical	47	1.76	-
5795MHz_TX	Pass	PK	11.5999G	56.05	74.00	-17.95	13.12	3	Vertical	47	1.76	-
5795MHz_TX	Pass	AV	11.59288G	44.19	54.00	-9.81	13.14	3	Horizontal	123	2.21	-
5795MHz_TX	Pass	PK	11.59024G	56.32	74.00	-17.68	13.14	3	Horizontal	123	2.21	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.146G	46.50	54.00	-7.50	2.30	3	Vertical	344	2.21	-
5210MHz_TX	Pass	AV	5.222G	90.80	Inf	-Inf	2.39	3	Vertical	344	2.21	-
5210MHz_TX	Pass	AV	5.355G	48.48	54.00	-5.52	2.57	3	Vertical	344	2.21	-
5210MHz_TX	Pass	PK	5.12G	58.07	74.00	-15.93	2.27	3	Vertical	344	2.21	-
5210MHz_TX	Pass	PK	5.228G	99.52	Inf	-Inf	2.40	3	Vertical	344	2.21	-
5210MHz_TX	Pass	PK	5.376G	60.53	74.00	-13.47	2.60	3	Vertical	344	2.21	-
5210MHz_TX	Pass	AV	5.12G	47.35	54.00	-6.65	2.27	3	Horizontal	353	1.59	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz_TX	Pass	AV	5.24G	92.53	Inf	-Inf	2.41	3	Horizontal	353	1.59	-
5210MHz_TX	Pass	AV	5.44G	48.37	54.00	-5.63	2.68	3	Horizontal	353	1.59	-
5210MHz_TX	Pass	PK	5.12G	58.27	74.00	-15.73	2.27	3	Horizontal	353	1.59	-
5210MHz_TX	Pass	PK	5.224G	101.74	Inf	-Inf	2.39	3	Horizontal	353	1.59	-
5210MHz_TX	Pass	PK	5.398G	59.48	74.00	-14.52	2.63	3	Horizontal	353	1.59	-
5210MHz_TX	Pass	PK	10.41094G	55.13	68.20	-13.07	12.27	3	Vertical	258	1.60	-
5210MHz_TX	Pass	PK	10.40788G	55.20	68.20	-13.00	12.26	3	Horizontal	264	2.44	-
5775MHz_TX	Pass	AV	5.751G	104.30	Inf	-Inf	3.28	3	Vertical	319	1.43	-
5775MHz_TX	Pass	PK	5.6502G	64.54	68.35	-3.81	3.09	3	Vertical	305	1.02	-
5775MHz_TX	Pass	PK	5.7546G	113.28	Inf	-Inf	3.29	3	Vertical	175	1.12	-
5775MHz_TX	Pass	PK	5.949G	59.72	68.20	-8.48	3.67	3	Vertical	98	1.39	-
5775MHz_TX	Pass	AV	5.769G	105.50	Inf	-Inf	3.31	3	Horizontal	201	1.70	-
5775MHz_TX	Pass	PK	5.6478G	67.30	68.20	-0.90	3.09	3	Horizontal	41	1.01	-
5775MHz_TX	Pass	PK	5.763G	115.03	Inf	-Inf	3.30	3	Horizontal	68	2.31	-
5775MHz_TX	Pass	PK	5.9238G	62.27	69.09	-6.82	3.62	3	Horizontal	43	1.04	-
5775MHz_TX	Pass	AV	11.54796G	44.07	54.00	-9.93	13.18	3	Vertical	57	1.85	-
5775MHz_TX	Pass	PK	11.53854G	55.97	74.00	-18.03	13.19	3	Vertical	57	1.85	-
5775MHz_TX	Pass	AV	11.55342G	44.23	54.00	-9.77	13.17	3	Horizontal	132	2.14	-
5775MHz_TX	Pass	PK	11.56182G	56.82	74.00	-17.18	13.16	3	Horizontal	132	2.14	-

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	46.08	54.00	-7.92	2.29	3	Vertical	356	2.31	-	43.79	31.61	5.48	34.80
AV	5.1854G	94.18	Inf	-Inf	2.34	3	Vertical	356	2.31	-	91.84	31.65	5.49	34.80
PK	5.1372G	57.88	74.00	-16.12	2.28	3	Vertical	356	2.31	-	55.60	31.61	5.47	34.80
PK	5.183G	102.84	Inf	-Inf	2.34	3	Vertical	356	2.31	-	100.50	31.65	5.49	34.80

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	47.47	54.00	-6.53	2.29	3	Horizontal	354	1.61	-	45.18	31.61	5.48	34.80
AV	5.1828G	98.16	Inf	-Inf	2.34	3	Horizontal	354	1.61	-	95.82	31.65	5.49	34.80
PK	5.1338G	58.89	74.00	-15.11	2.28	3	Horizontal	354	1.61	-	56.61	31.61	5.47	34.80
PK	5.182G	107.56	Inf	-Inf	2.34	3	Horizontal	354	1.61	-	105.22	31.65	5.49	34.80

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.34656G	55.72	68.20	-12.48	12.11	3	Vertical	311	1.07	-	43.61	39.45	7.88	35.22

802.11a_Nss1,(6Mbps)_2TX

22/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.34536G	55.86	68.20	-12.34	12.11	3	Horizontal	188	2.99	-	43.75	39.45	7.88	35.22

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.99	54.00	-8.01	2.30	3	Vertical	356	2.31	-	43.69	31.62	5.48	34.80
AV	5.2032G	94.20	Inf	-Inf	2.36	3	Vertical	356	2.31	-	91.84	31.66	5.50	34.80
PK	5.1012G	57.52	74.00	-16.48	2.24	3	Vertical	356	2.31	-	55.28	31.58	5.46	34.80
PK	5.2032G	103.13	Inf	-Inf	2.36	3	Vertical	356	2.31	-	100.77	31.66	5.50	34.80

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	47.35	54.00	-6.65	2.27	3	Horizontal	354	1.68	-	45.08	31.60	5.47	34.80
AV	5.2052G	98.11	Inf	-Inf	2.36	3	Horizontal	354	1.68	-	95.75	31.66	5.50	34.80
PK	5.1088G	59.02	74.00	-14.98	2.25	3	Horizontal	354	1.68	-	56.77	31.59	5.46	34.80
PK	5.2056G	107.97	Inf	-Inf	2.36	3	Horizontal	354	1.68	-	105.61	31.66	5.50	34.80

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40042G	55.80	68.20	-12.40	12.25	3	Vertical	31	2.19	-	43.55	39.52	7.90	35.17

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38992G	55.09	68.20	-13.11	12.23	3	Horizontal	3	1.08	-	42.86	39.51	7.90	35.18

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	46.31	54.00	-7.69	2.27	3	Vertical	348	2.31	-	44.04	31.60	5.47	34.80
AV	5.237G	96.16	Inf	-Inf	2.41	3	Vertical	348	2.31	-	93.75	31.69	5.52	34.80
AV	5.3624G	47.89	54.00	-6.11	2.58	3	Vertical	348	2.31	-	45.31	31.79	5.59	34.80
PK	5.0972G	57.91	74.00	-16.09	2.24	3	Vertical	348	2.31	-	55.67	31.58	5.46	34.80
PK	5.237G	105.36	Inf	-Inf	2.41	3	Vertical	348	2.31	-	102.95	31.69	5.52	34.80
PK	5.3774G	59.40	74.00	-14.60	2.60	3	Vertical	348	2.31	-	56.80	31.80	5.60	34.80

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	47.07	54.00	-6.93	2.27	3	Horizontal	0	1.72	-	44.80	31.60	5.47	34.80
AV	5.2454G	97.65	Inf	-Inf	2.43	3	Horizontal	0	1.72	-	95.22	31.70	5.53	34.80
AV	5.3564G	47.20	54.00	-6.80	2.58	3	Horizontal	0	1.72	-	44.62	31.79	5.59	34.80
PK	5.1278G	58.09	74.00	-15.91	2.27	3	Horizontal	0	1.72	-	55.82	31.60	5.47	34.80
PK	5.2454G	107.83	Inf	-Inf	2.43	3	Horizontal	0	1.72	-	105.40	31.70	5.53	34.80
PK	5.3588G	58.48	74.00	-15.52	2.58	3	Horizontal	0	1.72	-	55.90	31.79	5.59	34.80

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39868G	55.51	68.20	-12.69	12.25	3	Vertical	225	1.49	-	43.26	39.52	7.90	35.17

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41008G	55.82	68.20	-12.38	12.27	3	Horizontal	22	1.24	-	43.55	39.53	7.90	35.16

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	111.73	Inf	-Inf	3.27	3	Vertical	342	1.74	-	108.46	32.29	5.78	34.80
PK	5.577G	62.34	68.20	-5.86	2.94	3	Vertical	342	1.74	-	59.40	32.02	5.72	34.80
PK	5.7438G	120.02	Inf	-Inf	3.27	3	Vertical	342	1.74	-	116.75	32.29	5.78	34.80
PK	5.9346G	59.68	68.20	-8.52	3.64	3	Vertical	342	1.74	-	56.04	32.60	5.85	34.81

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	107.57	Inf	-Inf	3.27	3	Horizontal	0	1.75	-	104.30	32.29	5.78	34.80
PK	5.481G	61.50	68.20	-6.70	2.74	3	Horizontal	0	1.75	-	58.76	31.88	5.66	34.80
PK	5.7474G	116.39	Inf	-Inf	3.28	3	Horizontal	0	1.75	-	113.11	32.30	5.78	34.80
PK	5.9646G	58.44	68.20	-9.76	3.70	3	Horizontal	0	1.75	-	54.74	32.64	5.87	34.81

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49282G	43.72	54.00	-10.28	13.24	3	Vertical	60	2.04	-	30.48	39.66	8.34	34.76
PK	11.50092G	55.59	74.00	-18.41	13.23	3	Vertical	60	2.04	-	42.36	39.65	8.34	34.76

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49882G	43.84	54.00	-10.16	13.23	3	Horizontal	189	2.22	-	30.61	39.65	8.34	34.76
PK	11.4915G	56.77	74.00	-17.23	13.24	3	Horizontal	189	2.22	-	43.53	39.66	8.34	34.76

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	111.23	Inf	-Inf	3.34	3	Vertical	340	1.73	-	107.89	32.35	5.80	34.81
PK	5.5846G	62.59	68.20	-5.61	2.96	3	Vertical	340	1.73	-	59.63	32.04	5.72	34.80
PK	5.779G	120.10	Inf	-Inf	3.33	3	Vertical	340	1.73	-	116.77	32.35	5.79	34.81
PK	5.977G	60.05	68.20	-8.15	3.72	3	Vertical	340	1.73	-	56.33	32.66	5.87	34.81

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	113.26	Inf	-Inf	3.33	3	Horizontal	345	1.74	-	109.93	32.35	5.79	34.81
PK	5.5534G	64.92	68.20	-3.28	2.89	3	Horizontal	345	1.74	-	62.03	31.99	5.70	34.80
PK	5.7874G	122.84	Inf	-Inf	3.35	3	Horizontal	345	1.74	-	119.49	32.36	5.80	34.81
PK	5.965G	59.51	68.20	-8.69	3.70	3	Horizontal	345	1.74	-	55.81	32.64	5.87	34.81

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57036G	44.24	54.00	-9.76	13.16	3	Vertical	194	1.92	-	31.08	39.56	8.37	34.77
PK	11.56478G	55.87	74.00	-18.13	13.17	3	Vertical	194	1.92	-	42.70	39.57	8.37	34.77

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57324G	44.24	54.00	-9.76	13.15	3	Horizontal	340	1.59	-	31.09	39.55	8.37	34.77
PK	11.56082G	56.69	74.00	-17.31	13.16	3	Horizontal	340	1.59	-	43.53	39.57	8.36	34.77

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	111.77	Inf	-Inf	3.42	3	Vertical	341	1.79	-	108.35	32.42	5.81	34.81
PK	5.567G	63.19	68.20	-5.01	2.92	3	Vertical	341	1.79	-	60.27	32.01	5.71	34.80
PK	5.8238G	120.24	Inf	-Inf	3.42	3	Vertical	341	1.79	-	116.82	32.42	5.81	34.81
PK	5.969G	60.27	68.20	-7.93	3.71	3	Vertical	341	1.79	-	56.56	32.65	5.87	34.81

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	111.34	Inf	-Inf	3.42	3	Horizontal	346	1.50	-	107.92	32.42	5.81	34.81
PK	5.5478G	62.05	68.20	-6.15	2.88	3	Horizontal	346	1.50	-	59.17	31.98	5.70	34.80
PK	5.8178G	121.08	Inf	-Inf	3.41	3	Horizontal	346	1.50	-	117.67	32.41	5.81	34.81
PK	5.9282G	59.09	68.20	-9.11	3.63	3	Horizontal	346	1.50	-	55.46	32.59	5.85	34.81

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64274G	44.17	54.00	-9.83	13.08	3	Vertical	55	1.41	-	31.09	39.46	8.40	34.78
PK	11.66266G	56.52	74.00	-17.48	13.06	3	Vertical	55	1.41	-	43.46	39.44	8.41	34.79

802.11a_Nss1,(6Mbps)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64442G	44.17	54.00	-9.83	13.08	3	Horizontal	325	2.33	-	31.09	39.46	8.40	34.78
PK	11.6362G	56.19	74.00	-17.81	13.08	3	Horizontal	325	2.33	-	43.11	39.47	8.39	34.78

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	45.49	54.00	-8.51	2.29	3	Vertical	357	2.32	-	43.20	31.61	5.48	34.80
AV	5.1828G	93.22	Inf	-Inf	2.34	3	Vertical	357	2.32	-	90.88	31.65	5.49	34.80
PK	5.1438G	58.66	74.00	-15.34	2.30	3	Vertical	357	2.32	-	56.36	31.62	5.48	34.80
PK	5.1818G	103.61	Inf	-Inf	2.34	3	Vertical	357	2.32	-	101.27	31.65	5.49	34.80

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1394G	46.75	54.00	-7.25	2.29	3	Horizontal	353	1.75	-	44.46	31.61	5.48	34.80
AV	5.1872G	97.23	Inf	-Inf	2.34	3	Horizontal	353	1.75	-	94.89	31.65	5.49	34.80
PK	5.135G	58.73	74.00	-15.27	2.28	3	Horizontal	353	1.75	-	56.45	31.61	5.47	34.80
PK	5.1818G	107.27	Inf	-Inf	2.34	3	Horizontal	353	1.75	-	104.93	31.65	5.49	34.80

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.34818G	55.34	68.20	-12.86	12.12	3	Vertical	340	2.08	-	43.22	39.45	7.88	35.21

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37356G	55.66	68.20	-12.54	12.19	3	Horizontal	16	1.01	-	43.47	39.49	7.89	35.19

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	45.86	54.00	-8.14	2.30	3	Vertical	345	2.40	-	43.56	31.62	5.48	34.80
AV	5.2028G	95.56	Inf	-Inf	2.36	3	Vertical	345	2.40	-	93.20	31.66	5.50	34.80
PK	5.1288G	57.67	74.00	-16.33	2.27	3	Vertical	345	2.40	-	55.40	31.60	5.47	34.80
PK	5.2016G	106.16	Inf	-Inf	2.36	3	Vertical	345	2.40	-	103.80	31.66	5.50	34.80

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	46.62	54.00	-7.38	2.27	3	Horizontal	353	1.88	-	44.35	31.60	5.47	34.80
AV	5.1968G	97.24	Inf	-Inf	2.36	3	Horizontal	353	1.88	-	94.88	31.66	5.50	34.80
PK	5.1376G	58.32	74.00	-15.68	2.29	3	Horizontal	353	1.88	-	56.03	31.61	5.48	34.80
PK	5.2016G	107.61	Inf	-Inf	2.36	3	Horizontal	353	1.88	-	105.25	31.66	5.50	34.80

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39472G	55.20	68.20	-13.00	12.23	3	Vertical	139	2.10	-	42.97	39.51	7.90	35.18

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40552G	55.08	68.20	-13.12	12.26	3	Horizontal	269	2.13	-	42.82	39.53	7.90	35.17

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1362G	45.34	54.00	-8.66	2.28	3	Vertical	343	2.14	-	43.06	31.61	5.47	34.80
AV	5.243G	96.64	Inf	-Inf	2.42	3	Vertical	343	2.14	-	94.22	31.69	5.53	34.80
AV	5.3882G	47.67	54.00	-6.33	2.61	3	Vertical	343	2.14	-	45.06	31.81	5.60	34.80
PK	5.1428G	57.52	74.00	-16.48	2.29	3	Vertical	343	2.14	-	55.23	31.61	5.48	34.80
PK	5.2418G	106.86	Inf	-Inf	2.42	3	Vertical	343	2.14	-	104.44	31.69	5.53	34.80
PK	5.3822G	60.33	74.00	-13.67	2.61	3	Vertical	343	2.14	-	57.72	31.81	5.60	34.80

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	46.92	54.00	-7.08	2.27	3	Horizontal	355	1.74	-	44.65	31.60	5.47	34.80
AV	5.2418G	98.42	Inf	-Inf	2.42	3	Horizontal	355	1.74	-	96.00	31.69	5.53	34.80
AV	5.3606G	47.22	54.00	-6.78	2.58	3	Horizontal	355	1.74	-	44.64	31.79	5.59	34.80
PK	5.1308G	59.19	74.00	-14.81	2.27	3	Horizontal	355	1.74	-	56.92	31.60	5.47	34.80
PK	5.2418G	109.21	Inf	-Inf	2.42	3	Horizontal	355	1.74	-	106.79	31.69	5.53	34.80
PK	5.3732G	58.82	74.00	-15.18	2.60	3	Horizontal	355	1.74	-	56.22	31.80	5.60	34.80

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.49374G	55.46	68.20	-12.74	12.48	3	Vertical	330	1.96	-	42.98	39.64	7.94	35.10

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48882G	55.95	68.20	-12.25	12.48	3	Horizontal	25	1.61	-	43.47	39.64	7.94	35.10

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	110.08	Inf	-Inf	3.28	3	Vertical	343	1.82	-	106.80	32.30	5.78	34.80
PK	5.5782G	62.50	68.20	-5.70	2.95	3	Vertical	343	1.82	-	59.55	32.03	5.72	34.80
PK	5.7474G	120.25	Inf	-Inf	3.28	3	Vertical	343	1.82	-	116.97	32.30	5.78	34.80
PK	5.9658G	59.85	68.20	-8.35	3.71	3	Vertical	343	1.82	-	56.14	32.65	5.87	34.81

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	112.70	Inf	-Inf	3.27	3	Horizontal	347	1.83	-	109.43	32.29	5.78	34.80
PK	5.5098G	63.85	68.20	-4.35	2.80	3	Horizontal	347	1.83	-	61.05	31.92	5.68	34.80
PK	5.7474G	123.02	Inf	-Inf	3.28	3	Horizontal	347	1.83	-	119.74	32.30	5.78	34.80
PK	5.9346G	59.20	68.20	-9.00	3.64	3	Horizontal	347	1.83	-	55.56	32.60	5.85	34.81

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50212G	43.13	54.00	-10.87	13.23	3	Vertical	18	1.03	-	29.90	39.65	8.34	34.76
PK	11.49138G	55.51	74.00	-18.49	13.24	3	Vertical	18	1.03	-	42.27	39.66	8.34	34.76

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49666G	43.01	54.00	-10.99	13.23	3	Horizontal	120	1.53	-	29.78	39.65	8.34	34.76
PK	11.48376G	56.17	74.00	-17.83	13.24	3	Horizontal	120	1.53	-	42.93	39.67	8.33	34.76

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	110.24	Inf	-Inf	3.33	3	Vertical	341	1.75	-	106.91	32.35	5.79	34.81
PK	5.6218G	62.97	68.20	-5.23	3.03	3	Vertical	341	1.75	-	59.94	32.09	5.74	34.80
PK	5.7814G	119.84	Inf	-Inf	3.33	3	Vertical	341	1.75	-	116.51	32.35	5.79	34.81
PK	5.9242G	59.93	68.79	-8.86	3.62	3	Vertical	341	1.75	-	56.31	32.58	5.85	34.81

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	110.89	Inf	-Inf	3.32	3	Horizontal	343	1.50	-	107.57	32.34	5.79	34.81
PK	5.5138G	63.30	68.20	-4.90	2.80	3	Horizontal	343	1.50	-	60.50	31.92	5.68	34.80
PK	5.7814G	120.85	Inf	-Inf	3.33	3	Horizontal	343	1.50	-	117.52	32.35	5.79	34.81
PK	5.9698G	59.39	68.20	-8.81	3.71	3	Horizontal	343	1.50	-	55.68	32.65	5.87	34.81

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58326G	43.48	54.00	-10.52	13.14	3	Vertical	53	1.65	-	30.34	39.54	8.37	34.77
PK	11.57852G	56.04	74.00	-17.96	13.15	3	Vertical	53	1.65	-	42.89	39.55	8.37	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56652G	43.49	54.00	-10.51	13.16	3	Horizontal	180	1.03	-	30.33	39.56	8.37	34.77
PK	11.55974G	56.80	74.00	-17.20	13.16	3	Horizontal	180	1.03	-	43.64	39.57	8.36	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	110.18	Inf	-Inf	3.43	3	Vertical	341	1.73	-	106.75	32.43	5.81	34.81
PK	5.591G	62.72	68.20	-5.48	2.97	3	Vertical	341	1.73	-	59.75	32.05	5.72	34.80
PK	5.8298G	119.68	Inf	-Inf	3.43	3	Vertical	341	1.73	-	116.25	32.43	5.81	34.81
PK	5.9354G	60.90	68.20	-7.30	3.64	3	Vertical	341	1.73	-	57.26	32.60	5.85	34.81

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	110.96	Inf	-Inf	3.42	3	Horizontal	343	1.83	-	107.54	32.42	5.81	34.81
PK	5.5574G	62.02	68.20	-6.18	2.89	3	Horizontal	343	1.83	-	59.13	31.99	5.70	34.80
PK	5.8262G	121.56	Inf	-Inf	3.42	3	Horizontal	343	1.83	-	118.14	32.42	5.81	34.81
PK	5.9546G	58.57	68.20	-9.63	3.68	3	Horizontal	343	1.83	-	54.89	32.63	5.86	34.81

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64778G	43.35	54.00	-10.65	13.08	3	Vertical	244	1.46	-	30.27	39.46	8.40	34.78
PK	11.65894G	55.97	74.00	-18.03	13.05	3	Vertical	244	1.46	-	42.92	39.44	8.40	34.79

802.11ac VHT20_Nss1,(MCS0)_2TX

23/06/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64772G	43.35	54.00	-10.65	13.08	3	Horizontal	88	1.48	-	30.27	39.46	8.40	34.78
PK	11.64118G	55.77	74.00	-18.23	13.09	3	Horizontal	88	1.48	-	42.68	39.47	8.40	34.78

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	46.48	54.00	-7.52	2.30	3	Vertical	345	2.23	-	44.18	31.62	5.48	34.80
AV	5.188G	92.98	Inf	-Inf	2.35	3	Vertical	345	2.23	-	90.63	31.65	5.50	34.80
PK	5.1356G	58.54	74.00	-15.46	2.28	3	Vertical	345	2.23	-	56.26	31.61	5.47	34.80
PK	5.1848G	101.62	Inf	-Inf	2.34	3	Vertical	345	2.23	-	99.28	31.65	5.49	34.80

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	46.63	54.00	-7.37	2.30	3	Horizontal	350	1.62	-	44.33	31.62	5.48	34.80
AV	5.1984G	94.52	Inf	-Inf	2.36	3	Horizontal	350	1.62	-	92.16	31.66	5.50	34.80
PK	5.1428G	59.30	74.00	-14.70	2.29	3	Horizontal	350	1.62	-	57.01	31.61	5.48	34.80
PK	5.2012G	103.74	Inf	-Inf	2.36	3	Horizontal	350	1.62	-	101.38	31.66	5.50	34.80

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37376G	55.35	68.20	-12.85	12.19	3	Vertical	161	1.93	-	43.16	39.49	7.89	35.19

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.368G	54.96	68.20	-13.24	12.17	3	Horizontal	174	1.99	-	42.79	39.48	7.89	35.20

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	45.97	54.00	-8.03	2.29	3	Vertical	345	2.33	-	43.68	31.61	5.48	34.80
AV	5.2356G	93.97	Inf	-Inf	2.41	3	Vertical	345	2.33	-	91.56	31.69	5.52	34.80
PK	5.1384G	57.71	74.00	-16.29	2.29	3	Vertical	345	2.33	-	55.42	31.61	5.48	34.80
PK	5.2344G	102.27	Inf	-Inf	2.41	3	Vertical	345	2.33	-	99.86	31.69	5.52	34.80

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1328G	46.37	54.00	-7.63	2.28	3	Horizontal	0	1.75	-	44.09	31.61	5.47	34.80
AV	5.2332G	94.68	Inf	-Inf	2.41	3	Horizontal	0	1.75	-	92.27	31.69	5.52	34.80
PK	5.13G	57.83	74.00	-16.17	2.27	3	Horizontal	0	1.75	-	55.56	31.60	5.47	34.80
PK	5.2368G	103.25	Inf	-Inf	2.41	3	Horizontal	0	1.75	-	100.84	31.69	5.52	34.80

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45526G	56.46	68.20	-11.74	12.38	3	Vertical	327	1.21	-	44.08	39.59	7.92	35.13

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46828G	55.30	68.20	-12.90	12.42	3	Horizontal	15	2.43	-	42.88	39.61	7.93	35.12

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	108.35	Inf	-Inf	3.28	3	Vertical	341	1.70	-	105.07	32.30	5.79	34.81
PK	5.5906G	63.63	68.20	-4.57	2.96	3	Vertical	341	1.70	-	60.67	32.04	5.72	34.80
PK	5.7502G	116.80	Inf	-Inf	3.28	3	Vertical	341	1.70	-	113.52	32.30	5.79	34.81
PK	5.9866G	59.65	68.20	-8.55	3.74	3	Vertical	341	1.70	-	55.91	32.68	5.87	34.81

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	110.34	Inf	-Inf	3.27	3	Horizontal	344	1.78	-	107.07	32.29	5.78	34.80
PK	5.6278G	65.05	68.20	-3.15	3.04	3	Horizontal	344	1.78	-	62.01	32.10	5.74	34.80
PK	5.7634G	119.04	Inf	-Inf	3.30	3	Horizontal	344	1.78	-	115.74	32.32	5.79	34.81
PK	5.9638G	59.50	68.20	-8.70	3.70	3	Horizontal	344	1.78	-	55.80	32.64	5.87	34.81

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52398G	43.72	54.00	-10.28	13.21	3	Vertical	72	2.32	-	30.51	39.62	8.35	34.76
PK	11.51318G	56.56	74.00	-17.44	13.22	3	Vertical	72	2.32	-	43.34	39.63	8.35	34.76

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	43.63	54.00	-10.37	13.22	3	Horizontal	218	1.93	-	30.41	39.64	8.34	34.76
PK	11.49896G	55.61	74.00	-18.39	13.23	3	Horizontal	218	1.93	-	42.38	39.65	8.34	34.76

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	108.28	Inf	-Inf	3.36	3	Vertical	340	1.76	-	104.92	32.37	5.80	34.81
PK	5.6246G	62.98	68.20	-5.22	3.04	3	Vertical	340	1.76	-	59.94	32.10	5.74	34.80
PK	5.7902G	116.92	Inf	-Inf	3.35	3	Vertical	340	1.76	-	113.57	32.36	5.80	34.81
PK	5.9402G	59.34	68.20	-8.86	3.65	3	Vertical	340	1.76	-	55.69	32.60	5.86	34.81

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8034G	109.92	Inf	-Inf	3.38	3	Horizontal	345	1.88	-	106.54	32.39	5.80	34.81
PK	5.5154G	63.69	68.20	-4.51	2.80	3	Horizontal	345	1.88	-	60.89	31.92	5.68	34.80
PK	5.8022G	118.49	Inf	-Inf	3.37	3	Horizontal	345	1.88	-	115.12	32.38	5.80	34.81
PK	5.9654G	59.93	68.20	-8.27	3.70	3	Horizontal	345	1.88	-	56.23	32.64	5.87	34.81

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58166G	44.20	54.00	-9.80	13.14	3	Vertical	47	1.76	-	31.06	39.54	8.37	34.77
PK	11.5999G	56.05	74.00	-17.95	13.12	3	Vertical	47	1.76	-	42.93	39.52	8.38	34.78

802.11ac VHT40_Nss1,(MCS0)_2TX

23/06/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59288G	44.19	54.00	-9.81	13.14	3	Horizontal	123	2.21	-	31.05	39.53	8.38	34.77
PK	11.59024G	56.32	74.00	-17.68	13.14	3	Horizontal	123	2.21	-	43.18	39.53	8.38	34.77

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	46.50	54.00	-7.50	2.30	3	Vertical	344	2.21	-	44.20	31.62	5.48	34.80
AV	5.222G	90.80	Inf	-Inf	2.39	3	Vertical	344	2.21	-	88.41	31.68	5.51	34.80
AV	5.355G	48.48	54.00	-5.52	2.57	3	Vertical	344	2.21	-	45.91	31.78	5.59	34.80
PK	5.12G	58.07	74.00	-15.93	2.27	3	Vertical	344	2.21	-	55.80	31.60	5.47	34.80
PK	5.228G	99.52	Inf	-Inf	2.40	3	Vertical	344	2.21	-	97.12	31.68	5.52	34.80
PK	5.376G	60.53	74.00	-13.47	2.60	3	Vertical	344	2.21	-	57.93	31.80	5.60	34.80

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.12G	47.35	54.00	-6.65	2.27	3	Horizontal	353	1.59	-	45.08	31.60	5.47	34.80
AV	5.24G	92.53	Inf	-Inf	2.41	3	Horizontal	353	1.59	-	90.12	31.69	5.52	34.80
AV	5.44G	48.37	54.00	-5.63	2.68	3	Horizontal	353	1.59	-	45.69	31.85	5.63	34.80
PK	5.12G	58.27	74.00	-15.73	2.27	3	Horizontal	353	1.59	-	56.00	31.60	5.47	34.80
PK	5.224G	101.74	Inf	-Inf	2.39	3	Horizontal	353	1.59	-	99.35	31.68	5.51	34.80
PK	5.398G	59.48	74.00	-14.52	2.63	3	Horizontal	353	1.59	-	56.85	31.82	5.61	34.80

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41094G	55.13	68.20	-13.07	12.27	3	Vertical	258	1.60	-	42.86	39.53	7.90	35.16

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40788G	55.20	68.20	-13.00	12.26	3	Horizontal	264	2.44	-	42.94	39.53	7.90	35.17

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7534G	104.31	Inf	-Inf	3.29	3	Vertical	347	1.84	-	101.02	32.31	5.79	34.81
PK	5.631G	64.40	68.20	-3.80	3.05	3	Vertical	347	1.84	-	61.35	32.11	5.74	34.80
PK	5.7534G	113.24	Inf	-Inf	3.29	3	Vertical	347	1.84	-	109.95	32.31	5.79	34.81
PK	5.9898G	59.93	68.20	-8.27	3.75	3	Vertical	347	1.84	-	56.18	32.68	5.88	34.81

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7678G	105.58	Inf	-Inf	3.31	3	Horizontal	352	1.77	-	102.27	32.33	5.79	34.81
PK	5.643G	67.91	68.20	-0.29	3.08	3	Horizontal	352	1.77	-	64.83	32.13	5.75	34.80
PK	5.769G	114.51	Inf	-Inf	3.31	3	Horizontal	352	1.77	-	111.20	32.33	5.79	34.81
PK	5.9238G	63.25	69.09	-5.84	3.62	3	Horizontal	352	1.77	-	59.63	32.58	5.85	34.81

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54796G	44.07	54.00	-9.93	13.18	3	Vertical	57	1.85	-	30.89	39.59	8.36	34.77
PK	11.53854G	55.97	74.00	-18.03	13.19	3	Vertical	57	1.85	-	42.78	39.60	8.36	34.77

802.11ac VHT80_Nss1,(MCS0)_2TX

23/06/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55342G	44.23	54.00	-9.77	13.17	3	Horizontal	132	2.14	-	31.06	39.58	8.36	34.77
PK	11.56182G	56.82	74.00	-17.18	13.16	3	Horizontal	132	2.14	-	43.66	39.57	8.36	34.77