


802.11ax HE160

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.58	67.22	25.87	42.15	74.00	-6.78	145	177	Peak	Horizontal	
2	5469.00	66.39	24.22	42.17	68.20	-1.81	145	177	Peak	Horizontal	
3 *	5578.00	100.86	58.61	42.25	68.20	32.66	145	177	Peak	Horizontal	
4	6982.50	59.20	15.44	43.76	68.20	-9.00	145	177	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5455.00	64.83	22.69	42.14	74.00	-9.17	151	180	Peak	Vertical	
2	5465.00	63.99	21.88	42.19	68.20	-4.21	151	180	Peak	Vertical	
3 *	5578.00	96.38	54.85	42.25	68.20	28.18	151	180	Peak	Vertical	
4	6894.00	59.51	15.82	43.69	68.20	-8.69	151	180	Peak	Vertical	


802.11ax HE160

CH 114 (Horizontal) Average

CH 114 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.50	46.32	4.17	42.15	54.00	-7.68	145	177 Average	Horizontal	
2 *	5578.00	89.67	47.42	42.25	54.00	35.67	145	177 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.50	46.23	4.09	42.14	54.00	-7.77	151	180 Average	Vertical	
2 *	5578.00	85.77	43.52	42.25	54.00	31.77	151	180 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5648.50	59.92	17.49	42.43	68.20	-8.28	146	180 Peak	Horizontal	
2	5657.00	59.33	16.89	42.44	73.40	-14.07	146	180 Peak	Horizontal	
3	5718.00	60.62	18.16	42.46	110.24	-49.62	146	180 Peak	Horizontal	
4	5724.50	63.37	20.88	42.49	128.08	-64.71	146	180 Peak	Horizontal	
5	5747.00	119.78	77.19	42.59	130.00	-10.22	146	180 Peak	Horizontal	
6	5852.00	56.07	13.40	42.67	122.32	-66.25	146	180 Peak	Horizontal	
7	5865.00	56.59	13.91	42.68	108.00	-51.41	146	180 Peak	Horizontal	
8	5925.00	57.26	14.45	42.81	68.20	-10.94	146	180 Peak	Horizontal	
9	5941.00	57.51	14.63	42.88	68.20	-10.69	146	180 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos cm	TPos deg	Remark	Pol/Phase	Note
1	4800.00	57.67	16.67	41.00	74.00	-16.33	131	177 Peak	Vertical	
2	5649.00	59.28	16.84	42.44	68.20	-8.92	131	177 Peak	Vertical	
3	5650.50	58.74	16.30	42.44	68.57	-9.83	131	177 Peak	Vertical	
4	5720.00	66.71	24.24	42.47	110.80	-44.09	131	177 Peak	Vertical	
5	5724.50	71.88	29.39	42.49	128.08	-56.20	131	177 Peak	Vertical	
6	5746.00	116.96	74.38	42.50	130.00	-13.04	131	177 Peak	Vertical	
7	5852.00	56.24	13.57	42.67	122.32	-66.08	131	177 Peak	Vertical	
8	5870.50	56.78	14.10	42.68	106.46	-49.68	131	177 Peak	Vertical	
9	5887.50	59.49	16.80	42.69	95.92	-36.43	131	177 Peak	Vertical	
10	5936.50	57.40	14.53	42.87	68.20	-10.80	131	177 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.00	58.59	16.18	42.41	68.20	-9.61	135	174 Peak	Horizontal	
2	5690.50	58.43	16.04	42.39	90.20	-39.77	135	174 Peak	Horizontal	
3	5712.00	58.20	15.77	42.43	108.56	-50.36	135	174 Peak	Horizontal	
4	5723.00	57.44	14.96	42.48	122.32	-64.88	135	174 Peak	Horizontal	
5	5785.00	119.53	76.83	42.70	130.00	-10.47	135	174 Peak	Horizontal	
6	5854.00	57.00	14.33	42.67	114.64	-57.64	135	174 Peak	Horizontal	
7	5863.00	57.29	14.61	42.68	108.55	-51.27	135	174 Peak	Horizontal	
8	5876.00	57.50	14.82	42.68	104.46	-46.96	135	174 Peak	Horizontal	
9	5930.50	57.48	14.64	42.84	68.20	-10.72	135	174 Peak	Horizontal	

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.00	57.16	14.76	42.40	68.20	-11.04	126	180 Peak	Vertical	
2	5688.00	62.03	19.64	42.39	96.35	-34.32	126	180 Peak	Vertical	
3	5710.00	57.90	15.48	42.42	108.00	-50.10	126	180 Peak	Vertical	
4	5725.00	58.50	16.01	42.49	130.00	-71.50	126	180 Peak	Vertical	
5	5785.00	119.38	76.68	42.70	130.00	-10.62	126	180 Peak	Vertical	
6	5853.50	57.57	14.90	42.67	116.50	-58.99	126	180 Peak	Vertical	
7	5874.00	61.89	19.21	42.68	105.48	-43.59	126	180 Peak	Vertical	
8	5880.00	64.14	21.45	42.69	101.49	-37.35	126	180 Peak	Vertical	
9	5927.50	59.90	17.07	42.83	68.20	-8.30	126	180 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
5629.00	57.55	15.20	42.35	68.20	-10.65	138	180 Peak	Horizontal	
5678.50	58.54	16.14	42.40	89.33	-30.79	138	180 Peak	Horizontal	
5719.00	58.33	15.86	42.47	110.52	-52.19	138	180 Peak	Horizontal	
5723.50	58.62	16.14	42.48	124.24	-65.62	138	180 Peak	Horizontal	
5825.00	119.78	77.08	42.70	130.00	-10.22	138	180 Peak	Horizontal	
5850.00	61.35	18.68	42.67	130.00	-68.65	138	180 Peak	Horizontal	
5856.00	61.32	18.65	42.67	110.52	-49.20	138	180 Peak	Horizontal	
5922.50	59.12	16.32	42.80	70.04	-10.92	138	180 Peak	Horizontal	
5929.00	57.85	15.01	42.84	68.20	-10.35	138	180 Peak	Horizontal	

1	2	3	4	5	6	7	8	9	
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
5649.00	56.44	14.00	42.44	68.20	-11.76	126	178 Peak	Vertical	
5677.00	57.96	15.55	42.41	68.22	-30.26	126	178 Peak	Vertical	
5720.00	56.03	13.56	42.47	110.80	-54.77	126	178 Peak	Vertical	
5722.00	59.79	17.31	42.48	118.48	-58.69	126	178 Peak	Vertical	
5825.00	119.23	76.53	42.70	130.00	-10.77	126	178 Peak	Vertical	
5851.00	69.34	26.67	42.67	126.16	-56.82	126	178 Peak	Vertical	
5855.00	65.11	22.44	42.67	110.80	-45.69	126	178 Peak	Vertical	
5923.00	63.25	20.45	42.80	69.67	-6.42	126	178 Peak	Vertical	
5925.00	61.87	19.06	42.81	68.20	-6.33	126	178 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB/m	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5650.00	60.20	16.78	43.42	68.20	-8.00	146	176	Peak	Horizontal	
2	5653.00	60.60	17.16	43.44	70.43	-9.83	146	176	Peak	Horizontal	
3	5720.00	63.17	19.49	43.68	110.00	-47.63	146	176	Peak	Horizontal	
4	5725.00	66.77	23.08	43.69	130.00	-63.23	146	176	Peak	Horizontal	
5	5745.00	121.38	77.68	43.70	130.00	-8.62	146	176	Peak	Horizontal	
6	5835.00	37.28	13.27	44.01	110.00	-53.52	146	176	Peak	Horizontal	
7	5860.50	58.26	14.24	44.02	109.25	-51.00	146	176	Peak	Horizontal	
8	5894.00	58.47	14.35	44.12	91.10	-32.63	146	176	Peak	Horizontal	
9	5957.00	58.30	13.98	44.32	68.20	-9.90	146	176	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB/m	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5645.50	59.31	15.89	43.42	68.20	-8.89	122	182	Peak	Vertical	
2	5699.00	59.19	15.53	43.66	104.46	-45.27	122	182	Peak	Vertical	
3	5719.50	67.56	23.88	43.68	110.66	-43.10	122	182	Peak	Vertical	
4	5725.00	73.92	30.23	43.69	130.00	-56.08	122	182	Peak	Vertical	
5	5745.00	119.84	76.14	43.70	130.00	-10.16	122	182	Peak	Vertical	
6	5850.00	60.20	16.21	43.99	130.00	-69.80	122	182	Peak	Vertical	
7	5863.50	58.43	14.40	44.03	100.42	-49.99	122	182	Peak	Vertical	
8	5895.00	60.52	16.40	44.12	90.36	-29.84	122	182	Peak	Vertical	
9	5929.50	58.51	14.29	44.22	68.20	-9.69	122	182	Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5647.50	58.71	15.29	43.42	68.20	-9.49	140	177 Peak	Horizontal
2	5683.50	59.43	15.85	43.58	93.83	-33.60	140	177 Peak	Horizontal
3	5712.50	59.53	15.85	43.68	108.70	-49.17	140	177 Peak	Horizontal
4	5725.00	59.85	16.16	43.69	130.00	-70.15	140	177 Peak	Horizontal
5	5785.00	121.37	77.56	43.81	130.00	-8.63	140	177 Peak	Horizontal
6	5853.50	58.19	14.18	44.01	116.56	-56.37	140	177 Peak	Horizontal
7	5872.50	58.03	13.97	44.06	105.90	-47.87	140	177 Peak	Horizontal
8	5881.50	58.36	14.28	44.08	100.37	-42.01	140	177 Peak	Horizontal
9	5929.00	58.79	14.57	44.22	68.20	-9.41	140	177 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5541.00	57.78	14.37	43.41	68.20	-10.42	125	181 Peak	Vertical
2	5685.00	60.20	16.61	43.59	94.87	-34.67	125	181 Peak	Vertical
3	5712.50	57.83	14.15	43.68	108.70	-50.87	125	181 Peak	Vertical
4	5723.50	57.86	14.18	43.68	124.24	-66.38	125	181 Peak	Vertical
5	5785.00	121.47	77.66	43.81	130.00	-8.53	125	181 Peak	Vertical
6	5855.00	58.40	14.39	44.01	110.00	-52.40	125	181 Peak	Vertical
7	5875.00	62.76	18.70	44.05	105.20	-42.44	125	181 Peak	Vertical
8	5881.00	64.01	19.93	44.08	100.74	-36.73	125	181 Peak	Vertical
9	5934.00	60.64	16.41	44.23	68.20	-7.56	125	181 Peak	Vertical


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB/m	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5584.50	58.31	14.91	43.40	68.20	-9.89	146	179	Peak	Horizontal	
2	5674.00	58.53	14.99	43.54	86.00	-27.47	146	179	Peak	Horizontal	
3	5715.00	59.25	15.57	43.68	109.40	-50.15	146	179	Peak	Horizontal	
4	5724.50	58.69	15.00	43.69	128.00	-69.39	146	179	Peak	Horizontal	
5	5825.00	121.09	77.17	43.92	130.00	-8.91	146	179	Peak	Horizontal	
6	5852.50	63.83	19.83	44.00	126.40	-56.57	146	179	Peak	Horizontal	
7	5859.00	62.02	19.00	44.02	109.40	-47.38	146	179	Peak	Horizontal	
8	5917.00	59.16	14.98	44.18	74.10	-14.94	146	179	Peak	Horizontal	
9	5978.00	59.42	15.01	44.41	68.20	-8.78	146	179	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level dBuV	Factor dB/m	Limit Line dBuV/m	Over Limit dB	APos cm	TPos deg	Remark	Pol/Phase	Note
1	5626.00	57.47	14.07	43.40	68.20	-10.73	123	178	Peak	Vertical	
2	5680.00	59.13	15.56	43.57	90.44	-31.31	123	178	Peak	Vertical	
3	5720.00	60.08	16.40	43.68	110.00	-50.72	123	178	Peak	Vertical	
4	5724.50	61.78	18.09	43.69	128.00	-66.30	123	178	Peak	Vertical	
5	5825.00	122.40	78.48	43.92	130.00	-7.60	123	178	Peak	Vertical	
6	5850.00	73.28	29.29	43.99	130.00	-56.72	123	178	Peak	Vertical	
7	5856.50	67.90	23.97	44.01	110.38	-42.40	123	178	Peak	Vertical	
8	5922.00	66.16	21.97	44.19	70.41	-4.25	123	178	Peak	Vertical	
9	5926.00	64.53	20.32	44.21	68.20	-3.67	123	178	Peak	Vertical	

802.11ax HE40

CH 151 (Horizontal) Peak



CH 151 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5646.50	58.59	16.16	42.43	68.20	-9.61	142	179 Peak	Horizontal	
2	5699.50	64.30	21.93	42.37	104.83	-40.53	142	179 Peak	Horizontal	
3	5720.00	66.58	24.11	42.47	110.80	-44.22	142	179 Peak	Horizontal	
4	5724.00	70.91	28.42	42.49	126.16	-55.25	142	179 Peak	Horizontal	
5	5755.00	117.46	74.84	42.62	130.00	-12.54	142	179 Peak	Horizontal	
6	5852.50	56.88	14.21	42.67	120.40	-63.52	142	179 Peak	Horizontal	
7	5864.50	57.14	14.46	42.68	105.14	-51.00	142	179 Peak	Horizontal	
8	5895.00	57.30	14.61	42.69	90.36	-33.06	142	179 Peak	Horizontal	
9	5939.00	56.72	13.84	42.88	68.20	-11.48	142	179 Peak	Horizontal	

Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.00	57.51	15.09	42.42	68.20	-10.69	122	179 Peak	Vertical	
2	5699.00	65.09	22.72	42.37	104.46	-39.37	122	179 Peak	Vertical	
3	5720.00	76.88	34.41	42.47	110.80	-33.92	122	179 Peak	Vertical	
4	5724.00	80.43	37.94	42.49	126.16	-45.73	122	179 Peak	Vertical	
5	5755.00	115.92	73.30	42.62	130.00	-14.08	122	179 Peak	Vertical	
6	5852.50	59.95	17.28	42.67	120.40	-60.45	122	179 Peak	Vertical	
7	5856.00	60.51	17.84	42.67	110.52	-50.01	122	179 Peak	Vertical	
8	5901.00	59.31	16.61	42.70	85.92	-26.61	122	179 Peak	Vertical	
9	5947.50	57.51	14.59	42.92	68.20	-10.69	122	179 Peak	Vertical	

802.11ax HE40

CH 159 (Horizontal) Peak



CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.50	58.40	15.98	42.42	68.20	-9.80	142	173	Peak	Horizontal
2	5654.50	58.77	16.35	42.42	70.96	-20.19	142	173	Peak	Horizontal
3	5719.00	59.58	17.11	42.47	110.52	-50.94	142	173	Peak	Horizontal
4	5721.00	58.76	16.29	42.47	114.64	-55.88	142	173	Peak	Horizontal
5	5795.00	117.64	74.92	42.72	130.00	-12.36	142	173	Peak	Horizontal
6	5852.00	58.38	15.71	42.67	122.32	-63.94	142	173	Peak	Horizontal
7	5872.00	58.19	15.51	42.68	106.04	-47.85	142	173	Peak	Horizontal
8	5924.50	57.02	14.21	42.81	68.57	-11.55	142	173	Peak	Horizontal
9	5926.50	57.22	14.40	42.82	68.20	-10.98	142	173	Peak	Horizontal

Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5908.00	56.59	14.26	42.33	68.20	-11.61	121	184	Peak	Vertical
2	5697.50	58.52	16.14	42.38	103.36	-44.84	121	184	Peak	Vertical
3	5719.50	59.13	16.66	42.47	110.66	-51.53	121	184	Peak	Vertical
4	5724.00	60.83	18.34	42.49	126.16	-65.33	121	184	Peak	Vertical
5	5795.00	116.19	73.47	42.72	130.00	-13.81	121	184	Peak	Vertical
6	5852.00	68.75	26.08	42.67	122.32	-53.57	121	184	Peak	Vertical
7	5855.00	66.10	23.43	42.67	110.00	-44.70	121	184	Peak	Vertical
8	5880.50	60.30	17.61	42.69	101.11	-40.81	121	184	Peak	Vertical
9	5950.00	59.26	16.33	42.93	68.20	-8.94	121	184	Peak	Vertical

802.11ax HE80

CH 155 (Horizontal) Peak



CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	60.25	17.82	42.43	68.20	-7.95	142	178 Peak	Horizontal	
2	5688.00	63.55	21.16	42.39	96.35	-32.80	142	178 Peak	Horizontal	
3	5719.50	66.54	24.07	42.47	110.66	-44.12	142	178 Peak	Horizontal	
4	5723.50	69.54	27.06	42.48	124.24	-54.70	142	178 Peak	Horizontal	
5	5774.00	115.04	72.37	42.67	130.00	-14.96	142	178 Peak	Horizontal	
6	5834.50	65.64	23.17	42.67	112.72	-46.88	142	178 Peak	Horizontal	
7	5851.50	66.66	23.99	42.67	109.98	-42.32	142	178 Peak	Horizontal	
8	5875.00	60.53	17.85	42.68	105.20	-44.67	142	178 Peak	Horizontal	
9	5926.00	57.20	14.39	42.81	68.20	-11.00	142	178 Peak	Horizontal	

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.50	62.02	19.62	42.40	68.20	-6.18	130	177 Peak	Vertical	
2	5679.50	73.00	30.60	42.40	90.07	-17.07	130	177 Peak	Vertical	
3	5718.50	78.87	36.41	42.46	110.38	-31.51	130	177 Peak	Vertical	
4	5722.00	79.21	36.73	42.48	118.48	-39.27	130	177 Peak	Vertical	
5	5777.50	115.87	73.20	42.67	130.00	-14.13	130	177 Peak	Vertical	
6	5850.50	74.89	32.22	42.67	120.00	-53.19	130	177 Peak	Vertical	
7	5859.00	74.57	31.90	42.67	109.68	-35.11	130	177 Peak	Vertical	
8	5876.00	70.34	27.66	42.68	104.46	-34.12	130	177 Peak	Vertical	
9	5929.00	60.33	17.49	42.84	68.20	-7.87	130	177 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-1


Co-Location

(Open) (9kHz ~ 150kHz)

(Open) (150kHz ~ 30MHz)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	0.01	48.74	31.02	17.72	127.00	-78.86	100	214 Peak	Open	
2	0.03	56.54	37.59	18.95	119.13	-62.59	100	238 Peak	Open	
3	0.03	40.87	21.67	19.20	117.69	-76.82	100	300 Peak	Open	
4	0.05	38.14	19.00	19.14	114.19	-76.05	100	281 Peak	Open	
5	0.06	41.11	22.26	18.85	111.82	-70.71	100	14 Peak	Open	
6	0.08	31.91	13.47	18.44	109.73	-77.82	100	135 Peak	Open	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	0.15	42.86	24.73	18.13	104.00	-61.22	100	286 Peak	Open	
2	0.39	59.34	40.55	18.79	95.81	-36.47	100	360 Peak	Open	
3	0.81	51.30	32.31	18.99	69.36	-18.06	100	3 Peak	Open	
4	1.22	43.97	24.83	19.14	65.65	-21.68	100	24 Peak	Open	
5	2.90	35.40	15.80	19.60	69.50	-34.10	100	4 Peak	Open	
6	28.81	38.21	15.89	22.32	69.50	-31.29	100	160 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-1

Co-Location

(Horizontal)



(Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	70.74	38.15	48.28	-10.13	46.00	-1.85	300	192	Peak	Horizontal	
2	97.90	38.89	51.31	-12.42	43.50	-4.61	200	183	Peak	Horizontal	
3	196.84	41.11	50.77	-9.66	43.50	-2.39	100	271	Peak	Horizontal	
4	215.27	40.34	50.10	-9.76	43.50	-3.16	100	280	QP	Horizontal	
5	256.98	44.88	52.67	-7.87	46.00	-1.20	100	206	Peak	Horizontal	
6	288.02	45.48	52.32	-6.84	46.00	-0.52	100	266	Peak	Horizontal	

Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	37.92	44.91	-6.99	46.00	-2.08	100	222	QP	Vertical	
2	70.74	38.38	48.51	-10.13	46.00	-1.62	100	89	QP	Vertical	
3	94.99	41.07	53.99	-12.92	43.50	-2.43	100	184	Peak	Vertical	
4	210.42	39.38	49.33	-9.95	43.50	-4.12	200	142	Peak	Vertical	
5	263.77	44.88	52.54	-7.66	46.00	-1.12	100	188	Peak	Vertical	
6	288.02	44.96	51.80	-6.84	46.00	-1.04	137	274	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10360.00	48.82	53.53	-4.71	68.20	-19.38	200	198 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10360.00	49.51	54.22	-4.71	68.20	-18.69	300	244 Peak Vertical


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10400.00	46.38	51.00	-4.62	68.20	-21.82	156	360 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10400.00	47.02	51.64	-4.62	68.20	-21.18	300	231 Peak Vertical


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 10488.00	45.57	49.93	-4.36	68.20	-22.63	400	330 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1 10488.00	45.92	50.28	-4.36	68.20	-22.28	300	206 Peak	Vertical


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10360.00	49.27	53.98	-4.71	68.20	-18.93	286	256 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10360.00	49.63	54.34	-4.71	68.20	-18.57	288	235 Peak Vertical


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10400.00	44.98	49.60	-4.62	68.20	-23.22	126	218 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10400.00	45.03	49.65	-4.62	68.20	-23.17	125	270 Peak Vertical


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10488.00	46.87	51.23	-4.36	68.20	-21.33	300	298 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10488.00	45.34	49.78	-4.36	68.20	-22.86	133	268 Peak Vertical


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10380.00	47.72	52.38	-4.66	68.20	-20.48	300	250 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10380.00	44.79	49.45	-4.66	68.20	-23.41	400	297 Peak Vertical


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10466.00	45.80	50.22	-4.42	68.20	-22.40	300	314 Peak Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10466.00	45.37	49.79	-4.42	68.20	-22.83	300	170 Peak Vertical


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10428.00	44.48	49.03	-4.55	68.20	-23.72	100	256 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10428.00	45.62	50.17	-4.55	68.20	-22.58	136	269 Peak Vertical

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10520.00	44.37	48.66	-4.29	68.20	-23.83	400	45 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10520.00	45.66	49.95	-4.29	68.20	-22.54	300	191 Peak Vertical


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10690.00	35.00	39.24	-4.24	54.00	-19.00	400	344	Average	Horizontal	
2	10690.00	44.38	48.62	-4.24	74.00	-29.62	400	344	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10690.00	38.52	42.76	-4.24	54.00	-15.48	300	180	Average	Vertical	
2	10690.00	46.01	50.25	-4.24	74.00	-27.99	300	180	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	34.11	38.25	-4.14	54.00	-19.89	100	86	Average	Horizontal	
2	10640.00	43.93	48.07	-4.14	74.00	-30.87	100	86	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	38.41	42.55	-4.14	54.00	-15.59	299	360	Average	Vertical	
2	10640.00	45.64	49.78	-4.14	74.00	-28.36	299	360	Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10528.00	43.64	47.93	-4.29	68.20	-24.56	200	112 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10528.00	43.68	47.97	-4.29	68.20	-24.52	100	345 Peak Vertical


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	37.36	41.60	-4.24	54.00	-16.64	318	300	Average	Horizontal	
2	10600.00	43.99	48.23	-4.24	74.00	-30.01	318	300	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	39.44	43.68	-4.24	54.00	-14.55	173	282	Average	Vertical	
2	10600.00	44.76	49.02	-4.24	74.00	-29.22	173	282	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	35.79	39.93	-4.14	54.00	-18.21	316	300	Average	Horizontal	
2	10640.00	43.55	47.69	-4.14	74.00	-30.45	316	300	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	34.53	38.67	-4.14	54.00	-19.47	317	298	Average	Vertical	
2	10640.00	45.47	49.61	-4.14	74.00	-28.53	317	298	Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10540.00	44.99	49.27	-4.28	68.20	-23.21	400	16 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10540.00	44.80	49.08	-4.28	68.20	-23.40	200	301 Peak Vertical


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	34.75	38.94	-4.19	54.00	-19.25	100	74	Average	Horizontal	
2	10620.00	46.88	50.99	-4.19	74.00	-27.20	100	74	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	36.66	40.85	-4.19	54.00	-17.34	300	322	Average	Vertical	
2	10620.00	47.07	51.26	-4.19	74.00	-26.93	300	322	Peak	Vertical	


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10588.00	45.22	49.48	-4.26	68.20	-22.98	200	242 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10588.00	46.02	50.28	-4.26	68.20	-22.18	180	224 Peak Vertical


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10500.00	43.88	48.18	-4.30	68.20	-24.32	400	236 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10500.00	46.83	51.13	-4.30	68.20	-21.37	134	270 Peak Vertical

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	37.87	41.30	-3.43	54.00	-16.13	400	16	Average	Horizontal	
2	11000.00	46.01	49.44	-3.43	74.00	-27.99	400	16	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	44.41	47.84	-3.43	54.00	-9.59	300	275	Average	Vertical	
2	11000.00	48.47	51.90	-3.43	74.00	-25.53	300	275	Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	36.51	39.73	-3.22	54.00	-17.49	300	172	Average	Horizontal	
2	11160.00	44.45	47.67	-3.22	74.00	-29.55	300	172	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	46.64	43.86	-3.22	54.00	-13.36	400	317	Average	Vertical	
2	11160.00	46.36	49.58	-3.22	74.00	-27.64	400	317	Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	41.71	44.65	-2.94	54.00	-12.29	100	261	Average	Horizontal	
2	11480.00	49.15	52.09	-2.94	74.00	-24.85	100	261	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	46.39	49.33	-2.94	54.00	-7.61	100	259	Average	Vertical	
2	11480.00	53.00	55.94	-2.94	74.00	-21.00	100	259	Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
		Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	48.73	44.16	-3.43	54.00	-13.27	400	146 Average	Horizontal	
2	11000.00	45.41	48.84	-3.43	74.00	-28.59	400	146 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
		Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	44.66	48.09	-3.43	54.00	-9.34	100	267 Average	Vertical	
2	11000.00	47.32	50.75	-3.43	74.00	-26.68	100	267 Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	38.83	42.05	-3.22	54.00	-15.17	190	277	Average	Horizontal	
2	11160.00	44.45	47.67	-3.22	74.00	-29.55	190	277	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	42.69	45.91	-3.22	54.00	-11.31	180	272	Average	Vertical	
2	11160.00	46.37	49.59	-3.22	74.00	-27.63	180	272	Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	42.38	45.32	-2.94	54.00	-11.62	142	274	Average	Horizontal	
2	11400.00	49.64	52.58	-2.94	74.00	-24.36	142	274	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	46.35	49.29	-2.94	54.00	-7.65	180	257	Average	Vertical	
2	11400.00	50.48	53.42	-2.94	74.00	-23.52	180	257	Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
		Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	42.86	46.26	-3.40	54.00	-11.14	100	175 Average	Horizontal	
2	11020.00	50.44	53.84	-3.40	74.00	-23.56	100	175 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
		Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	42.88	46.28	-3.40	54.00	-11.12	300	219 Average	Vertical	
2	11020.00	49.47	52.87	-3.40	74.00	-24.53	300	219 Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	35.13	38.39	-3.26	54.00	-18.87	100	152	Average	Horizontal	
2	11100.00	47.04	50.30	-3.26	74.00	-26.96	100	152	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	43.56	46.82	-3.26	54.00	-10.44	300	220	Average	Vertical	
2	11100.00	50.46	53.72	-3.26	74.00	-23.54	300	220	Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	39.97	42.96	-2.99	54.00	-14.03	300	266	Average	Horizontal	
2	11340.00	58.65	53.64	-2.99	74.00	-23.35	300	266	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	48.73	43.72	-2.99	54.00	-13.27	300	228	Average	Vertical	
2	11340.00	48.86	51.85	-2.99	74.00	-25.14	300	228	Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11868.00	39.40	42.73	-3.33	54.00	-14.60	367	247	Average	Horizontal	
2	11868.00	45.40	48.73	-3.33	74.00	-28.60	367	247	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11868.00	43.78	47.11	-3.33	54.00	-10.22	168	272	Average	Vertical	
2	11868.00	46.26	49.59	-3.33	74.00	-27.74	168	272	Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	39.78	42.93	-3.15	54.00	-14.22	376	259	Average	Horizontal	
2	11220.00	45.64	48.79	-3.15	74.00	-28.36	376	259	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	44.56	47.71	-3.15	54.00	-9.44	320	274	Average	Vertical	
2	11220.00	47.71	50.86	-3.15	74.00	-26.29	320	274	Peak	Vertical	


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	38.85	42.08	-3.23	54.00	-15.15	244	237	Average	Horizontal	
2	11140.00	44.69	47.92	-3.23	74.00	-29.31	244	237	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	43.85	47.08	-3.23	54.00	-10.15	222	270	Average	Vertical	
2	11140.00	45.79	49.02	-3.23	74.00	-28.21	222	270	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dBuV/m	dB	cm	deg			
52.38	54.00	-4.41	129	268	Average	Horizontal	
59.34	74.00	-17.45	129	269	Peak	Horizontal	
47.99	68.20	-15.88	300	230	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
Factor							
dB/m	dBuV/m	dB	cm	deg			
52.46	54.00	-1.54	123	274	Average	Vertical	
59.45	74.00	-14.55	123	274	Peak	Vertical	
52.55	68.20	-11.32	400	200	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	2	3	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11570.00	48.46	51.13	-2.67	54.00	-5.54	138	261	Average	Horizontal	
2	11570.00	56.61	59.28	-2.67	74.00	-17.39	138	261	Peak	Horizontal	
3	17355.00	54.38	49.81	4.57	68.20	-13.82	205	186	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	2	3	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11570.00	51.65	54.32	-2.67	54.00	-2.35	269	271	Average	Vertical	
2	11570.00	59.14	61.81	-2.67	74.00	-14.86	269	271	Peak	Vertical	
3	17355.00	55.18	50.61	4.57	68.20	-13.02	200	273	Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	47.48	49.92	-2.44	54.00	-6.52	142	268	Average	Horizontal
2	11650.00	56.66	59.10	-2.44	74.00	-17.34	142	260	Peak	Horizontal
3	17475.00	53.65	48.91	4.74	68.20	-14.55	400	224	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	50.76	53.20	-2.44	54.00	-3.24	115	279	Average	Vertical
2	11650.00	59.44	61.88	-2.44	74.00	-14.56	115	279	Peak	Vertical
3	17475.00	57.13	52.39	4.74	68.20	-11.07	206	199	Peak	Vertical


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	47.34	50.13	-2.79	54.00	-6.66	141	259	Average	Horizontal	
2	11490.00	55.44	58.23	-2.79	74.00	-18.56	141	259	Peak	Horizontal	
3	17235.00	51.54	47.21	4.33	68.20	-16.66	300	234	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	51.02	53.81	-2.79	54.00	-2.98	125	275	Average	Vertical	
2	11490.00	60.90	63.69	-2.79	74.00	-13.10	125	275	Peak	Vertical	
3	17235.00	55.58	51.25	4.33	68.20	-12.62	200	231	Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
11570.00	11570.00	17355.00
47.13	55.90	52.39
49.80	58.57	47.82
-2.67	-2.67	4.57
54.00	74.00	68.20
-6.87	-18.10	-15.81
130	130	100
260	260	259
Average	Peak	Peak
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
11570.00	11570.00	17355.00
50.06	60.18	56.85
53.63	62.85	52.28
-2.67	-2.67	4.57
54.00	74.00	68.20
-3.04	-13.82	-11.35
158	158	300
298	298	203
Average	Peak	Peak
Vertical	Vertical	Vertical


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11650.00	46.67	49.11	-2.44	54.00	-7.33	318	265	Average	Horizontal	
2	11650.00	55.26	57.70	-2.44	74.00	-18.74	318	265	Peak	Horizontal	
3	17475.00	50.65	45.91	4.74	68.20	-17.55	100	276	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11650.00	50.24	52.68	-2.44	54.00	-3.76	285	268	Average	Vertical	
2	11650.00	58.98	61.42	-2.44	74.00	-15.02	285	268	Peak	Vertical	
3	17475.00	54.16	49.42	4.74	68.20	-14.04	200	227	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Level	Line	Limit	cm	deg				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	46.79	49.55	-2.76	54.00	-7.21	130	259 Average	Horizontal
2	11510.00	50.82	53.58	-2.76	74.00	-23.18	130	259 Peak	Horizontal
3	17265.00	50.37	46.06	4.31	68.20	-17.83	300	270 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Level	Line	Limit	cm	deg				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	49.86	52.62	-2.76	54.00	-4.14	112	275 Average	Vertical
2	11510.00	56.58	59.34	-2.76	74.00	-17.42	112	275 Peak	Vertical
3	17265.00	52.08	47.77	4.31	68.20	-16.12	200	230 Peak	Vertical


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	11590.00	41.92	44.55	-2.63	54.00	-12.08	400	289 Average Horizontal
2	11590.00	56.37	59.00	-2.63	74.00	-17.63	400	289 Peak Horizontal
3	17385.00	52.07	47.35	4.72	68.20	-16.13	100	259 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB			
1	11590.00	48.11	50.74	-2.63	54.00	-5.89	137	298 Average Vertical
2	11590.00	62.04	64.67	-2.63	74.00	-11.96	137	298 Peak Vertical
3	17385.00	54.98	50.26	4.72	68.20	-13.22	400	205 Peak Vertical


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11550.00	45.56	48.26	-2.70	54.00	-8.44	143	264 Average	Horizontal	
2	11550.00	49.72	52.42	-2.70	74.00	-24.28	143	264 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11550.00	48.27	50.97	-2.70	54.00	-5.73	180	273 Average	Vertical	
2	11550.00	53.72	56.42	-2.70	74.00	-20.28	180	273 Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)

