


802.11ax HE160

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenjiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5438.500	64.51	22.31	42.20	74.00	-9.49	189	4	Peak	Horizontal	
2	5465.000	62.26	20.07	42.19	65.20	-5.94	189	4	Peak	Horizontal	
3	5578.000	113.92	71.67	42.25	68.20	45.72	189	4	Peak	Horizontal	
4	5727.500	63.59	21.09	42.50	68.20	-4.61	189	4	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenjiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.000	62.48	20.34	42.14	74.00	-11.52	196	5	Peak	Vertical	
2	5464.000	62.20	20.01	42.19	65.20	-6.00	196	5	Peak	Vertical	
3	5578.000	112.98	70.73	42.25	68.20	44.78	196	5	Peak	Vertical	
4	5738.500	60.65	18.10	42.55	68.20	-7.55	196	5	Peak	Vertical	


802.11ax HE160

CH 114 (Horizontal) Average

CH 114 (Vertical) Average




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1   5444.500	53.23	11.07	42.16	54.00	-0.77	189		4 Average	Horizontal	
2 * 5570.000	102.50	60.25	42.25	54.00	48.50	189		4 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1   5437.000	51.39	9.18	42.21	54.00	-2.61	196		5 Average	Vertical	
2 * 5536.500	102.05	59.75	42.30	54.00	48.05	196		5 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz  
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5633.000	64.24	21.88	42.36	68.20	-3.96	183	4	Peak	Horizontal	
2	5697.500	65.10	22.72	42.38	103.36	-38.26	183	4	Peak	Horizontal	
3	5716.500	69.34	26.89	42.45	109.82	-40.48	183	4	Peak	Horizontal	
4	5725.000	80.87	38.38	42.49	130.00	-49.13	183	4	Peak	Horizontal	
5	5745.000	128.43	85.85	42.58	130.00	-1.57	183	4	Peak	Horizontal	
6	5855.000	61.50	18.91	42.67	110.00	-49.22	183	4	Peak	Horizontal	
7	5871.500	63.43	20.75	42.68	106.18	-42.75	183	4	Peak	Horizontal	
8	5893.500	64.18	21.49	42.69	91.47	-27.29	183	4	Peak	Horizontal	
9	5925.000	62.34	19.53	42.81	68.20	-5.86	183	4	Peak	Horizontal	
10	6167.500	65.01	21.42	43.59	68.20	-3.19	183	4	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5589.000	63.35	21.12	42.23	68.20	-4.85	194	5	Peak	Vertical	
2	5697.500	64.52	22.14	42.38	103.36	-38.84	194	5	Peak	Vertical	
3	5718.000	75.38	32.92	42.46	110.24	-34.86	194	5	Peak	Vertical	
4	5725.000	81.12	38.63	42.49	130.00	-48.88	194	5	Peak	Vertical	
5	5745.000	127.77	85.19	42.58	130.00	-2.23	194	5	Peak	Vertical	
6	5850.000	61.25	18.58	42.67	130.00	-68.75	194	5	Peak	Vertical	
7	5874.500	62.64	19.96	42.68	105.34	-42.70	194	5	Peak	Vertical	
8	5898.000	62.00	20.10	42.70	88.14	-25.34	194	5	Peak	Vertical	
9	5937.500	60.00	17.93	42.87	68.20	-7.40	194	5	Peak	Vertical	
10	6160.500	66.86	23.29	43.57	68.20	-1.34	194	5	Peak	Vertical	


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.500	65.78	23.37	42.41	68.20	-2.42	184	5 Peak	Horizontal	
2	5662.500	64.32	21.90	42.42	77.48	13.16	184	5 Peak	Horizontal	
3	5708.500	64.13	21.72	42.41	107.58	-43.45	184	5 Peak	Horizontal	
4	5724.500	62.77	20.28	42.49	128.08	-65.31	184	5 Peak	Horizontal	
5	5785.000	128.65	85.95	42.70	130.00	-1.35	184	5 Peak	Horizontal	
6	5853.500	62.24	19.57	42.67	116.56	-34.32	184	5 Peak	Horizontal	
7	5859.000	62.40	19.73	42.67	109.68	-47.28	184	5 Peak	Horizontal	
8	5919.000	63.87	21.08	42.79	72.62	-8.75	184	5 Peak	Horizontal	
9	5931.000	64.22	21.38	42.84	68.20	-3.98	184	5 Peak	Horizontal	
10	6317.000	63.45	20.08	43.37	68.20	-4.75	184	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.000	64.79	22.36	42.43	68.20	-3.41	188	5 Peak	Vertical	
2	5657.500	64.29	21.85	42.44	73.77	-9.48	188	5 Peak	Vertical	
3	5703.000	62.61	20.22	42.39	106.04	-43.43	188	5 Peak	Vertical	
4	5724.000	63.81	21.32	42.49	126.16	-62.35	188	5 Peak	Vertical	
5	5785.000	127.19	84.49	42.70	130.00	-2.81	188	5 Peak	Vertical	
6	5851.000	61.27	18.60	42.67	126.16	-64.89	188	5 Peak	Vertical	
7	5872.000	62.60	19.92	42.68	106.04	-43.44	188	5 Peak	Vertical	
8	5922.500	61.79	18.99	42.80	70.04	-8.25	188	5 Peak	Vertical	
9	5931.500	62.85	20.00	42.85	68.20	-5.35	188	5 Peak	Vertical	
10	6322.500	64.33	20.94	43.39	68.20	-3.87	188	5 Peak	Vertical	


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5638.000	61.18	18.79	42.39	68.20	-7.02	182	6 Peak	Horizontal	
2	5681.000	62.84	20.44	42.40	91.18	-28.34	182	6 Peak	Horizontal	
3	5702.000	61.81	19.42	42.39	105.76	-43.95	182	6 Peak	Horizontal	
4	5721.500	59.65	17.17	42.48	116.56	-56.91	182	6 Peak	Horizontal	
5	5825.000	125.63	82.93	42.70	130.00	-4.37	182	6 Peak	Horizontal	
6	5851.000	63.99	21.32	42.67	126.16	-62.17	182	6 Peak	Horizontal	
7	5857.000	63.97	21.30	42.67	119.24	-46.27	182	6 Peak	Horizontal	
8	5917.000	60.97	18.19	42.78	74.10	-13.13	182	6 Peak	Horizontal	
9	5960.000	61.64	18.68	42.96	68.20	-6.56	182	6 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.500	61.65	19.22	42.43	68.20	-6.55	194	5 Peak	Vertical	
2	5693.000	62.17	19.79	42.38	100.04	-37.87	194	5 Peak	Vertical	
3	5702.000	62.00	19.61	42.39	105.76	-43.76	194	5 Peak	Vertical	
4	5722.500	60.86	18.38	42.48	120.40	-59.54	194	5 Peak	Vertical	
5	5825.000	124.93	82.23	42.70	130.00	-5.07	194	5 Peak	Vertical	
6	5850.000	67.98	25.31	42.67	130.00	-62.02	194	5 Peak	Vertical	
7	5856.000	63.85	21.18	42.67	109.96	-46.11	194	5 Peak	Vertical	
8	5877.000	61.32	18.64	42.68	103.71	-42.39	194	5 Peak	Vertical	
9	5938.000	61.52	18.65	42.87	68.20	-6.68	194	5 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5637.000	63.20	20.82	42.38	68.20	-5.00	187	5 Peak	Horizontal	
2	5699.500	63.40	21.03	42.37	104.83	-41.43	191	5 Peak	Horizontal	
3	5719.500	77.48	35.01	42.47	110.66	-33.18	187	5 Peak	Horizontal	
4	5725.000	79.49	37.00	42.49	130.00	-50.51	187	5 Peak	Horizontal	
5	5745.000	128.53	85.95	42.58	130.00	-1.47	187	5 Peak	Horizontal	
6	5850.000	60.09	18.22	42.67	130.00	-69.11	187	5 Peak	Horizontal	
7	5870.500	61.76	19.08	42.68	186.46	-44.70	187	5 Peak	Horizontal	
8	5890.500	62.83	20.13	42.70	87.77	-24.94	187	5 Peak	Horizontal	
9	5930.500	62.30	19.46	42.84	68.20	-5.90	187	5 Peak	Horizontal	
10	6147.000	63.34	19.79	43.55	68.20	-4.86	187	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5629.500	62.56	20.21	42.35	68.20	-5.64	191	5 Peak	Vertical	
2	5699.500	63.40	21.03	42.37	104.83	-41.43	191	5 Peak	Vertical	
3	5718.000	76.32	33.86	42.46	110.24	-33.92	191	5 Peak	Vertical	
4	5725.000	80.24	37.75	42.49	130.00	-49.76	191	5 Peak	Vertical	
5	5745.000	127.79	85.21	42.58	130.00	-2.21	191	5 Peak	Vertical	
6	5852.000	60.91	18.24	42.67	122.32	-61.41	191	5 Peak	Vertical	
7	5856.000	62.14	19.47	42.67	110.52	-48.38	191	5 Peak	Vertical	
8	5916.500	61.64	18.86	42.78	74.47	-12.83	191	5 Peak	Vertical	
9	5927.000	60.79	17.97	42.82	68.20	-7.41	191	5 Peak	Vertical	
10	6152.000	63.48	19.93	43.55	68.20	-4.72	191	5 Peak	Vertical	

802.11ax HE20

CH 157 (Horizontal) Peak



CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5632.000	65.05	22.69	42.36	68.20	-3.15	181	5 Peak	Horizontal	
2	5673.500	63.96	21.55	42.41	85.63	-21.67	181	5 Peak	Horizontal	
3	5701.500	63.68	21.30	42.38	105.62	-41.94	181	5 Peak	Horizontal	
4	5724.500	63.22	20.73	42.49	128.08	-64.86	181	5 Peak	Horizontal	
5	5785.000	128.71	86.01	42.70	130.00	-1.29	181	5 Peak	Horizontal	
6	5854.500	62.04	19.37	42.67	112.72	-50.68	181	5 Peak	Horizontal	
7	5874.500	61.86	19.18	42.68	105.34	-43.48	181	5 Peak	Horizontal	
8	5900.000	64.28	21.58	42.70	86.66	-22.38	181	5 Peak	Horizontal	
9	5952.000	63.73	20.80	42.93	68.20	-4.47	181	5 Peak	Horizontal	
10	6312.000	63.59	20.23	43.36	68.20	-4.61	181	5 Peak	Horizontal	

Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5637.500	62.98	20.59	42.39	68.20	-5.22	191	5 Peak	Vertical	
2	5656.500	63.06	20.62	42.44	73.03	-9.97	191	5 Peak	Vertical	
3	5713.500	62.64	20.21	42.43	108.98	-46.34	191	5 Peak	Vertical	
4	5725.000	61.83	19.34	42.49	130.00	-68.17	191	5 Peak	Vertical	
5	5785.000	126.87	84.17	42.70	130.00	-3.13	191	5 Peak	Vertical	
6	5855.000	60.79	18.12	42.67	110.00	-50.01	191	5 Peak	Vertical	
7	5859.500	60.92	18.25	42.67	109.54	-48.62	191	5 Peak	Vertical	
8	5879.000	61.04	18.36	42.68	102.23	-41.19	191	5 Peak	Vertical	
9	5945.000	62.27	19.36	42.91	68.20	-5.93	191	5 Peak	Vertical	
10	6322.500	61.70	18.31	43.39	68.20	-6.50	191	5 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5640.500	62.51	20.11	42.40	68.20	-5.69	181	5	Peak	Horizontal	
2	5694.500	62.64	20.26	42.38	101.15	-38.51	181	5	Peak	Horizontal	
3	5707.500	62.75	20.34	42.41	107.30	-44.55	181	5	Peak	Horizontal	
4	5723.000	62.36	19.88	42.48	122.32	-59.96	181	5	Peak	Horizontal	
5	5825.000	128.17	85.47	42.70	130.00	-1.83	181	5	Peak	Horizontal	
6	5850.000	73.23	30.56	42.67	130.00	-56.77	181	5	Peak	Horizontal	
7	5855.500	64.65	21.98	42.67	109.62	-45.17	181	5	Peak	Horizontal	
8	5880.500	62.90	20.21	42.69	101.11	-38.21	181	5	Peak	Horizontal	
9	5956.500	62.61	19.67	42.94	68.20	-5.59	181	5	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5647.500	61.32	18.89	42.43	68.20	-6.88	184	5	Peak	Vertical	
2	5652.000	62.12	19.68	42.44	69.69	-7.57	184	5	Peak	Vertical	
3	5705.500	61.52	19.12	42.40	106.74	-45.22	184	5	Peak	Vertical	
4	5724.000	60.61	18.12	42.49	126.16	-65.55	184	5	Peak	Vertical	
5	5825.000	126.42	83.72	42.70	130.00	-3.58	184	5	Peak	Vertical	
6	5851.000	73.14	30.47	42.67	126.16	-53.02	184	5	Peak	Vertical	
7	5855.000	64.06	21.39	42.67	119.00	-46.74	184	5	Peak	Vertical	
8	5875.500	60.61	17.93	42.68	104.83	-44.22	184	5	Peak	Vertical	
9	5975.500	60.07	17.08	42.99	68.20	-8.13	184	5	Peak	Vertical	




802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
		Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5625.000	66.03	23.70	42.33	68.20	-2.17	184	5 Peak	Horizontal	
2	5697.000	89.94	38.56	42.38	102.99	-22.05	184	5 Peak	Horizontal	
3	5718.000	92.16	49.70	42.46	110.24	-18.08	184	5 Peak	Horizontal	
4	5722.500	94.40	51.92	42.48	120.40	-26.00	184	5 Peak	Horizontal	
5	5755.000	126.64	84.02	42.62	130.00	-3.36	184	5 Peak	Horizontal	
6	5850.500	64.41	21.74	42.67	120.00	-63.07	184	5 Peak	Horizontal	
7	5870.000	63.13	20.45	42.68	106.68	-43.47	184	5 Peak	Horizontal	
8	5902.000	65.36	22.65	42.71	85.18	-19.82	184	5 Peak	Horizontal	
9	5927.000	65.18	22.36	42.82	68.20	-3.02	184	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
		Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5615.000	64.69	22.41	42.28	68.20	-3.51	182	5 Peak	Vertical	
2	5694.500	78.19	35.81	42.38	101.15	-22.96	182	5 Peak	Vertical	
3	5719.000	88.74	46.27	42.47	110.52	-21.78	182	5 Peak	Vertical	
4	5721.000	90.32	47.85	42.47	114.64	-24.32	182	5 Peak	Vertical	
5	5755.000	127.48	84.86	42.62	130.00	-2.52	182	5 Peak	Vertical	
6	5853.500	61.93	19.26	42.67	110.50	-54.63	182	5 Peak	Vertical	
7	5871.500	65.03	22.35	42.68	106.18	-41.15	182	5 Peak	Vertical	
8	5875.000	63.12	20.44	42.68	105.20	-42.08	182	5 Peak	Vertical	
9	5925.500	62.36	19.55	42.81	68.20	-5.84	182	5 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.000	66.29	23.87	42.42	68.20	-1.91	180	5 Peak	Horizontal
2	5650.500	65.70	23.26	42.44	68.57	-2.87	180	5 Peak	Horizontal
3	5719.000	66.95	24.48	42.47	110.52	-43.57	180	5 Peak	Horizontal
4	5725.000	67.83	25.34	42.49	130.00	-62.17	180	5 Peak	Horizontal
5	5795.000	126.39	83.67	42.72	130.00	-3.61	180	5 Peak	Horizontal
6	5850.500	74.50	31.83	42.67	128.08	-55.58	180	5 Peak	Horizontal
7	5855.000	71.12	28.45	42.67	118.68	-39.68	180	5 Peak	Horizontal
8	5920.500	65.05	22.26	42.79	71.52	-6.47	180	5 Peak	Horizontal
9	5928.500	65.24	22.41	42.83	68.20	-2.96	180	5 Peak	Horizontal




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5644.500	66.54	24.12	42.42	68.20	-1.66	188	4 Peak	Vertical
2	5650.000	65.38	22.94	42.44	68.20	-2.82	188	4 Peak	Vertical
3	5720.000	64.26	21.79	42.47	110.00	-46.54	188	4 Peak	Vertical
4	5725.000	66.17	23.68	42.49	130.00	-63.83	188	4 Peak	Vertical
5	5795.000	126.62	83.90	42.72	130.00	-3.38	188	4 Peak	Vertical
6	5851.000	70.32	27.65	42.67	126.16	-55.84	188	4 Peak	Vertical
7	5855.000	67.17	24.50	42.67	118.00	-43.63	188	4 Peak	Vertical
8	5875.000	63.45	20.77	42.68	105.20	-41.75	188	4 Peak	Vertical
9	5937.500	62.96	20.09	42.87	68.20	-5.24	188	4 Peak	Vertical

**802.11ax HE80**
**CH 155 (Horizontal) Peak**
**CH 155 (Vertical) Peak**

 TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322


Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.000	66.67	24.23	42.44	68.20	-1.53	184	3	Peak	Horizontal
2	5700.000	77.06	34.69	42.37	105.20	-28.14	184	3	Peak	Horizontal
3	5719.000	80.30	37.83	42.47	110.52	-30.22	184	3	Peak	Horizontal
4	5725.000	82.70	40.21	42.49	130.00	-47.30	184	3	Peak	Horizontal
5	5775.000	124.42	81.75	42.67	130.00	-5.58	184	3	Peak	Horizontal
6	5850.500	74.72	32.05	42.67	128.00	-50.30	184	3	Peak	Horizontal
7	5857.500	74.56	31.89	42.67	110.10	-35.54	184	3	Peak	Horizontal
8	5876.000	68.01	25.33	42.68	104.46	-36.45	184	3	Peak	Horizontal
9	5931.000	64.48	21.64	42.84	68.20	-3.72	184	3	Peak	Horizontal


 TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322


Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.000	67.16	24.72	42.44	68.20	-1.04	193	5	Peak	Vertical
2	5700.000	77.57	35.20	42.37	105.20	-27.63	193	5	Peak	Vertical
3	5713.500	84.21	41.78	42.43	108.98	-24.77	193	5	Peak	Vertical
4	5724.000	83.36	40.87	42.49	126.16	-42.80	193	5	Peak	Vertical
5	5775.000	124.28	81.61	42.67	130.00	-5.72	193	5	Peak	Vertical
6	5851.500	79.33	36.66	42.67	124.24	-44.91	193	5	Peak	Vertical
7	5857.500	79.70	37.03	42.67	110.10	-30.40	193	5	Peak	Vertical
8	5875.000	71.40	28.72	42.68	105.20	-33.80	193	5	Peak	Vertical
9	5925.000	63.21	20.40	42.81	68.20	-4.99	193	5	Peak	Vertical

Spurious Emissions, Tx Mode, 9kHz ~30MHz  
U-NII-1


Co-Location

(Open) (9kHz ~ 150kHz)

(Open) (150kHz ~ 30MHz)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	48.74	31.02	17.72	127.00	-78.86	100	214	Peak	Open
2	0.03	56.54	37.59	18.95	119.13	-62.59	100	238	Peak	Open
3	0.03	40.87	21.67	19.20	117.69	-76.82	100	300	Peak	Open
4	0.05	38.14	19.00	19.14	114.19	-76.05	100	281	Peak	Open
5	0.06	41.11	22.26	18.85	111.82	-70.71	100	14	Peak	Open
6	0.08	31.91	13.47	18.44	109.73	-77.82	100	135	Peak	Open



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	42.86	24.73	18.13	104.00	-61.22	100	286	Peak	Open
2	0.39	59.34	40.55	18.79	95.81	-36.47	100	360	Peak	Open
3	0.81	51.30	32.31	18.99	69.36	-18.06	100	3	Peak	Open
4	1.22	43.97	24.83	19.14	65.65	-21.68	100	24	Peak	Open
5	2.90	35.40	15.80	19.60	69.50	-34.10	100	4	Peak	Open
6	28.81	38.21	15.89	22.32	69.50	-31.29	100	160	Peak	Open

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz  
U-NII-1

Co-Location

(Horizontal)



(Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	70.74	38.15	48.28	-10.13	40.00	-1.85	300	192	Peak	Horizontal	
2	97.90	38.89	51.31	-12.42	43.50	-4.61	200	183	Peak	Horizontal	
3	196.84	41.11	50.77	-9.66	43.50	-2.39	100	271	Peak	Horizontal	
4	215.27	40.34	50.10	-9.76	43.50	-3.16	100	280	QP	Horizontal	
5	256.98	44.88	52.67	-7.87	46.00	-1.20	100	206	Peak	Horizontal	
6	288.02	45.48	52.32	-6.84	46.00	-0.52	100	266	Peak	Horizontal	

Peak	Freq	Level	Read	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	37.92	44.91	-6.99	40.00	-2.08	100	222	QP	Vertical	
2	70.74	38.38	48.51	-10.13	40.00	-1.62	100	89	QP	Vertical	
3	94.99	41.07	53.99	-12.92	43.50	-2.43	100	184	Peak	Vertical	
4	210.42	39.38	49.33	-9.95	43.50	-4.12	200	142	Peak	Vertical	
5	263.77	44.88	52.54	-7.66	46.00	-1.12	100	180	Peak	Vertical	
6	288.02	44.96	51.80	-6.84	46.00	-1.04	137	274	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz  
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.000	46.74	51.45	-4.71	68.20	-21.46	400	52 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.000	51.61	56.32	-4.71	68.20	-16.59	100	152 Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10400.000	58.35	54.97	-4.62	68.20	-17.85	300	286	Peak	Horizontal
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	------------



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10400.000	57.55	62.17	-4.62	68.20	-10.65	280	288	Peak	Vertical
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10488.000	51.16	55.52	-4.36	68.20	-17.04	100	59	Peak	Horizontal
---	-----------	-------	-------	-------	-------	--------	-----	----	------	------------



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10488.000	55.06	59.42	-4.36	68.20	-13.14	100	278	Peak	Vertical
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	----------




802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.000	45.81	50.52	-4.71	68.20	-22.39	300	174	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.000	49.20	53.91	-4.71	68.20	-19.00	100	95	Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10440.000	48.32	52.94	-4.62	68.20	-19.88	400	198	Peak	Horizontal
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	------------



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10440.000	51.47	56.09	-4.62	68.20	-16.73	200	291	Peak	Vertical
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10488.000	49.03	53.39	-4.36	68.20	-19.17	400	58	Peak	Horizontal
---	-----------	-------	-------	-------	-------	--------	-----	----	------	------------



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10488.000	52.95	57.31	-4.36	68.20	-15.25	400	298	Peak	Vertical
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.000	46.01	50.67	-4.66	68.20	-22.19	334	300 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.000	48.32	52.98	-4.66	68.20	-19.88	225	276 Peak	Vertical	


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10460.000	47.63	52.05	-4.42	68.20	-20.57	316	310	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10460.000	49.97	54.39	-4.42	68.20	-18.23	112	258	Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10428.000	47.32	51.87	-4.55	68.20	-20.88	200	148	Peak	Horizontal
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	------------




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10428.000	49.09	53.64	-4.55	68.20	-19.11	300	3	Peak	Vertical
---	-----------	-------	-------	-------	-------	--------	-----	---	------	----------

U-NII-2A




802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10600.000	37.69	41.93	-4.24	54.00	-16.31	300	267	Average	Horizontal	
2 10660.000	48.89	53.13	-4.24	74.00	-25.11	300	267	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10600.000	47.82	52.06	-4.24	54.00	-6.18	229	278	Average	Vertical	
2 10660.000	54.08	58.32	-4.24	74.00	-19.92	229	278	Peak	Vertical	




802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10640.000	46.44	50.58	-4.14	54.00	-7.56	400	59	Average	Horizontal	
2 10640.000	59.30	55.04	-4.14	74.00	-23.10	400	59	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10640.000	45.32	49.46	-4.14	54.00	-8.68	100	273	Average	Vertical	
2 10640.000	52.72	56.86	-4.14	74.00	-21.28	100	273	Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10528.000	46.85	51.14	-4.29	68.20	-21.35	300	278	Peak	Horizontal
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	------------



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10528.000	53.33	57.62	-4.29	68.20	-14.87	280	287	Peak	Vertical
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10600.000	48.92	45.16	-4.24	54.00	-13.08	112	304	Average	Horizontal	
2 10660.000	59.38	54.62	-4.24	74.00	-23.62	112	304	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10600.000	47.37	51.61	-4.24	54.00	-6.63	136	273	Average	Vertical	
2 10660.000	59.32	54.56	-4.24	74.00	-23.68	136	273	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10640.000	39.47	43.61	-4.14	54.00	-14.53	120	304	Average	Horizontal	
2 10640.000	47.84	51.98	-4.14	74.00	-26.16	120	304	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10640.000	46.17	50.31	-4.14	54.00	-7.83	138	274	Average	Vertical	
2 10640.000	49.13	53.27	-4.14	74.00	-24.87	138	274	Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10540.000	48.17	52.45	-4.28	68.20	-20.03	111	273	Peak	Horizontal	
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	------------	--



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10540.000	50.01	54.29	-4.28	68.20	-18.19	130	272	Peak	Vertical	
---	-----------	-------	-------	-------	-------	--------	-----	-----	------	----------	--


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10628.000	39.76	43.95	-4.19	54.00	-14.24	110	305	Average	Horizontal	
2 10628.000	46.33	50.52	-4.19	74.00	-27.67	110	305	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10628.000	47.27	51.46	-4.19	54.00	-6.73	143	274	Average	Vertical	
2 10628.000	48.45	52.64	-4.19	74.00	-25.55	143	274	Peak	Vertical	


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
52.25	-4.26	68.20	-20.21	400	61 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dBuV/m	dB	cm	deg			
53.27	-4.26	68.20	-19.19	200	283 Peak	Vertical	


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10950.000	43.34	47.64	-4.30	54.00	-10.66	310	305 Average	Horizontal	
2 10950.000	47.00	51.30	-4.30	68.20	-21.20	310	305 Peak	Horizontal	




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10950.000	48.21	52.51	-4.30	54.00	-5.79	160	272 Average	Vertical	
2 10950.000	49.54	53.84	-4.30	68.20	-18.66	160	272 Peak	Vertical	



U-NII-2C




802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11168.000	35.79	39.01	-3.22	54.00	-18.21	200	284	Average	Horizontal	
2 11168.000	49.32	52.54	-3.22	74.00	-24.66	200	284	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11161.000	39.20	42.42	-3.22	54.00	-14.80	200	289	Average	Vertical	
2 11161.000	49.49	52.71	-3.22	74.00	-24.51	200	289	Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11400.000	35.67	38.61	-2.94	54.00	-18.33	400	240	Average	Horizontal	
2 11400.000	49.11	52.05	-2.94	74.00	-24.89	400	240	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11400.000	39.60	42.54	-2.94	54.00	-14.40	200	243	Average	Vertical	
2 11400.000	54.09	57.03	-2.94	74.00	-19.91	200	243	Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11000.000	48.67	44.10	-3.43	54.00	-13.33	314	283	Average	Horizontal	
2 11000.000	45.69	49.12	-3.43	74.00	-28.31	314	283	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11000.000	42.03	45.46	-3.43	54.00	-11.97	390	273	Average	Vertical	
2 11000.000	48.88	52.31	-3.43	74.00	-25.12	390	273	Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11168.000	48.47	43.69	-3.22	54.00	-13.53	288	294	Average	Horizontal	
2 11168.000	44.72	47.94	-3.22	74.00	-29.28	288	294	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11168.000	41.31	44.53	-3.22	54.00	-12.69	130	258	Average	Vertical	
2 11168.000	45.26	48.48	-3.22	74.00	-28.74	130	258	Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11400.000	37.10	40.04	-2.94	54.00	-16.90	134	290	Average	Horizontal	
2 11400.000	45.21	48.15	-2.94	74.00	-28.79	134	290	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11400.000	39.88	42.82	-2.94	54.00	-14.12	284	283	Average	Vertical	
2 11400.000	46.10	49.04	-2.94	74.00	-27.90	284	283	Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11028.000	39.97	43.37	-3.40	54.00	-14.03	275	244	Average	Horizontal	
2 11028.000	44.75	48.15	-3.40	74.00	-29.25	275	244	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11028.000	42.18	45.58	-3.40	54.00	-11.82	373	277	Average	Vertical	
2 11028.000	47.10	50.50	-3.40	74.00	-26.90	373	277	Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11180.000	38.81	42.07	-3.26	54.00	-15.19	349	282	Average	Horizontal	
2 11180.000	46.24	49.50	-3.26	74.00	-27.76	349	282	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11180.000	41.54	44.80	-3.26	54.00	-12.46	164	258	Average	Vertical	
2 11180.000	47.32	50.58	-3.26	74.00	-26.68	164	258	Peak	Vertical	




802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11340.000	37.53	40.52	-2.99	54.00	-16.47	113	290	Average	Horizontal	
2 11340.000	44.64	47.63	-2.99	74.00	-29.36	113	290	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11340.000	39.87	42.86	-2.99	54.00	-14.13	169	283	Average	Vertical	
2 11340.000	49.23	52.22	-2.99	74.00	-24.77	169	283	Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11060.000	35.00	38.33	-3.33	54.00	-19.00	400	197	Average	Horizontal	
2 11060.000	47.06	50.39	-3.33	74.00	-26.94	400	197	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11060.000	40.54	43.87	-3.33	54.00	-13.46	300	289	Average	Vertical	
2 11060.000	49.04	52.37	-3.33	74.00	-24.96	300	289	Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11228.000	35.38	38.53	-3.15	54.00	-18.62	400		1 Average	Horizontal	
2 11228.000	-47.97	51.12	-3.15	74.00	-26.83	400		1 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11228.000	40.58	43.73	-3.15	54.00	-13.42	300		256 Average	Vertical	
2 11228.000	-49.39	52.54	-3.15	74.00	-24.61	300		256 Peak	Vertical	


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11148.000	41.41	44.64	-3.23	54.00	-12.59	287	272	Average	Horizontal	
2 11148.000	44.37	47.60	-3.23	74.00	-29.63	287	272	Peak	Horizontal	




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11148.000	42.83	46.06	-3.23	54.00	-11.17	133	258	Average	Vertical	
2 11148.000	44.95	48.18	-3.23	74.00	-29.05	133	258	Peak	Vertical	

U-NII-3




802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11578.000	37.94	40.61	-2.67	54.00	-16.06	400	342	Average	Horizontal	
2 11578.000	51.39	54.06	-2.67	74.00	-22.61	400	342	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11578.000	44.30	46.97	-2.67	54.00	-9.70	300	268	Average	Vertical	
2 11578.000	57.59	60.26	-2.67	74.00	-16.41	300	268	Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11658.000	37.33	39.77	-2.44	54.00	-16.67	100	278	Average	Horizontal	
2 11658.000	48.59	51.03	-2.44	74.00	-25.41	100	278	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11658.000	45.60	48.04	-2.44	54.00	-8.40	284	272	Average	Vertical	
2 11658.000	54.30	56.74	-2.44	74.00	-19.70	284	272	Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11498.000	38.50	41.29	-2.79	54.00	-15.50	292	288 Average	Horizontal	
2 11498.000	47.12	49.91	-2.79	74.00	-26.88	292	288 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11498.000	40.19	42.98	-2.79	54.00	-13.81	199	294 Average	Vertical	
2 11498.000	50.69	53.48	-2.79	74.00	-23.51	199	294 Peak	Vertical	




802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11580.000	36.32	38.97	-2.65	54.00	-17.68	100	248	Average	Horizontal	
2 11580.000	47.28	49.85	-2.65	74.00	-26.80	100	248	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11580.000	42.42	45.07	-2.65	54.00	-11.58	100	262	Average	Vertical	
2 11580.000	54.64	57.29	-2.65	74.00	-19.36	100	262	Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11658.000	36.01	38.45	-2.44	54.00	-17.99	300	80	Average	Horizontal	
2 11658.000	45.29	47.73	-2.44	74.00	-28.71	300	80	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11658.000	43.37	45.81	-2.44	54.00	-10.63	214	276	Average	Vertical	
2 11658.000	53.26	55.70	-2.44	74.00	-20.74	214	276	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11518.000	35.85	38.61	-2.76	54.00	-18.15	111	269	Average	Horizontal	
2 11518.000	49.18	51.94	-2.76	74.00	-24.82	111	269	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11518.000	43.32	46.08	-2.76	54.00	-10.68	255	242	Average	Vertical	
2 11518.000	52.14	54.90	-2.76	74.00	-21.06	255	242	Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11590.000	36.92	39.55	-2.63	54.00	-17.08	103	268	Average	Horizontal	
2 11590.000	48.17	50.80	-2.63	74.00	-25.83	103	268	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 11590.000	45.21	47.84	-2.63	54.00	-8.79	190	270	Average	Vertical	
2 11590.000	51.68	54.31	-2.63	74.00	-22.32	190	270	Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11558.000	36.30	39.00	-2.70	54.00	-17.70	400	358 Average	Horizontal	
2 11558.000	48.07	50.77	-2.70	74.00	-25.93	400	358 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11558.000	38.04	40.74	-2.70	54.00	-15.96	300	258 Average	Vertical	
2 11558.000	50.96	53.66	-2.70	74.00	-23.04	300	258 Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)

