


802.11ax HE160

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.50	63.56	20.30	43.26	74.00	-10.44	140	177	Peak	Horizontal	
2	5464.00	60.51	17.25	43.26	68.20	-7.69	140	177	Peak	Horizontal	
3 *	5570.00	104.34	60.93	43.41	68.20	36.14	140	177	Peak	Horizontal	
4	5725.00	60.97	17.28	43.69	68.20	-7.23	140	177	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5453.50	63.65	20.30	43.26	74.00	-10.35	155	137	Peak	Vertical	
2	5464.00	61.33	18.07	43.26	68.20	-6.87	155	137	Peak	Vertical	
3 *	5570.00	103.63	60.22	43.41	68.20	35.43	155	137	Peak	Vertical	
4	6870.50	60.86	15.71	45.15	68.20	-7.34	155	137	Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.58	53.19	9.93	43.26	54.00	-0.81	140	177	Average	Horizontal	
2	5570.00	94.95	51.54	43.41	54.00	40.95	140	177	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	53.48	10.22	43.26	54.00	-0.52	155	137	Average	Vertical	
2	5570.00	93.61	50.40	43.41	54.00	39.61	155	137	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5684.00	56.48	14.17	42.23	68.20	-11.80	141	182 Peak	Horizontal	
2	5699.00	58.47	16.10	42.37	104.46	-45.99	141	182 Peak	Horizontal	
3	5720.00	75.16	32.69	42.47	110.80	-35.64	141	182 Peak	Horizontal	
4	5724.00	80.35	37.86	42.49	126.16	-45.81	141	182 Peak	Horizontal	
5	5745.00	117.96	75.38	42.58	130.00	-12.04	141	182 Peak	Horizontal	
6	5852.50	56.26	13.59	42.67	120.40	-64.14	141	182 Peak	Horizontal	
7	5862.50	56.21	13.54	42.67	105.70	-52.49	141	182 Peak	Horizontal	
8	5889.00	57.69	15.00	42.69	94.81	-37.12	141	182 Peak	Horizontal	
9	5927.50	56.22	13.39	42.83	68.20	-11.90	141	182 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5580.50	57.02	14.79	42.23	68.20	-11.18	134	180 Peak	Vertical	
2	5700.00	57.02	14.65	42.37	105.20	-48.18	134	180 Peak	Vertical	
3	5720.00	74.07	31.60	42.47	110.80	-36.73	134	180 Peak	Vertical	
4	5725.00	78.23	35.74	42.49	130.00	-51.77	134	180 Peak	Vertical	
5	5745.00	114.95	72.37	42.58	130.00	-15.05	134	180 Peak	Vertical	
6	5854.50	56.09	13.42	42.67	112.72	-56.63	134	180 Peak	Vertical	
7	5874.50	56.92	14.24	42.68	105.34	-48.42	134	180 Peak	Vertical	
8	5879.00	57.97	15.29	42.68	102.23	-44.26	134	180 Peak	Vertical	
9	5935.00	56.86	14.00	42.86	68.20	-11.34	134	180 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5630.00	56.59	14.24	42.35	68.20	-11.61	135	177 Peak	Horizontal	
2	5667.50	57.08	14.66	42.42	81.19	-24.11	135	177 Peak	Horizontal	
3	5705.00	58.38	15.98	42.40	106.60	-48.22	135	177 Peak	Horizontal	
4	5722.00	56.57	14.09	42.48	118.48	-61.91	135	177 Peak	Horizontal	
5	5785.00	119.66	76.96	42.70	130.00	-10.34	135	177 Peak	Horizontal	
6	5851.50	56.61	13.94	42.67	124.24	-67.63	135	177 Peak	Horizontal	
7	5858.00	57.33	14.66	42.67	109.96	-52.63	135	177 Peak	Horizontal	
8	5913.50	58.50	15.74	42.76	76.68	-18.18	135	177 Peak	Horizontal	
9	5938.00	57.65	14.78	42.87	68.20	-10.55	135	177 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5630.00	56.61	14.24	42.37	68.20	-11.59	134	177 Peak	Vertical	
2	5676.00	56.74	14.33	42.41	87.48	-30.74	134	177 Peak	Vertical	
3	5719.50	55.98	13.51	42.47	110.66	-54.68	134	177 Peak	Vertical	
4	5723.00	55.92	13.44	42.48	122.32	-66.40	134	177 Peak	Vertical	
5	5785.00	115.07	72.37	42.70	130.00	-14.93	134	177 Peak	Vertical	
6	5855.00	55.36	12.69	42.67	110.60	-55.44	134	177 Peak	Vertical	
7	5873.50	56.48	13.80	42.68	105.62	-49.14	134	177 Peak	Vertical	
8	5893.50	57.18	14.49	42.69	91.47	-34.29	134	177 Peak	Vertical	
9	5929.50	56.79	13.95	42.84	68.20	-11.41	134	177 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5633.00	56.33	13.97	42.36	68.20	-11.87	135	177 Peak	Horizontal	
2	5686.00	56.41	16.81	42.40	94.87	-36.46	135	177 Peak	Horizontal	
3	5718.00	57.21	14.75	42.46	110.24	-53.03	135	177 Peak	Horizontal	
4	5720.50	57.40	14.93	42.47	112.72	-55.32	135	177 Peak	Horizontal	
5	5825.00	119.57	76.87	42.70	130.00	-10.43	135	177 Peak	Horizontal	
6	5850.00	77.83	34.36	42.67	130.00	-52.97	135	177 Peak	Horizontal	
7	5855.00	74.52	31.85	42.67	110.00	-36.28	135	177 Peak	Horizontal	
8	5984.50	57.10	14.38	42.72	83.33	-26.23	135	177 Peak	Horizontal	
9	5974.50	57.77	14.78	42.99	68.20	-10.43	135	177 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5576.50	56.62	14.37	42.25	68.20	-11.58	138	176 Peak	Vertical	
2	5680.00	56.66	14.26	42.40	90.44	-33.78	138	176 Peak	Vertical	
3	5716.50	56.15	13.70	42.45	109.82	-53.67	138	176 Peak	Vertical	
4	5723.50	56.00	13.52	42.48	124.24	-68.24	138	176 Peak	Vertical	
5	5825.00	113.76	71.06	42.70	130.00	-16.24	138	176 Peak	Vertical	
6	5850.00	73.52	30.85	42.67	130.00	-56.48	138	176 Peak	Vertical	
7	5855.00	71.33	28.66	42.67	110.00	-39.47	138	176 Peak	Vertical	
8	5895.50	57.61	14.91	42.70	89.99	-32.38	138	176 Peak	Vertical	
9	5974.50	56.69	13.70	42.99	68.20	-11.51	138	176 Peak	Vertical	

802.11ax HE20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5583.00	57.21	14.98	42.23	68.20	-10.99	138	180 Peak	Horizontal	
2	5700.00	59.78	17.41	42.37	105.20	-45.42	138	180 Peak	Horizontal	
3	5718.00	79.29	36.83	42.46	110.24	-30.95	138	180 Peak	Horizontal	
4	5725.00	86.19	43.70	42.49	130.00	-43.81	138	180 Peak	Horizontal	
5	5745.00	120.88	78.30	42.58	130.00	-9.12	138	180 Peak	Horizontal	
6	5852.50	56.05	13.38	42.67	120.40	-64.35	138	180 Peak	Horizontal	
7	5875.00	57.35	14.67	42.68	105.20	-47.85	138	180 Peak	Horizontal	
8	5890.00	57.73	15.04	42.69	94.07	-36.34	138	180 Peak	Horizontal	
9	5946.00	57.38	14.47	42.91	68.20	-10.82	138	180 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5630.50	56.48	14.13	42.35	68.20	-11.72	136	181 Peak	Vertical	
2	5690.50	58.68	15.31	42.37	104.09	-45.41	136	181 Peak	Vertical	
3	5719.00	78.22	35.75	42.47	110.52	-32.30	136	181 Peak	Vertical	
4	5725.00	83.99	41.50	42.49	130.00	-46.01	136	181 Peak	Vertical	
5	5745.00	118.93	76.35	42.58	130.00	-11.07	136	181 Peak	Vertical	
6	5851.50	57.36	14.69	42.67	124.24	-66.88	136	181 Peak	Vertical	
7	5863.50	57.61	14.93	42.68	108.42	-50.81	136	181 Peak	Vertical	
8	5913.50	57.14	14.38	42.76	76.68	-19.54	136	181 Peak	Vertical	
9	5932.50	57.72	14.87	42.85	68.20	-10.48	136	181 Peak	Vertical	

802.11ax HE20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5649.00	58.36	15.92	42.44	68.20	-9.84	135	180 Peak	Horizontal	
2	5665.00	58.05	15.63	42.42	79.33	-21.28	135	180 Peak	Horizontal	
3	5715.50	57.30	14.86	42.44	109.54	-52.24	135	180 Peak	Horizontal	
4	5724.50	57.92	15.43	42.49	128.08	-70.16	135	180 Peak	Horizontal	
5	5785.00	121.07	78.37	42.70	130.00	-8.93	135	180 Peak	Horizontal	
6	5852.50	57.72	15.05	42.67	120.40	-62.08	135	180 Peak	Horizontal	
7	5862.50	57.41	14.74	42.67	108.70	-51.29	135	180 Peak	Horizontal	
8	5903.50	57.86	15.15	42.71	84.07	-26.21	135	180 Peak	Horizontal	
9	5934.00	58.13	15.27	42.86	68.20	-10.07	135	180 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5637.50	57.57	15.18	42.39	68.20	-10.63	132	181 Peak	Vertical	
2	5657.50	58.62	15.18	42.44	73.77	-15.15	132	181 Peak	Vertical	
3	5705.00	58.12	15.72	42.40	106.60	-48.48	132	181 Peak	Vertical	
4	5724.00	56.98	14.49	42.49	126.16	-69.18	132	181 Peak	Vertical	
5	5785.00	117.42	74.72	42.70	130.00	-12.58	132	181 Peak	Vertical	
6	5850.00	56.53	13.86	42.67	130.00	-73.47	132	181 Peak	Vertical	
7	5863.00	57.53	14.85	42.68	108.56	-51.03	132	181 Peak	Vertical	
8	5883.00	58.44	15.75	42.69	99.26	-40.82	132	181 Peak	Vertical	
9	5965.00	58.26	15.29	42.97	68.20	-9.94	132	181 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5487.50	57.02	14.68	42.34	68.20	-11.18		142	176	Peak	Horizontal	
2	5672.50	57.44	15.02	42.42	84.89	-27.45		142	176	Peak	Horizontal	
3	5707.00	57.08	14.67	42.41	107.16	-50.08		142	176	Peak	Horizontal	
4	5723.50	56.84	14.36	42.48	124.24	-67.40		142	176	Peak	Horizontal	
5	5825.00	120.94	78.24	42.70	130.00	-9.06		142	176	Peak	Horizontal	
6	5853.50	60.01	37.34	42.67	116.56	-36.55		142	176	Peak	Horizontal	
7	5855.00	79.12	36.45	42.67	119.80	-31.68		142	176	Peak	Horizontal	
8	5875.00	59.43	16.75	42.68	105.20	-45.77		142	176	Peak	Horizontal	
9	5964.00	57.97	15.00	42.97	68.20	-10.23		142	176	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5645.00	56.25	13.83	42.42	68.20	-11.95		141	178	Peak	Vertical	
2	5677.00	56.82	14.41	42.41	88.22	-31.40		141	178	Peak	Vertical	
3	5712.00	57.10	14.67	42.43	108.56	-51.46		141	178	Peak	Vertical	
4	5725.00	57.12	14.63	42.49	130.00	-72.88		141	178	Peak	Vertical	
5	5825.00	115.94	73.24	42.70	130.00	-14.06		141	178	Peak	Vertical	
6	5856.00	76.57	33.90	42.67	130.00	-53.43		141	178	Peak	Vertical	
7	5856.00	75.27	32.60	42.67	119.52	-35.25		141	178	Peak	Vertical	
8	5877.00	58.94	16.26	42.68	103.71	-44.77		141	178	Peak	Vertical	
9	5967.50	58.22	15.25	42.97	68.20	-9.98		141	178	Peak	Vertical	

802.11ax HE40

CH 151 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	5648.50	58.32	15.89	42.43	68.20	-9.88	139	178 Peak	Horizontal	
2	5699.00	73.98	31.61	42.37	104.46	-30.48	139	178 Peak	Horizontal	
3	5716.00	83.37	40.93	42.44	109.68	-26.31	139	178 Peak	Horizontal	
4	5724.00	85.00	42.51	42.49	126.16	-41.16	139	178 Peak	Horizontal	
5	5755.00	117.22	74.60	42.62	130.00	-12.78	139	178 Peak	Horizontal	
6	5853.00	61.61	18.94	42.67	118.48	-56.87	139	178 Peak	Horizontal	
7	5861.00	59.31	16.64	42.67	109.12	-49.81	139	178 Peak	Horizontal	
8	5903.50	57.90	15.19	42.71	84.87	-26.17	139	178 Peak	Horizontal	
9	5968.00	57.97	14.99	42.98	68.20	-10.23	139	178 Peak	Horizontal	

CH 151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	5614.00	57.70	15.42	42.28	68.20	-10.50	155	142 Peak	Vertical	
2	5699.50	71.71	29.34	42.37	104.83	-33.12	155	142 Peak	Vertical	
3	5719.00	81.90	39.43	42.47	110.52	-28.62	155	142 Peak	Vertical	
4	5724.00	84.49	42.00	42.49	126.16	-41.67	155	142 Peak	Vertical	
5	5755.00	115.83	73.21	42.62	130.00	-14.17	155	142 Peak	Vertical	
6	5850.50	58.54	15.87	42.67	128.00	-69.54	155	142 Peak	Vertical	
7	5855.00	58.12	15.45	42.67	118.00	-52.68	155	142 Peak	Vertical	
8	5910.00	57.75	15.01	42.74	79.27	-21.52	155	142 Peak	Vertical	
9	5988.00	57.87	14.84	43.03	68.20	-10.33	155	142 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.00	58.42	16.02	42.40	68.20	-9.78	140	176 Peak	Horizontal	
2	5696.00	60.98	17.70	42.38	102.25	-42.17	140	176 Peak	Horizontal	
3	5720.00	67.98	25.51	42.47	110.80	-42.82	140	176 Peak	Horizontal	
4	5724.00	70.36	27.87	42.49	126.16	-55.80	140	176 Peak	Horizontal	
5	5795.00	118.12	75.40	42.72	130.00	-11.88	140	176 Peak	Horizontal	
6	5851.00	77.10	34.51	42.67	126.16	-46.98	140	176 Peak	Horizontal	
7	5856.00	75.00	32.33	42.67	119.52	-35.52	140	176 Peak	Horizontal	
8	5875.00	65.46	22.78	42.68	105.20	-39.74	140	176 Peak	Horizontal	
9	5938.50	58.68	15.81	42.87	68.20	-9.52	140	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5626.50	58.81	16.47	42.34	68.20	-9.39	153	137 Peak	Vertical	
2	5685.50	58.60	16.20	42.40	94.50	-35.90	153	137 Peak	Vertical	
3	5720.00	64.60	22.13	42.47	110.80	-46.20	153	137 Peak	Vertical	
4	5722.00	69.59	27.11	42.48	118.48	-48.89	153	137 Peak	Vertical	
5	5795.00	117.43	74.71	42.72	130.00	-12.57	153	137 Peak	Vertical	
6	5851.50	74.71	32.04	42.67	124.24	-49.53	153	137 Peak	Vertical	
7	5855.00	72.20	29.61	42.67	119.00	-30.52	153	137 Peak	Vertical	
8	5878.50	63.98	21.30	42.68	102.60	-38.62	153	137 Peak	Vertical	
9	5982.50	58.58	15.56	43.02	68.20	-9.62	153	137 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5650.00	67.00	24.64	42.44	68.20	-1.12	134	178	Peak	Horizontal		
2	5700.00	80.39	39.02	42.37	105.20	-24.81	134	178	Peak	Horizontal		
3	5719.50	84.07	41.60	42.47	110.66	-26.59	134	178	Peak	Horizontal		
4	5720.00	83.74	41.27	42.47	110.80	-27.06	134	178	Peak	Horizontal		
5	5775.00	114.18	71.51	42.67	130.00	-15.82	134	178	Peak	Horizontal		
6	5854.00	75.87	33.20	42.67	114.64	-36.77	134	178	Peak	Horizontal		
7	5860.00	76.36	33.69	42.67	109.40	-33.04	134	178	Peak	Horizontal		
8	5880.00	70.90	28.21	42.69	101.49	-30.59	134	178	Peak	Horizontal		
9	5945.50	61.59	18.68	42.91	68.20	-6.61	134	178	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5648.50	65.42	22.99	42.43	68.20	-2.78	153	139	Peak	Vertical		
2	5679.50	75.23	32.83	42.40	90.07	-14.84	153	139	Peak	Vertical		
3	5719.50	80.33	37.86	42.47	110.66	-30.33	153	139	Peak	Vertical		
4	5725.00	77.59	35.10	42.49	130.00	-52.41	153	139	Peak	Vertical		
5	5775.00	114.79	72.12	42.67	130.00	-15.21	153	139	Peak	Vertical		
6	5851.50	71.29	28.62	42.67	124.24	-52.95	153	139	Peak	Vertical		
7	5866.00	73.75	31.07	42.68	107.72	-33.97	153	139	Peak	Vertical		
8	5880.00	70.22	27.53	42.69	101.49	-31.27	153	139	Peak	Vertical		
9	5925.00	60.69	17.88	42.81	68.20	-7.51	153	139	Peak	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-1

Co-Location

(Open) (9kHz ~ 150kHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	48.74	31.02	17.72	127.00	-78.06	100	214	Peak	Open	
2	0.03	56.54	37.59	18.95	119.13	-62.59	100	238	Peak	Open	
3	0.03	40.87	21.67	19.20	117.69	-76.02	100	300	Peak	Open	
4	0.05	38.14	19.00	19.14	114.19	-76.05	100	281	Peak	Open	
5	0.06	41.11	22.26	18.85	111.82	-70.71	100	14	Peak	Open	
6	0.08	31.91	13.47	18.44	109.73	-77.82	100	135	Peak	Open	

(Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	42.86	24.73	18.13	104.00	-61.22	100	286	Peak	Open	
2	0.39	59.34	40.55	18.79	95.81	-36.47	100	360	Peak	Open	
3	0.81	51.30	32.31	18.99	69.36	-18.06	100	3	Peak	Open	
4	1.22	43.97	24.83	19.14	65.65	-21.68	100	24	Peak	Open	
5	2.90	35.40	15.80	19.60	69.50	-34.10	100	4	Peak	Open	
6	28.81	38.21	15.89	22.32	69.50	-31.29	100	160	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


Co-Location

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	70.74	38.15	48.28	-10.13	40.00	-1.85	300	192	Peak	Horizontal	
2	97.90	38.89	51.31	-12.42	43.50	-4.61	200	183	Peak	Horizontal	
3	196.84	41.11	50.77	-9.66	43.50	-2.39	100	271	Peak	Horizontal	
4	215.27	40.34	50.10	-9.76	43.50	-3.16	100	280	QP	Horizontal	
5	256.98	44.88	52.67	-7.87	46.00	-1.20	100	206	Peak	Horizontal	
6	288.02	45.48	52.32	-6.84	46.00	-0.52	100	266	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	37.92	44.91	-6.99	40.00	-2.08	100	222	QP	Vertical	
2	70.74	38.38	48.51	-10.13	40.00	-1.62	100	80	QP	Vertical	
3	94.99	41.07	53.99	-12.92	43.50	-2.43	100	184	Peak	Vertical	
4	210.42	39.38	49.33	-9.95	43.50	-4.12	200	142	Peak	Vertical	
5	263.77	44.88	52.54	-7.66	46.00	-1.12	100	180	Peak	Vertical	
6	288.02	44.96	51.80	-6.84	46.00	-1.04	137	274	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	55.35	59.97	-4.62	68.20	-12.85	200	261	Peak	Horizontal	
2	15600.00	40.68	39.43	1.25	54.00	-13.32	104	232	Average	Horizontal	
3	15600.00	50.21	48.96	1.25	74.00	-23.79	104	232	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	59.89	64.51	-4.62	68.20	-8.31	200	288	Peak	Vertical	
2	15600.00	45.43	44.18	1.25	54.00	-8.57	277	295	Average	Vertical	
3	15600.00	53.26	52.01	1.25	74.00	-20.74	277	295	Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10480.00	57.76	62.12	-4.36	68.20	-10.44	400	187 Peak	Horizontal	
2	15720.00	42.88	46.22	1.86	54.00	-11.92	100	231 Average	Horizontal	
3	15720.00	51.90	50.04	1.86	74.00	-22.10	100	231 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10480.00	63.09	67.45	-4.36	68.20	-5.11	100	252 Peak	Vertical	
2	15720.00	46.57	44.71	1.86	54.00	-7.43	283	295 Average	Vertical	
3	15720.00	56.06	54.20	1.86	74.00	-17.94	283	295 Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	58.30	62.66	-4.36	68.20	-9.90	400	204	Peak	Horizontal	
2	15720.00	41.50	39.64	1.86	54.00	-12.50	400	212	Average	Horizontal	
3	15720.00	51.04	49.18	1.86	74.00	-22.96	400	212	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	62.09	66.45	-4.36	68.20	-6.11	280	289	Peak	Vertical	
2	15720.00	46.66	44.80	1.86	54.00	-7.34	284	295	Average	Vertical	
3	15720.00	55.47	53.61	1.86	74.00	-18.53	284	295	Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	51.41	56.07	-4.66	68.20	-16.79	400	197 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	54.98	59.64	-4.66	68.20	-13.22	280	289 Peak	Vertical	


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.00	53.22	57.64	-4.42	68.20	-14.98	400	188 Peak	Horizontal	
2	15690.00	39.27	37.45	1.82	54.00	-14.73	100	232 Average	Horizontal	
3	15690.00	53.22	51.40	1.82	74.00	-20.78	100	232 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.00	64.73	69.15	-4.42	68.20	-3.47	200	289 Peak	Vertical	
2	15690.00	43.72	41.90	1.82	54.00	-10.28	293	295 Average	Vertical	
3	15690.00	57.04	55.22	1.82	74.00	-16.96	293	295 Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10420.00	48.08	52.63	-4.55	68.20	-20.12	200	199 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10420.00	50.42	54.97	-4.55	68.20	-17.78	300	279 Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.000	49.31	53.60	-4.29	68.20	-18.89	400	260 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.000	55.25	59.54	-4.29	68.20	-12.95	400	361 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10600.000	41.63	45.87	-4.24	54.00	-12.37	399	269	Average	Horizontal	
2 10600.000	49.44	53.68	-4.24	74.00	-24.56	399	269	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10600.000	48.52	52.76	-4.24	54.00	-5.48	121	260	Average	Vertical	
2 10600.000	55.28	59.52	-4.24	74.00	-18.72	121	260	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.000	48.11	44.25	-4.14	54.00	-13.89	385	303	Average	Horizontal	
2	10640.000	48.13	52.27	-4.14	74.00	-25.87	385	303	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.000	47.77	51.91	-4.14	54.00	-6.23	157	260	Average	Vertical	
2	10640.000	54.18	58.32	-4.14	74.00	-19.82	157	260	Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10528.000	49.87	54.16	-4.29	68.20	-18.33	400	203 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10528.000	56.01	60.30	-4.29	68.20	-12.19	280	290 Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.000	41.78	46.02	-4.24	54.00	-12.22	400	280	Average	Horizontal	
2	10600.000	48.95	53.19	-4.24	74.00	-25.85	400	280	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.000	47.33	51.57	-4.24	54.00	-6.67	129	259	Average	Vertical	
2	10600.000	54.34	58.58	-4.24	74.00	-19.66	129	259	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.000	42.26	46.48	-4.14	54.00	-11.74	300	252	Average	Horizontal	
2	10640.000	49.35	53.49	-4.14	74.00	-24.65	300	252	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.000	47.51	51.65	-4.14	54.00	-6.49	129	260	Average	Vertical	
2	10640.000	55.22	59.36	-4.14	74.00	-18.78	129	260	Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)


CH 54 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10620.000	37.80	41.99	-4.19	54.00	-16.20	400	202	Average	Horizontal	
2 10620.000	50.27	54.46	-4.19	74.00	-23.73	400	202	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10620.000	45.67	49.86	-4.19	54.00	-8.33	173	274	Average	Vertical	
2 10620.000	53.71	57.90	-4.19	74.00	-20.29	173	274	Peak	Vertical	


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10580.000	46.19	50.45	-4.26	68.20	-22.01		100	74	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10580.000	50.99	55.25	-4.26	68.20	-17.21		400	299	Peak	Vertical	


802.11ax HE160

CH 50 (Horizontal)


CH 50 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	48.26	43.69	-3.43	54.00	-13.74	310	279	Average	Horizontal	
2	11000.00	49.19	52.62	-3.43	74.00	-24.81	310	279	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	46.45	49.88	-3.43	54.00	-7.55	219	256	Average	Vertical	
2	11000.00	52.24	55.67	-3.43	74.00	-21.76	219	256	Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	38.76	41.98	-3.22	54.00	-15.24	299	268	Average	Horizontal	
2	11160.00	51.59	54.81	-3.22	74.00	-22.41	299	268	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	41.45	44.67	-3.22	54.00	-12.55	131	316	Average	Vertical	
2	11160.00	51.90	55.12	-3.22	74.00	-22.10	131	316	Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	38.65	41.59	-2.94	54.00	-15.35	400	248	Average	Horizontal	
2	11400.00	52.46	55.40	-2.94	74.00	-21.54	400	248	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	40.40	43.34	-2.94	54.00	-13.60	400	239	Average	Vertical	
2	11400.00	53.78	56.72	-2.94	74.00	-20.22	400	239	Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	41.25	44.68	-3.43	54.00	-12.75	300	296	Average	Horizontal	
2	11000.00	48.38	51.81	-3.43	74.00	-25.62	300	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	47.34	50.77	-3.43	54.00	-6.66	219	258	Average	Vertical	
2	11000.00	52.94	56.37	-3.43	74.00	-21.06	219	258	Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	37.19	40.41	-3.22	54.00	-16.81	400	360	Average	Horizontal	
2	11160.00	49.18	52.40	-3.22	74.00	-24.82	400	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	41.37	44.59	-3.22	54.00	-12.63	120	257	Average	Vertical	
2	11160.00	50.10	53.32	-3.22	74.00	-23.90	120	257	Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	37.73	40.67	-2.94	54.00	-16.27	400	54	Average	Horizontal	
2	11400.00	48.71	51.65	-2.94	74.00	-25.29	400	54	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	41.88	44.82	-2.94	54.00	-12.12	243	294	Average	Vertical	
2	11400.00	49.85	52.79	-2.94	74.00	-24.15	243	294	Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	36.97	40.37	-3.40	54.00	-17.03	386	360	Average	Horizontal	
2	11020.00	50.38	53.78	-3.40	74.00	-23.62	386	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	44.24	47.64	-3.40	54.00	-9.76	280	258	Average	Vertical	
2	11020.00	57.56	60.96	-3.40	74.00	-16.44	280	258	Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	48.48	43.66	-3.26	54.00	-13.60	400	289	Average	Horizontal	
2	11100.00	48.99	52.25	-3.26	74.00	-25.01	400	289	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	41.94	45.20	-3.26	54.00	-12.06	200	320	Average	Vertical	
2	11100.00	55.35	58.61	-3.26	74.00	-18.65	200	320	Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	34.40	37.39	-2.99	54.00	-19.60	200	282	Average	Horizontal	
2	11340.00	47.43	50.42	-2.99	74.00	-26.57	200	282	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	38.96	41.95	-2.99	54.00	-15.04	200	246	Average	Vertical	
2	11340.00	52.62	55.61	-2.99	74.00	-21.38	200	246	Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11860.00	36.88	40.21	-3.33	54.00	-17.12	400	352	Average	Horizontal	
2	11860.00	52.59	55.92	-3.33	74.00	-21.41	400	352	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11860.00	39.98	43.31	-3.33	54.00	-14.02	200	260	Average	Vertical	
2	11860.00	54.74	58.07	-3.33	74.00	-19.26	200	260	Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	48.88	44.03	-3.15	54.00	-13.12	400	63	Average	Horizontal	
2	11220.00	49.89	52.24	-3.15	74.00	-24.91	400	63	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11231.00	37.04	40.18	-3.14	54.00	-16.96	200	259	Average	Vertical	
2	11231.00	50.27	53.41	-3.14	74.00	-23.73	200	259	Peak	Vertical	


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	35.56	38.79	-3.23	54.00	-18.44	100	34	Average	Horizontal	
2	11140.00	46.65	49.68	-3.23	74.00	-27.35	100	34	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	36.43	39.66	-3.23	54.00	-17.57	100	228	Average	Vertical	
2	11140.00	46.14	49.37	-3.23	74.00	-27.66	100	228	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	41.23	44.02	-2.79	54.00	-12.77	300	245	Average	Horizontal	
2	11490.00	54.52	57.61	-2.79	74.00	-19.18	300	245	Peak	Horizontal	
3	17235.00	51.27	46.94	4.33	68.20	-16.93	300	239	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	47.42	50.21	-2.79	54.00	-6.58	400	252	Average	Vertical	
2	11490.00	61.30	64.09	-2.79	74.00	-12.70	400	252	Peak	Vertical	
3	17235.00	57.38	53.05	4.33	68.20	-10.62	300	313	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	43.65	46.32	-2.67	54.00	-10.35	300	65	Average	Horizontal	
2	11570.00	57.22	59.89	-2.67	74.00	-16.78	300	65	Peak	Horizontal	
3	17355.00	52.25	47.68	4.57	68.20	-15.95	400	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	53.55	56.22	-2.67	54.00	-0.45	197	271	Average	Vertical	
2	11570.00	66.35	69.02	-2.67	74.00	-7.65	197	271	Peak	Vertical	
3	17355.00	63.00	58.51	4.57	68.20	-5.12	400	313	Peak	Vertical	

802.11a

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	44.26	46.78	-2.44	54.00	-9.74	400	245	Average	Horizontal	
2	11650.00	57.22	59.66	-2.44	74.00	-16.78	400	245	Peak	Horizontal	
3	17475.00	55.29	58.55	4.74	68.20	-12.91	100	289	Peak	Horizontal	

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	53.79	56.23	-2.44	54.00	-0.21	171	275	Average	Vertical	
2	11650.00	66.69	69.13	-2.44	74.00	-7.31	171	275	Peak	Vertical	
3	17475.00	62.61	57.87	4.74	68.20	-5.59	400	316	Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	44.71	47.50	-2.79	54.00	-9.29	364	246 Average	Horizontal	
2	11490.00	55.89	58.68	-2.79	74.00	-18.11	364	246 Peak	Horizontal	
3	17235.00	51.13	46.80	4.33	68.20	-17.07	200	117 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	49.07	51.86	-2.79	54.00	-4.93	105	276 Average	Vertical	
2	11490.00	59.30	62.09	-2.79	74.00	-14.70	105	276 Peak	Vertical	
3	17235.00	59.34	55.01	4.33	68.20	-8.66	300	273 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	45.25	47.92	-2.67	54.00	-8.75	377	247	Average	Horizontal	
2	11570.00	55.37	58.64	-2.67	74.00	-18.03	377	247	Peak	Horizontal	
3	17355.00	52.09	47.52	4.57	68.20	-16.11	400	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	50.06	52.73	-2.67	54.00	-3.94	100	261	Average	Vertical	
2	11570.00	60.95	63.62	-2.67	74.00	-13.05	100	261	Peak	Vertical	
3	17355.00	58.26	53.69	4.57	68.20	-9.94	400	322	Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	44.90	47.34	-2.44	54.00	-9.10	100	279	Average	Horizontal	
2	11650.00	55.51	56.25	-2.44	74.00	-18.19	100	279	Peak	Horizontal	
3	17475.00	51.22	46.48	4.74	68.20	-16.98	200	300	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	53.42	55.86	-2.44	54.00	-0.58	200	274	Average	Vertical	
2	11650.00	63.19	65.63	-2.44	74.00	-10.81	200	274	Peak	Vertical	
3	17475.00	57.27	52.53	4.74	68.20	-10.93	300	314	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	41.46	44.22	-2.76	54.00	-12.54	400	236	Average	Horizontal	
2	11510.00	55.28	58.04	-2.76	74.00	-18.72	400	236	Peak	Horizontal	
3	17265.00	51.20	46.89	4.31	68.20	-17.00	200	167	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	47.07	49.83	-2.76	54.00	-6.93	200	295	Average	Vertical	
2	11510.00	60.74	63.50	-2.76	74.00	-13.26	200	295	Peak	Vertical	
3	17265.00	54.33	50.02	4.31	68.20	-13.87	300	325	Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	45.23	47.86	-2.63	54.00	-8.77	300	288	Average	Horizontal	
2	11590.00	59.00	61.63	-2.63	74.00	-15.00	300	288	Peak	Horizontal	
3	17385.00	51.70	46.98	4.72	68.20	-16.50	400	323	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	48.30	50.93	-2.63	54.00	-5.70	300	266	Average	Vertical	
2	11590.00	62.15	64.78	-2.63	74.00	-11.85	300	266	Peak	Vertical	
3	17385.00	55.55	50.83	4.72	68.20	-12.65	100	267	Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	37.08	39.78	-2.70	54.00	-16.92	200	282	Average	Horizontal	
2	11550.00	50.87	53.57	-2.70	74.00	-23.13	200	282	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	43.10	45.80	-2.70	54.00	-10.90	400	278	Average	Vertical	
2	11550.00	56.56	59.26	-2.70	74.00	-17.44	400	278	Peak	Vertical	


Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over			
	MHz	dBuV	dBuV	dB	dBuV	dB	Remark	Pol/Phase	Note
1	0.17	29.05	19.43	9.62	54.84	-25.79	Average	line1	
2	0.17	43.79	34.17	9.62	64.84	-21.05	QP	line1	
3	0.64	38.39	28.76	9.63	46.00	-7.61	Average	line1	
4	0.64	45.07	35.44	9.63	56.00	-10.93	QP	line1	
5	1.46	21.44	11.79	9.65	46.00	-24.56	Average	line1	
6	1.46	27.07	17.42	9.65	56.00	-28.93	QP	line1	
7	5.29	16.32	6.62	9.70	50.00	-33.68	Average	line1	
8	5.29	21.63	11.93	9.70	60.00	-38.37	QP	line1	
9	10.12	38.37	28.61	9.76	50.00	-11.63	Average	line1	
10	10.12	45.64	35.88	9.76	60.00	-14.36	QP	line1	
11	15.38	23.36	13.60	9.76	50.00	-26.64	Average	line1	
12	15.38	29.21	19.45	9.76	60.00	-30.79	QP	line1	

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over			
	MHz	dBuV	dBuV	dB	dBuV	dB	Remark	Pol/Phase	Note
1	0.17	26.39	16.77	9.62	55.01	-28.62	Average	neutral	
2	0.17	42.80	33.18	9.62	65.01	-22.21	QP	neutral	
3	0.65	38.09	28.46	9.63	46.00	-7.91	Average	neutral	
4	0.65	44.83	35.20	9.63	56.00	-11.17	QP	neutral	
5	1.45	21.01	11.36	9.65	46.00	-24.99	Average	neutral	
6	1.45	26.38	16.73	9.65	56.00	-29.62	QP	neutral	
7	6.37	18.68	8.94	9.74	50.00	-31.32	Average	neutral	
8	6.37	24.31	14.57	9.74	60.00	-35.69	QP	neutral	
9	10.53	35.15	25.36	9.79	50.00	-14.85	Average	neutral	
10	10.53	43.03	33.24	9.79	60.00	-16.97	QP	neutral	
11	19.06	22.81	12.95	9.86	50.00	-27.19	Average	neutral	
12	19.06	28.98	19.12	9.86	60.00	-31.02	QP	neutral	