



802.11ax HE160

Band	Channel	Frequency (MHz)	99% Bandwidth (MHz)	
			Chain 0	Chain 1
U-NII-1	50	5250	76.72	77.36
U-NII-2A	50	5250	77.68	77.68
U-NII-2C	114	5570	154.73	154.73


802.11ax HE160-Channel 50

802.11ax HE160-Channel 114




Test Result of 6 dB Bandwidth

802.11a

Band	Channel	Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
			Chain 0	Chain 1		
U-NII-3	149	5745	16.30	16.34	> 0.5	Pass
	157	5785	16.30	16.30	> 0.5	Pass
	165	5825	16.30	16.30	> 0.5	Pass



802.11a-Channel 149




802.11a-Channel 157

802.11a-Channel 165


802.11ax HE20

Band	Channel	Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
			Chain 0	Chain 1		
U-NII-3	149	5745	19.02	19.06	> 0.5	Pass
	157	5785	19.06	19.06	> 0.5	Pass
	165	5825	19.02	19.06	> 0.5	Pass



802.11ax HE20-Channel 149

802.11ax HE20-Channel 157


802.11ax HE20-Channel 165




802.11ax HE40

Band	Channel	Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
			Chain 0	Chain 1		
U-NII-3	151	5755	37.48	37.48	> 0.5	Pass
	159	5795	37.64	37.64	> 0.5	Pass

802.11ax HE40-Channel 151

802.11ax HE40-Channel 159


802.11ax HE80

Band	Channel	Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
			Chain 0	Chain 1		
U-NII-3	155	5775	77.36	77.36	> 0.5	Pass



802.11ax HE80-Channel 155




Test Result of Power Spectral Density



802.11a

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	36	5180	3.88	2.60	6.56	6.99	Pass
	40	5200	4.05	2.65	6.68	6.99	Pass
	48	5240	3.66	2.76	6.51	6.99	Pass
U-NII-2A	52	5260	-19.30	-20.25	-16.47	-16.01	Pass
	60	5300	-19.16	-19.51	-16.05	-16.01	Pass
	64	5320	-19.33	-19.72	-16.24	-16.01	Pass
U-NII-2C	100	5500	-19.41	-19.48	-16.17	-16.01	Pass
	116	5580	-19.14	-19.92	-16.24	-16.01	Pass
	140	5700	-18.88	-20.03	-16.14	-16.01	Pass


Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	149	5745	-0.98	-0.82	2.38	2.99	Pass
	157	5785	-0.63	-0.41	2.76	2.99	Pass
	165	5825	-0.57	-0.11	2.94	2.99	Pass

802.11a-Channel 36

802.11a-Channel 40



802.11a-Channel 48

802.11a-Channel 52




802.11a-Channel 60

802.11a-Channel 64




802.11a-Channel 100



802.11a-Channel 116





802.11a-Channel 140

802.11a-Channel 149




802.11a-Channel 157

802.11a-Channel 165




802.11ax HE20



Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	36	5180	2.28	1.44	5.00	6.99	Pass
	40	5200	3.76	2.75	6.40	6.99	Pass
	48	5240	4.21	3.38	6.93	6.99	Pass
U-NII-2A	52	5260	-19.09	-20.15	-16.47	-16.01	Pass
	60	5300	-18.99	-19.52	-16.13	-16.01	Pass
	64	5320	-18.96	-19.71	-16.20	-16.01	Pass
U-NII-2C	100	5500	-19.57	-19.49	-16.41	-16.01	Pass
	116	5580	-18.98	-19.62	-16.17	-16.01	Pass
	140	5700	-18.38	-20.30	-16.12	-16.01	Pass



Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	149	5745	-0.23	-0.48	2.77	2.99	Pass
	157	5785	-0.49	0.08	2.92	2.99	Pass
	165	5825	-0.80	-0.39	2.53	2.99	Pass



802.11ax HE20-Channel 36

802.11ax HE20-Channel 40


802.11ax HE20-Channel 48

802.11ax HE20-Channel 52


802.11ax HE20-Channel 60

802.11ax HE20-Channel 64


802.11ax HE20-Channel 100

802.11ax HE20-Channel 116




802.11ax HE20-Channel 140

802.11ax HE20-Channel 149




802.11ax HE20-Channel 157

802.11ax HE20-Channel 165




802.11ax HE40



Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	38	5190	-2.49	-3.31	0.64	6.99	Pass
	46	5230	1.66	0.87	4.80	6.99	Pass
U-NII-2A	54	5270	-19.43	-20.27	-16.31	-16.01	Pass
	62	5310	-19.48	-19.60	-16.02	-16.01	Pass
U-NII-2C	102	5510	-19.90	-19.75	-16.30	-16.01	Pass
	110	5550	-19.44	-19.72	-16.06	-16.01	Pass
	134	5670	-19.39	-20.22	-16.26	-16.01	Pass

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	151	5755	-0.82	-0.32	2.96	2.99	Pass
	159	5795	-0.70	-0.38	2.98	2.99	Pass


802.11ax HE40-Channel 38

802.11ax HE40-Channel 46


802.11ax HE40-Channel 54

802.11ax HE40-Channel 62


802.11ax HE40-Channel 102

802.11ax HE40-Channel 110


802.11ax HE40-Channel 134

802.11ax HE40-Channel 151



802.11ax HE40-Channel 159







802.11ax HE80

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	42	5210	-5.99	-6.92	-2.62	6.99	Pass
U-NII-2A	58	5290	-20.53	-20.94	-16.92	-16.01	Pass
U-NII-2C	106	5530	-20.53	-20.60	-16.76	-16.01	Pass
	122	5610	-20.71	-20.83	-16.96	-16.01	Pass

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	155	5775	-3.57	-3.10	0.48	2.99	Pass


802.11ax HE80-Channel 42



802.11ax HE80-Channel 58

802.11ax HE80-Channel 106


802.11ax HE80-Channel 122

802.11ax HE80-Channel 155


802.11ax HE160

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	50	5250	-24.74	-25.74	-16.25	-10.01	Pass
U-NII-2A	50	5250	-24.63	-25.68	-16.17	-16.01	Pass
U-NII-2C	114	5570	-24.91	-25.74	-16.35	-16.01	Pass

802.11ax HE160-Channel 50-(U-NII-1)


802.11ax HE160-Channel 50-(U-NII-2A)

802.11ax HE160-Channel 114
