


802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.68	16.68	41.00	74.00	-16.32	166	359 Peak	Horizontal	
2	5376.50	56.77	14.63	42.14	74.00	-17.23	166	359 Peak	Horizontal	
3	5468.00	54.00	12.60	42.20	68.20	-13.40	166	359 Peak	Horizontal	
4 *	5580.00	117.48	75.24	42.24	68.20	49.28	166	359 Peak	Horizontal	
5	5760.50	58.48	15.85	42.63	68.20	-9.72	166	359 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	54.84	13.84	41.00	74.00	-19.16	164	356 Peak	Vertical	
2	5439.50	56.43	14.24	42.19	74.00	-17.57	164	356 Peak	Vertical	
3	5465.50	55.22	13.03	42.19	68.20	-12.98	164	356 Peak	Vertical	
4 *	5580.00	115.75	73.51	42.24	68.20	47.55	164	356 Peak	Vertical	
5	5760.00	58.96	16.33	42.63	68.20	-9.24	164	356 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4800.00	53.62	12.62	41.00	54.00	-0.38	166	359	Average	Horizontal		
2 5376.00	51.30	9.17	42.13	54.00	-2.70	166	359	Average	Horizontal		
3 * 5580.00	107.51	65.27	42.24	54.00	53.51	166	359	Average	Horizontal		

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4800.00	49.71	8.71	41.00	54.00	-4.29	164	356	Average	Vertical		
2 5437.50	44.75	2.54	42.21	54.00	-9.25	164	356	Average	Vertical		
3 * 5580.00	106.83	64.59	42.24	54.00	52.83	164	356	Average	Vertical		

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.48	16.40	41.00	74.00	-16.60	166	356 Peak	Horizontal	
2	5376.00	56.79	14.66	42.13	74.00	-17.21	166	356 Peak	Horizontal	
3	5460.50	54.87	12.70	42.17	68.20	-13.33	166	356 Peak	Horizontal	
4 *	5700.00	117.59	75.22	42.37	68.20	49.39	166	356 Peak	Horizontal	
5	5760.00	59.71	17.08	42.63	68.20	-8.49	166	356 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	55.66	14.66	41.00	74.00	-18.34	164	355 Peak	Vertical	
2	5404.50	56.82	14.37	42.45	74.00	-17.13	164	355 Peak	Vertical	
3	5461.50	56.29	14.11	42.18	68.20	-11.91	164	355 Peak	Vertical	
4 *	5700.00	117.91	75.54	42.37	68.20	49.71	164	355 Peak	Vertical	
5 !	5795.00	63.45	20.73	42.72	68.20	-4.75	164	355 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 4800.00	53.30	12.30	41.00	54.00	-0.70	166	356 Average	Horizontal	
2 5376.00	50.70	8.65	42.13	54.00	-3.22	166	356 Average	Horizontal	
3 * 5700.00	107.02	64.65	42.37	54.00	53.02	166	356 Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 4800.00	48.89	7.89	41.00	54.00	-5.11	164	355 Average	Vertical	
2 5410.50	43.81	1.40	42.41	54.00	-10.19	164	355 Average	Vertical	
3 * 5700.00	100.34	65.97	42.37	54.00	54.34	164	355 Average	Vertical	


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4800.00	57.31	16.31	41.00	74.00	-16.69	184	358	Peak	Horizontal	
2	5376.50	57.68	15.54	42.14	74.00	-16.32	184	358	Peak	Horizontal	
3	5465.00	56.76	14.57	42.19	68.20	-11.44	184	358	Peak	Horizontal	
4 *	5500.00	116.88	74.53	42.35	68.20	48.68	184	358	Peak	Horizontal	
5	6948.00	59.01	15.20	43.81	68.20	-9.19	184	358	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4800.00	56.10	15.10	41.00	74.00	-17.90	190	359	Peak	Vertical	
2	5403.50	59.81	17.35	42.46	74.00	-14.19	190	359	Peak	Vertical	
3	5461.00	56.41	14.24	42.17	68.20	-11.79	190	359	Peak	Vertical	
4 *	5498.50	117.55	75.21	42.34	68.20	49.35	190	359	Peak	Vertical	
5	5760.50	59.16	16.53	42.63	68.20	-9.04	190	359	Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4800.00	53.21	12.21	41.00	54.00	-0.79	184	358	Average	Horizontal		
2 5376.00	50.89	8.76	42.13	54.00	-3.11	184	358	Average	Horizontal		
3 * 5500.00	106.66	64.31	42.35	54.00	52.66	184	358	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4800.00	50.70	9.70	41.00	54.00	-3.30	190	359	Average	Vertical		
2 5402.50	47.54	5.07	42.47	54.00	-6.46	190	359	Average	Vertical		
3 * 5501.00	106.46	64.11	42.35	54.00	52.46	190	359	Average	Vertical		

802.11ax HE20

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.00	57.74	15.74	42.00	74.00	-16.26	176	360 Peak	Horizontal	
2	5376.00	57.78	14.69	43.09	74.00	-16.22	176	360 Peak	Horizontal	
3	5469.50	56.87	13.60	43.27	68.20	-11.33	176	360 Peak	Horizontal	
4 *	5580.00	119.81	76.41	43.40	68.20	51.61	176	360 Peak	Horizontal	
5	5760.50	61.39	17.65	43.74	68.20	-6.81	176	360 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.50	56.30	14.30	42.00	74.00	-17.70	182	360 Peak	VERTICAL	
2	5394.00	57.53	14.35	43.18	74.00	-16.47	182	360 Peak	VERTICAL	
3	5460.50	56.63	13.37	43.26	68.20	-11.57	182	360 Peak	VERTICAL	
4 *	5580.00	117.38	73.98	43.40	68.20	49.18	182	360 Peak	VERTICAL	
5	6901.50	59.58	14.35	45.23	68.20	-8.62	182	360 Peak	VERTICAL	

802.11ax HE20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	52.91	10.91	42.00	54.00	-1.09	176	360 Average	Horizontal	
2	5376.00	51.29	8.20	43.09	54.00	-2.71	176	360 Average	Horizontal	
3 *	5580.00	100.05	64.65	43.40	54.00	54.05	176	360 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	50.61	8.61	42.00	54.00	-3.39	182	360 Average	VERTICAL	
2	5435.00	45.03	1.79	43.24	54.00	-8.97	182	360 Average	VERTICAL	
3 *	5580.00	106.45	63.05	43.40	54.00	52.45	182	360 Average	VERTICAL	

802.11ax HE20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	57.39	15.39	42.00	74.00	-16.61	180	360 Peak	Horizontal	
2	5376.00	58.89	15.89	43.09	74.00	-15.11	180	360 Peak	Horizontal	
3	5462.50	56.42	13.16	43.26	68.20	-11.78	180	360 Peak	Horizontal	
4 *	5700.00	118.37	74.71	43.66	68.20	50.17	180	360 Peak	Horizontal	
5	5760.50	61.31	17.57	43.74	68.20	-6.89	180	360 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.33	15.33	42.00	74.00	-16.67	182	360 Peak	Vertical	
2	5413.50	57.18	13.96	43.22	74.00	-16.82	182	360 Peak	Vertical	
3	5461.00	56.46	13.20	43.26	68.20	-11.74	182	360 Peak	Vertical	
4 *	5700.00	120.19	76.53	43.66	68.20	51.99	182	360 Peak	Vertical	
5 !	5798.00	64.01	20.16	43.85	68.20	-4.19	182	360 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	53.13	11.13	42.00	54.00	-0.87	180	360	Average	Horizontal
2	5376.00	51.60	8.51	43.09	54.00	-2.40	180	360	Average	Horizontal
3 *	5700.00	107.52	63.86	43.66	54.00	53.52	180	360	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	51.72	9.72	42.00	54.00	-2.28	182	360	Average	Vertical
2	5413.00	44.36	1.14	43.22	54.00	-9.64	182	360	Average	Vertical
3 *	5700.00	109.21	65.55	43.66	54.00	55.21	182	360	Average	Vertical


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.56	16.56	41.00	74.00	-16.44	181	358 Peak	Horizontal	
2	5376.50	59.20	17.14	42.14	74.00	-14.72	181	358 Peak	Horizontal	
3	5468.50	63.86	21.66	42.20	68.20	-4.34	181	358 Peak	Horizontal	
4 *	5510.00	120.22	77.88	42.34	68.20	52.02	181	358 Peak	Horizontal	
5	5760.50	60.00	17.37	42.63	68.20	-8.20	181	358 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.85	16.85	41.00	74.00	-16.15	185	360 Peak	Vertical	
2	5412.00	60.23	17.83	42.40	74.00	-13.77	185	360 Peak	Vertical	
3	5470.00	59.96	17.75	42.21	68.20	-8.24	185	360 Peak	Vertical	
4 *	5510.00	118.04	75.70	42.34	68.20	49.84	185	360 Peak	Vertical	
5	5760.00	59.47	16.84	42.63	68.20	-8.73	185	360 Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4799.50	53.20	12.20	41.00	54.00	-0.80	181	358	Average	Horizontal		
2 5376.00	50.55	8.42	42.13	54.00	-3.45	181	358	Average	Horizontal		
3 * 5510.00	108.27	65.93	42.34	54.00	54.27	181	358	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4800.00	51.95	10.95	41.00	54.00	-2.05	185	360	Average	Vertical		
2 5413.50	46.62	4.23	42.39	54.00	-7.38	185	360	Average	Vertical		
3 * 5510.00	105.35	63.01	42.34	54.00	51.35	185	360	Average	Vertical		

802.11ax HE40

CH 110 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	58.05	17.05	41.00	74.00	-15.95	186	359 Peak	Horizontal	
2	5376.50	57.80	15.66	42.14	74.00	-16.20	186	359 Peak	Horizontal	
3	5461.50	56.82	14.64	42.18	68.20	-11.38	186	359 Peak	Horizontal	
4 *	5550.00	117.25	74.97	42.28	68.20	49.05	186	359 Peak	Horizontal	
5	5760.50	59.80	17.17	42.63	68.20	-8.40	186	359 Peak	Horizontal	

CH 110 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	56.38	15.38	41.00	74.00	-17.62	175	360 Peak	Vertical	
2	5452.50	58.80	16.67	42.13	74.00	-15.20	175	360 Peak	Vertical	
3	5468.50	56.55	14.35	42.20	68.20	-11.65	175	360 Peak	Vertical	
4 *	5550.00	116.14	73.86	42.28	68.20	47.94	175	360 Peak	Vertical	
5	5760.50	58.09	15.46	42.63	68.20	-10.11	175	360 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4800.00	53.94	12.04	41.00	54.00	-0.96	186	359	Average	Horizontal		
2 5376.00	50.75	8.62	42.13	54.00	-3.25	186	359	Average	Horizontal		
3 * 5550.00	106.41	64.13	42.28	54.00	52.41	186	359	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4800.00	51.92	10.92	41.00	54.00	-2.08	175	360	Average	Vertical		
2 5453.00	45.71	3.58	42.13	54.00	-8.29	175	360	Average	Vertical		
3 * 5550.00	104.27	61.99	42.28	54.00	50.27	175	360	Average	Vertical		

802.11ax HE40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	56.50	17.50	41.00	74.00	-15.50	183	359	Peak	Horizontal
2	5376.50	57.74	15.60	42.14	74.00	-16.26	183	359	Peak	Horizontal
3	5465.50	57.17	14.98	42.19	68.20	-11.03	183	359	Peak	Horizontal
4 *	5670.00	120.62	70.20	42.42	68.20	52.42	183	359	Peak	Horizontal
5	5760.00	60.80	18.17	42.63	68.20	-7.40	183	359	Peak	Horizontal

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.39	16.39	41.00	74.00	-16.61	192	359	Peak	Vertical
2	5395.50	56.67	14.24	42.43	74.00	-17.33	192	359	Peak	Vertical
3	5468.00	55.82	13.62	42.20	68.20	-12.38	192	359	Peak	Vertical
4 *	5670.00	119.17	76.75	42.42	68.20	50.97	192	359	Peak	Vertical
5 !	5760.50	63.81	21.18	42.63	68.20	-4.39	192	359	Peak	Vertical

802.11ax HE40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	53.30	12.30	41.00	54.00	-0.70	183	359	Average	Horizontal
2	5376.00	50.24	8.11	42.13	54.00	-3.76	183	359	Average	Horizontal
3 *	5670.00	100.28	65.86	42.42	54.00	54.28	183	359	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	50.87	9.87	41.00	54.00	-3.13	192	359	Average	Vertical
2	5396.50	43.51	1.07	42.44	54.00	-10.49	192	359	Average	Vertical
3 *	5670.00	106.95	64.53	42.42	54.00	52.95	192	359	Average	Vertical

802.11ax HE80

CH 106 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5460.00	65.51	22.25	43.26	68.20	-2.69	182	360 Peak	Horizontal	
2	5469.50	67.83	24.56	43.27	68.20	-0.37	182	360 Peak	Horizontal	
3	5530.00	120.09	76.71	43.38	68.20	51.89	182	360 Peak	Horizontal	
4	5760.50	64.61	20.87	43.74	68.20	-3.59	182	360 Peak	Horizontal	

CH 106 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5436.00	61.21	17.97	43.24	74.00	-12.79	182	360 Peak	Vertical	
2	5460.50	62.32	19.05	43.27	68.20	-5.08	182	360 Peak	Vertical	
3	5530.00	118.94	75.56	43.38	68.20	50.74	182	360 Peak	Vertical	
4	5760.50	66.32	22.58	43.74	68.20	-1.88	182	360 Peak	Vertical	

802.11ax HE80


CH 106 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80

CH 122 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.50	59.50	16.32	43.26	74.00	-14.42	185	360 Peak	Horizontal	
2	5465.50	60.93	17.66	43.27	68.20	-7.27	185	360 Peak	Horizontal	
3 *	5610.00	120.41	77.02	43.39	68.20	52.21	185	360 Peak	Horizontal	
4 !	5760.50	64.37	20.63	43.74	68.20	-3.83	185	360 Peak	Horizontal	

CH 122 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5309.50	59.96	16.80	43.16	74.00	-14.04	185	360 Peak	Vertical	
2	5461.00	50.75	15.49	43.26	68.20	-9.45	185	360 Peak	Vertical	
3 *	5610.00	118.05	75.46	43.39	68.20	50.65	185	360 Peak	Vertical	
4 !	5760.50	67.14	23.40	43.74	68.20	-1.06	185	360 Peak	Vertical	

802.11ax HE80

CH 122 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5376.00	50.89	7.80	43.09	54.00	-3.11	185	360	Average	Horizontal		
2 *	5610.00	100.77	65.38	43.39	54.00	54.77	185	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.00	47.37	4.11	43.26	54.00	-6.63	185	360	Average	Vertical		
2 *	5610.00	100.92	65.53	43.39	54.00	52.92	185	360	Average	Vertical		

802.11ax HE160

CH 114 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5454.00	65.66	23.52	42.34	74.00	-8.34	192	360 Peak	Horizontal	
2	5460.00	65.32	23.15	42.17	68.20	-2.88	192	360 Peak	Horizontal	
3	5570.00	109.12	66.87	42.25	68.20	40.92	192	360 Peak	Horizontal	
4	5760.50	61.23	18.60	42.63	68.20	-6.97	192	360 Peak	Horizontal	

CH 114 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.50	63.69	21.54	42.15	74.00	-10.31	185	358 Peak	Vertical	
2	5461.50	64.56	22.38	42.18	68.20	-3.64	185	358 Peak	Vertical	
3	5570.00	106.78	64.53	42.25	68.20	36.58	185	358 Peak	Vertical	
4	5760.50	62.65	20.02	42.63	68.20	-5.55	185	358 Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5088.00	52.67	11.38	41.29	54.00	-1.33	192	360	Average	Horizontal		
2 5376.00	51.00	8.87	42.13	54.00	-3.00	192	360	Average	Horizontal		
3 * 5570.00	95.98	53.73	42.25	54.00	41.98	192	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4992.00	48.05	6.92	41.13	54.00	-5.95	185	358	Average	Vertical		
2 5451.50	47.11	4.98	42.13	54.00	-6.89	185	358	Average	Vertical		
3 * 5570.00	94.62	52.37	42.25	54.00	40.62	185	358	Average	Vertical		

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	52.26	11.26	41.00	54.00	-1.74	172	354 Average	Horizontal	
2	4800.00	56.74	15.74	41.00	74.00	-17.26	172	354 Peak	Horizontal	
3	5625.50	55.90	13.55	42.35	68.20	-12.30	172	354 Peak	Horizontal	
4	5671.00	57.18	14.76	42.42	83.78	-26.60	172	354 Peak	Horizontal	
5	5705.00	56.72	14.32	42.40	106.60	-49.88	172	354 Peak	Horizontal	
6	5725.00	56.35	13.86	42.49	130.00	-73.65	172	354 Peak	Horizontal	
7	5745.00	115.26	72.68	42.58	130.00	-14.74	172	354 Peak	Horizontal	
8	5851.00	55.40	12.73	42.67	126.16	-70.76	172	354 Peak	Horizontal	
9	5869.00	55.92	13.25	42.67	109.40	-53.48	172	354 Peak	Horizontal	
10	5912.00	56.03	13.27	42.76	77.79	-21.76	172	354 Peak	Horizontal	
11	5976.50	56.64	13.64	43.00	68.20	-11.56	172	354 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	49.90	8.90	41.00	54.00	-4.10	176	356 Average	Vertical	
2	4800.50	56.75	15.75	41.00	74.00	-17.25	176	356 Peak	Vertical	
3	5650.00	60.56	18.12	42.44	68.20	-7.64	176	356 Peak	Vertical	
4	5650.50	60.71	18.27	42.44	68.57	-7.86	176	356 Peak	Vertical	
5	5704.50	59.00	16.60	42.40	106.46	-47.46	176	356 Peak	Vertical	
6	5720.50	58.76	16.29	42.47	112.72	-53.96	176	356 Peak	Vertical	
7	5745.00	116.00	74.22	42.58	130.00	-13.20	176	356 Peak	Vertical	
8	5852.50	56.72	14.05	42.67	120.40	-63.68	176	356 Peak	Vertical	
9	5869.50	57.72	15.04	42.68	106.74	-49.02	176	356 Peak	Vertical	
10	5891.50	59.83	17.14	42.69	92.96	-33.13	176	356 Peak	Vertical	
11	5965.00	57.79	14.82	42.97	68.20	-10.41	176	356 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	52.80	11.80	41.00	54.00	-1.20	166	354 Average	Horizontal	
2	4800.00	56.74	15.74	41.00	74.00	-17.26	166	354 Peak	Horizontal	
3	5626.00	57.25	14.92	42.33	68.20	-10.95	166	354 Peak	Horizontal	
4	5694.50	56.30	13.92	42.38	101.15	-44.85	166	354 Peak	Horizontal	
5	5711.50	55.98	13.55	42.43	108.42	-52.44	166	354 Peak	Horizontal	
6	5724.00	57.51	15.02	42.49	126.16	-68.65	166	354 Peak	Horizontal	
7	5785.00	118.79	76.09	42.70	139.00	-11.21	166	354 Peak	Horizontal	
8	5850.50	55.46	12.79	42.67	128.08	-72.62	166	354 Peak	Horizontal	
9	5858.50	56.09	14.22	42.67	109.02	-52.93	166	354 Peak	Horizontal	
10	5906.50	57.12	14.39	42.73	81.85	-24.73	166	354 Peak	Horizontal	
11	5927.50	56.44	13.61	42.83	68.20	-11.76	166	354 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	49.00	8.00	41.00	54.00	-5.00	176	357 Average	Vertical	
2	4800.00	56.82	15.82	41.00	74.00	-17.18	176	357 Peak	Vertical	
3	5640.50	59.76	17.36	42.40	68.20	-8.44	176	357 Peak	Vertical	
4	5688.50	63.05	20.66	42.39	96.72	-33.67	176	357 Peak	Vertical	
5	5706.50	58.55	16.14	42.41	107.02	-48.47	176	357 Peak	Vertical	
6	5720.00	58.38	15.91	42.47	110.00	-52.42	176	357 Peak	Vertical	
7	5785.00	118.62	75.92	42.70	139.00	-11.38	176	357 Peak	Vertical	
8	5851.00	58.29	15.62	42.67	126.16	-67.87	176	357 Peak	Vertical	
9	5874.00	61.76	19.08	42.68	105.48	-43.72	176	357 Peak	Vertical	
10	5880.00	64.41	21.72	42.69	101.49	-37.08	176	357 Peak	Vertical	
11	5931.50	61.28	18.43	42.85	68.20	-6.92	176	357 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	52.83	11.83	41.00	54.00	-1.17	169	354 Average	Horizontal	
2	4800.00	57.14	16.14	41.00	74.00	-16.86	169	354 Peak	Horizontal	
3	5472.50	55.88	13.66	42.22	68.20	-12.32	169	354 Peak	Horizontal	
4	5664.00	58.10	15.68	42.42	78.59	-20.49	169	354 Peak	Horizontal	
5	5711.00	55.47	13.05	42.42	108.28	-52.81	169	354 Peak	Horizontal	
6	5722.00	55.88	13.40	42.48	118.48	-62.60	169	354 Peak	Horizontal	
7	5825.00	116.02	73.32	42.70	130.00	-13.98	169	354 Peak	Horizontal	
8	5851.50	56.68	14.01	42.67	124.24	-67.56	169	354 Peak	Horizontal	
9	5874.00	57.23	14.55	42.68	105.48	-48.25	169	354 Peak	Horizontal	
10	5905.50	56.97	14.25	42.72	82.59	-25.62	169	354 Peak	Horizontal	
11	5971.50	56.28	13.30	42.98	68.20	-11.92	169	354 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	50.86	9.86	41.00	54.00	-3.14	176	357 Average	Vertical	
2	4800.50	56.97	15.97	41.00	74.00	-17.03	176	357 Peak	Vertical	
3	5634.50	59.78	17.41	42.37	68.20	-8.42	176	357 Peak	Vertical	
4	5688.00	59.30	16.91	42.39	96.35	-37.05	176	357 Peak	Vertical	
5	5711.50	58.66	16.23	42.43	108.42	-49.76	176	357 Peak	Vertical	
6	5723.00	60.94	18.46	42.48	122.32	-61.38	176	357 Peak	Vertical	
7	5825.00	116.00	74.10	42.70	130.00	-13.20	176	357 Peak	Vertical	
8	5851.00	59.15	16.48	42.67	126.16	-67.01	176	357 Peak	Vertical	
9	5873.50	58.61	15.93	42.68	105.62	-47.01	176	357 Peak	Vertical	
10	5920.00	62.60	19.81	42.79	71.89	-9.29	176	357 Peak	Vertical	
11	5925.00	61.35	18.54	42.81	68.20	-6.85	176	357 Peak	Vertical	

802.11ax HE20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	52.91	11.91	41.00	54.00	-1.09	166	355 Average	Horizontal	
2	4800.00	57.36	16.36	41.00	74.00	-16.64	166	355 Peak	Horizontal	
3	5640.50	58.55	16.12	42.43	68.20	-9.65	166	355 Peak	Horizontal	
4	5664.00	60.06	17.64	42.42	78.59	-18.53	166	355 Peak	Horizontal	
5	5720.00	59.18	16.71	42.47	110.80	-51.62	166	355 Peak	Horizontal	
6	5723.00	61.41	18.93	42.48	122.32	-60.91	166	355 Peak	Horizontal	
7	5745.00	120.63	78.05	42.58	130.00	-9.37	166	355 Peak	Horizontal	
8	5854.50	56.85	14.18	42.67	112.72	-55.87	166	355 Peak	Horizontal	
9	5862.50	57.55	14.88	42.67	108.70	-51.15	166	355 Peak	Horizontal	
10	5888.50	58.10	15.41	42.69	95.18	-37.08	166	355 Peak	Horizontal	
11	5927.50	57.97	15.14	42.83	68.20	-10.23	166	355 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	48.74	7.74	41.00	54.00	-5.26	176	356 Average	Vertical	
2	4800.00	56.36	15.36	41.00	74.00	-17.64	176	356 Peak	Vertical	
3	5640.50	62.44	20.00	42.44	68.20	-5.76	176	356 Peak	Vertical	
4	5650.50	61.14	18.70	42.44	68.57	-7.43	176	356 Peak	Vertical	
5	5719.00	58.48	16.01	42.47	110.52	-52.04	176	356 Peak	Vertical	
6	5724.00	60.90	18.41	42.49	126.16	-65.26	176	356 Peak	Vertical	
7	5745.00	122.61	80.03	42.58	130.00	-7.39	176	356 Peak	Vertical	
8	5850.00	60.66	17.99	42.67	130.00	-69.34	176	356 Peak	Vertical	
9	5862.00	57.34	14.67	42.67	108.04	-51.50	176	356 Peak	Vertical	
10	5890.00	61.37	18.68	42.69	94.07	-32.70	176	356 Peak	Vertical	
11	5930.00	58.32	15.45	42.87	68.20	-9.88	176	356 Peak	Vertical	

802.11ax HE20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	52.42	11.42	41.00	54.00	-1.58	170	357 Average	Horizontal	
2	4800.00	57.73	16.73	41.00	74.00	-16.27	170	357 Peak	Horizontal	
3	5520.50	57.82	15.50	42.32	68.20	-10.38	170	357 Peak	Horizontal	
4	5664.50	57.98	15.56	42.42	78.96	-20.98	170	357 Peak	Horizontal	
5	5716.50	57.28	14.83	42.45	109.82	-52.54	170	357 Peak	Horizontal	
6	5722.00	58.44	15.96	42.48	118.48	-60.04	170	357 Peak	Horizontal	
7	5785.00	121.39	78.69	42.70	130.00	-8.61	170	357 Peak	Horizontal	
8	5851.00	57.19	14.52	42.67	126.16	-68.97	170	357 Peak	Horizontal	
9	5859.50	57.44	14.77	42.67	109.54	-52.10	170	357 Peak	Horizontal	
10	5884.00	57.40	14.71	42.69	98.52	-41.12	170	357 Peak	Horizontal	
11	5931.50	57.30	14.45	42.85	68.20	-10.90	170	357 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	49.84	8.84	41.00	54.00	-4.16	176	354 Average	Vertical	
2	4800.00	55.36	14.36	41.00	74.00	-18.64	176	354 Peak	Vertical	
3	5641.00	58.29	15.89	42.40	68.20	-9.91	176	354 Peak	Vertical	
4	5688.50	62.05	19.66	42.39	96.72	-34.67	176	354 Peak	Vertical	
5	5712.50	57.73	15.30	42.43	108.70	-50.97	176	354 Peak	Vertical	
6	5723.00	57.67	15.19	42.48	122.32	-64.65	176	354 Peak	Vertical	
7	5785.00	121.68	78.98	42.70	130.00	-8.32	176	354 Peak	Vertical	
8	5854.00	56.26	13.59	42.67	114.64	-58.38	176	354 Peak	Vertical	
9	5874.50	61.96	19.28	42.68	105.34	-43.38	176	354 Peak	Vertical	
10	5883.00	65.36	22.67	42.69	99.26	-33.90	176	354 Peak	Vertical	
11	5930.00	60.43	17.59	42.84	68.20	-7.77	176	354 Peak	Vertical	

802.11ax HE20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	52.71	11.71	41.00	54.00	-1.29	172	356	Average	Horizontal	
2	4800.00	57.58	16.58	41.00	74.00	-16.42	172	356	Peak	Horizontal	
3	5520.00	57.92	15.60	42.32	68.20	-10.28	172	356	Peak	Horizontal	
4	5664.00	58.60	16.18	42.42	78.59	-19.99	172	356	Peak	Horizontal	
5	5719.00	58.03	15.56	42.47	110.52	-52.49	172	356	Peak	Horizontal	
6	5723.00	58.37	15.89	42.48	122.32	-63.95	172	356	Peak	Horizontal	
7	5825.00	120.25	77.55	42.70	130.00	-9.75	172	356	Peak	Horizontal	
8	5850.00	60.48	17.81	42.67	130.00	-69.52	172	356	Peak	Horizontal	
9	5868.50	58.68	16.00	42.68	107.02	-48.34	172	356	Peak	Horizontal	
10	5924.00	58.99	16.18	42.81	68.94	-9.95	172	356	Peak	Horizontal	
11	5972.00	58.73	15.75	42.98	68.20	-9.47	172	356	Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	48.83	7.03	41.00	54.00	-5.97	180	353	Average	Vertical	
2	4800.00	54.79	13.79	41.00	74.00	-19.21	180	353	Peak	Vertical	
3	5520.50	56.56	14.24	42.32	68.20	-11.64	180	353	Peak	Vertical	
4	5687.00	57.47	15.07	42.40	95.61	-38.14	180	353	Peak	Vertical	
5	5720.00	58.14	15.67	42.47	110.80	-52.66	180	353	Peak	Vertical	
6	5725.00	61.33	18.84	42.49	130.00	-68.67	180	353	Peak	Vertical	
7	5825.00	122.09	79.39	42.70	130.00	-7.91	180	353	Peak	Vertical	
8	5851.50	58.68	16.01	42.67	124.24	-65.56	180	353	Peak	Vertical	
9	5857.00	57.22	14.55	42.67	110.24	-53.02	180	353	Peak	Vertical	
10	5921.50	63.54	20.74	42.80	70.78	-7.24	180	353	Peak	Vertical	
11	5925.50	62.22	19.41	42.81	68.20	-5.98	180	353	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.50	53.07	12.07	41.00	54.00	-0.93	179	360	Average	Horizontal	
2	4800.50	57.30	16.30	41.00	74.00	-16.70	179	360	Peak	Horizontal	
3	5631.50	58.65	16.29	42.36	68.20	-9.55	179	360	Peak	Horizontal	
4	5675.00	58.33	15.92	42.41	86.74	-28.41	179	360	Peak	Horizontal	
5	5719.50	60.19	17.72	42.47	110.66	-50.47	179	360	Peak	Horizontal	
6	5725.00	62.74	20.25	42.49	130.00	-67.26	179	360	Peak	Horizontal	
7	5754.00	117.72	75.10	42.62	130.00	-12.28	179	360	Peak	Horizontal	
8	5850.50	57.42	14.75	42.67	128.08	-70.66	179	360	Peak	Horizontal	
9	5862.50	56.62	13.95	42.67	108.70	-52.08	179	360	Peak	Horizontal	
10	5903.50	57.43	14.72	42.71	84.07	-26.64	179	360	Peak	Horizontal	
11	5908.00	56.25	13.24	43.01	68.20	-11.95	179	360	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	51.30	10.30	41.00	54.00	-2.70	194	358	Average	Vertical	
2	4800.00	56.81	15.81	41.00	74.00	-17.19	194	358	Peak	Vertical	
3	5649.50	59.83	17.39	42.44	68.20	-8.37	194	358	Peak	Vertical	
4	5664.00	60.81	18.39	42.42	78.59	-17.78	194	358	Peak	Vertical	
5	5719.50	62.14	19.67	42.47	110.66	-48.52	194	358	Peak	Vertical	
6	5725.50	62.77	20.29	42.48	124.24	-61.47	194	358	Peak	Vertical	
7	5757.00	117.63	75.01	42.62	130.00	-12.37	194	358	Peak	Vertical	
8	5852.50	62.98	20.31	42.67	120.40	-57.42	194	358	Peak	Vertical	
9	5855.00	61.63	18.96	42.67	110.00	-49.17	194	358	Peak	Vertical	
10	5897.50	59.93	17.23	42.70	88.51	-28.58	194	358	Peak	Vertical	
11	5945.00	57.92	15.01	42.91	68.20	-10.28	194	358	Peak	Vertical	

802.11ax HE40
CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	53.65	12.65	41.00	54.00	-0.35	187	360	Average	Horizontal
2	4800.50	57.68	16.68	41.00	74.00	-16.32	187	360	Peak	Horizontal
3	5520.50	57.73	15.41	42.32	68.20	-10.47	187	360	Peak	Horizontal
4	5695.50	59.30	16.92	42.38	101.88	-42.58	187	360	Peak	Horizontal
5	5708.00	58.10	15.69	42.41	107.44	-49.34	187	360	Peak	Horizontal
6	5723.00	57.64	15.16	42.48	122.32	-64.68	187	360	Peak	Horizontal
7	5791.50	118.61	75.90	42.71	139.00	-11.39	187	360	Peak	Horizontal
8	5852.00	57.06	14.39	42.67	122.32	-65.26	187	360	Peak	Horizontal
9	5858.00	57.49	14.82	42.67	109.96	-52.47	187	360	Peak	Horizontal
10	5922.00	57.95	15.15	42.80	70.41	-12.46	187	360	Peak	Horizontal
11	5941.50	57.52	14.63	42.89	68.20	-10.68	187	360	Peak	Horizontal

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	50.45	9.45	41.00	54.00	-3.55	191	356	Average	Vertical
2	4800.50	55.53	14.53	41.00	74.00	-18.47	191	356	Peak	Vertical
3	5650.00	56.82	14.38	42.44	68.20	-11.38	191	356	Peak	Vertical
4	5691.50	59.46	17.07	42.39	98.93	-39.47	191	356	Peak	Vertical
5	5701.50	60.27	17.89	42.38	105.62	-45.35	191	356	Peak	Vertical
6	5725.00	56.28	13.79	42.49	130.00	-73.72	191	356	Peak	Vertical
7	5796.00	116.77	74.05	42.72	130.00	-13.23	191	356	Peak	Vertical
8	5852.00	56.05	13.38	42.67	120.40	-64.35	191	356	Peak	Vertical
9	5873.00	57.95	15.27	42.68	105.76	-47.81	191	356	Peak	Vertical
10	5884.00	60.02	17.33	42.69	98.52	-38.50	191	356	Peak	Vertical
11	5929.50	59.17	16.33	42.84	68.20	-9.03	191	356	Peak	Vertical

802.11ax HE80
CH 155 (Horizontal) Peak
CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.00	66.54	24.10	42.44	68.20	-1.66	171	357 Peak	Horizontal	
2	5696.50	70.30	27.92	42.38	102.62	-32.32	171	357 Peak	Horizontal	
3	5720.00	76.07	33.60	42.47	110.80	-34.73	171	357 Peak	Horizontal	
4	5724.00	79.05	36.56	42.49	126.16	-47.11	171	357 Peak	Horizontal	
5	5775.00	123.11	80.44	42.67	130.00	-6.89	171	357 Peak	Horizontal	
6	5851.00	72.71	30.04	42.67	126.16	-53.45	171	357 Peak	Horizontal	
7	5855.00	70.90	28.23	42.67	110.80	-39.90	171	357 Peak	Horizontal	
8	5876.50	63.41	20.73	42.68	104.09	-40.68	171	357 Peak	Horizontal	
9	5933.50	62.57	19.72	42.85	68.20	-5.63	171	357 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	67.66	25.23	42.43	68.20	-0.54	176	354 Peak	Vertical	
2	5680.00	75.90	33.58	42.40	90.44	-14.46	176	354 Peak	Vertical	
3	5719.50	80.15	37.68	42.47	110.66	-30.51	176	354 Peak	Vertical	
4	5722.50	80.75	38.27	42.48	120.40	-39.65	176	354 Peak	Vertical	
5	5775.00	123.81	81.14	42.67	130.00	-6.19	176	354 Peak	Vertical	
6	5850.50	75.25	32.58	42.67	128.08	-52.83	176	354 Peak	Vertical	
7	5866.50	73.60	31.20	42.68	107.58	-33.70	176	354 Peak	Vertical	
8	5881.00	70.23	27.54	42.69	100.74	-30.51	176	354 Peak	Vertical	
9	5931.00	64.38	21.54	42.84	68.20	-3.82	176	354 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz


U-NII-1

Co-Location

(Open) (9kHz ~ 150kHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	48.74	31.02	17.72	127.60	-78.86	100	214	Peak	Open	
2	0.03	56.54	37.59	18.95	119.13	-62.59	100	238	Peak	Open	
3	0.03	40.87	21.67	19.20	117.69	-76.02	100	300	Peak	Open	
4	0.05	38.14	19.00	19.14	114.19	-76.05	100	281	Peak	Open	
5	0.06	41.11	22.26	18.85	111.82	-70.71	100	14	Peak	Open	
6	0.08	31.91	13.47	18.44	109.73	-77.82	100	135	Peak	Open	

(Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	42.86	24.73	18.13	104.80	-61.22	100	286	Peak	Open	
2	0.39	59.34	40.55	18.79	95.81	-36.47	100	360	Peak	Open	
3	0.81	51.30	32.31	18.99	69.36	-18.06	100	3	Peak	Open	
4	1.22	43.97	24.83	19.14	65.65	-21.68	100	24	Peak	Open	
5	2.90	35.40	15.80	19.60	69.50	-34.10	100	4	Peak	Open	
6	28.81	38.21	15.89	22.32	69.50	-31.29	100	160	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


Co-Location

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	70.74	38.15	48.28	-10.13	40.00	-1.85	300	192	Peak	Horizontal	
2	97.90	38.89	51.31	-12.42	43.50	-4.61	200	103	Peak	Horizontal	
3	196.84	41.11	50.77	-9.66	43.50	-2.39	100	271	Peak	Horizontal	
4	215.27	40.34	50.10	-9.76	43.50	-3.16	100	280	QP	Horizontal	
5	256.98	44.80	52.67	-7.87	46.00	-1.20	100	206	Peak	Horizontal	
6	288.02	45.48	52.32	-6.84	46.00	-0.52	100	266	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	37.92	44.91	-6.99	40.00	-2.08	100	222	QP	Vertical	
2	70.74	38.38	48.51	-10.13	40.00	-1.62	100	80	QP	Vertical	
3	94.99	41.07	53.99	-12.92	43.50	-2.43	100	184	Peak	Vertical	
4	210.42	39.38	49.33	-9.95	43.50	-4.12	200	142	Peak	Vertical	
5	263.77	44.88	52.54	-7.66	46.00	-1.12	100	100	Peak	Vertical	
6	288.02	44.96	51.00	-6.04	46.00	-1.04	137	274	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10360.00	47.16	51.87	-4.71	68.20	-21.04	300	275 Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----------	------------



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10360.00	50.78	55.49	-4.71	68.20	-17.42	300	288 Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	----------	----------


802.11a

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	44.51	48.87	-4.36	68.20	-23.69	100	233	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	44.35	48.71	-4.36	68.20	-23.85	300	296	Peak	Vertical		


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1 10360.00	48.30	53.01	-4.71	68.20	-19.90		300	305	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1 10360.00	49.54	54.25	-4.71	68.20	-18.66		100	95	Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10400.00	43.42	48.04	-4.62	68.20	-24.78	201	0	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10400.00	45.95	50.57	-4.62	68.20	-22.25	200	276	Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10388.00	46.52	51.18	-4.66	68.20	-21.68	300	305 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10388.00	48.54	53.20	-4.66	68.20	-19.66	300	248 Peak	Vertical		