

Appendix G: Test Results of Radiation Spurious Emissions & Mains Conducted Emission (Spruce_Omni antenna)

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4800.00	56.86	15.86	41.00	74.00	-17.14	139	177 Peak	Horizontal	
2 *	5180.00	117.00	75.43	41.57	68.20	48.80	139	177 Peak	Horizontal	
3	5428.00	55.48	13.19	42.29	74.00	-18.52	139	177 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5000.00	57.60	16.31	41.29	74.00	-16.40	139	183 Peak	Vertical	
2 *	5180.00	115.82	74.25	41.57	68.20	47.62	139	183 Peak	Vertical	
3	5371.50	56.23	14.16	42.07	74.00	-17.77	139	183 Peak	Vertical	

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4799.50	50.03	9.03	41.00	54.00	-3.97	139	177	Average	Horizontal		
2	5180.00	107.00	65.43	41.57	54.00	53.00	139	177	Average	Horizontal		
3	5376.00	43.56	1.43	42.13	54.00	-10.44	139	177	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4799.50	52.94	11.94	41.00	54.00	-1.06	139	180	Average	Vertical		
2	5180.00	106.72	65.15	41.57	54.00	52.72	139	183	Average	Vertical		
3	5376.50	43.69	1.63	42.06	54.00	-10.31	139	183	Average	Vertical		

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.50	56.14	14.73	41.41	74.00	-17.86	135	178	Peak	Horizontal	
2 *	5200.00	117.25	75.59	41.66	68.20	49.05	135	178	Peak	Horizontal	
3	5384.50	55.71	13.45	42.26	74.00	-18.29	135	178	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	58.00	17.08	41.00	74.00	-15.92	133	182	Peak	Vertical	
2 *	5200.00	115.01	73.35	41.66	68.20	46.81	133	182	Peak	Vertical	
3	5394.00	55.30	12.90	42.40	74.00	-18.70	133	182	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	50.21	9.21	41.00	54.00	-3.79	135	178	Average	Horizontal	
2	5200.00	106.49	64.83	41.66	54.00	52.49	135	178	Average	Horizontal	
3	5376.00	43.84	1.71	42.13	54.00	-10.16	135	178	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	53.13	12.13	41.00	54.00	-0.87	133	182	Average	Vertical	
2	5200.00	105.90	64.24	41.66	54.00	51.90	133	182	Average	Vertical	
3	5390.00	43.59	1.25	42.34	54.00	-10.41	133	182	Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5041.00	54.65	13.40	41.25	74.00	-19.35	146	176	Peak	Horizontal		
2 *	5240.00	112.94	71.33	41.61	68.29	44.74	146	176	Peak	Horizontal		
3	5376.50	55.37	13.23	42.14	74.00	-18.63	146	176	Peak	Horizontal		

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.00	57.06	15.64	41.42	74.00	-16.94	135	178	Peak	Vertical		
2 *	5240.00	111.25	69.64	41.61	68.20	43.05	135	178	Peak	Vertical		
3	5446.00	55.76	13.61	42.15	74.00	-18.24	135	178	Peak	Vertical		

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	44.10	3.10	41.00	54.00	-9.90	146	176	Average	Horizontal		
2 *	5240.00	102.51	60.90	41.61	54.00	48.51	146	176	Average	Horizontal		
3	5418.00	43.07	0.71	42.36	54.00	-10.93	146	176	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4799.50	48.37	7.37	41.00	54.00	-5.63	135	178	Average	Vertical		
2 *	5240.00	102.12	60.51	41.61	54.00	48.12	135	178	Average	Vertical		
3	5387.00	43.92	1.62	42.30	54.00	-10.08	135	178	Average	Vertical		

802.11ax HE20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4890.00	56.52	15.52	41.00	74.00	-17.48	135	174 Peak	Horizontal	
2	5132.50	57.56	16.18	41.38	74.00	-16.44	135	174 Peak	Horizontal	
3 *	5179.00	117.36	75.79	41.57	68.20	49.16	135	174 Peak	Horizontal	
4	5391.00	55.54	13.19	42.35	74.00	-18.46	135	174 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4890.00	56.95	15.95	41.00	74.00	-17.05	139	177 Peak	Vertical	
2 *	5180.00	117.68	76.83	41.57	68.20	49.48	139	177 Peak	Vertical	
3	5367.00	54.67	12.66	42.01	74.00	-19.33	139	177 Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	51.35	10.35	41.00	54.00	-2.65	135	174	Average	Horizontal		
2	5181.00	106.42	64.85	41.57	54.00	52.42	135	174	Average	Horizontal		
3	5376.00	43.94	1.81	42.13	54.00	-10.06	135	174	Average	Horizontal		

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	53.16	12.16	41.00	54.00	-0.84	139	177	Average	Vertical		
2	5180.50	105.51	63.94	41.57	54.00	51.51	139	177	Average	Vertical		
3	5376.00	43.05	1.00	42.05	54.00	-10.95	139	177	Average	Vertical		

802.11ax HE20

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4880.00	54.79	13.79	41.00	74.00	-19.21	142	177	Peak	Horizontal		
2	5102.50	55.11	13.89	41.31	74.00	-18.89	142	177	Peak	Horizontal		
3 *	5199.50	117.35	75.69	41.66	68.20	49.15	142	177	Peak	Horizontal		
4	5413.50	55.84	13.45	42.39	74.00	-18.16	142	177	Peak	Horizontal		

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5101.50	57.44	16.14	41.30	74.00	-16.56	129	181	Peak	Vertical		
2 *	5199.50	114.70	73.05	41.65	68.20	46.59	129	181	Peak	Vertical		
3	5407.50	54.72	12.29	42.43	74.00	-19.28	129	181	Peak	Vertical		

802.11ax HE20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	47.48	6.48	41.00	54.00	-6.52	142	177	Average	Horizontal		
2 *	5199.50	105.76	64.11	41.65	54.00	51.76	142	177	Average	Horizontal		
3	5376.00	43.24	1.11	42.13	54.00	-10.76	142	177	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	53.22	12.22	41.00	54.00	-0.78	129	181	Average	Vertical		
2 *	5199.50	104.60	62.94	41.66	54.00	50.60	129	181	Average	Vertical		
3	5393.50	43.09	0.70	42.39	54.00	-10.91	129	181	Average	Vertical		


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	55.22	13.22	42.00	74.00	-18.78	147	177 Peak	Horizontal	
2	4992.00	56.65	14.21	42.44	74.00	-17.35	147	177 Peak	Horizontal	
3 *	5240.00	114.49	71.50	42.99	68.20	46.29	147	177 Peak	Horizontal	
4	5384.50	56.49	13.35	43.14	74.00	-17.51	147	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	56.11	14.11	42.00	74.00	-17.89	137	180 Peak	Vertical	
2	5138.50	56.47	13.65	42.82	74.00	-17.53	137	180 Peak	Vertical	
3 *	5240.00	114.68	71.69	42.99	68.20	46.48	137	180 Peak	Vertical	
4	5356.00	57.18	14.19	42.99	74.00	-16.82	137	180 Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	47.52	5.52	42.00	54.00	-6.48	147	177	Average	Horizontal		
2 *	5240.00	104.17	61.18	42.99	54.00	50.17	147	177	Average	Horizontal		
3	5375.50	44.33	1.24	43.09	54.00	-9.67	147	177	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	50.33	8.33	42.00	54.00	-3.67	137	180	Average	Vertical		
2 *	5240.00	104.04	61.05	42.99	54.00	50.04	137	180	Average	Vertical		
3	5382.50	44.74	1.61	43.13	54.00	-9.26	137	180	Average	Vertical		


802.11ax HE40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	55.94	13.94	42.00	74.00	-18.06	147	177 Peak	Horizontal	
2	5149.50	60.54	17.64	42.00	74.00	-13.46	147	177 Peak	Horizontal	
3 *	5190.00	115.75	72.74	43.01	68.20	47.55	147	177 Peak	Horizontal	
4	5458.00	56.20	12.94	43.26	74.00	-17.00	147	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.85	15.85	42.00	74.00	-16.15	143	183 Peak	Vertical	
2	5150.00	60.53	17.63	42.00	68.20	-7.67	143	183 Peak	Vertical	
3 *	5190.00	113.42	70.41	43.01	68.20	45.22	143	183 Peak	Vertical	
4	5420.50	56.46	13.23	43.23	74.00	-17.54	143	183 Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	47.52	5.52	42.00	54.00	-6.48	147	177	Average	Horizontal		
2	5150.00	49.02	6.12	42.90	54.00	-4.98	147	177	Average	Horizontal		
3 *	5190.00	103.41	60.40	43.01	54.00	49.41	147	177	Average	Horizontal		
4	5304.00	43.90	0.76	43.14	54.00	-10.10	147	177	Average	Horizontal		

CH 38 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4790.50	53.50	11.50	42.00	54.00	-0.50	143	183	Average	Vertical		
2 *	5190.00	102.57	59.56	43.01	54.00	48.57	143	183	Average	Vertical		
3	5391.00	43.89	0.73	43.16	54.00	-10.11	143	183	Average	Vertical		


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	55.78	13.78	42.00	74.00	-18.22	144	178	Peak	Horizontal	
2	5135.50	56.77	13.97	42.80	74.00	-17.23	144	178	Peak	Horizontal	
3 *	5230.00	113.35	70.34	43.01	68.20	45.15	144	178	Peak	Horizontal	
4	5418.00	57.19	13.96	43.23	74.00	-16.81	144	178	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	57.13	15.13	42.00	74.00	-16.87	139	182	Peak	Vertical	
2	5126.50	57.51	14.77	42.74	74.00	-16.49	139	182	Peak	Vertical	
3 *	5230.00	112.22	69.21	43.01	68.20	44.02	139	182	Peak	Vertical	
4	5441.00	56.49	13.25	43.24	74.00	-17.51	139	182	Peak	Vertical	

802.11ax HE40


CH 46 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.00	64.50	23.09	41.41	74.00	-9.50	142	175	Peak	Horizontal	
2 *	5210.00	112.47	70.82	41.65	68.20	44.27	142	175	Peak	Horizontal	
3	5388.50	56.26	13.94	42.32	74.00	-17.74	142	175	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	62.84	21.41	41.43	74.00	-11.16	138	176	Peak	Vertical	
2 *	5210.00	110.43	68.78	41.65	68.20	42.23	138	176	Peak	Vertical	
3	5391.50	56.52	14.16	42.36	74.00	-17.48	138	176	Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.58	52.79	11.36	41.43	54.00	-1.21	142	175	Average	Horizontal		
2 *	5210.00	101.01	59.36	41.65	54.00	47.01	142	175	Average	Horizontal		
3	5376.00	44.38	2.25	42.13	54.00	-9.62	142	175	Average	Horizontal		

CH 42 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.00	53.06	11.63	41.43	54.00	-0.94	138	176	Average	Vertical		
2 *	5210.00	99.66	58.01	41.65	54.00	45.66	138	176	Average	Vertical		
3	5362.50	44.41	2.48	41.93	54.00	-9.59	138	176	Average	Vertical		

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBm	cm	deg			
1	4800.50	53.74	12.74	41.00	74.00	-20.26	135	176 Peak	Horizontal	
2	5111.00	55.26	13.93	41.33	74.00	-18.74	135	176 Peak	Horizontal	
3 *	5260.00	113.15	71.47	41.68	68.20	44.95	135	176 Peak	Horizontal	
4	5364.00	56.03	14.06	41.97	74.00	-17.97	135	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBm	cm	deg			
1	4800.00	56.93	15.93	41.00	74.00	-17.07	141	177 Peak	Vertical	
2 *	5260.00	111.11	69.43	41.68	68.20	42.91	141	177 Peak	Vertical	
3	5407.00	55.96	13.53	42.43	74.00	-18.04	141	177 Peak	Vertical	

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	44.88	3.88	41.00	54.00	-9.12	135	176	Average	Horizontal		
2 *	5369.00	102.98	61.39	41.68	54.00	48.98	135	176	Average	Horizontal		
3	5376.00	43.24	1.11	42.13	54.00	-10.76	135	176	Average	Horizontal		

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	49.20	8.20	41.00	54.00	-4.80	141	177	Average	Vertical		
2 *	5369.00	101.95	60.27	41.68	54.00	47.95	141	177	Average	Vertical		
3	5355.50	45.08	3.24	41.84	54.00	-8.92	141	177	Average	Vertical		

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	56.19	15.19	41.00	74.00	-17.81	133	182	Peak	Horizontal	
2 *	5300.00	113.72	71.69	42.03	68.29	45.52	133	182	Peak	Horizontal	
3	5409.00	56.43	14.61	42.42	74.00	-17.57	133	182	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	58.04	17.04	41.00	74.00	-15.96	138	180	Peak	Vertical	
2 *	5300.00	111.62	69.59	42.03	68.29	43.42	138	180	Peak	Vertical	
3	5393.50	56.51	14.12	42.39	74.00	-17.49	138	180	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4799.50	46.28	5.28	41.00	54.00	-7.72	133	182 Average	Horizontal	
2 *	5398.00	103.34	61.31	42.03	54.00	49.34	133	182 Average	Horizontal	
3	5397.50	43.45	0.99	42.46	54.00	-10.55	133	182 Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	53.23	12.23	41.00	54.00	-0.77	138	180 Average	Vertical	
2 *	5398.00	102.69	60.66	42.03	54.00	48.69	138	180 Average	Vertical	
3	5396.50	45.11	2.67	42.44	54.00	-8.89	138	180 Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	54.89	13.89	41.00	74.00	-19.11	142	178	Peak	Horizontal		
2	5011.50	54.97	13.89	41.17	74.00	-19.03	142	178	Peak	Horizontal		
3 *	5320.00	115.29	73.37	41.92	68.20	47.09	142	178	Peak	Horizontal		
4	5458.50	55.60	13.45	42.15	74.00	-18.40	142	178	Peak	Horizontal		

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	57.91	16.91	41.00	74.00	-16.09	137	182	Peak	Vertical		
2 *	5320.00	112.31	70.39	41.92	68.20	44.11	137	182	Peak	Vertical		
3	5416.00	56.23	13.86	42.37	74.00	-17.77	137	182	Peak	Vertical		

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	45.26	4.26	41.00	54.00	-9.74	142	178 Average	Horizontal	
2 *	5328.00	105.15	63.23	41.92	54.00	51.15	142	178 Average	Horizontal	
3	5376.00	43.55	1.42	42.13	54.00	-10.45	142	178 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4799.50	53.32	12.32	41.00	54.00	-0.68	137	182 Average	Vertical	
2 *	5328.00	103.00	61.16	41.92	54.00	49.08	137	182 Average	Vertical	
3	5417.50	45.39	3.03	42.36	54.00	-8.61	137	182 Average	Vertical	

802.11ax HE20

CH 52 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	55.90	13.90	42.00	74.00	-18.10	136	175 Peak	Horizontal	
2	4992.50	56.41	13.96	42.45	74.00	-17.59	136	175 Peak	Horizontal	
3 *	5260.00	116.39	73.42	42.97	68.20	48.19	136	175 Peak	Horizontal	
4	5452.50	56.72	13.47	43.25	74.00	-17.28	136	175 Peak	Horizontal	

CH 52 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	58.05	16.05	42.00	74.00	-15.95	138	179 Peak	Vertical	
2 *	5260.00	116.17	73.20	42.97	68.20	47.97	138	179 Peak	Vertical	
3	5361.00	57.59	14.57	43.02	74.00	-16.41	138	179 Peak	Vertical	

802.11ax HE20


CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	55.62	13.62	42.00	74.00	-18.38	135	177 Peak	Horizontal	
2	4992.00	56.51	14.07	42.44	74.00	-17.49	135	177 Peak	Horizontal	
3 *	5300.00	114.20	71.28	42.92	68.20	46.00	135	177 Peak	Horizontal	
4	5366.50	56.32	13.27	43.05	74.00	-17.68	135	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	56.10	14.10	42.00	74.00	-17.90	135	182 Peak	Vertical	
2	4954.50	56.59	14.25	42.34	74.00	-17.41	135	182 Peak	Vertical	
3 *	5300.00	115.07	72.15	42.92	68.20	46.87	135	182 Peak	Vertical	
4	5396.50	57.00	13.80	43.20	74.00	-17.00	135	182 Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	48.50	6.50	42.00	54.00	-5.50	135	177	Average	Horizontal	
2	5300.00	103.59	60.67	42.92	54.00	49.59	135	177	Average	Horizontal	
3	5376.00	44.60	1.51	43.09	54.00	-9.40	135	177	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4799.50	49.71	7.71	42.00	54.00	-4.29	135	182	Average	Vertical	
2	5300.00	103.02	60.10	42.92	54.00	49.02	135	182	Average	Vertical	
3	5395.50	45.59	2.40	43.19	54.00	-8.41	135	182	Average	Vertical	

802.11ax HE20

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5835.58	54.37	13.14	41.23	74.00	-19.63	134	177	Peak	Horizontal	
2 *	5320.00	116.24	74.32	41.92	68.29	48.04	134	177	Peak	Horizontal	
3	5422.58	55.72	13.40	42.32	74.00	-18.28	134	177	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	57.78	16.78	41.00	74.00	-16.22	136	183	Peak	Vertical	
2 *	5320.00	113.48	71.48	41.92	68.29	45.29	136	183	Peak	Vertical	
3	5414.58	57.98	15.60	42.38	74.00	-16.02	136	183	Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	45.37	4.37	41.00	54.00	-9.63	134	177 Average	Horizontal	
2 *	5320.00	105.20	63.28	41.92	54.00	51.20	134	177 Average	Horizontal	
3	5414.50	43.26	0.88	42.38	54.00	-10.74	134	177 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	52.49	11.49	41.00	54.00	-1.51	136	183 Average	Vertical	
2 *	5320.00	102.00	60.08	41.92	54.00	48.00	136	183 Average	Vertical	
3	5417.00	45.53	3.17	42.36	54.00	-8.47	136	183 Average	Vertical	

802.11ax HE40

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	54.93	12.93	42.00	74.00	-19.07	136	177 Peak	Horizontal	
2	5113.50	56.35	13.70	42.05	74.00	-17.65	136	177 Peak	Horizontal	
3 *	5270.00	113.01	70.85	42.96	68.20	44.81	136	177 Peak	Horizontal	
4	5384.00	56.77	13.63	43.14	74.00	-17.23	136	177 Peak	Horizontal	

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.45	15.45	42.00	74.00	-16.55	133	180 Peak	Vertical	
2 *	5270.00	112.47	69.51	42.00	68.20	44.27	133	180 Peak	Vertical	
3	5362.50	57.58	14.55	43.03	74.00	-16.42	133	180 Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	46.81	4.81	42.00	54.00	-7.19	136	177	Average	Horizontal	
2 *	5270.00	102.09	59.13	42.96	54.00	48.09	136	177	Average	Horizontal	
3	5376.00	45.11	2.62	43.09	54.00	-8.89	136	177	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	51.15	9.15	42.00	54.00	-2.85	133	180	Average	Vertical	
2 *	5270.00	101.66	58.70	42.96	54.00	47.66	133	180	Average	Vertical	
3	5367.00	45.65	2.60	43.05	54.00	-8.35	133	180	Average	Vertical	


802.11ax HE40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	56.67	14.67	42.00	74.00	-17.33	138	177 Peak	Horizontal	
2	5042.50	56.67	14.68	42.59	74.00	-17.33	138	177 Peak	Horizontal	
3 *	5310.00	114.45	71.52	42.93	68.20	46.25	138	177 Peak	Horizontal	
4	5351.50	61.15	18.17	42.98	74.00	-12.85	138	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	56.60	14.60	42.00	74.00	-17.40	132	179 Peak	Vertical	
2 *	5310.00	113.27	70.34	42.93	68.20	45.07	132	179 Peak	Vertical	
3	5402.50	58.39	15.18	43.21	74.00	-15.61	132	179 Peak	Vertical	

802.11ax HE40

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	50.21	8.21	42.00	54.00	-3.79	138	177	Average	Horizontal	
2 *	5318.00	102.94	60.01	42.93	54.00	48.94	138	177	Average	Horizontal	
3	5351.50	47.68	4.70	42.98	54.00	-6.32	138	177	Average	Horizontal	

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4799.50	50.32	8.32	42.00	54.00	-3.68	132	179	Average	Vertical	
2 *	5318.00	102.40	59.47	42.93	54.00	48.40	132	179	Average	Vertical	
3	5407.00	46.02	2.80	43.22	54.00	-7.98	132	179	Average	Vertical	


802.11ax HE80

CH 58 (Horizontal) Peak


CH 58 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80

CH 58 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5117.00	43.68	2.34	41.34	54.00	-10.32	148	177 Average	Vertical	
2 *	5290.00	97.81	55.87	41.94	54.00	43.81	148	177 Average	Vertical	
3	5370.00	44.73	2.68	42.05	54.00	-9.27	148	177 Average	Vertical	
4	5760.00	51.68	9.05	42.63	68.20	-16.52	148	177 Peak	Vertical	

CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4800.00	43.80	2.80	41.00	54.00	-10.20	148	180 Average	Vertical	
2 *	5290.00	98.73	56.79	41.94	54.00	44.73	148	180 Average	Vertical	
3	5387.00	45.21	2.91	42.30	54.00	-8.79	148	180 Average	Vertical	


802.11ax HE160

CH 50 (Horizontal) Peak

CH 50 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.58	72.42	31.01	41.41	74.00	-1.58	150	177	Peak	Horizontal	
2	5250.00	99.37	57.78	41.59	68.29	31.17	150	177	Peak	Horizontal	
3	5376.58	69.99	27.85	42.14	74.00	-4.01	150	177	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.00	72.88	31.49	41.39	74.00	-1.12	140	174	Peak	Vertical	
2	5250.00	98.99	56.88	41.59	68.29	30.19	140	174	Peak	Vertical	
3	5374.00	67.62	25.51	42.11	74.00	-6.38	140	174	Peak	Vertical	

802.11ax HE160

CH 50 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5135.50	48.28	6.89	41.39	54.00	-5.72	150	177	Average	Horizontal		
2	5250.00	89.55	46.95	41.59	54.00	34.55	150	177	Average	Horizontal		
3	5378.50	48.17	6.00	42.17	54.00	-5.83	150	177	Average	Horizontal		

CH 50 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5136.00	46.68	5.29	41.39	54.00	-7.32	140	174	Average	Vertical		
2	5250.00	87.76	46.17	41.59	54.00	33.76	140	174	Average	Vertical		
3	5373.50	47.06	4.96	42.10	54.00	-6.94	140	174	Average	Vertical		

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	55.92	14.92	41.00	74.00	-18.08	147	179 Peak	Horizontal	
2	5403.00	56.11	13.64	42.47	74.00	-17.89	147	179 Peak	Horizontal	
3	5468.00	55.44	13.24	42.20	68.20	-12.76	147	179 Peak	Horizontal	
4 *	5500.00	115.08	73.53	42.35	68.20	47.68	147	179 Peak	Horizontal	
5	6970.00	58.02	14.24	43.78	68.20	-10.18	147	179 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.50	55.58	13.44	42.14	74.00	-18.42	224	178 Peak	Vertical	
2	5461.50	54.85	12.67	42.18	68.20	-13.35	224	178 Peak	Vertical	
3 *	5500.00	108.06	66.51	42.35	68.20	40.66	224	178 Peak	Vertical	
4	6103.50	59.37	15.85	43.52	68.20	-8.83	224	178 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4800.00	50.29	9.29	41.00	54.00	-3.71	147	179	Average	Horizontal	
2 5498.50	43.89	1.74	42.15	54.00	-10.11	147	179	Average	Horizontal	
3 * 5500.00	105.40	63.05	42.35	54.00	51.40	147	179	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4800.00	42.94	1.94	41.00	54.00	-11.06	224	178	Average	Vertical	
2 5401.50	43.64	1.16	42.48	54.00	-10.36	224	178	Average	Vertical	
3 * 5500.00	99.67	57.32	42.35	54.00	45.67	224	178	Average	Vertical	