


802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4880.00	54.44	13.44	41.00	74.00	-19.56	149	181 Peak	Horizontal	
2	5421.50	56.68	14.35	42.33	74.00	-17.32	149	181 Peak	Horizontal	
3	5464.50	54.35	12.16	42.19	68.20	-13.85	149	181 Peak	Horizontal	
4 *	5580.00	115.14	72.90	42.24	68.20	46.94	149	181 Peak	Horizontal	
5	6972.00	58.05	14.27	43.78	68.20	-10.15	149	181 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5371.50	55.18	13.11	42.07	74.00	-18.82	222	175 Peak	Vertical	
2	5470.00	54.53	12.32	42.21	68.20	-13.67	222	175 Peak	Vertical	
3 *	5580.00	109.45	67.21	42.24	68.20	41.25	222	175 Peak	Vertical	
4	6777.00	58.44	14.72	43.72	68.20	-9.76	222	175 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	48.41	7.41	41.00	54.00	-5.59	149	181	Average	Horizontal	
2	5402.50	43.07	0.60	42.47	54.00	-10.93	149	181	Average	Horizontal	
3	5580.00	105.70	63.46	42.24	54.00	51.70	149	181	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5395.50	42.87	0.44	42.43	54.00	-11.13	222	175	Average	Vertical	
2	5580.00	100.14	57.90	42.24	54.00	46.14	222	175	Average	Vertical	

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	55.34	14.34	41.00	74.00	-10.66	132	177 Peak	Horizontal	
2	5397.00	55.35	12.90	42.45	74.00	-10.65	132	177 Peak	Horizontal	
3	5466.50	54.46	12.26	42.20	68.20	-13.74	132	177 Peak	Horizontal	
4 *	5700.00	113.42	71.05	42.37	68.20	45.22	132	177 Peak	Horizontal	
5	6661.00	58.14	14.58	43.56	68.20	-10.06	132	177 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.03	16.03	41.00	74.00	-16.97	134	178 Peak	Vertical	
2	5390.50	55.09	12.74	42.35	74.00	-18.91	134	178 Peak	Vertical	
3	5463.50	54.33	12.15	42.18	68.20	-13.87	134	178 Peak	Vertical	
4 *	5700.00	109.94	67.57	42.37	68.20	41.74	134	178 Peak	Vertical	
5	6996.00	59.04	15.29	43.75	68.20	-9.16	134	178 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	48.66	7.66	41.00	54.00	-5.34	132	177 Average	Horizontal	
2	5423.50	43.03	0.72	42.31	54.00	-10.97	132	177 Average	Horizontal	
3 *	5700.00	103.30	60.93	42.37	54.00	49.30	132	177 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4800.00	51.02	10.02	41.00	54.00	-2.98	134	178 Average	Vertical	
2	5410.00	43.05	0.64	42.41	54.00	-10.95	134	178 Average	Vertical	
3 *	5700.00	100.60	58.23	42.37	54.00	46.60	134	178 Average	Vertical	

802.11ax HE20

CH 100 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.56	15.56	42.00	74.00	-16.44	142	178 Peak	Horizontal	
2	5400.50	57.37	14.15	43.22	74.00	-16.63	142	178 Peak	Horizontal	
3	5470.00	58.56	15.29	43.27	68.20	-9.64	142	178 Peak	Horizontal	
4 *	5500.00	117.15	73.86	43.29	68.20	48.95	142	178 Peak	Horizontal	
5	6994.50	60.60	15.21	45.39	68.20	-7.60	142	178 Peak	Horizontal	

CH 100 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	56.64	14.64	42.00	74.00	-17.36	144	184 Peak	Vertical	
2	5450.00	56.29	13.84	43.25	74.00	-17.71	144	184 Peak	Vertical	
3	5469.00	55.76	12.49	43.27	68.20	-12.44	144	184 Peak	Vertical	
4 *	5500.00	111.48	68.19	43.29	68.20	43.28	144	184 Peak	Vertical	
5	6940.50	59.79	14.53	45.26	68.20	-8.41	144	184 Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	51.42	9.42	42.00	54.00	-2.58	142	178 Average	Horizontal	
2	5400.00	44.98	1.72	43.26	54.00	-9.02	142	178 Average	Horizontal	
3 *	5500.00	106.32	63.63	43.29	54.00	52.32	142	178 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	49.83	7.83	42.00	54.00	-4.17	144	184 Average	Vertical	
2	5400.00	44.46	1.25	43.21	54.00	-9.54	144	184 Average	Vertical	
3 *	5500.00	98.81	55.52	43.29	54.00	44.81	144	184 Average	Vertical	


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	55.86	13.86	42.00	74.00	-18.14	142	176 Peak	Horizontal	
2	5429.00	56.60	13.37	43.23	74.00	-17.40	142	176 Peak	Horizontal	
3	5463.50	56.28	13.62	43.26	68.20	-11.92	142	176 Peak	Horizontal	
4 *	5580.00	119.12	75.72	43.40	68.20	50.92	142	176 Peak	Horizontal	
5	6967.50	60.93	15.62	45.31	68.20	-7.27	142	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.86	15.86	42.00	74.00	-16.14	131	180 Peak	Vertical	
2	5438.00	56.67	13.43	43.24	74.00	-17.33	131	180 Peak	Vertical	
3	5468.00	55.22	11.95	43.27	68.20	-12.98	131	180 Peak	Vertical	
4 *	5580.00	111.91	68.51	43.40	68.20	43.71	131	180 Peak	Vertical	
5	6964.00	60.40	15.09	45.31	68.20	-7.80	131	180 Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	49.41	7.41	42.00	54.00	-4.59	142	176 Average	Horizontal	
2	5375.50	44.37	1.28	43.00	54.00	-9.63	142	176 Average	Horizontal	
3 *	5580.00	107.10	63.70	43.40	54.00	53.10	142	176 Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	52.88	10.88	42.00	54.00	-1.12	131	180 Average	Vertical	
2	5436.50	43.88	0.64	43.24	54.00	-10.12	131	180 Average	Vertical	
3 *	5580.00	101.02	57.62	43.40	54.00	47.62	131	180 Average	Vertical	

802.11ax HE20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	56.39	14.39	42.00	74.00	-17.61	136	179 Peak	Horizontal	
2	5374.50	56.32	13.23	43.09	74.00	-17.68	136	179 Peak	Horizontal	
3	5466.00	56.71	13.44	43.27	68.20	-11.49	136	179 Peak	Horizontal	
4 *	5700.00	116.56	72.90	43.66	68.20	48.36	136	179 Peak	Horizontal	
5	6907.00	60.17	14.93	45.24	68.20	-8.03	136	179 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.82	15.82	42.00	74.00	-16.18	127	179 Peak	Vertical	
2	5422.00	56.49	13.26	43.23	74.00	-17.51	127	179 Peak	Vertical	
3	5469.50	56.29	13.02	43.27	68.20	-11.91	127	179 Peak	Vertical	
4 *	5700.00	113.16	69.50	43.66	68.20	44.96	127	179 Peak	Vertical	
5	6901.50	60.53	15.30	45.23	68.20	-7.67	127	179 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4800.00	50.45	8.45	42.00	54.00	-3.55	136	179 Average	Horizontal	
2	5376.00	44.31	1.22	43.00	54.00	-9.69	136	179 Average	Horizontal	
3 *	5700.00	104.60	60.94	43.66	54.00	50.60	136	179 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4800.00	52.44	10.44	42.00	54.00	-1.56	127	179 Average	Vertical	
2	5394.00	43.86	0.68	43.18	54.00	-10.14	127	179 Average	Vertical	
3 *	5700.00	102.17	58.51	43.66	54.00	48.17	127	179 Average	Vertical	


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.50	58.42	16.42	42.00	74.00	-15.58	142	177 Peak	Horizontal	
2	5456.00	58.60	15.34	43.26	74.00	-15.40	142	177 Peak	Horizontal	
3	5469.50	59.75	16.48	43.27	68.20	-8.45	142	177 Peak	Horizontal	
4 *	5510.00	116.03	72.71	43.32	68.20	47.83	142	177 Peak	Horizontal	
5	6999.50	60.63	15.23	45.40	68.20	-7.57	142	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.11	15.11	42.00	74.00	-16.89	142	178 Peak	Vertical	
2	5418.00	57.24	14.01	43.23	74.00	-16.76	142	178 Peak	Vertical	
3	5467.50	56.70	13.43	43.27	68.20	-11.50	142	178 Peak	Vertical	
4 *	5510.00	110.90	67.58	43.32	68.20	42.70	142	178 Peak	Vertical	
5	6922.50	60.44	15.19	45.25	68.20	-7.76	142	178 Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	53.02	11.02	42.00	54.00	-0.98	142	177 Average	Horizontal	
2	5459.50	46.63	3.37	43.26	54.00	-7.37	142	177 Average	Horizontal	
3 *	5510.00	104.68	61.36	43.32	54.00	50.68	142	177 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	50.60	8.60	42.00	54.00	-3.40	142	178 Average	Vertical	
2	5411.50	44.61	1.59	43.22	54.00	-9.19	142	178 Average	Vertical	
3 *	5510.00	98.92	55.60	43.32	54.00	44.92	142	178 Average	Vertical	


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.44	15.44	42.00	74.00	-16.56	145	177 Peak	Horizontal	
2	5438.50	57.80	14.56	43.24	74.00	-16.20	145	177 Peak	Horizontal	
3	5468.50	57.33	14.67	43.26	68.20	-10.87	145	177 Peak	Horizontal	
4 *	5550.00	115.59	72.15	43.44	68.20	47.39	145	177 Peak	Horizontal	
5	6999.00	60.76	15.36	45.40	68.20	-7.44	145	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	56.76	14.76	42.00	74.00	-17.24	135	178 Peak	Vertical	
2	5454.00	57.08	13.82	43.26	74.00	-16.92	135	178 Peak	Vertical	
3	5461.00	56.10	12.84	43.26	68.20	-12.10	135	178 Peak	Vertical	
4 *	5550.00	110.22	66.78	43.44	68.20	42.02	135	178 Peak	Vertical	
5	6936.50	60.59	15.33	45.26	68.20	-7.61	135	178 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4799.50	52.53	10.53	42.00	54.00	-1.47	145	177	Average	Horizontal		
2	5376.00	45.90	2.81	43.09	54.00	-8.10	145	177	Average	Horizontal		
3 *	5558.00	103.54	60.10	43.44	54.00	49.54	145	177	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4800.00	50.45	8.45	42.00	54.00	-3.55	135	178	Average	Vertical		
2	5451.50	44.43	1.18	43.25	54.00	-9.57	135	178	Average	Vertical		
3 *	5558.00	98.60	55.16	43.44	54.00	44.60	135	178	Average	Vertical		

802.11ax HE40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	55.08	13.08	42.00	74.00	-18.92	137	178 Peak	HORIZONTAL	
2	5435.00	56.30	13.06	43.24	74.00	-17.70	137	178 Peak	HORIZONTAL	
3	5461.00	55.02	11.76	43.26	68.20	-13.18	137	178 Peak	HORIZONTAL	
4 *	5670.00	114.03	71.31	43.52	68.20	46.63	137	178 Peak	HORIZONTAL	
5	6930.00	60.32	15.07	45.25	68.20	-7.88	137	178 Peak	HORIZONTAL	

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.23	15.23	42.00	74.00	-16.77	128	179 Peak	Vertical	
2	5445.00	56.28	13.03	43.25	74.00	-17.72	128	179 Peak	Vertical	
3	5470.00	55.17	11.90	43.27	68.20	-13.03	128	179 Peak	Vertical	
4 *	5670.00	111.92	68.40	43.52	68.20	43.72	128	179 Peak	Vertical	
5	6924.50	60.35	15.10	45.25	68.20	-7.85	128	179 Peak	Vertical	

802.11ax HE40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	47.07	5.07	42.00	54.00	-6.93	137	178 Average	HORIZONTAL	
2	5376.00	44.45	1.36	43.00	54.00	-9.55	137	178 Average	HORIZONTAL	
3 *	5678.00	103.48	59.96	43.52	54.00	49.48	137	178 Average	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	52.46	10.46	42.00	54.00	-1.54	128	179 Average	Vertical	
2	5427.50	44.09	0.86	43.23	54.00	-9.91	128	179 Average	Vertical	
3 *	5678.00	100.88	57.36	43.52	54.00	46.88	128	179 Average	Vertical	


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.00	58.07	15.92	42.15	74.00	-15.93	142	175 Peak	Horizontal	
2	5462.00	59.03	16.85	42.18	68.20	-9.17	142	175 Peak	Horizontal	
3 *	5530.00	111.15	68.84	42.31	68.20	42.95	142	175 Peak	Horizontal	
4	5760.00	59.04	16.41	42.63	68.20	-9.16	142	175 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5454.00	56.16	14.02	42.14	74.00	-17.84	148	178 Peak	Vertical	
2	5463.50	55.79	13.61	42.18	68.20	-12.41	148	178 Peak	Vertical	
3 *	5530.00	107.74	65.43	42.31	68.20	39.54	148	178 Peak	Vertical	
4	6989.00	58.55	14.80	43.75	68.20	-9.65	148	178 Peak	Vertical	

802.11ax HE80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5280.00	49.38	7.53	41.85	68.20	-18.82	142	175	Peak	Horizontal	
2	5460.00	47.80	5.63	42.17	54.00	-6.20	142	175	Average	Horizontal	
3 *	5530.00	101.30	58.99	42.31	54.00	47.30	142	175	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5280.00	47.20	5.35	41.85	68.20	-21.00	148	178	Peak	Vertical	
2	5457.50	44.25	2.10	42.15	54.00	-9.75	148	178	Average	Vertical	
3 *	5530.00	96.83	54.52	42.31	54.00	42.83	148	178	Average	Vertical	


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	55.83	13.66	42.17	68.20	-12.37	146	176 Peak	Horizontal	
2	5460.00	55.83	13.66	42.17	68.20	-12.37	146	176 Peak	Horizontal	
3 *	5610.00	111.28	69.82	42.26	68.20	43.08	146	176 Peak	Horizontal	
4	6996.50	59.65	15.90	43.75	68.20	-8.55	146	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5399.00	55.07	12.59	42.48	74.00	-18.93	140	181 Peak	Vertical	
2	5460.50	56.49	14.32	42.17	68.20	-11.71	140	181 Peak	Vertical	
3 *	5610.00	105.27	63.81	42.26	68.20	37.67	140	181 Peak	Vertical	
4	6920.50	58.75	15.82	43.73	68.20	-9.45	140	181 Peak	Vertical	

802.11ax HE80

CH 122 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5376.00	44.67	2.54	42.13	54.00	-9.33	146	176 Average	Horizontal	
2 *	5610.00	99.72	57.46	42.26	54.00	45.72	146	176 Average	Horizontal	

CH 122 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5401.50	43.75	1.27	42.48	54.00	-10.25	140	181 Average	Vertical	
2 *	5610.00	99.21	52.95	42.26	54.00	41.21	140	181 Average	Vertical	

802.11ax HE160

CH 114 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.50	67.22	25.07	42.15	74.00	-6.78	145	177 Peak	Horizontal	
2	5460.00	66.39	24.22	42.17	68.20	-1.81	145	177 Peak	Horizontal	
3 *	5570.00	100.06	58.61	42.25	68.20	32.66	145	177 Peak	Horizontal	
4	6982.50	59.20	15.44	43.76	68.20	-9.00	145	177 Peak	Horizontal	

CH 114 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.00	64.83	22.69	42.14	74.00	-9.17	151	180 Peak	Vertical	
2	5465.00	63.99	21.80	42.19	68.20	-4.21	151	180 Peak	Vertical	
3 *	5570.00	96.30	54.05	42.25	68.20	28.10	151	180 Peak	Vertical	
4	6984.00	59.51	15.82	43.69	68.20	-8.69	151	180 Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.50	46.32	4.17	42.15	54.00	-7.68	145	177	Average	Horizontal
2 *	5570.00	89.67	47.42	42.25	54.00	35.67	145	177	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5454.50	46.23	4.09	42.14	54.00	-7.77	151	180	Average	Vertical
2 *	5570.00	85.77	43.52	42.25	54.00	31.77	151	180	Average	Vertical

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	59.92	17.49	42.43	68.20	-8.28	146	180	Peak	Horizontal
2	5657.00	59.33	16.89	42.44	73.40	-14.07	146	180	Peak	Horizontal
3	5718.00	60.62	18.16	42.46	110.24	-49.62	146	180	Peak	Horizontal
4	5724.50	63.37	20.88	42.49	128.08	-64.71	146	180	Peak	Horizontal
5	5747.00	119.78	77.19	42.59	130.00	-10.22	146	180	Peak	Horizontal
6	5852.00	56.87	13.40	42.67	122.32	-66.25	146	180	Peak	Horizontal
7	5865.00	56.59	13.91	42.68	108.00	-51.41	146	180	Peak	Horizontal
8	5925.00	57.26	14.45	42.81	68.20	-10.94	146	180	Peak	Horizontal
9	5941.00	57.51	14.63	42.88	68.20	-10.69	146	180	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4800.00	57.67	16.67	41.00	74.00	-16.33	131	177	Peak	Vertical
2	5649.00	59.28	16.84	42.44	68.20	-8.92	131	177	Peak	Vertical
3	5658.50	58.74	16.30	42.44	68.57	-9.83	131	177	Peak	Vertical
4	5720.00	66.71	24.24	42.47	110.80	-44.09	131	177	Peak	Vertical
5	5724.50	71.88	29.39	42.49	128.08	-56.20	131	177	Peak	Vertical
6	5746.00	116.96	74.38	42.58	130.00	-13.04	131	177	Peak	Vertical
7	5852.00	56.24	13.57	42.67	122.32	-66.08	131	177	Peak	Vertical
8	5870.50	56.78	14.10	42.68	106.46	-49.68	131	177	Peak	Vertical
9	5887.50	59.49	16.80	42.69	95.92	-36.43	131	177	Peak	Vertical
10	5936.50	57.40	14.53	42.87	68.20	-10.80	131	177	Peak	Vertical

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.00	58.59	16.18	42.41	68.20	-9.61	135	174 Peak	Horizontal	
2	5690.50	58.43	16.04	42.39	98.20	-39.77	135	174 Peak	Horizontal	
3	5712.00	58.20	15.77	42.43	108.56	-50.36	135	174 Peak	Horizontal	
4	5723.00	57.44	14.96	42.48	122.32	-64.88	135	174 Peak	Horizontal	
5	5785.00	119.53	76.83	42.70	130.00	-10.47	135	174 Peak	Horizontal	
6	5854.00	57.00	14.33	42.67	114.64	-57.64	135	174 Peak	Horizontal	
7	5863.00	57.29	14.61	42.68	108.56	-51.27	135	174 Peak	Horizontal	
8	5876.00	57.50	14.82	42.68	104.46	-46.96	135	174 Peak	Horizontal	
9	5930.50	57.48	14.64	42.84	68.20	-10.72	135	174 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.00	57.16	14.76	42.40	68.20	-11.04	126	180 Peak	Vertical	
2	5688.00	52.03	19.64	42.39	96.35	-34.32	126	180 Peak	Vertical	
3	5710.00	57.90	15.48	42.42	108.00	-50.10	126	180 Peak	Vertical	
4	5725.00	58.50	16.01	42.49	130.00	-71.50	126	180 Peak	Vertical	
5	5785.00	119.38	76.68	42.70	130.00	-10.62	126	180 Peak	Vertical	
6	5853.50	57.57	14.90	42.67	116.56	-58.99	126	180 Peak	Vertical	
7	5874.00	61.89	19.21	42.68	105.48	-43.59	126	180 Peak	Vertical	
8	5880.00	64.14	21.45	42.69	101.49	-37.35	126	180 Peak	Vertical	
9	5927.50	59.90	17.07	42.83	68.20	-8.30	126	180 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5629.00	57.55	15.20	42.35	68.20	-10.65	138	180 Peak	Horizontal	
2	5678.50	58.54	16.14	42.40	89.33	-30.79	138	180 Peak	Horizontal	
3	5719.00	58.33	15.86	42.47	110.52	-52.19	138	180 Peak	Horizontal	
4	5723.50	58.62	16.14	42.48	124.24	-65.62	138	180 Peak	Horizontal	
5	5825.00	119.78	77.08	42.70	130.00	-10.22	138	180 Peak	Horizontal	
6	5850.00	61.35	18.68	42.67	130.00	-68.05	138	180 Peak	Horizontal	
7	5856.00	61.32	18.65	42.67	110.52	-49.20	138	180 Peak	Horizontal	
8	5922.50	59.12	16.32	42.80	70.04	-10.92	138	180 Peak	Horizontal	
9	5929.00	57.85	15.01	42.84	68.20	-10.35	138	180 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.00	56.44	14.00	42.44	68.20	-11.76	126	178 Peak	Vertical	
2	5677.00	57.96	15.55	42.41	88.22	-30.26	126	178 Peak	Vertical	
3	5720.00	56.03	13.56	42.47	110.00	-54.77	126	178 Peak	Vertical	
4	5722.00	59.79	17.31	42.48	118.48	-50.69	126	178 Peak	Vertical	
5	5825.00	119.23	76.53	42.70	130.00	-10.77	126	178 Peak	Vertical	
6	5851.00	69.34	26.67	42.67	126.16	-56.82	126	178 Peak	Vertical	
7	5855.00	65.11	22.44	42.67	110.00	-45.69	126	178 Peak	Vertical	
8	5923.00	63.25	20.45	42.80	69.67	-6.42	126	178 Peak	Vertical	
9	5925.00	61.87	19.06	42.81	68.20	-6.33	126	178 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5650.00	60.20	16.78	43.42	68.20	-8.00	146	176	Peak	Horizontal	
2	5653.00	60.60	17.16	43.44	70.43	-9.83	146	176	Peak	Horizontal	
3	5720.00	63.17	19.49	43.68	110.80	-47.63	146	176	Peak	Horizontal	
4	5725.00	66.77	23.08	43.69	130.00	-63.23	146	176	Peak	Horizontal	
5	5745.00	121.38	77.68	43.70	130.00	-8.62	146	176	Peak	Horizontal	
6	5855.00	57.28	13.27	44.01	110.00	-53.52	146	176	Peak	Horizontal	
7	5860.50	58.26	14.24	44.02	109.26	-51.00	146	176	Peak	Horizontal	
8	5894.00	58.47	14.35	44.12	91.10	-32.63	146	176	Peak	Horizontal	
9	5957.00	58.30	13.98	44.32	68.20	-9.90	146	176	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5645.50	59.31	15.89	43.42	68.20	-8.89	122	182	Peak	Vertical	
2	5699.00	59.19	15.53	43.66	104.46	-45.27	122	182	Peak	Vertical	
3	5719.50	67.56	23.88	43.68	110.66	-43.10	122	182	Peak	Vertical	
4	5725.00	73.92	30.23	43.69	130.00	-56.08	122	182	Peak	Vertical	
5	5745.00	119.84	76.14	43.70	130.00	-10.16	122	182	Peak	Vertical	
6	5850.00	60.20	16.21	43.99	130.00	-69.80	122	182	Peak	Vertical	
7	5863.50	58.43	14.40	44.03	108.42	-49.99	122	182	Peak	Vertical	
8	5895.00	60.52	16.40	44.12	90.36	-29.84	122	182	Peak	Vertical	
9	5929.50	58.51	14.29	44.22	68.20	-9.69	122	182	Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5647.50	58.71	15.29	43.42	68.20	-9.49	140	177 Peak	Horizontal	
2	5683.50	59.43	15.85	43.58	93.83	-33.60	140	177 Peak	Horizontal	
3	5712.50	59.53	15.85	43.68	108.70	-49.17	140	177 Peak	Horizontal	
4	5725.00	59.85	16.16	43.69	130.00	-70.15	140	177 Peak	Horizontal	
5	5785.00	121.37	77.56	43.81	130.00	-8.63	140	177 Peak	Horizontal	
6	5853.50	58.19	14.18	44.01	116.56	-58.37	140	177 Peak	Horizontal	
7	5872.50	58.83	13.97	44.06	105.50	-47.87	140	177 Peak	Horizontal	
8	5881.50	58.36	14.28	44.08	100.37	-42.01	140	177 Peak	Horizontal	
9	5929.00	58.79	14.57	44.22	68.20	-9.41	140	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5541.00	57.78	14.37	43.41	68.20	-10.42	125	181 Peak	Vertical	
2	5686.00	60.20	16.61	43.59	94.87	-34.67	125	181 Peak	Vertical	
3	5712.50	57.83	14.15	43.68	108.70	-50.87	125	181 Peak	Vertical	
4	5723.50	57.86	14.18	43.68	124.24	-66.38	125	181 Peak	Vertical	
5	5785.00	121.47	77.66	43.81	130.00	-8.53	125	181 Peak	Vertical	
6	5855.00	58.48	14.39	44.01	110.80	-52.40	125	181 Peak	Vertical	
7	5875.00	62.76	18.70	44.06	105.20	-42.44	125	181 Peak	Vertical	
8	5881.00	64.01	19.93	44.08	100.74	-36.73	125	181 Peak	Vertical	
9	5934.00	60.64	16.41	44.23	68.20	-7.56	125	181 Peak	Vertical	

802.11ax HE20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5584.50	58.31	14.91	43.40	68.20	-9.89	146	179 Peak	Horizontal	
2	5674.00	58.53	14.99	43.54	86.00	-27.47	146	179 Peak	Horizontal	
3	5715.00	59.25	15.57	43.68	109.40	-50.15	146	179 Peak	Horizontal	
4	5724.50	58.69	15.00	43.69	128.08	-69.39	146	179 Peak	Horizontal	
5	5825.00	121.09	77.17	43.92	130.00	-8.91	146	179 Peak	Horizontal	
6	5852.50	63.83	19.83	44.00	120.40	-56.57	146	179 Peak	Horizontal	
7	5860.00	62.02	18.00	44.02	109.40	-47.38	146	179 Peak	Horizontal	
8	5917.00	59.16	14.98	44.18	74.10	-14.94	146	179 Peak	Horizontal	
9	5970.00	59.42	15.01	44.41	68.20	-8.78	146	179 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5626.00	57.47	14.07	43.40	68.20	-10.73	123	178 Peak	Vertical	
2	5680.00	59.13	15.56	43.57	90.44	-31.31	123	178 Peak	Vertical	
3	5720.00	60.08	16.40	43.68	110.00	-50.72	123	178 Peak	Vertical	
4	5724.50	61.78	18.09	43.69	128.08	-66.30	123	178 Peak	Vertical	
5	5825.00	122.40	78.48	43.92	130.00	-7.60	123	178 Peak	Vertical	
6	5850.00	73.28	29.29	43.99	130.00	-56.72	123	178 Peak	Vertical	
7	5856.50	67.98	23.97	44.01	110.38	-42.40	123	178 Peak	Vertical	
8	5922.00	66.16	21.97	44.19	70.41	-4.25	123	178 Peak	Vertical	
9	5926.00	64.53	20.32	44.21	68.20	-3.67	123	178 Peak	Vertical	

802.11ax HE40

CH 151 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.50	58.59	16.16	42.43	68.20	-9.61	142	179 Peak	Horizontal	
2	5699.50	64.30	21.93	42.37	104.83	-40.53	142	179 Peak	Horizontal	
3	5720.00	66.58	24.11	42.47	110.80	-44.22	142	179 Peak	Horizontal	
4	5724.00	70.91	28.42	42.49	126.16	-55.25	142	179 Peak	Horizontal	
5	5755.00	117.46	74.84	42.62	130.00	-12.54	142	179 Peak	Horizontal	
6	5852.50	56.88	14.21	42.67	120.40	-63.52	142	179 Peak	Horizontal	
7	5864.50	57.14	14.46	42.68	108.14	-51.00	142	179 Peak	Horizontal	
8	5895.00	57.30	14.61	42.69	90.36	-33.06	142	179 Peak	Horizontal	
9	5939.00	56.72	13.84	42.88	68.20	-11.48	142	179 Peak	Horizontal	

CH 151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.00	57.51	15.09	42.42	68.20	-10.69	122	179 Peak	Vertical	
2	5699.00	65.09	22.72	42.37	104.46	-39.37	122	179 Peak	Vertical	
3	5720.00	76.88	34.41	42.47	110.80	-33.92	122	179 Peak	Vertical	
4	5724.00	80.43	37.94	42.49	126.16	-45.73	122	179 Peak	Vertical	
5	5755.00	115.92	73.30	42.62	130.00	-14.08	122	179 Peak	Vertical	
6	5852.50	59.95	17.28	42.67	120.40	-60.45	122	179 Peak	Vertical	
7	5895.00	60.51	17.84	42.67	110.52	-50.01	122	179 Peak	Vertical	
8	5901.00	59.31	16.61	42.70	85.92	-26.61	122	179 Peak	Vertical	
9	5947.50	57.51	14.59	42.92	68.20	-10.69	122	179 Peak	Vertical	

802.11ax HE40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.50	58.48	15.98	42.42	68.20	-9.00	142	173 Peak	Horizontal	
2	5664.50	58.77	16.35	42.42	78.96	-20.19	142	173 Peak	Horizontal	
3	5719.00	59.58	17.11	42.47	110.52	-50.94	142	173 Peak	Horizontal	
4	5721.00	58.76	16.29	42.47	114.64	-55.88	142	173 Peak	Horizontal	
5	5795.00	117.64	74.92	42.72	130.00	-12.36	142	173 Peak	Horizontal	
6	5852.00	58.38	15.71	42.67	122.32	-63.94	142	173 Peak	Horizontal	
7	5872.00	58.19	15.51	42.68	106.04	-47.85	142	173 Peak	Horizontal	
8	5924.50	57.02	14.21	42.81	68.57	-11.55	142	173 Peak	Horizontal	
9	5926.50	57.22	14.40	42.82	68.20	-10.98	142	173 Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5508.00	56.59	14.26	42.33	68.20	-11.61	121	184 Peak	Vertical	
2	5697.50	58.52	16.14	42.38	103.36	-44.84	121	184 Peak	Vertical	
3	5719.50	59.13	16.66	42.47	110.66	-51.53	121	184 Peak	Vertical	
4	5724.00	60.83	18.34	42.49	126.16	-65.33	121	184 Peak	Vertical	
5	5795.00	116.19	73.47	42.72	130.00	-13.81	121	184 Peak	Vertical	
6	5852.00	68.75	26.08	42.67	122.32	-53.57	121	184 Peak	Vertical	
7	5855.00	66.10	23.43	42.67	110.00	-44.70	121	184 Peak	Vertical	
8	5880.50	60.30	17.61	42.69	101.11	-40.81	121	184 Peak	Vertical	
9	5950.00	59.26	16.33	42.93	68.20	-0.94	121	184 Peak	Vertical	

802.11ax HE80

CH 155 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	60.25	17.82	42.43	68.20	-7.95	142	178 Peak	Horizontal	
2	5688.00	63.55	21.16	42.39	96.35	-32.80	142	178 Peak	Horizontal	
3	5719.50	66.54	24.07	42.47	110.66	-44.12	142	178 Peak	Horizontal	
4	5723.50	69.54	27.06	42.48	124.24	-54.70	142	178 Peak	Horizontal	
5	5774.00	115.04	72.37	42.67	130.00	-14.96	142	178 Peak	Horizontal	
6	5854.50	65.84	23.17	42.67	112.72	-46.88	142	178 Peak	Horizontal	
7	5861.50	66.66	23.99	42.67	108.58	-42.32	142	178 Peak	Horizontal	
8	5875.00	60.53	17.85	42.68	105.20	-44.67	142	178 Peak	Horizontal	
9	5926.00	57.20	14.39	42.81	68.20	-11.00	142	178 Peak	Horizontal	

CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.50	62.02	19.62	42.40	68.20	-6.18	130	177 Peak	Vertical	
2	5679.50	73.00	30.60	42.40	90.87	-17.07	130	177 Peak	Vertical	
3	5718.50	78.87	36.41	42.46	110.38	-31.51	130	177 Peak	Vertical	
4	5722.00	79.21	36.73	42.48	118.48	-39.27	130	177 Peak	Vertical	
5	5777.50	115.87	73.20	42.67	130.00	-14.13	130	177 Peak	Vertical	
6	5850.50	74.89	32.22	42.67	128.08	-53.19	130	177 Peak	Vertical	
7	5859.00	74.57	31.90	42.67	109.68	-35.11	130	177 Peak	Vertical	
8	5876.00	70.34	27.66	42.68	104.46	-34.12	130	177 Peak	Vertical	
9	5929.00	60.33	17.49	42.84	68.20	-7.87	130	177 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz


U-NII-1

Co-Location

(Open) (9kHz ~ 150kHz)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	48.74	31.02	17.72	127.60	-78.86	100	214	Peak	Open	
2	0.03	56.54	37.59	18.95	119.13	-62.59	100	238	Peak	Open	
3	0.03	40.87	21.67	19.20	117.69	-76.02	100	300	Peak	Open	
4	0.05	38.14	19.00	19.14	114.19	-76.05	100	281	Peak	Open	
5	0.06	41.11	22.26	18.85	111.82	-70.71	100	14	Peak	Open	
6	0.08	31.91	13.47	18.44	109.73	-77.82	100	135	Peak	Open	

(Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	42.86	24.73	18.13	104.80	-61.22	100	286	Peak	Open	
2	0.39	59.34	40.55	18.79	95.81	-36.47	100	360	Peak	Open	
3	0.81	51.30	32.31	18.99	69.36	-18.06	100	3	Peak	Open	
4	1.22	43.97	24.83	19.14	65.65	-21.68	100	24	Peak	Open	
5	2.90	35.40	15.80	19.60	69.50	-34.10	100	4	Peak	Open	
6	28.81	38.21	15.89	22.32	69.50	-31.29	100	160	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


Co-Location

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	70.74	38.15	48.28	-10.13	40.00	-1.85	300	192 Peak	Horizontal	
2	97.90	38.89	51.31	-12.42	43.50	-4.61	200	103 Peak	Horizontal	
3	196.84	41.11	50.77	-9.66	43.50	-2.39	100	271 Peak	Horizontal	
4	215.27	40.34	50.10	-9.76	43.50	-3.16	100	280 QP	Horizontal	
5	256.98	44.80	52.67	-7.87	46.00	-1.20	100	206 Peak	Horizontal	
6	288.02	45.48	52.32	-6.84	46.00	-0.52	100	266 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	54.25	37.92	44.91	-6.99	40.00	-2.08	100	222 QP	Vertical	
2	70.74	38.38	48.51	-10.13	40.00	-1.62	100	80 QP	Vertical	
3	94.99	41.07	53.99	-12.92	43.50	-2.43	100	184 Peak	Vertical	
4	210.42	39.38	49.33	-9.95	43.50	-4.12	200	142 Peak	Vertical	
5	263.77	44.88	52.54	-7.66	46.00	-1.12	100	180 Peak	Vertical	
6	288.02	44.96	51.80	-6.84	46.00	-1.04	137	274 QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	48.82	53.53	-4.71	68.20	-19.38	200	198 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	49.51	54.22	-4.71	68.20	-18.69	300	244 Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1 10400.00	46.38	51.00	-4.62	68.20	-21.82	156	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1 10400.00	47.02	51.64	-4.62	68.20	-21.18	300	231 Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		

1	10480.00	45.57	49.93	-4.36	68.20	-22.63	400	330 Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----------	------------



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		

1	10480.00	45.92	50.28	-4.36	68.20	-22.28	300	206 Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	----------	----------


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	49.27	53.98	-4.71	68.20	-18.93	286	256 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	49.63	54.34	-4.71	68.20	-18.57	288	235 Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	44.98	49.60	-4.62	68.20	-23.22	126	218 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	45.03	49.65	-4.62	68.20	-23.17	125	270 Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	46.87	51.23	-4.36	68.20	-21.33	300	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	45.34	49.70	-4.36	68.20	-22.86	133	268 Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	47.72	52.38	-4.66	68.20	-20.48	300	250 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	44.79	49.45	-4.66	68.20	-23.41	400	297 Peak	Vertical	