

Appendix H: Test Results of Radiation Spurious Emissions & Mains Conducted Emission (PINE_Sector antenna)

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	cm	deg			
1	5149.50	63.23	20.33	42.90	74.00	-10.77	194	0 Peak	Horizontal	
2 *	5180.00	122.74	79.76	42.90	68.28	34.54	194	0 Peak	Horizontal	
3	5363.00	58.98	15.95	43.03	74.00	-15.02	194	0 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	cm	deg			
1	5149.50	65.43	22.54	42.09	74.00	-0.57	192	0 Peak	Vertical	
2 *	5180.00	123.68	80.70	42.09	68.28	55.48	192	0 Peak	Vertical	
3	5394.00	58.54	15.36	43.18	74.00	-15.46	192	0 Peak	Vertical	

802.11a


CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5044.50	61.76	19.16	42.60	74.00	-12.24	191	360	Peak	Horizontal		
2 *	5200.00	126.97	83.03	43.04	68.20	57.87	191	360	Peak	Horizontal		
3	5373.00	62.09	19.01	43.08	74.00	-11.91	191	360	Peak	Horizontal		

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	64.78	21.88	42.90	68.20	-3.42	194	360	Peak	Vertical		
2 *	5200.00	126.44	83.40	43.04	68.20	58.24	194	360	Peak	Vertical		
3	5358.00	62.04	19.04	43.00	74.00	-11.96	194	360	Peak	Vertical		

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.00	49.98	7.08	42.90	54.00	-4.02	191	360	Average	Horizontal		
2 * 5200.00	115.77	72.73	43.04	54.00	61.77	191	360	Average	Horizontal		
3 5352.00	48.32	5.34	42.98	54.00	-5.68	191	360	Average	Horizontal		

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.00	51.92	9.02	42.90	54.00	-2.08	194	360	Average	Vertical		
2 * 5200.00	117.68	74.64	43.04	54.00	63.68	194	360	Average	Vertical		
3 5350.00	48.77	5.80	42.97	54.00	-5.23	194	360	Average	Vertical		

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5095.00	60.98	18.42	42.56	74.00	-13.02	196	360	Peak	Horizontal		
2	5240.00	127.04	84.85	42.99	68.20	58.84	196	360	Peak	Horizontal		
3	5383.00	61.67	18.54	43.13	74.00	-12.33	196	360	Peak	Horizontal		

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5088.50	61.55	18.98	42.57	74.00	-12.45	195	360	Peak	Vertical		
2	5240.00	125.92	82.93	42.99	68.20	57.72	195	360	Peak	Vertical		
3	5378.00	63.06	19.96	43.10	74.00	-10.94	195	360	Peak	Vertical		

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5101.50	49.19	6.62	42.57	54.00	-4.81	196	360	Average	Horizontal		
2	5240.00	117.91	74.92	42.99	54.00	63.91	196	360	Average	Horizontal		
3	5380.50	49.44	6.33	43.11	54.00	-4.56	196	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5101.50	49.73	7.16	42.57	54.00	-4.27	195	360	Average	Vertical		
2	5240.00	116.71	73.72	42.99	54.00	62.71	195	360	Average	Vertical		
3	5376.50	49.77	6.67	43.10	54.00	-4.23	195	360	Average	Vertical		

802.11ax HE20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5149.50	63.84	20.94	42.90	74.00	-10.16	187	360	Peak	Horizontal
2 *	5180.00	122.90	79.92	42.90	68.20	94.70	187	360	Peak	Horizontal
3	5447.00	58.49	15.24	43.25	74.00	-15.51	187	360	Peak	Horizontal

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5150.00	65.35	22.45	42.90	68.20	-2.85	190	356	Peak	Vertical
2 *	5180.00	124.68	81.70	42.90	68.20	56.48	190	356	Peak	Vertical
3	5381.50	59.51	16.39	43.12	74.00	-14.49	190	356	Peak	Vertical

802.11ax HE20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	51.14	8.24	42.90	54.00	-2.86	187	360	Average	Horizontal	
2 *	5180.00	112.09	69.11	42.98	54.00	58.09	187	360	Average	Horizontal	
3	5376.50	46.08	2.98	43.10	54.00	-7.92	187	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	53.79	10.89	42.90	54.00	-0.21	190	356	Average	Vertical	
2 *	5180.00	113.47	70.49	42.98	54.00	59.47	190	356	Average	Vertical	
3	5365.50	46.26	3.22	43.04	54.00	-7.74	190	356	Average	Vertical	

802.11ax HE20

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	63.55	20.65	42.90	68.20	-4.65	190	358	Peak	Horizontal		
2	5200.00	127.19	84.15	43.04	68.20	58.99	190	358	Peak	Horizontal		
3	5361.50	61.37	18.34	43.03	74.00	-12.63	190	358	Peak	Horizontal		

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5140.50	64.56	21.67	42.89	74.00	-9.44	190	360	Peak	Vertical		
2	5200.00	127.53	84.49	43.04	68.20	59.33	190	360	Peak	Vertical		
3	5368.00	61.68	18.63	43.05	74.00	-12.32	190	360	Peak	Vertical		

802.11ax HE20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	50.39	7.49	42.90	54.00	-3.61	190	358	Average	Horizontal	
2	5200.00	115.29	72.25	43.04	54.00	61.29	190	358	Average	Horizontal	
3	5366.00	48.50	5.46	43.04	54.00	-5.50	190	358	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	52.45	9.55	42.90	54.00	-1.55	190	360	Average	Vertical	
2	5200.00	116.91	73.87	43.04	54.00	62.91	190	360	Average	Vertical	
3	5354.50	49.12	6.13	42.99	54.00	-4.88	190	360	Average	Vertical	

802.11ax HE20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5101.00	61.36	18.79	42.57	74.00	-12.64	184	360	Peak	Horizontal	
2	5240.00	128.25	85.25	42.99	68.20	60.05	194	360	Peak	Horizontal	
3	5379.50	61.89	18.78	43.11	74.00	-12.11	184	360	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5100.00	62.27	19.72	42.55	74.00	-11.73	194	360	Peak	Vertical	
2	5240.00	127.48	84.49	42.99	68.20	59.28	194	360	Peak	Vertical	
3	5372.00	61.73	18.65	43.08	74.00	-12.27	194	360	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5182.00	49.32	6.75	42.57	54.00	-4.68	184	360	Average	Horizontal		
2	5240.00	118.25	75.26	42.99	54.00	64.25	184	360	Average	Horizontal		
3	5377.00	49.95	6.85	43.10	54.00	-4.05	184	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5099.50	49.73	7.18	42.55	54.00	-4.27	194	360	Average	Vertical		
2	5240.00	116.92	73.93	42.99	54.00	62.92	194	360	Average	Vertical		
3	5376.00	50.36	7.27	43.09	54.00	-3.64	194	360	Average	Vertical		

802.11ax HE40

CH 38 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	63.75	22.32	41.43	68.20	-4.45	199	360	Peak	Horizontal		
2	5190.00	116.62	75.00	41.62	68.20	48.42	199	360	Peak	Horizontal		
3	5368.00	57.46	15.44	42.02	74.00	-16.54	199	360	Peak	Horizontal		

CH 38 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.50	64.13	22.70	41.43	74.00	-9.87	200	360	Peak	Vertical		
2	5190.00	117.81	75.19	41.62	68.20	49.61	200	360	Peak	Vertical		
3	5353.00	58.51	16.71	41.80	74.00	-15.49	200	360	Peak	Vertical		

802.11ax HE40

CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	51.95	10.52	41.43	54.00	-2.05	199	360	Average	Horizontal		
2	5190.00	105.90	62.34	41.62	54.00	49.96	199	360	Average	Horizontal		
3	5369.00	44.95	2.91	42.04	54.00	-9.05	199	360	Average	Horizontal		

CH 38 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	52.91	11.48	41.43	54.00	-1.09	200	360	Average	Vertical		
2	5190.00	106.09	64.47	41.62	54.00	52.09	200	360	Average	Vertical		
3	5370.00	45.41	3.36	42.05	54.00	-8.59	200	360	Average	Vertical		


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.50	65.71	24.28	41.43	74.00	-8.29	190	360	Peak	Horizontal		
2 *	5230.00	123.67	82.05	41.62	68.20	55.47	190	360	Peak	Horizontal		
3	5382.00	62.50	20.27	42.23	74.00	-11.50	190	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.00	66.06	24.63	41.43	74.00	-7.94	189	354	Peak	Vertical		
2 *	5230.00	123.11	81.49	41.62	68.20	54.91	189	354	Peak	Vertical		
3	5385.50	62.93	20.65	42.28	74.00	-11.07	189	354	Peak	Vertical		

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	52.54	11.11	41.43	54.00	-1.46	190	360	Average	Horizontal		
2	5230.00	112.72	71.10	41.62	54.00	58.72	190	360	Average	Horizontal		
3	5380.50	50.28	8.07	42.21	54.00	-3.72	190	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	52.13	10.70	41.43	54.00	-1.87	189	354	Average	Vertical		
2	5230.00	111.52	69.90	41.62	54.00	57.52	189	354	Average	Vertical		
3	5384.00	50.37	8.11	42.26	54.00	-3.63	189	354	Average	Vertical		


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	64.02	21.15	42.87	74.00	-9.98	194	360	Peak	Horizontal	
2 *	5210.00	113.77	70.74	43.03	68.20	45.57	194	360	Peak	Horizontal	
3	5385.00	59.27	16.13	43.14	74.00	-14.73	194	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	64.36	21.51	42.85	74.00	-9.64	189	360	Peak	Vertical	
2 *	5210.00	113.87	70.84	43.03	68.20	45.67	189	360	Peak	Vertical	
3	5422.50	58.02	14.79	43.23	74.00	-15.98	189	360	Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.00	51.96	9.07	42.89	54.00	-2.04	194	360	Average	Horizontal		
2 *	5210.00	102.55	59.52	43.03	54.00	48.55	194	360	Average	Horizontal		
3	5375.50	46.07	2.98	43.09	54.00	-7.93	194	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.50	52.96	10.10	42.86	54.00	-1.04	189	360	Average	Vertical		
2 *	5210.00	102.28	59.25	43.03	54.00	48.25	189	360	Average	Vertical		
3	5367.00	46.28	3.23	43.05	54.00	-7.72	189	360	Average	Vertical		

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5183.58	58.35	15.77	42.58	74.00	-15.65	195		0	Peak	Horizontal	
2 *	5269.00	122.77	79.80	42.97	68.20	54.57	195		0	Peak	Horizontal	
3	5382.00	58.73	15.61	43.12	74.00	-15.27	195		0	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5185.00	58.97	16.38	42.59	74.00	-15.03	197		0	Peak	Vertical	
2 *	5269.00	121.28	78.31	42.97	68.20	53.08	197		0	Peak	Vertical	
3	5377.00	59.11	16.01	43.10	74.00	-14.89	197		0	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5104.50	46.52	3.93	42.59	54.00	-7.48	195			0 Average	Horizontal	
2 *	5260.00	112.63	69.66	42.97	54.00	58.63	195			0 Average	Horizontal	
3	5434.50	46.60	3.36	43.24	54.00	-7.40	195			0 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5127.00	46.99	4.25	42.74	54.00	-7.01	197			0 Average	Vertical	
2 *	5260.00	112.52	69.55	42.97	54.00	58.52	197			0 Average	Vertical	
3	5397.50	46.58	3.38	43.20	54.00	-7.42	197			0 Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5110.50	57.50	14.96	42.62	74.00	-16.42	194	360	Peak	Horizontal		
2	5300.00	123.23	80.31	42.92	68.20	55.03	194	360	Peak	Horizontal		
3	5437.00	58.84	15.60	43.24	74.00	-15.16	194	360	Peak	Horizontal		

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5123.50	58.08	15.37	42.71	74.00	-15.92	192	360	Peak	Vertical		
2	5300.00	120.68	77.96	42.92	66.20	52.68	192	360	Peak	Vertical		
3	5455.00	59.47	16.21	43.26	74.00	-14.53	192	360	Peak	Vertical		

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	45.95	3.05	42.90	54.00	-8.05	194	360	Average	Horizontal		
2 *	5300.00	112.83	69.91	42.92	54.00	58.83	194	360	Average	Horizontal		
3	5437.00	46.76	3.52	43.24	54.00	-7.24	194	360	Average	Horizontal		

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	46.68	3.70	42.98	54.00	-7.48	192	360	Average	Vertical		
2 *	5300.00	111.73	68.81	42.92	54.00	57.73	192	360	Average	Vertical		
3	5450.00	46.89	3.64	43.25	54.00	-7.11	192	360	Average	Vertical		

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read		Limit		Over Limit	APos	TPos	Remark	Pol/Phase	Note
			Level Factor	Line	Line	Line						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5097.50	58.14	15.58	42.56	74.00	-15.86	189	360	Peak		Horizontal	
2	5320.00	123.16	80.22	42.94	68.20	54.96	189	360	Peak		Horizontal	
*	5351.50	62.01	19.03	42.98	74.00	-11.99	189	360	Peak		Horizontal	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.00	45.60	2.71	42.89	54.00	-8.40	189	360	Average	Horizontal		
2 *	5320.00	113.01	70.07	42.94	54.00	59.01	189	360	Average	Horizontal		
3 !	5350.00	50.18	7.21	42.97	54.00	-3.82	189	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5135.50	45.87	3.87	42.00	54.00	-8.13	185	360	Average	Vertical		
2 *	5320.00	111.69	68.75	42.94	54.00	57.69	185	360	Average	Vertical		
3 !	5350.00	50.37	7.40	42.97	54.00	-3.63	185	360	Average	Vertical		

802.11ax HE20

CH 52 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5187.00	58.80	16.20	42.60	74.00	-15.20	188	360	Peak	Horizontal		
2	5260.00	124.52	81.55	42.97	68.20	56.32	188	360	Peak	Horizontal		
3	5366.50	58.54	15.49	43.05	74.00	-15.46	188	360	Peak	Horizontal		

CH 52 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5121.50	59.38	16.68	42.70	74.00	-14.62	192	360	Peak	Vertical		
2	5260.00	124.83	81.86	42.97	68.20	56.63	192	360	Peak	Vertical		
3	5437.00	59.85	16.61	43.24	74.00	-14.15	192	360	Peak	Vertical		

802.11ax HE20

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5183.50	46.66	4.08	42.58	54.00	-7.34	188	360	Average	Horizontal		
2 *	5200.00	112.49	69.52	42.97	54.00	58.49	188	360	Average	Horizontal		
3	5377.50	46.28	3.18	43.10	54.00	-7.72	188	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5127.00	47.16	4.42	42.74	54.00	-6.84	192	360	Average	Vertical		
2 *	5200.00	112.43	69.46	42.97	54.00	58.43	192	360	Average	Vertical		
3	5387.50	47.05	3.90	43.15	54.00	-6.95	192	360	Average	Vertical		

802.11ax HE20

CH 60 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.50	45.99	3.10	42.89	54.00	-9.01	190	360	Average	Horizontal		
2 *	5300.00	112.53	69.61	42.92	54.00	58.53	190	360	Average	Horizontal		
3	5435.50	47.05	3.81	43.24	54.00	-6.95	190	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.00	46.68	3.83	42.85	54.00	-7.32	191	360	Average	Vertical		
2 *	5300.00	111.72	68.80	42.92	54.00	57.72	191	360	Average	Vertical		
3	5449.50	47.26	4.01	43.25	54.00	-6.74	191	360	Average	Vertical		

802.11ax HE20

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	57.92	15.02	42.90	68.20	-10.28	189	360 Peak	Horizontal	
2 *	5330.00	124.00	81.06	42.94	68.20	55.80	189	360 Peak	Horizontal	
3	5351.00	63.51	20.54	42.97	74.00	-10.49	189	360 Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5134.50	57.89	15.10	42.79	74.00	-16.11	189	360 Peak	Vertical	
2 *	5330.00	123.19	80.25	42.94	68.20	54.99	189	360 Peak	Vertical	
3	5351.00	62.64	19.67	42.97	74.00	-11.36	189	360 Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.50	45.60	2.73	42.87	54.00	-8.40	189	360	Average	Horizontal		
2 *	5320.00	112.56	69.72	42.94	54.00	58.56	189	360	Average	Horizontal		
3 !	5350.00	50.86	7.89	42.97	54.00	-3.14	189	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5137.50	45.82	3.81	42.01	54.00	-8.18	189	360	Average	Vertical		
2 *	5320.00	111.55	68.61	42.94	54.00	57.55	189	360	Average	Vertical		
3 !	5350.50	51.51	8.54	42.97	54.00	-2.49	189	360	Average	Vertical		


802.11ax HE40

CH 54 (Horizontal) Peak


CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5104.00	46.00	4.69	41.31	54.00	-8.00	189	360	Average	Horizontal		
2 *	5270.00	107.96	66.19	41.77	54.00	53.96	189	360	Average	Horizontal		
3	5433.50	46.61	4.37	42.24	54.00	-7.39	189	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5111.50	45.71	4.38	41.33	54.00	-8.29	194	354	Average	Vertical		
2 *	5270.00	106.03	64.26	41.77	54.00	52.03	194	354	Average	Vertical		
3	5414.00	46.55	4.16	42.39	54.00	-7.45	194	354	Average	Vertical		

802.11ax HE40

CH 62 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5076.00	56.33	15.04	41.29	74.00	-17.67	198	360	Peak	Horizontal		
2 *	5310.00	119.50	77.53	41.97	68.20	51.30	198	360	Peak	Horizontal		
3	5352.50	63.02	21.23	41.79	74.00	-10.98	198	360	Peak	Horizontal		

CH 62 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.00	56.55	15.13	41.42	74.00	-17.45	189	355	Peak	Vertical		
2 *	5310.00	117.30	75.33	41.97	68.20	49.10	189	355	Peak	Vertical		
3	5352.50	64.46	22.67	41.79	74.00	-9.54	189	355	Peak	Vertical		

802.11ax HE40

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.58	44.83	2.61	41.42	54.00	-9.97	198	360	Average	Horizontal		
2 *	5318.00	107.11	65.14	41.97	54.00	53.11	198	360	Average	Horizontal		
3 !	5350.00	51.83	10.07	41.76	54.00	-2.17	198	360	Average	Horizontal		

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5138.00	44.58	3.17	41.41	54.00	-9.42	189	355	Average	Vertical		
2 *	5318.00	106.31	64.34	41.97	54.00	52.31	189	355	Average	Vertical		
3 !	5350.00	53.33	11.57	41.76	54.00	-0.67	189	355	Average	Vertical		

802.11ax HE80

CH 58 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.00	58.01	15.14	42.87	74.00	-15.99	187	360	Peak	Horizontal		
2	5290.00	116.44	75.50	42.94	68.20	48.24	187	360	Peak	Horizontal		
3	5366.50	62.74	19.69	43.05	74.00	-11.26	187	360	Peak	Horizontal		

CH 58 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5123.00	57.79	15.08	42.71	74.00	-16.21	198	360	Peak	Vertical		
2	5290.00	115.23	72.29	42.94	66.20	47.03	198	360	Peak	Vertical		
3	5368.00	65.41	22.36	43.05	74.00	-8.59	198	360	Peak	Vertical		

802.11ax HE80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE160

CH 50 (Horizontal) Peak

CH 50 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5113.00	60.17	17.52	42.65	74.00	-13.83	191	360	Peak	Horizontal		
2 *	5255.00	110.65	67.67	42.98	68.20	42.45	191	360	Peak	Horizontal		
3	5378.00	60.08	16.98	43.10	74.00	-13.92	191	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5143.50	62.64	19.79	42.85	74.00	-11.36	191	360	Peak	Vertical		
2 *	5250.00	100.50	65.60	42.90	68.20	40.38	191	360	Peak	Vertical		
3	5376.50	61.35	18.25	43.10	74.00	-12.65	191	360	Peak	Vertical		

802.11ax HE160


CH 50 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak


CH 100 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

