


802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5432.50	58.20	14.96	43.24	74.00	-15.00	191	360 Peak	Horizontal	
2	5460.50	56.17	12.91	43.26	68.20	-12.03	191	360 Peak	Horizontal	
3 *	5580.00	122.11	70.71	43.40	68.20	53.91	191	360 Peak	Horizontal	
4	6904.00	60.20	14.97	45.23	68.20	-8.00	191	360 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5432.50	59.03	15.79	43.24	74.00	-14.97	191	360 Peak	Vertical	
2	5462.00	57.90	14.64	43.26	68.20	-10.30	191	360 Peak	Vertical	
3 *	5580.00	119.38	75.98	43.40	68.20	51.18	191	360 Peak	Vertical	
4	6953.50	60.86	15.58	45.28	68.20	-7.34	191	360 Peak	Vertical	

802.11a


CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.50	57.55	14.30	43.25	74.00	-16.45	187	360 Peak	Horizontal	
2	5467.50	56.35	13.06	43.27	68.20	-11.85	187	360 Peak	Horizontal	
3 *	5700.00	122.57	78.91	43.66	68.20	54.37	187	360 Peak	Horizontal	
4	5730.50	61.49	17.80	43.69	68.20	-6.71	187	360 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.50	57.34	14.09	43.25	74.00	-16.66	185	360 Peak	Vertical	
2	5466.50	57.07	13.80	43.27	68.20	-11.13	185	360 Peak	Vertical	
3 *	5700.00	119.89	76.23	43.66	68.20	51.69	185	360 Peak	Vertical	
4	5727.50	61.52	17.83	43.69	68.20	-6.68	185	360 Peak	Vertical	

802.11a


CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5458.00	58.83	15.57	43.26	74.00	-15.17	190	360	Peak	Horizontal	
2	5469.50	60.16	16.89	43.27	68.20	-6.04	190	360	Peak	Horizontal	
3	5500.00	123.56	80.27	43.29	68.20	55.36	190	360	Peak	Horizontal	
4	6951.00	60.07	14.80	45.27	68.20	-8.13	190	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5458.00	59.26	16.00	43.26	74.00	-14.74	191	356	Peak	Vertical	
2	5470.00	61.29	18.82	43.27	68.20	-6.91	191	356	Peak	Vertical	
3	5500.00	121.94	78.65	43.29	68.20	53.74	191	356	Peak	Vertical	
4	6915.50	60.95	15.71	45.24	68.20	-7.25	191	356	Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	46.69	3.43	43.26	54.00	-7.31	190	360	Average	Horizontal		
2 *	5500.00	111.04	68.55	43.29	54.00	57.04	190	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	47.52	4.26	43.26	54.00	-6.48	191	356	Average	Vertical		
2 *	5500.00	110.66	67.37	43.29	54.00	56.66	191	356	Average	Vertical		

802.11ax HE20

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5434.50	59.06	15.62	43.24	74.00	-14.94	190	358 Peak	Horizontal	
2	5463.50	57.65	14.39	43.26	68.20	-10.55	190	358 Peak	Horizontal	
3 *	5580.00	122.23	78.83	43.40	68.20	54.03	190	358 Peak	Horizontal	
4	6960.00	60.22	14.93	45.29	68.20	-7.98	190	358 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5447.00	58.63	15.38	43.25	74.00	-15.37	191	360 Peak	Vertical	
2	5460.50	58.42	15.16	43.26	68.20	-9.78	191	360 Peak	Vertical	
3 *	5580.00	122.02	78.62	43.40	68.20	53.82	191	360 Peak	Vertical	
4	6932.50	61.05	15.80	45.25	68.20	-7.15	191	360 Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5437.00	46.29	3.05	43.24	54.00	-7.71	190	358	Average	Horizontal		
2 *	5500.00	111.06	67.66	43.40	54.00	57.06	190	358	Average	Horizontal		

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5451.00	46.37	3.12	43.25	54.00	-7.63	191	360	Average	Vertical		
2 *	5500.00	110.34	66.94	43.40	54.00	56.34	191	360	Average	Vertical		

802.11ax HE20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5423.50	57.19	13.96	43.23	74.00	-16.81	190	360 Peak	HORIZONTAL	
2	5470.00	56.79	13.52	43.27	68.20	-11.41	190	360 Peak	HORIZONTAL	
3 *	5700.00	124.21	80.55	43.66	68.20	56.01	190	360 Peak	HORIZONTAL	
4 !	5725.00	64.47	20.78	43.69	68.20	-3.73	190	360 Peak	HORIZONTAL	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5452.50	57.87	14.62	43.25	74.00	-16.13	188	360 Peak	Vertical	
2	5467.00	57.37	14.10	43.27	68.20	-10.83	188	360 Peak	Vertical	
3 *	5700.00	122.88	79.22	43.66	68.20	54.68	188	360 Peak	Vertical	
4 !	5725.00	62.31	18.62	43.69	68.20	-5.89	188	360 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5377.50	45.06	1.96	43.10	54.00	-8.94	190	360	Average	HORIZONTAL		
2 *	5700.00	112.46	68.80	43.66	54.00	58.46	190	360	Average	HORIZONTAL		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5447.00	45.53	2.28	43.25	54.00	-8.47	188	360	Average	Vertical		
2 *	5700.00	111.14	67.48	43.66	54.00	57.14	188	360	Average	Vertical		

802.11ax HE40

CH 102 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5458.50	60.30	18.15	42.15	74.00	-13.70	191	360 Peak	Horizontal	
2	5468.00	67.68	25.48	42.20	68.20	-0.52	191	360 Peak	Horizontal	
3 *	5510.00	118.61	76.27	42.34	68.20	50.41	191	360 Peak	Horizontal	
4	6082.00	58.79	15.32	43.47	68.20	-9.41	191	360 Peak	Horizontal	

CH 102 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5459.00	59.63	17.47	42.16	74.00	-14.37	186	356 Peak	Vertical	
2	5469.00	67.37	25.17	42.20	68.20	-0.83	186	356 Peak	Vertical	
3 *	5510.00	117.06	74.72	42.34	68.20	46.86	186	356 Peak	Vertical	
4	6069.50	59.30	15.52	43.78	68.20	-0.90	186	356 Peak	Vertical	

802.11ax HE40


CH 102 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 110 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5436.00	57.64	15.42	42.22	74.00	-16.36	195	360 Peak	Horizontal	
2	5460.00	55.63	13.46	42.17	68.20	-12.57	195	360 Peak	Horizontal	
3 *	5550.00	121.50	79.22	42.20	68.20	53.30	195	360 Peak	Horizontal	
4	5742.50	58.55	15.98	42.57	68.20	-9.65	195	360 Peak	Horizontal	

CH 110 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5399.00	58.03	15.55	42.48	74.00	-15.97	192	357 Peak	Vertical	
2	5463.00	57.33	15.15	42.18	68.20	-10.87	192	357 Peak	Vertical	
3 *	5550.00	116.83	74.55	42.20	68.20	46.63	192	357 Peak	Vertical	
4	6945.50	59.69	15.89	43.80	68.20	-8.51	192	357 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5432.58	45.25	3.00	42.25	54.00	-8.75	195	360	Average	Horizontal		
2 *	5558.00	107.98	65.70	42.28	54.00	53.98	195	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5400.50	45.59	3.10	42.49	54.00	-8.41	192	357	Average	Vertical		
2 *	5558.00	104.96	62.68	42.28	54.00	50.96	192	357	Average	Vertical		


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5440.50	56.63	14.44	42.19	74.00	-17.37	184	359 Peak	Horizontal	
2	5462.50	55.80	13.70	42.18	68.20	-12.32	184	359 Peak	Horizontal	
3 *	5670.00	119.62	77.20	42.42	68.20	51.42	184	359 Peak	Horizontal	
4	6921.50	59.62	15.89	43.73	68.20	-8.58	184	359 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5440.50	57.66	15.53	42.13	74.00	-16.34	191	360 Peak	Vertical	
2	5460.00	56.86	14.66	42.20	68.20	-11.34	191	360 Peak	Vertical	
3 *	5670.00	118.31	75.89	42.42	68.20	50.11	191	360 Peak	Vertical	
4	6969.00	58.82	15.04	43.78	68.20	-9.38	191	360 Peak	Vertical	

802.11ax HE40

CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5434.50	44.05	1.82	42.23	54.00	-9.95	184	359	Average	Horizontal
2 *	5670.00	107.55	65.13	42.42	54.00	53.55	184	359	Average	Horizontal

CH 134 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5446.00	44.53	2.38	42.15	54.00	-9.47	191	360	Average	Vertical
2 *	5666.50	109.55	63.13	42.42	54.00	55.55	191	360	Average	Vertical


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5454.00	63.96	20.70	43.26	74.00	-10.04	188	360 Peak	Horizontal	
2	5465.50	65.90	21.73	43.27	68.20	-3.20	188	360 Peak	Horizontal	
3 *	5530.00	115.04	71.66	43.38	68.20	46.84	188	360 Peak	Horizontal	
4	6953.00	60.68	15.40	45.28	68.20	-7.52	188	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.00	65.09	21.83	43.26	74.00	-8.91	189	360 Peak	Vertical	
2	5465.50	64.56	21.29	43.27	68.20	-3.64	189	360 Peak	Vertical	
3 *	5530.00	114.68	71.30	43.38	68.20	46.48	189	360 Peak	Vertical	
4	6935.00	60.87	15.61	45.26	68.20	-7.33	189	360 Peak	Vertical	

802.11ax HE80


CH 106 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5445.50	58.86	15.61	43.25	74.00	-15.14	191	360 Peak	Horizontal	
2	5462.50	57.68	14.42	43.26	68.20	-10.52	191	360 Peak	Horizontal	
3 *	5610.00	118.23	74.84	43.39	68.20	50.03	191	360 Peak	Horizontal	
4	5760.50	60.83	17.09	43.74	68.20	-7.37	191	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5447.00	59.17	15.92	43.25	74.00	-14.83	192	360 Peak	Vertical	
2	5465.00	59.74	16.47	43.27	68.20	-8.46	192	360 Peak	Vertical	
3 *	5610.00	116.38	72.99	43.39	68.20	48.18	192	360 Peak	Vertical	
4	6959.00	60.29	15.00	45.29	68.20	-7.91	192	360 Peak	Vertical	

802.11ax HE80

CH 122 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5439.58	47.12	3.88	43.24	54.00	-6.88	191	360	Average	Horizontal		
2 *	5610.00	106.14	62.75	43.39	54.00	52.14	191	360	Average	Horizontal		

CH 122 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5450.50	47.91	4.66	43.25	54.00	-6.09	192	360	Average	Vertical		
2 *	5610.00	104.29	60.90	43.39	54.00	50.29	192	360	Average	Vertical		

802.11ax HE160

CH 114 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5434.50	63.31	20.87	43.24	74.00	-10.69	193	360	Peak	Horizontal	
2	5462.50	60.27	17.01	43.26	68.20	-7.93	193	360	Peak	Horizontal	
3 *	5570.00	109.00	66.39	43.41	68.20	41.60	193	360	Peak	Horizontal	
4 !	5728.00	62.83	19.14	43.69	68.20	-5.37	193	360	Peak	Horizontal	

CH 114 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.00	65.03	21.77	43.26	74.00	-8.97	191	360	Peak	Vertical	
2 !	5464.00	63.43	20.17	43.26	68.20	-4.77	191	360	Peak	Vertical	
3 *	5570.00	109.25	65.84	43.41	68.20	41.05	191	360	Peak	Vertical	
4	5727.50	61.74	18.05	43.69	68.20	-6.46	191	360	Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5433.58	53.14	9.98	43.24	54.00	-0.86	193	360	Average	Horizontal		
2 * 5570.00	100.61	57.20	43.41	54.00	46.61	193	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5453.50	53.81	10.55	43.26	54.00	-0.19	191	360	Average	Vertical		
2 * 5570.00	99.08	55.67	43.41	54.00	45.08	191	360	Average	Vertical		

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5634.50	61.85	18.44	43.41	68.20	-6.35	185	360	Peak	Horizontal
2	5699.00	67.40	23.80	43.66	104.46	-37.00	185	360	Peak	Horizontal
3	5717.00	85.50	41.90	43.68	109.96	-24.38	185	360	Peak	Horizontal
4	5725.00	90.30	46.61	43.69	130.00	-39.70	185	360	Peak	Horizontal
5	5745.00	127.73	84.03	43.70	130.00	-2.27	185	360	Peak	Horizontal
6	5853.00	59.83	15.82	44.01	116.48	-58.65	185	360	Peak	Horizontal
7	5873.00	60.69	16.63	44.00	105.76	-45.07	185	360	Peak	Horizontal
8	5890.50	62.43	18.32	44.11	93.70	-31.27	185	360	Peak	Horizontal
9	5925.00	59.86	15.65	44.21	68.20	-8.34	185	360	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5623.00	61.87	18.47	43.40	68.20	-6.33	193	360	Peak	Vertical
2	5699.00	66.70	23.84	43.66	104.46	-37.76	193	360	Peak	Vertical
3	5718.50	85.06	41.38	43.68	110.38	-25.32	193	360	Peak	Vertical
4	5724.50	89.86	46.17	43.69	128.08	-38.22	193	360	Peak	Vertical
5	5745.00	124.66	80.96	43.70	130.00	-5.34	193	360	Peak	Vertical
6	5853.00	59.73	15.72	44.01	116.48	-58.75	193	360	Peak	Vertical
7	5863.00	59.83	15.80	44.03	108.56	-48.73	193	360	Peak	Vertical
8	5894.50	61.50	17.38	44.12	90.73	-29.23	193	360	Peak	Vertical
9	5943.00	58.83	14.57	44.26	68.20	-9.37	193	360	Peak	Vertical


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5635.00	64.42	21.01	43.41	68.20	-3.78	191	0 Peak	Horizontal	
2	5663.00	63.09	19.61	43.40	77.55	-14.76	191	0 Peak	Horizontal	
3	5719.00	62.03	18.35	43.68	110.52	-48.49	191	0 Peak	Horizontal	
4	5723.50	62.25	18.57	43.68	124.24	-61.99	191	0 Peak	Horizontal	
5	5785.00	128.09	84.28	43.81	130.00	-1.91	191	0 Peak	Horizontal	
6	5853.50	59.62	15.61	44.01	116.56	-56.94	191	0 Peak	Horizontal	
7	5869.00	60.62	16.57	44.05	106.88	-46.26	191	0 Peak	Horizontal	
8	5924.50	62.97	18.76	44.21	68.57	-5.60	191	0 Peak	Horizontal	
9	5938.50	64.30	20.08	44.22	68.20	-3.90	191	0 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5647.50	61.79	18.37	43.42	68.20	-6.41	189	360 Peak	Vertical	
2	5669.00	61.62	18.10	43.52	82.30	-20.68	189	360 Peak	Vertical	
3	5704.00	61.81	18.14	43.67	106.32	-44.51	189	360 Peak	Vertical	
4	5720.00	61.23	17.55	43.68	110.80	-49.57	189	360 Peak	Vertical	
5	5785.00	124.38	80.57	43.81	130.00	-5.62	189	360 Peak	Vertical	
6	5852.00	58.39	14.40	43.99	122.32	-63.93	189	360 Peak	Vertical	
7	5866.50	59.28	15.24	44.04	107.50	-48.30	189	360 Peak	Vertical	
8	5920.50	60.19	16.00	44.19	71.52	-11.33	189	360 Peak	Vertical	
9	5938.50	60.13	15.88	44.25	68.20	-8.07	189	360 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.00	60.26	16.64	43.42	68.20	-7.94	189	360	Peak	Horizontal
2	5671.50	62.62	19.09	43.53	84.15	-21.53	189	360	Peak	Horizontal
3	5701.50	61.87	18.20	43.67	105.62	-43.75	189	360	Peak	Horizontal
4	5723.50	60.75	17.07	43.68	124.24	-63.49	189	360	Peak	Horizontal
5	5825.00	126.18	82.26	43.92	130.00	-3.82	189	360	Peak	Horizontal
6	5856.00	74.63	38.64	43.99	130.00	-55.37	189	360	Peak	Horizontal
7	5855.50	70.15	26.14	44.01	110.66	-40.51	189	360	Peak	Horizontal
8	5888.50	61.71	17.60	44.11	95.18	-33.47	189	360	Peak	Horizontal
9	5967.00	61.85	17.46	44.39	68.20	-6.35	189	360	Peak	Horizontal

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5630.50	59.56	16.15	43.41	68.20	-8.64	184	360	Peak	Vertical
2	5692.50	60.95	17.32	43.63	99.67	-38.72	184	360	Peak	Vertical
3	5711.00	60.76	17.09	43.67	108.28	-47.52	184	360	Peak	Vertical
4	5722.50	59.45	15.77	43.68	120.40	-60.95	184	360	Peak	Vertical
5	5825.00	123.89	79.97	43.92	130.00	-6.11	184	360	Peak	Vertical
6	5852.00	74.31	38.32	43.99	122.32	-48.01	184	360	Peak	Vertical
7	5855.50	68.97	24.96	44.01	110.66	-41.69	184	360	Peak	Vertical
8	5876.00	60.09	16.93	44.06	104.46	-44.37	184	360	Peak	Vertical
9	5968.00	59.62	15.22	44.40	68.20	-8.58	184	360	Peak	Vertical


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5680.00	62.20	18.82	43.38	68.20	-6.00	191	360	Peak	Horizontal
2	5698.50	68.90	25.15	43.65	104.09	-35.29	191	360	Peak	Horizontal
3	5720.00	89.35	45.67	43.68	110.80	-21.45	191	360	Peak	Horizontal
4	5725.00	94.13	50.44	43.69	130.00	-35.87	191	360	Peak	Horizontal
5	5745.00	128.49	84.79	43.70	130.00	-1.51	191	360	Peak	Horizontal
6	5855.00	60.96	16.95	44.01	110.80	-49.84	191	360	Peak	Horizontal
7	5874.00	61.55	17.49	44.00	105.48	-43.93	191	360	Peak	Horizontal
8	5894.50	63.41	19.29	44.12	90.73	-27.32	191	360	Peak	Horizontal
9	5925.50	60.21	16.00	44.21	68.20	-7.99	191	360	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5681.00	62.17	18.79	43.38	68.20	-6.03	185	360	Peak	Vertical
2	5700.00	68.25	24.59	43.66	105.20	-36.95	185	360	Peak	Vertical
3	5720.00	87.72	44.04	43.68	110.80	-23.08	185	360	Peak	Vertical
4	5723.00	91.54	47.86	43.68	122.32	-30.78	185	360	Peak	Vertical
5	5745.00	127.41	83.71	43.70	130.00	-2.59	185	360	Peak	Vertical
6	5854.50	58.82	14.81	44.01	112.72	-53.90	185	360	Peak	Vertical
7	5868.00	60.45	16.40	44.05	107.16	-46.71	185	360	Peak	Vertical
8	5881.00	61.76	17.68	44.00	100.74	-38.98	185	360	Peak	Vertical
9	5931.00	59.67	15.45	44.22	68.20	-8.53	185	360	Peak	Vertical


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5634.50	64.00	20.59	43.41	68.20	-4.20	190	360	Peak	Horizontal
2	5661.00	62.70	19.23	43.47	76.37	-13.67	190	360	Peak	Horizontal
3	5708.00	61.76	18.09	43.67	107.44	-45.68	190	360	Peak	Horizontal
4	5724.00	62.69	19.00	43.69	126.16	-63.47	190	360	Peak	Horizontal
5	5785.00	129.46	85.65	43.81	130.00	-0.54	190	360	Peak	Horizontal
6	5850.00	61.21	17.22	43.99	126.00	-66.07	190	360	Peak	Horizontal
7	5856.00	60.26	16.25	44.01	110.52	-50.26	190	360	Peak	Horizontal
8	5881.50	62.29	18.21	44.08	100.37	-38.08	190	360	Peak	Horizontal
9	5930.50	63.66	19.44	44.22	68.20	-4.54	190	360	Peak	Horizontal




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.00	63.50	20.08	43.42	68.20	-4.70	194	360	Peak	Vertical
2	5651.50	62.67	19.24	43.43	69.31	-6.64	194	360	Peak	Vertical
3	5701.50	60.82	17.15	43.67	105.62	-44.80	194	360	Peak	Vertical
4	5725.00	61.70	18.01	43.69	130.00	-68.30	194	360	Peak	Vertical
5	5785.00	127.51	83.70	43.81	130.00	-2.49	194	360	Peak	Vertical
6	5850.00	59.62	15.63	43.99	130.00	-70.38	194	360	Peak	Vertical
7	5869.00	59.66	15.61	44.05	106.00	-47.22	194	360	Peak	Vertical
8	5922.00	61.24	17.05	44.19	70.41	-9.17	194	360	Peak	Vertical
9	5935.00	60.73	16.50	44.23	68.20	-7.47	194	360	Peak	Vertical

802.11ax HE20
CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.50	59.70	17.26	42.44	68.20	-8.50	190	1 Peak	Horizontal	
2	5691.00	61.40	19.01	42.39	98.56	-37.16	190	1 Peak	Horizontal	
3	5711.00	60.94	18.52	42.42	108.28	-47.34	190	1 Peak	Horizontal	
4	5723.00	59.72	17.24	42.48	122.32	-62.60	190	1 Peak	Horizontal	
5	5825.00	125.68	82.98	42.70	130.00	-4.32	190	1 Peak	Horizontal	
6	5856.50	73.18	36.51	42.67	126.88	-54.90	190	1 Peak	Horizontal	
7	5855.50	69.68	27.01	42.67	118.66	-48.98	190	1 Peak	Horizontal	
8	5898.50	59.86	17.16	42.70	87.77	-27.91	190	1 Peak	Horizontal	
9	5955.00	60.01	17.07	42.94	68.20	-8.19	190	1 Peak	Horizontal	

CH 165 (Vertical) Peak


TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5640.00	57.59	15.19	42.40	68.20	-10.61	182	1 Peak	Vertical	
2	5678.00	59.23	16.83	42.40	88.96	-29.73	182	1 Peak	Vertical	
3	5702.50	59.28	16.89	42.39	105.90	-46.62	182	1 Peak	Vertical	
4	5723.50	57.76	15.28	42.48	124.24	-66.48	182	1 Peak	Vertical	
5	5825.00	124.02	81.32	42.70	130.00	-5.98	182	1 Peak	Vertical	
6	5851.00	75.75	33.08	42.67	126.16	-50.41	182	1 Peak	Vertical	
7	5855.00	71.82	29.15	42.67	118.80	-38.98	182	1 Peak	Vertical	
8	5881.50	58.62	15.93	42.69	100.37	-41.75	182	1 Peak	Vertical	
9	5938.00	57.93	15.06	42.87	68.20	-10.27	182	1 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.00	63.37	20.93	42.44	68.20	-4.83	187	360	Peak	Horizontal
2	5700.00	81.83	39.46	42.37	105.20	-23.37	187	360	Peak	Horizontal
3	5715.00	92.19	49.75	42.44	109.40	-17.21	187	360	Peak	Horizontal
4	5722.50	93.72	51.24	42.48	120.40	-26.68	187	360	Peak	Horizontal
5	5755.00	124.96	82.34	42.62	130.00	-5.04	187	360	Peak	Horizontal
6	5850.50	65.92	23.25	42.67	126.00	-62.16	187	360	Peak	Horizontal
7	5857.50	63.00	20.41	42.67	110.10	-47.02	187	360	Peak	Horizontal
8	5907.00	62.24	19.51	42.73	81.48	-19.24	187	360	Peak	Horizontal
9	5928.00	60.98	18.15	42.83	68.20	-7.22	187	360	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5600.00	62.06	19.84	42.22	68.20	-6.14	185	355	Peak	Vertical
2	5699.00	78.56	35.19	42.37	104.40	-25.90	185	355	Peak	Vertical
3	5718.00	89.68	47.22	42.46	110.24	-20.56	185	355	Peak	Vertical
4	5724.00	92.15	49.66	42.49	126.16	-34.01	185	355	Peak	Vertical
5	5755.00	122.52	79.90	42.62	130.00	-7.48	185	355	Peak	Vertical
6	5855.00	63.74	21.07	42.67	110.48	-54.74	185	355	Peak	Vertical
7	5856.00	60.93	18.26	42.67	110.52	-49.59	185	355	Peak	Vertical
8	5879.50	61.83	19.14	42.69	101.86	-40.03	185	355	Peak	Vertical
9	5928.50	59.12	16.29	42.83	68.20	-9.08	185	355	Peak	Vertical


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5630.50	63.52	21.17	42.35	68.20	-4.68	192	360	Peak	Horizontal
2	5698.50	65.83	23.46	42.37	104.09	-38.26	192	360	Peak	Horizontal
3	5719.00	74.62	32.15	42.47	110.52	-35.90	192	360	Peak	Horizontal
4	5724.50	77.37	34.88	42.49	128.08	-50.71	192	360	Peak	Horizontal
5	5795.00	125.17	82.45	42.72	130.00	-4.83	192	360	Peak	Horizontal
6	5856.00	82.59	39.92	42.67	130.00	-47.41	192	360	Peak	Horizontal
7	5857.50	80.22	37.55	42.67	110.10	-29.08	192	360	Peak	Horizontal
8	5881.50	71.99	29.30	42.69	100.37	-28.38	192	360	Peak	Horizontal
9	5954.50	62.87	19.93	42.94	68.20	-5.33	192	360	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5646.00	62.47	20.85	42.42	68.20	-5.73	184	358	Peak	Vertical
2	5694.50	62.63	20.25	42.38	101.15	-38.52	184	358	Peak	Vertical
3	5719.00	71.33	28.86	42.47	110.52	-39.19	184	358	Peak	Vertical
4	5723.00	73.11	30.63	42.48	122.32	-49.21	184	358	Peak	Vertical
5	5795.00	122.64	79.92	42.72	130.00	-7.36	184	358	Peak	Vertical
6	5855.50	79.90	37.23	42.67	110.50	-36.66	184	358	Peak	Vertical
7	5855.50	76.74	34.87	42.67	110.66	-33.92	184	358	Peak	Vertical
8	5879.50	69.95	27.26	42.69	101.86	-31.91	184	358	Peak	Vertical
9	5943.50	61.18	18.29	42.89	68.20	-7.02	184	358	Peak	Vertical

802.11ax HE80

CH 155 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.50	66.97	24.53	42.44	68.20	-1.23	190	360	Peak	Horizontal
2	5700.00	75.29	32.92	42.37	105.20	-29.91	190	360	Peak	Horizontal
3	5714.50	77.30	34.86	42.44	109.26	-31.96	190	360	Peak	Horizontal
4	5725.00	78.21	35.72	42.49	130.00	-51.79	190	360	Peak	Horizontal
5	5775.00	119.65	76.98	42.67	130.00	-10.35	190	360	Peak	Horizontal
6	5851.50	74.88	32.21	42.67	124.24	-49.36	190	360	Peak	Horizontal
7	5855.00	73.29	30.62	42.67	110.00	-37.51	190	360	Peak	Horizontal
8	5875.50	69.71	27.03	42.68	104.83	-35.12	190	360	Peak	Horizontal
9	5926.00	62.41	19.60	42.81	68.20	-5.79	190	360	Peak	Horizontal

CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.00	63.46	21.02	42.44	68.20	-4.74	184	360	Peak	Vertical
2	5693.00	74.59	32.21	42.38	100.04	-25.45	184	360	Peak	Vertical
3	5707.00	74.66	32.25	42.41	107.16	-32.50	184	360	Peak	Vertical
4	5723.50	75.53	33.05	42.48	124.24	-48.71	184	360	Peak	Vertical
5	5775.00	118.41	75.74	42.67	130.00	-11.59	184	360	Peak	Vertical
6	5850.50	70.70	28.03	42.67	120.00	-57.38	184	360	Peak	Vertical
7	5875.00	69.72	27.04	42.68	105.20	-35.48	184	360	Peak	Vertical
8	5875.00	69.72	27.04	42.68	105.20	-35.48	184	360	Peak	Vertical
9	5936.50	59.10	16.23	42.87	68.20	-9.10	184	360	Peak	Vertical

Spurious Emissions, Tx Mode, 9kHz ~30MHz

U-NII-1


Co-Location

(Open) (9kHz ~ 150kHz)

(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	48.74	31.02	17.72	127.60	-78.86	100	214	Peak	Open	
2	0.03	56.54	37.59	18.95	119.13	-62.59	100	238	Peak	Open	
3	0.03	40.87	21.67	19.20	117.69	-76.02	100	300	Peak	Open	
4	0.05	38.14	19.00	19.14	114.19	-76.05	100	281	Peak	Open	
5	0.06	41.11	22.26	18.85	111.82	-70.71	100	14	Peak	Open	
6	0.08	31.91	13.47	18.44	109.73	-77.82	100	135	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	42.86	24.73	18.13	104.80	-61.22	100	286	Peak	Open	
2	0.39	59.34	40.55	18.79	95.81	-36.47	100	360	Peak	Open	
3	0.81	51.30	32.31	18.99	69.36	-18.06	100	3	Peak	Open	
4	1.22	43.97	24.83	19.14	65.65	-21.68	100	24	Peak	Open	
5	2.90	35.40	15.80	19.60	69.50	-34.10	100	4	Peak	Open	
6	28.81	38.21	15.89	22.32	69.50	-31.29	100	160	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


Co-Location

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	70.74	38.15	48.28	-10.13	40.00	-1.85	300	192	Peak	Horizontal	
2	97.90	38.89	51.31	-12.42	43.50	-4.61	200	103	Peak	Horizontal	
3	196.84	41.11	50.77	-9.66	43.50	-2.39	100	271	Peak	Horizontal	
4	215.27	40.34	50.10	-9.76	43.50	-3.16	100	280	QP	Horizontal	
5	256.98	44.80	52.67	-7.87	46.00	-1.20	100	206	Peak	Horizontal	
6	288.02	45.48	52.32	-6.84	46.00	-0.52	100	266	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	37.92	44.91	-6.99	40.00	-2.08	100	222	QP	Vertical	
2	70.74	38.38	48.51	-10.13	40.00	-1.62	100	80	QP	Vertical	
3	94.99	41.07	53.99	-12.92	43.50	-2.43	100	184	Peak	Vertical	
4	210.42	39.38	49.33	-9.95	43.50	-4.12	200	142	Peak	Vertical	
5	263.77	44.88	52.54	-7.66	46.00	-1.12	100	100	Peak	Vertical	
6	288.02	44.96	51.80	-6.84	46.00	-1.04	137	274	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	50.12	54.83	-4.71	68.20	-18.08	400	190	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	55.22	59.93	-4.71	68.20	-12.98	100	54	Peak	Vertical	

802.11a

CH 40 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10400.00	61.64	66.26	-4.62	68.20	-6.56	353	271 Peak	Horizontal	
2	15600.00	40.73	39.46	1.25	54.00	-13.27	100	233 Average	Horizontal	
3	15600.00	55.08	53.83	1.25	74.00	-18.92	100	233 Peak	Horizontal	

CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10400.00	66.55	71.17	-4.62	68.20	-1.65	171	285 Peak	Vertical	
2	15600.00	45.88	44.63	1.25	54.00	-8.12	297	295 Average	Vertical	
3	15600.00	59.69	58.44	1.25	74.00	-14.31	297	295 Peak	Vertical	

802.11a

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10480.00	61.00	66.16	-4.36	68.20	-6.40	100	269 Peak	Horizontal	
2	15720.00	41.43	39.57	1.86	54.00	-12.57	342	244 Average	Horizontal	
3	15720.00	55.28	53.42	1.86	74.00	-18.72	342	244 Peak	Horizontal	

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10480.00	66.74	71.10	-4.36	68.20	-1.46	100	283 Peak	Vertical	
2	15720.00	40.86	45.00	1.86	54.00	-7.14	291	224 Average	Vertical	
3	15720.00	60.98	59.12	1.86	74.00	-13.02	291	224 Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	51.06	55.77	-4.71	68.20	-17.14	300	290	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	53.28	57.99	-4.71	68.20	-14.92	300	42	Peak	Vertical		


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	59.65	64.27	-4.62	68.20	-8.55	400	191 Peak	Horizontal	
2	15600.00	39.71	38.46	1.25	54.00	-14.29	400	246 Average	Horizontal	
3	15600.00	54.52	53.27	1.25	74.00	-19.48	400	246 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	65.53	70.15	-4.62	68.20	-2.67	128	204 Peak	Vertical	
2	15600.00	41.52	40.27	1.25	54.00	-12.48	300	219 Average	Vertical	
3	15600.00	55.82	54.57	1.25	74.00	-18.18	300	219 Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10480.00	61.27	65.63	-4.36	68.20	-6.93	400	208 Peak	Horizontal	
2	15720.00	42.49	48.63	1.86	54.00	-11.51	400	298 Average	Horizontal	
3	15720.00	57.76	55.90	1.86	74.00	-16.24	400	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10480.00	67.95	72.31	-4.36	68.20	-0.25	100	258 Peak	Vertical	
2	15720.00	46.89	45.03	1.86	54.00	-7.11	296	297 Average	Vertical	
3	15720.00	60.85	58.99	1.86	74.00	-13.15	296	297 Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10380.00	47.43	52.09	-4.66	68.20	-20.77	100	256	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10380.00	50.76	55.42	-4.66	68.20	-17.44	100	255	Peak	Vertical		