

Appendix I: Test Results of Radiation Spurious Emissions & Mains Conducted Emission (PINE_Dish antenna)

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5150.000	66.45	25.82	41.43	68.20	-1.75	172	3 Peak	Horizontal	
2	5180.000	126.29	84.72	41.57	68.20	56.09	172	3 Peak	Horizontal	
3	5378.000	63.28	21.12	42.16	74.00	-10.72	172	3 Peak	Horizontal	
4	6154.000	65.03	21.47	43.56	68.20	-3.17	172	3 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5150.000	67.48	26.05	41.43	68.20	-0.72	174	2 Peak	Vertical	
2	5180.000	124.72	83.15	41.57	68.20	56.52	174	2 Peak	Vertical	
3	5379.500	60.57	18.38	42.19	74.00	-13.43	174	2 Peak	Vertical	

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.000	52.73	11.30	41.43	54.00	-1.27	172			3 Average	Horizontal	
2 * 5180.000	116.35	74.76	41.57	54.00	62.35	172			3 Average	Horizontal	
3 5378.000	48.77	6.61	42.16	54.00	-5.23	172			3 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.000	53.83	12.40	41.43	54.00	-0.17	174			2 Average	Vertical	
2 * 5180.000	115.54	73.97	41.57	54.00	61.54	174			2 Average	Vertical	
3 5374.500	47.57	5.46	42.11	54.00	-6.43	174			2 Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5052.500	59.15	17.88	41.27	74.00	-14.85	160	360	Peak	Horizontal		
2	5200.000	122.68	81.02	41.66	68.20	54.48	160	360	Peak	Horizontal		
3	5366.000	58.50	16.60	41.90	74.00	-15.50	160	360	Peak	Horizontal		

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5098.000	62.15	20.85	41.30	74.00	-11.85	181	3	Peak	Vertical		
2	5200.000	125.54	83.88	41.66	68.20	57.34	181	3	Peak	Vertical		
3	5366.000	61.57	19.58	41.99	74.00	-12.43	181	3	Peak	Vertical		
4	6193.000	66.02	22.36	43.66	68.20	-2.18	181	3	Peak	Vertical		
5	6523.500	63.88	20.37	43.51	68.20	-4.32	181	3	Peak	Vertical		

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5046.000	46.69	5.43	41.26	54.00	-7.31	160	360	Average	Horizontal		
2	5200.000	113.33	71.67	41.66	54.00	59.33	160	360	Average	Horizontal		
3	5367.000	45.74	3.73	42.01	54.00	-8.26	160	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	49.55	8.12	41.43	54.00	-4.45	181	3	Average	Vertical		
2	5200.00	116.43	74.77	41.66	54.00	62.43	181	3	Average	Vertical		
3	5376.50	48.79	6.65	42.14	54.00	-5.21	181	3	Average	Vertical		

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5101.500	60.20	18.90	41.30	74.00	-13.80	172	360	Peak	Horizontal	
2	5240.000	124.50	82.97	41.61	68.20	56.30	172	360	Peak	Horizontal	
3	5378.000	61.20	19.04	42.16	74.00	-12.80	172	360	Peak	Horizontal	
4	6270.000	59.99	16.49	43.50	68.20	-8.21	172	360	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5100.500	62.54	21.24	41.30	74.00	-11.46	198	3	Peak	Vertical	
2	5240.000	125.50	83.89	41.61	68.20	57.30	198	3	Peak	Vertical	
3	5380.000	65.29	23.09	42.20	74.00	-8.71	198	3	Peak	Vertical	
4	6276.500	66.12	22.66	43.46	68.20	-2.08	198	3	Peak	Vertical	
5	6621.000	61.25	17.67	43.58	68.20	-6.95	198	3	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5183.000	48.33	7.82	41.31	54.00	-5.67	172	360	Average	Horizontal		
2 * 5240.000	115.39	75.78	41.61	54.00	61.39	172	360	Average	Horizontal		
3 5377.000	47.71	5.56	42.15	54.00	-6.29	172	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5096.50	49.25	7.95	41.30	54.00	-4.75	198	3	Average	Vertical		
2 * 5240.00	116.19	74.58	41.61	54.00	62.19	198	3	Average	Vertical		
3 5381.00	50.88	8.67	42.21	54.00	-3.12	198	3	Average	Vertical		

802.11ax HE20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.000	63.71	20.81	42.90	68.20	-4.49	181			4 Peak	Horizontal	
2	* 5180.000	126.78	83.89	42.90	68.20	58.58	181			4 Peak	Horizontal	
3	5365.000	62.14	19.10	43.04	74.00	-11.86	181			4 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.000	64.90	22.01	42.89	74.00	-9.10	191			5 Peak	Vertical	
2	* 5180.000	125.31	82.33	42.90	68.20	57.11	191			5 Peak	Vertical	
3	5451.000	61.02	17.77	43.25	74.00	-12.98	191			5 Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.000	51.63	8.73	42.90	54.00	-2.37	181			4 Average	Horizontal	
2 * 5180.000	115.92	72.64	42.90	54.00	61.82	181			4 Average	Horizontal	
3 5376.500	49.14	6.04	43.10	54.00	-4.86	181			4 Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.000	52.73	9.83	42.90	54.00	-1.27	191			5 Average	Vertical	
2 * 5180.000	114.14	71.16	42.90	54.00	60.14	191			5 Average	Vertical	
3 5375.500	48.48	5.39	43.09	54.00	-5.52	191			5 Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5039.000	64.42	21.84	42.58	74.00	-9.58	175			5 Peak	Horizontal	
2	5200.000	126.50	83.46	43.04	68.20	58.30	175			5 Peak	Horizontal	
3	5376.500	63.13	20.03	43.10	74.00	-10.87	175			5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.000	63.36	20.46	42.90	68.20	-4.84	179			5 Peak	Vertical	
2	5200.000	126.66	83.62	43.04	68.20	58.46	179			5 Peak	Vertical	
3	5372.500	61.91	18.83	43.08	74.00	-12.09	179			5 Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5046.500	51.85	9.25	42.60	54.00	-2.15	175			5 Average	Horizontal	
2 * 5200.000	116.49	73.45	43.04	54.00	62.49	175			5 Average	Horizontal	
3 5367.500	51.09	8.04	43.05	54.00	-2.91	175			5 Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.000	51.31	8.41	42.90	54.00	-2.69	179			5 Average	Vertical	
2 * 5200.000	116.74	73.70	43.04	54.00	62.74	179			5 Average	Vertical	
3 5380.500	49.36	6.25	43.11	54.00	-4.64	179			5 Average	Vertical	


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5109.500	62.61	19.99	42.62	74.00	-11.39		183		4 Peak	Horizontal	
2	5240.000	127.67	84.65	42.99	68.20	59.47		183		4 Peak	Horizontal	
3	5380.000	62.34	19.23	43.11	74.00	-11.66		183		4 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5094.000	61.53	18.97	42.56	74.00	-12.47		197		3 Peak	Vertical	
2	5240.000	125.72	82.73	42.99	68.20	57.52		197		3 Peak	Vertical	
3	5384.500	62.03	18.89	43.14	74.00	-11.97		197		3 Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5106.000	50.68	8.88	42.60	54.00	-3.32	183			4 Average	Horizontal	
2 * 5240.000	117.67	74.65	42.99	54.00	63.67	183			4 Average	Horizontal	
3 5376.500	50.52	7.42	43.10	54.00	-3.48	183			4 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5102.000	49.04	6.47	42.57	54.00	-4.96	197			3 Average	Vertical	
2 * 5240.000	114.30	71.31	42.99	54.00	60.30	197			3 Average	Vertical	
3 5377.000	49.93	6.83	43.10	54.00	-4.07	197			3 Average	Vertical	

802.11ax HE40

CH 38 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.000	62.87	19.97	42.90	68.20	-5.33	182		3	Peak	Horizontal	
2 * 5190.000	121.22	78.21	43.01	68.20	53.02	182		3	Peak	Horizontal	
3 5378.500	61.72	18.62	43.10	74.00	-12.28	182		3	Peak	Horizontal	

CH 38 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5148.000	65.71	22.82	42.89	74.00	-8.29	190		6	Peak	Vertical	
2 * 5190.000	121.54	78.53	43.01	68.20	53.34	190		6	Peak	Vertical	
3 5440.000	59.96	16.72	43.24	74.00	-14.04	190		6	Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.000	51.62	8.72	42.90	54.00	-2.38	182			3 Average	Horizontal	
2 * 5190.000	109.57	66.66	43.01	54.00	55.67	182			3 Average	Horizontal	
3 5377.500	48.38	5.28	43.10	54.00	-5.62	182			3 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5148.500	53.46	10.57	42.89	54.00	-0.54	190			6 Average	Vertical	
2 * 5190.000	109.56	66.55	43.01	54.00	55.56	190			6 Average	Vertical	
3 5375.500	47.83	4.74	43.09	54.00	-6.17	190			6 Average	Vertical	


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5195.000	64.08	21.49	42.59	74.00	-9.92	181			4 Peak	Horizontal	
2	5230.000	125.75	82.74	43.01	68.20	57.55	181			4 Peak	Horizontal	
3	5393.000	64.76	21.59	43.17	74.00	-9.24	181			4 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5102.000	63.30	20.73	42.57	74.00	-10.70	186			5 Peak	Vertical	
2	5230.000	125.15	82.14	43.01	68.20	56.95	186			5 Peak	Vertical	
3	5386.500	63.39	20.24	43.15	74.00	-10.61	186			5 Peak	Vertical	

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5193.000	51.53	8.95	42.58	54.00	-2.47	181			4 Average	Horizontal	
2 * 5230.000	114.99	71.96	43.01	54.00	60.99	181			4 Average	Horizontal	
3 5380.000	52.16	9.05	43.11	54.00	-1.84	181			4 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5142.000	50.30	7.46	42.84	54.00	-3.70	186			5 Average	Vertical	
2 * 5230.000	115.14	70.13	43.01	54.00	59.14	186			5 Average	Vertical	
3 5384.000	51.17	8.03	43.14	54.00	-2.83	186			5 Average	Vertical	


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.500	64.98	23.56	41.42	74.00	-9.02		184	4	Peak	Horizontal	
2	5210.000	118.96	76.41	41.65	68.28	49.86		184	4	Peak	Horizontal	
3	5365.000	60.42	18.44	41.98	74.00	-13.58		184	4	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Lead	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.000	65.36	23.93	41.43	74.00	-8.64	193	6	Peak	Vertical	
2	5210.000	116.22	74.57	41.65	68.20	48.02	193	6	Peak	Vertical	
3	5366.500	58.53	16.53	42.00	74.00	-15.47	193	6	Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5150.000	52.47	11.04	41.43	54.00	-1.53	184			4 Average	Horizontal	
2 * 5210.000	107.08	66.23	41.65	54.00	53.88	184			4 Average	Horizontal	
3 5376.000	48.65	6.52	42.13	54.00	-5.35	184			4 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5146.000	53.34	11.92	41.42	54.00	-0.66	193			6 Average	Vertical	
2 * 5210.000	104.45	62.80	41.65	54.00	50.45	193			6 Average	Vertical	
3 5388.000	46.83	4.52	42.31	54.00	-7.17	193			6 Average	Vertical	

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5111.000	62.17	20.84	41.33	74.00	-11.83		174		2 Peak	Horizontal	
2	5260.000	126.20	84.52	41.68	68.20	58.00		174		2 Peak	Horizontal	
3	5410.500	62.74	20.33	42.41	74.00	-11.26		174		2 Peak	Horizontal	
4	6315.000	67.01	23.64	43.37	68.20	-1.19		174		2 Peak	Horizontal	
5	6672.000	61.72	18.13	43.59	68.20	-6.48		174		2 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5115.500	59.52	18.18	41.34	74.00	-14.48		212		4 Peak	Vertical	
2	5260.000	124.25	82.57	41.68	68.20	56.05		212		4 Peak	Vertical	
3	5394.000	61.77	19.37	42.40	74.00	-12.23		212		4 Peak	Vertical	

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5187.00	49.76	8.44	41.32	54.00	-4.24	174	2	Average	Horizontal	
2 * 5260.00	115.56	74.88	41.68	54.00	62.56	174	2	Average	Horizontal	
3 5377.50	49.26	7.10	42.16	54.00	-4.74	174	2	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5116.500	46.97	5.63	41.34	54.00	-7.03	212	4	Average	Vertical	
2 * 5260.000	115.27	73.59	41.68	54.00	61.27	212	4	Average	Vertical	
3 5384.500	48.62	6.36	42.26	54.00	-5.38	212	4	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5099.500	58.99	17.69	41.30	74.00	-15.01	183			5 Peak	Horizontal	
2	5300.000	125.97	83.84	42.03	68.20	-57.07	183			5 Peak	Horizontal	
3	5444.500	61.36	19.20	42.16	74.00	-12.64	183			5 Peak	Horizontal	
4	6398.500	66.48	22.89	43.59	68.20	-1.72	183			5 Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5128.500	60.22	18.84	41.38	74.00	-13.78	194			5 Peak	Vertical	
2	5300.000	123.93	81.80	42.03	68.20	-55.73	194			5 Peak	Vertical	
3	5436.500	62.42	20.20	42.22	74.00	-11.58	194			5 Peak	Vertical	
4	6401.000	59.70	16.11	43.59	68.20	-0.50	194			5 Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.00	48.15	6.81	41.34	54.00	-5.85	183	5 Average	Horizontal	
2	5300.00	116.92	76.89	42.03	54.00	62.92	183	5 Average	Horizontal	
3	5434.00	49.96	7.72	42.24	54.00	-4.04	183	5 Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.00	47.50	6.08	41.42	54.00	-6.50	194	5 Average	Vertical	
2	5300.00	114.54	72.51	42.03	54.00	60.54	194	5 Average	Vertical	
3	5438.00	49.59	7.38	42.21	54.00	-4.41	194	5 Average	Vertical	


802.11a

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5094.93	56.51	15.21	41.30	74.00	-17.49		192	356	Peak	Horizontal	
2 *	5320.00	123.28	81.36	41.92	68.20	55.08		192	356	Peak	Horizontal	
3	5350.97	61.25	19.48	41.77	74.00	-12.75		192	356	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5143.34	59.62	18.20	41.42	74.00	-14.38		191	4	Peak	Vertical	
2 *	5320.00	125.24	83.32	41.92	68.20	57.04		191	4	Peak	Vertical	
3 !	5349.97	65.47	23.71	41.76	68.20	-2.73		191	4	Peak	Vertical	
4 !	6435.52	64.58	21.04	43.54	68.20	-3.62		191	4	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5188.41	43.95	2.62	41.33	54.00	-10.05	192	356	Average	Horizontal		
2 *	5320.00	115.15	71.23	41.92	54.00	59.15	192	356	Average	Horizontal		
3 !	5351.47	48.81	7.03	41.78	54.00	-5.19	192	356	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5142.84	46.99	5.57	41.42	54.00	-7.01	191	4	Average	Vertical		
2 *	5320.00	115.78	73.84	41.92	54.00	61.76	191	4	Average	Vertical		
3 !	5349.97	52.59	10.83	41.76	54.00	-1.41	191	4	Average	Vertical		


802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5185.500	63.46	20.87	42.59	74.00	-10.54		181		5 Peak	Horizontal	
2	5268.000	127.10	84.13	42.97	68.28	58.80		181		5 Peak	Horizontal	
3	5442.000	62.98	19.73	43.25	74.00	-11.02		181		5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5123.000	61.91	19.20	42.71	74.00	-12.09		197		5 Peak	Vertical	
2	5268.000	127.01	84.04	42.97	68.20	58.81		197		5 Peak	Vertical	
3	5409.000	62.48	19.26	43.22	74.00	-11.52		197		5 Peak	Vertical	

802.11ax HE20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5104.500	50.82	8.23	42.59	54.00	-3.18	181			5 Average	Horizontal	
2	5268.000	117.24	74.27	42.97	54.00	63.24	181			5 Average	Horizontal	
3	5437.500	50.55	7.31	43.24	54.00	-3.45	181			5 Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5132.000	49.28	6.51	42.77	54.00	-4.72	197			5 Average	Vertical	
2	5268.000	115.64	72.67	42.97	54.00	61.64	197			5 Average	Vertical	
3	5392.000	50.11	6.94	43.17	54.00	-3.89	197			5 Average	Vertical	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5055.500	60.14	18.87	41.27	74.00	-13.86	186			5 Peak	Horizontal	
2 * 5300.000	126.73	84.70	42.03	68.20	58.53	196			5 Peak	Horizontal	
3 5434.500	61.94	19.71	42.23	74.00	-12.06	186			5 Peak	Horizontal	
4 ! 6396.500	66.06	22.48	43.58	68.20	-2.14	186			5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5135.500	59.34	17.95	41.39	74.00	-14.66	195			4 Peak	Vertical	
2 * 5300.000	124.91	82.88	42.03	68.20	56.71	195			4 Peak	Vertical	
3 5456.500	61.66	19.51	42.15	74.00	-12.34	195			4 Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5110.00	48.01	6.68	41.33	54.00	-5.99	186			5 Average	Horizontal	
2 * 5300.00	115.17	76.14	42.03	54.00	62.17	186			5 Average	Horizontal	
3 5434.00	49.81	7.57	42.24	54.00	-4.19	186			5 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5141.500	47.51	6.10	41.41	54.00	-6.49	195			4 Average	Vertical	
2 * 5300.000	114.55	72.52	42.03	54.00	60.55	195			4 Average	Vertical	
3 5447.000	49.32	7.18	42.14	54.00	-4.68	195			4 Average	Vertical	


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5056.000	59.15	17.88	41.27	74.00	-14.85	177		4 Peak	Horizontal	
2	5330.000	126.28	84.36	41.92	68.20	58.08	177		4 Peak	Horizontal	
3	5352.500	63.85	22.06	41.79	74.00	-10.15	177		4 Peak	Horizontal	
4	6434.000	64.82	21.28	43.54	68.20	-3.38	177		4 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5145.000	58.36	16.94	41.42	74.00	-15.64	190		5 Peak	Vertical	
2	5330.000	124.19	82.27	41.92	68.20	55.99	190		5 Peak	Vertical	
3	5350.000	62.96	21.20	41.76	68.20	-5.24	190		5 Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5112.00	47.12	5.79	41.33	54.00	-6.88	177	4	Average	Horizontal	
2 *	5320.00	115.74	73.62	41.92	54.00	61.74	177	4	Average	Horizontal	
3 !	5353.00	51.04	9.24	41.80	54.00	-2.96	177	4	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.500	46.44	5.82	41.42	54.00	-7.56	190	5	Average	Vertical	
2 *	5320.000	115.68	71.76	41.92	54.00	59.68	190	5	Average	Vertical	
3 !	5350.000	50.99	9.23	41.76	54.00	-3.01	190	5	Average	Vertical	

802.11ax HE40

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5110.000	64.00	21.38	42.62	74.00	-10.00	185	5 Peak	Horizontal	
2	5270.000	125.39	82.43	42.96	68.20	57.19	185	5 Peak	Horizontal	
3	5435.000	63.43	20.19	43.24	74.00	-10.57	185	5 Peak	Horizontal	

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5127.000	62.42	19.68	42.74	74.00	-11.58	192	5 Peak	Vertical	
2	5270.000	123.95	80.99	42.96	68.20	55.75	192	5 Peak	Vertical	
3	5407.500	62.64	19.42	43.22	74.00	-11.36	192	5 Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5197.000	51.29	8.69	42.60	54.00	-2.71	185			5 Average	Horizontal	
2 * 5270.000	114.54	71.55	42.96	54.00	60.54	195			5 Average	Horizontal	
3 5436.000	51.74	8.50	43.24	54.00	-2.26	185			5 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5132.000	49.92	7.15	42.77	54.00	-4.08	192			5 Average	Vertical	
2 * 5270.000	115.16	70.20	42.96	54.00	59.16	192			5 Average	Vertical	
3 5428.500	50.75	7.52	43.23	54.00	-3.25	192			5 Average	Vertical	

802.11ax HE40

CH 62 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5100.000	60.93	18.38	42.55	74.00	-13.07	186	4 Peak	Horizontal	
2	5310.000	124.34	81.41	42.93	68.20	56.14	196	4 Peak	Horizontal	
3	5351.000	66.55	23.58	42.97	74.00	-7.45	186	4 Peak	Horizontal	

CH 62 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.000	59.38	16.54	42.84	74.00	-14.62	198	4 Peak	Vertical	
2	5310.000	121.65	79.72	42.93	68.20	53.45	198	4 Peak	Vertical	
3	5351.500	61.81	18.83	42.98	74.00	-12.19	198	4 Peak	Vertical	

802.11ax HE40

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5110.500	48.67	6.05	42.62	54.00	-5.33	186			4 Average	Horizontal	
2 * 5310.000	112.09	69.16	42.93	54.00	58.09	196			4 Average	Horizontal	
3 5350.500	53.62	10.65	42.97	54.00	-0.38	186			4 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5148.000	47.94	5.05	42.89	54.00	-6.06	198			4 Average	Vertical	
2 * 5310.000	110.05	67.12	42.93	54.00	56.05	198			4 Average	Vertical	
3 5350.000	50.31	7.34	42.97	54.00	-3.69	198			4 Average	Vertical	


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5106.000	58.74	17.41	41.33	74.00	-15.26	185			6 Peak	Horizontal	
2	5290.000	119.62	76.68	41.94	68.20	50.42	185			6 Peak	Horizontal	
3	5357.000	65.18	23.32	41.86	74.00	-8.82	185			6 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5126.000	58.23	16.86	41.37	74.00	-15.77	189			7 Peak	Vertical	
2	5290.000	115.18	73.24	41.94	68.20	46.98	189			7 Peak	Vertical	
3	5354.000	60.64	18.82	41.82	74.00	-13.36	189			7 Peak	Vertical	

802.11ax HE80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5118.000	46.28	4.93	41.35	54.00	-7.72	185		6 Average	Horizontal	
2	5250.000	107.19	65.25	41.94	54.00	53.19	185		6 Average	Horizontal	
3	5350.500	53.22	11.45	41.77	54.00	-0.78	185		6 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.000	46.72	5.30	41.42	54.00	-7.28	189		7 Average	Vertical	
2	5250.000	103.32	61.38	41.94	54.00	49.32	189		7 Average	Vertical	
3	5354.500	49.31	7.49	41.82	54.00	-4.69	189		7 Average	Vertical	


802.11ax HE160

CH 50 (Horizontal) Peak

CH 50 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5117.000	63.47	22.13	41.34	74.00	-10.53	185			5 Peak	Horizontal	
2	5250.000	113.03	71.44	41.59	68.20	44.83	195			5 Peak	Horizontal	
3	5354.000	62.05	20.23	41.82	74.00	-11.95	185			5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.000	62.79	21.37	41.42	74.00	-11.21	199			6 Peak	Vertical	
2	5250.000	110.38	68.80	41.59	68.20	42.19	199			6 Peak	Vertical	
3	5439.000	59.38	17.18	42.20	74.00	-14.62	199			6 Peak	Vertical	

802.11ax HE160

CH 50 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5113.000	52.70	11.36	41.34	54.00	-1.30	185			5 Average	Horizontal	
2	5250.000	105.16	61.57	41.59	54.00	49.16	195			5 Average	Horizontal	
3	5352.000	51.00	10.01	41.79	54.00	-2.20	185			5 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.500	50.12	8.70	41.42	54.00	-3.88	199			6 Average	Vertical	
2	5250.000	99.94	58.35	41.59	54.00	45.94	199			6 Average	Vertical	
3	5386.500	48.32	6.03	42.29	54.00	-5.68	199			6 Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.000	61.93	19.78	42.15	74.00	-12.07	190	5 Peak	Horizontal	
2	5467.500	60.77	18.57	42.20	68.20	-7.43	190	5 Peak	Horizontal	
3 *	5500.000	124.45	82.10	42.35	68.20	56.25	190	5 Peak	Horizontal	
4 !	6797.500	66.54	22.73	43.81	68.20	-1.66	190	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.000	60.24	18.07	42.17	68.20	-7.96	199	5 Peak	Vertical	
2	5470.000	61.29	19.08	42.21	68.20	-6.91	199	5 Peak	Vertical	
3 *	5500.000	122.47	80.12	42.35	68.20	54.27	199	5 Peak	Vertical	
4	5855.000	60.10	17.43	42.67	68.20	-8.10	199	5 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5438.00	48.98	6.77	42.21	54.00	-5.02	190		5 Average	Horizontal	
2 * 5500.00	115.28	72.93	42.35	54.00	61.28	190		5 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5459.000	48.65	6.49	42.16	54.00	-5.35	199		5 Average	Vertical	
2 * 5500.000	113.04	71.49	42.35	54.00	59.04	199		5 Average	Vertical	