


802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5433.500	61.75	19.51	42.24	74.00	-12.25	182	4 Peak	Horizontal	
2	5466.500	59.36	17.16	42.20	68.20	-8.84	182	4 Peak	Horizontal	
3 *	5580.000	124.00	82.56	42.24	68.20	56.60	182	4 Peak	Horizontal	
4 !	6954.500	65.24	21.44	43.80	68.20	-2.96	182	4 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5441.000	60.20	18.02	42.18	74.00	-13.80	197	4 Peak	Vertical	
2	5462.000	60.34	18.16	42.18	68.20	-7.86	197	4 Peak	Vertical	
3 *	5580.000	123.38	81.14	42.24	68.20	55.18	197	4 Peak	Vertical	
4 !	6957.000	63.48	19.67	43.81	68.20	-4.72	197	4 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5435.50	48.70	6.47	42.23	54.00	-5.30	182	4	Average	Horizontal	
2 * 5580.00	115.77	73.53	42.24	54.00	61.77	182	4	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5450.50	47.93	5.81	42.12	54.00	-6.07	197	4	Average	Vertical	
2 * 5580.00	114.58	72.34	42.24	54.00	60.58	197	4	Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5434.000	68.04	17.88	42.24	74.00	-13.96	181	5 Peak	Horizontal	
2	5462.000	58.96	16.76	42.18	68.20	-9.24	181	5 Peak	Horizontal	
3 *	5700.000	126.87	84.50	42.37	68.20	58.67	181	5 Peak	Horizontal	
4 !	5725.000	66.44	23.95	42.49	68.20	-1.76	181	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5405.000	59.51	17.06	42.45	74.00	-14.49	195	4 Peak	Vertical	
2	5464.500	58.60	16.41	42.19	68.20	-9.69	195	4 Peak	Vertical	
3 *	5700.000	125.96	83.59	42.37	68.20	57.76	195	4 Peak	Vertical	
4 !	5730.500	64.68	22.17	42.51	68.20	-3.52	195	4 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5434.500	47.69	5.46	42.23	54.00	-6.31	181			5 Average	Horizontal	
2	5700.000	116.92	74.55	42.37	54.00	62.92	181			5 Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5449.500	47.45	5.33	42.12	54.00	-6.55	195			4 Average	Vertical	
2	5700.000	116.82	74.45	42.37	54.00	62.82	195			4 Average	Vertical	


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5438.500	61.12	18.92	42.20	74.00	-12.88	186	5	Peak	Horizontal	
2	5469.500	61.85	19.64	42.21	68.20	-6.35	186	5	Peak	Horizontal	
3	* 5500.000	126.61	84.26	42.35	68.20	58.41	186	5	Peak	Horizontal	
4	! 6797.500	67.07	23.26	43.81	68.20	-1.13	186	5	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5415.000	60.20	17.82	42.38	74.00	-13.80	192	5	Peak	Vertical	
2	5467.000	61.94	19.74	42.20	68.20	-6.25	192	5	Peak	Vertical	
3	* 5500.000	123.69	81.34	42.35	68.20	55.49	192	5	Peak	Vertical	
4	5816.000	60.29	17.57	42.72	68.20	-7.91	192	5	Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5438.50	48.39	6.19	42.20	54.00	-5.61	186		5 Average	Horizontal	
2 *	5500.00	115.46	73.11	42.35	54.00	61.46	186		5 Average	Horizontal	

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.500	48.40	6.24	42.16	54.00	-5.60	192		5 Average	Vertical	
2 *	5500.000	113.35	71.00	42.35	54.00	59.35	192		5 Average	Vertical	


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5440.000	60.88	18.69	42.19	74.00	-13.12	187	4 Peak	Horizontal	
2	5470.000	60.37	18.16	42.21	68.20	-7.83	187	4 Peak	Horizontal	
3 *	5580.000	125.17	82.93	42.24	68.20	56.97	187	4 Peak	Horizontal	
4 !	6958.500	65.36	21.56	43.80	68.20	-2.84	187	4 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5442.500	60.84	17.87	42.17	74.00	-13.96	188	5 Peak	Vertical	
2	5464.500	59.33	17.14	42.19	68.20	-8.87	188	5 Peak	Vertical	
3 *	5580.000	124.17	81.93	42.24	68.20	55.97	188	5 Peak	Vertical	
4	6952.500	60.72	16.92	43.80	68.20	-7.48	188	5 Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5433.00	48.23	5.98	42.25	54.00	-5.77	187	4	Average	Horizontal	
2 * 5500.00	114.58	72.34	42.24	54.00	60.58	187	4	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 5451.00	47.64	5.52	42.12	54.00	-6.36	188	5	Average	Vertical	
2 * 5500.00	113.32	71.08	42.24	54.00	59.32	188	5	Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5377.500	57.33	15.17	42.16	74.00	-16.67	182	5 Peak	Horizontal	
2	5469.500	56.97	15.90	42.17	68.20	-12.13	182	5 Peak	Horizontal	
3	* 5700.000	123.61	81.24	42.37	68.20	55.41	182	5 Peak	Horizontal	
4	! 5725.000	63.15	20.66	42.49	68.20	-5.05	182	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5423.500	58.20	15.89	42.31	74.00	-15.80	194	4 Peak	Vertical	
2	5469.000	57.31	15.10	42.21	68.20	-10.89	194	4 Peak	Vertical	
3	* 5700.000	123.61	81.24	42.37	68.20	55.41	194	4 Peak	Vertical	
4	! 5725.500	66.25	23.76	42.49	68.20	-1.95	194	4 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5438.000	44.43	2.22	42.21	54.00	-9.57	182		5 Average	Horizontal	
2	5700.000	111.44	69.07	42.37	54.00	57.44	182		5 Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5425.500	44.26	1.96	42.30	54.00	-9.74	194		4 Average	Vertical	
2	5700.000	111.55	69.18	42.37	54.00	57.55	194		4 Average	Vertical	


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 5460.000	62.93	19.67	43.26	68.20	-5.27	185	5 Peak	Horizontal	
2 5469.000	66.77	23.50	43.27	68.20	-1.43	185	5 Peak	Horizontal	
3 * 5510.000	124.95	81.63	43.32	68.20	56.75	185	5 Peak	Horizontal	
4 5725.000	61.90	18.21	43.69	68.20	-6.30	185	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 5440.500	60.43	17.19	43.24	74.00	-13.57	205	5 Peak	Vertical	
2 5470.000	64.65	21.38	43.27	68.20	-3.55	205	5 Peak	Vertical	
3 * 5510.000	122.05	78.73	43.32	68.20	53.85	205	5 Peak	Vertical	
4 5748.000	60.62	16.91	43.71	68.20	-7.58	205	5 Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5459.500	50.96	7.70	43.26	54.00	-3.04	185		5	Average	Horizontal	
2 * 5510.000	112.77	69.45	43.32	54.00	58.77	185		5	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5460.000	49.33	6.87	43.26	54.00	-4.67	285		5	Average	Vertical	
2 * 5510.000	110.00	66.68	43.32	54.00	56.00	285		5	Average	Vertical	


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5426.000	61.57	18.34	43.23	74.00	-12.43	190	5 Peak	Horizontal	
2	5463.000	60.45	17.19	43.26	68.20	-7.75	190	5 Peak	Horizontal	
3 *	5550.000	123.98	80.54	43.44	68.20	55.78	190	5 Peak	Horizontal	
4 !	6902.500	65.59	20.36	45.23	68.20	-2.61	190	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5432.000	60.83	17.59	43.24	74.00	-13.17	200	4 Peak	Vertical	
2	5470.000	61.44	18.17	43.27	68.20	-6.76	200	4 Peak	Vertical	
3 *	5550.000	122.98	79.54	43.44	68.20	54.78	200	4 Peak	Vertical	
4	5727.000	61.95	18.26	43.69	68.20	-6.25	200	4 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5382.500	49.53	6.40	43.13	54.00	-4.47	190		5	Average	Horizontal	
2 * 5448.500	113.77	70.33	43.44	54.00	59.77	190		5	Average	Horizontal	

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 5448.500	48.73	5.48	43.25	54.00	-5.27	200		4	Average	Vertical	
2 * 5550.000	111.97	68.53	43.44	54.00	57.97	200		4	Average	Vertical	


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5452.500	61.37	18.12	43.25	74.00	-12.63	189	5 Peak	Horizontal	
2	5468.500	60.13	16.86	43.27	68.20	-6.07	189	5 Peak	Horizontal	
3	* 5670.000	127.47	83.95	43.52	68.20	59.27	189	5 Peak	Horizontal	
4	! 5726.000	66.94	23.25	43.69	68.20	-1.26	189	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.500	60.77	17.52	43.25	74.00	-13.23	197	5 Peak	Vertical	
2	5469.500	60.23	16.96	43.27	68.20	-7.97	197	5 Peak	Vertical	
3	* 5670.000	126.19	82.67	43.52	68.20	57.99	197	5 Peak	Vertical	
4	! 5725.500	65.58	21.89	43.69	68.20	-2.62	197	5 Peak	Vertical	

802.11ax HE40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5444.000	48.57	5.32	43.25	54.00	-5.43	189			5 Average	Horizontal	
2 * 5670.000	115.43	71.91	43.52	54.00	61.43	189			5 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5452.500	48.25	5.00	43.25	54.00	-5.75	197			5 Average	Vertical	
2 * 5670.000	115.29	71.77	43.52	54.00	61.29	197			5 Average	Vertical	


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5446.500	64.17	22.02	42.15	74.00	-9.83	195	5 Peak	Horizontal	
2	5466.500	64.36	22.16	42.20	68.20	-3.84	195	5 Peak	Horizontal	
3	5530.000	117.00	75.49	42.31	68.20	49.60	195	5 Peak	Horizontal	
4	5930.000	60.14	17.30	42.84	68.20	-8.06	195	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.000	64.44	22.27	42.17	68.20	-3.76	195	4 Peak	Vertical	
2	5467.000	65.38	23.18	42.20	68.20	-2.82	195	4 Peak	Vertical	
3	5530.000	118.65	76.34	42.31	68.20	50.45	195	4 Peak	Vertical	
4	6117.000	60.75	17.22	43.53	68.20	-7.45	195	4 Peak	Vertical	

802.11ax HE80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5455.000	53.11	10.97	42.14	54.00	-0.89	195			5 Average	Horizontal	
2 * 5530.000	107.00	64.69	42.31	54.00	53.00	195			5 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5455.000	52.26	10.11	42.15	54.00	-1.74	195			4 Average	Vertical	
2 * 5530.000	106.66	64.35	42.31	54.00	52.66	195			4 Average	Vertical	


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5444.000	61.71	19.54	42.37	74.00	-12.29	188	4 Peak	Horizontal	
2	5478.000	60.92	18.71	42.21	68.20	-7.28	188	4 Peak	Horizontal	
3 *	5610.000	123.15	80.89	42.26	68.20	54.95	188	4 Peak	Horizontal	
4 !	6989.000	65.26	21.51	43.75	68.20	-2.94	188	4 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5459.500	61.37	19.21	42.16	74.00	-12.63	196	5 Peak	Vertical	
2	5466.500	61.22	19.02	42.20	68.20	-6.98	196	5 Peak	Vertical	
3 *	5610.000	121.72	79.46	42.26	68.20	53.52	196	5 Peak	Vertical	
4 !	6989.500	64.12	20.37	43.75	68.20	-4.08	196	5 Peak	Vertical	

802.11ax HE80

CH 122 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5436.500	49.51	7.29	42.22	54.00	-4.49	188			4 Average	Horizontal	
2 * 5618.000	110.99	68.73	42.26	54.00	56.99	188			4 Average	Horizontal	

CH 122 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5456.500	49.26	7.11	42.15	54.00	-4.74	196			5 Average	Vertical	
2 * 5618.000	109.51	67.25	42.26	54.00	55.51	196			5 Average	Vertical	

802.11ax HE160

CH 114 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5438.500	64.51	22.31	42.20	74.00	-9.49	189	4 Peak	Horizontal	
2	5465.000	62.26	20.07	42.19	68.20	-5.94	189	4 Peak	Horizontal	
3	5570.000	113.92	71.67	42.25	68.20	45.72	189	4 Peak	Horizontal	
4	5727.500	63.59	21.09	42.50	68.20	-4.61	189	4 Peak	Horizontal	

CH 114 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5454.000	62.48	20.34	42.14	74.00	-11.52	196	5 Peak	Vertical	
2	5464.000	62.20	20.01	42.19	68.20	-6.00	196	5 Peak	Vertical	
3	5570.000	112.98	70.73	42.25	68.20	44.78	196	5 Peak	Vertical	
4	5738.500	60.65	18.10	42.55	68.20	-7.55	196	5 Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5444.500	53.23	11.07	42.16	54.00	-0.77	189			4 Average	Horizontal	
2 * 5570.000	102.50	60.25	42.25	54.00	48.50	189			4 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 5437.000	51.39	9.18	42.21	54.00	-2.61	196			5 Average	Vertical	
2 * 5536.500	102.05	59.75	42.30	54.00	48.05	196			5 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5633.000	64.24	21.88	42.36	68.20	-3.96	183	4 Peak	Horizontal	
2	5697.500	65.10	22.72	42.38	103.36	-38.26	183	4 Peak	Horizontal	
3	5716.500	69.34	26.89	42.45	109.82	-40.48	183	4 Peak	Horizontal	
4	5725.000	80.87	30.38	42.49	130.00	-49.13	183	4 Peak	Horizontal	
5	5745.000	128.43	85.85	42.58	130.00	-1.57	183	4 Peak	Horizontal	
6	5855.000	61.50	18.91	42.67	110.00	-49.22	183	4 Peak	Horizontal	
7	5871.500	63.43	20.75	42.68	106.18	-42.75	183	4 Peak	Horizontal	
8	5893.500	64.18	21.49	42.69	91.47	-27.29	183	4 Peak	Horizontal	
9	5925.000	62.34	19.53	42.81	68.20	-5.86	183	4 Peak	Horizontal	
10	6167.500	65.01	21.42	43.59	68.20	-3.19	183	4 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5589.000	63.35	21.12	42.23	68.20	-4.85	194	5 Peak	Vertical	
2	5697.500	64.52	22.14	42.38	103.36	-38.84	194	5 Peak	Vertical	
3	5718.000	75.38	32.92	42.46	110.24	-34.86	194	5 Peak	Vertical	
4	5725.000	81.12	38.63	42.49	130.00	-48.88	194	5 Peak	Vertical	
5	5745.000	127.77	85.19	42.58	130.00	-2.23	194	5 Peak	Vertical	
6	5850.000	61.25	18.58	42.67	130.00	-68.75	194	5 Peak	Vertical	
7	5874.500	62.64	19.96	42.68	105.34	-42.70	194	5 Peak	Vertical	
8	5898.000	62.80	20.10	42.70	88.14	-25.34	194	5 Peak	Vertical	
9	5937.500	60.80	17.93	42.87	68.20	-7.40	194	5 Peak	Vertical	
10	6160.500	66.86	23.29	43.57	68.20	-1.34	194	5 Peak	Vertical	


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.500	65.78	23.37	42.41	68.20	-2.42	184	5	Peak	Horizontal
2	5662.500	64.32	21.90	42.42	77.48	-13.16	184	5	Peak	Horizontal
3	5708.500	64.13	21.72	42.41	107.58	-43.45	184	5	Peak	Horizontal
4	5724.500	62.77	20.28	42.49	128.08	-65.31	184	5	Peak	Horizontal
5	5785.000	128.65	85.95	42.70	130.00	-1.35	184	5	Peak	Horizontal
6	5853.500	62.24	19.57	42.67	116.56	-54.32	184	5	Peak	Horizontal
7	5859.000	62.40	19.73	42.67	109.68	-47.28	184	5	Peak	Horizontal
8	5919.000	63.87	21.08	42.79	72.62	-8.75	184	5	Peak	Horizontal
9	5931.000	64.22	21.38	42.84	68.20	-3.98	184	5	Peak	Horizontal
10	6317.000	63.45	20.08	43.37	68.20	-4.75	184	5	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.000	64.79	22.36	42.43	68.20	-3.41	188	5	Peak	Vertical
2	5657.500	64.29	21.85	42.44	73.77	-9.48	188	5	Peak	Vertical
3	5703.000	62.61	20.22	42.39	106.04	-43.43	188	5	Peak	Vertical
4	5724.000	63.81	21.32	42.49	126.16	-62.35	188	5	Peak	Vertical
5	5785.000	127.19	84.49	42.70	130.00	-2.81	188	5	Peak	Vertical
6	5851.000	61.27	18.60	42.67	126.16	-64.89	188	5	Peak	Vertical
7	5872.000	62.60	19.92	42.68	106.04	-43.44	188	5	Peak	Vertical
8	5922.500	61.79	18.99	42.80	70.04	-8.25	188	5	Peak	Vertical
9	5931.500	62.85	20.00	42.85	68.20	-5.35	188	5	Peak	Vertical
10	6322.500	64.33	20.94	43.39	68.20	-3.87	188	5	Peak	Vertical


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5638.000	61.18	18.79	42.39	68.20	-7.02	182	6 Peak	Horizontal	
2	5681.000	62.84	20.44	42.40	91.18	-28.34	182	6 Peak	Horizontal	
3	5702.000	61.81	19.42	42.39	105.76	-43.95	182	6 Peak	Horizontal	
4	5721.500	59.65	17.17	42.48	116.56	-56.91	182	6 Peak	Horizontal	
5	5825.000	125.63	82.93	42.70	130.00	-4.37	182	6 Peak	Horizontal	
6	5851.000	63.99	21.32	42.67	126.16	-62.17	182	6 Peak	Horizontal	
7	5857.000	63.97	21.30	42.67	119.24	-46.27	182	6 Peak	Horizontal	
8	5917.000	60.97	18.19	42.78	74.10	-13.13	182	6 Peak	Horizontal	
9	5960.000	61.64	18.68	42.96	68.20	-6.56	182	6 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.500	61.65	19.22	42.43	68.20	-6.55	194	5 Peak	Vertical	
2	5693.000	62.17	19.79	42.38	100.04	-37.87	194	5 Peak	Vertical	
3	5702.000	62.00	19.61	42.39	105.76	-43.76	194	5 Peak	Vertical	
4	5722.500	60.86	18.38	42.48	120.40	-59.54	194	5 Peak	Vertical	
5	5825.000	124.93	82.23	42.70	130.00	-5.07	194	5 Peak	Vertical	
6	5850.000	67.98	25.31	42.67	130.00	-62.02	194	5 Peak	Vertical	
7	5856.000	63.85	21.18	42.67	109.96	-46.11	194	5 Peak	Vertical	
8	5877.000	61.32	18.64	42.68	103.71	-42.39	194	5 Peak	Vertical	
9	5938.000	61.52	18.65	42.87	68.20	-6.68	194	5 Peak	Vertical	

802.11ax HE20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5637.000	63.20	20.82	42.38	68.20	-5.00	187	5 Peak	Horizontal	
2	5699.500	63.40	21.03	42.37	104.83	-41.43	191	5 Peak	Horizontal	
3	5719.500	77.48	35.01	42.47	110.66	-33.18	187	5 Peak	Horizontal	
4	5725.000	79.49	37.00	42.49	130.00	-50.51	187	5 Peak	Horizontal	
5	5745.000	128.53	85.95	42.58	130.00	-1.47	187	5 Peak	Horizontal	
6	5850.000	60.89	18.22	42.67	130.00	-69.11	187	5 Peak	Horizontal	
7	5870.500	61.76	19.06	42.68	106.46	-44.70	187	5 Peak	Horizontal	
8	5898.500	62.83	20.13	42.70	87.77	-24.94	187	5 Peak	Horizontal	
9	5930.500	62.30	19.46	42.84	68.20	-5.90	187	5 Peak	Horizontal	
10	6147.000	63.34	19.79	43.55	68.20	-4.86	187	5 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5629.500	62.56	20.21	42.35	68.20	-5.64	191	5 Peak	Vertical	
2	5699.500	63.40	21.03	42.37	104.83	-41.43	191	5 Peak	Vertical	
3	5718.000	76.32	33.86	42.46	110.24	-33.92	191	5 Peak	Vertical	
4	5725.000	80.24	37.75	42.49	130.00	-49.76	191	5 Peak	Vertical	
5	5745.000	127.79	85.21	42.58	130.00	-2.21	191	5 Peak	Vertical	
6	5852.000	60.91	18.24	42.67	122.32	-61.41	191	5 Peak	Vertical	
7	5856.000	62.14	19.47	42.67	110.52	-48.38	191	5 Peak	Vertical	
8	5916.500	61.64	18.86	42.78	74.47	-12.83	191	5 Peak	Vertical	
9	5927.000	60.79	17.97	42.82	68.20	-7.41	191	5 Peak	Vertical	
10	6152.000	63.48	19.93	43.55	68.20	-4.72	191	5 Peak	Vertical	

802.11ax HE20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5632.000	65.05	22.69	42.36	68.20	-3.15	181	5 Peak	Horizontal	
2	5673.500	63.96	21.55	42.41	85.63	-21.67	181	5 Peak	Horizontal	
3	5701.500	63.68	21.30	42.38	105.62	-41.94	181	5 Peak	Horizontal	
4	5724.500	63.22	20.73	42.49	128.08	-64.86	181	5 Peak	Horizontal	
5	5785.000	128.71	86.01	42.70	130.00	-1.29	181	5 Peak	Horizontal	
6	5854.500	62.04	19.37	42.67	112.72	-50.68	181	5 Peak	Horizontal	
7	5874.500	61.06	19.16	42.68	105.34	-43.48	181	5 Peak	Horizontal	
8	5900.000	64.28	21.58	42.70	86.66	-22.38	181	5 Peak	Horizontal	
9	5952.000	63.73	20.80	42.93	68.20	-4.47	181	5 Peak	Horizontal	
10	6312.000	63.59	20.23	43.36	68.20	-4.61	181	5 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5637.500	62.98	20.59	42.39	68.20	-5.22	191	5 Peak	Vertical	
2	5656.500	63.06	20.62	42.44	73.03	-9.97	191	5 Peak	Vertical	
3	5713.500	62.64	20.21	42.43	108.98	-46.34	191	5 Peak	Vertical	
4	5725.000	61.83	19.34	42.49	130.00	-68.17	191	5 Peak	Vertical	
5	5785.000	126.87	84.17	42.70	130.00	-3.13	191	5 Peak	Vertical	
6	5855.000	60.79	18.12	42.67	110.00	-50.01	191	5 Peak	Vertical	
7	5859.500	60.92	18.25	42.67	109.54	-48.62	191	5 Peak	Vertical	
8	5879.000	61.04	18.36	42.68	102.23	-41.19	191	5 Peak	Vertical	
9	5945.000	62.27	19.36	42.91	68.20	-5.93	191	5 Peak	Vertical	
10	6322.500	61.70	18.31	43.39	68.20	-6.50	191	5 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5640.500	62.51	20.11	42.40	68.20	-5.69	181	5	Peak	Horizontal	
2	5694.500	62.64	20.26	42.38	101.15	-38.51	181	5	Peak	Horizontal	
3	5707.500	62.75	20.34	42.41	107.30	-44.55	181	5	Peak	Horizontal	
4	5723.000	62.36	19.88	42.48	122.32	-59.96	181	5	Peak	Horizontal	
5	5825.000	128.17	85.47	42.70	130.00	-1.83	181	5	Peak	Horizontal	
6	5850.000	73.23	30.56	42.67	130.00	-56.77	181	5	Peak	Horizontal	
7	5858.500	64.65	21.96	42.67	109.82	-45.17	181	5	Peak	Horizontal	
8	5880.500	62.90	20.21	42.69	101.11	-38.21	181	5	Peak	Horizontal	
9	5956.500	62.61	19.67	42.94	68.20	-5.59	181	5	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5647.500	61.32	18.89	42.43	68.20	-6.88	184	5	Peak	Vertical	
2	5652.000	62.12	19.68	42.44	69.69	-7.57	184	5	Peak	Vertical	
3	5705.500	61.52	19.12	42.40	106.74	-45.22	184	5	Peak	Vertical	
4	5724.000	60.61	18.12	42.49	126.16	-65.55	184	5	Peak	Vertical	
5	5825.000	126.42	83.72	42.70	130.00	-3.58	184	5	Peak	Vertical	
6	5851.000	73.14	30.47	42.67	126.16	-53.02	184	5	Peak	Vertical	
7	5855.000	64.06	21.39	42.67	110.00	-46.74	184	5	Peak	Vertical	
8	5875.500	60.61	17.93	42.68	104.83	-44.22	184	5	Peak	Vertical	
9	5975.500	60.07	17.08	42.99	68.20	-8.13	184	5	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5625.000	66.03	23.70	42.33	68.20	-2.17	184	5 Peak	Horizontal	
2	5697.000	80.94	38.56	42.38	102.99	-22.05	184	5 Peak	Horizontal	
3	5718.000	92.16	49.70	42.46	110.24	-18.08	184	5 Peak	Horizontal	
4	5722.500	94.40	51.92	42.48	120.40	-26.00	184	5 Peak	Horizontal	
5	5755.000	126.64	84.02	42.62	130.00	-3.36	184	5 Peak	Horizontal	
6	5850.500	64.41	21.74	42.67	128.00	-63.67	184	5 Peak	Horizontal	
7	5870.000	63.13	20.45	42.68	106.60	-43.47	184	5 Peak	Horizontal	
8	5902.000	65.36	22.65	42.71	85.18	-19.82	184	5 Peak	Horizontal	
9	5927.000	65.18	22.36	42.82	68.20	-3.02	184	5 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5615.000	64.69	22.41	42.28	68.20	-3.51	182	5 Peak	Vertical	
2	5694.500	78.19	35.81	42.38	101.15	-22.96	182	5 Peak	Vertical	
3	5719.000	88.74	46.27	42.47	110.52	-21.78	182	5 Peak	Vertical	
4	5721.000	90.32	47.85	42.47	114.64	-24.32	182	5 Peak	Vertical	
5	5755.000	127.48	84.86	42.62	130.00	-2.52	182	5 Peak	Vertical	
6	5853.500	61.93	19.26	42.67	116.56	-54.63	182	5 Peak	Vertical	
7	5871.500	65.03	22.55	42.68	106.10	-41.15	182	5 Peak	Vertical	
8	5875.000	63.12	20.44	42.68	105.20	-42.08	182	5 Peak	Vertical	
9	5925.500	62.36	19.55	42.81	68.20	-5.84	182	5 Peak	Vertical	

802.11ax HE40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.000	66.29	23.87	42.42	68.20	-1.91	180	5 Peak	Horizontal	
2	5650.000	65.70	23.26	42.44	68.57	-2.87	180	5 Peak	Horizontal	
3	5719.000	66.95	24.48	42.47	110.52	-43.57	180	5 Peak	Horizontal	
4	5725.000	67.83	25.34	42.49	130.00	-62.17	180	5 Peak	Horizontal	
5	5795.000	126.39	83.67	42.72	130.00	-3.61	180	5 Peak	Horizontal	
6	5850.500	74.50	31.83	42.67	128.00	-53.58	180	5 Peak	Horizontal	
7	5855.000	71.12	28.45	42.67	110.00	-39.68	180	5 Peak	Horizontal	
8	5920.500	65.05	22.26	42.79	71.52	-6.47	180	5 Peak	Horizontal	
9	5928.500	65.24	22.41	42.83	68.20	-2.96	180	5 Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5644.500	66.54	24.12	42.42	68.20	-1.66	188	4 Peak	Vertical	
2	5650.000	65.38	22.94	42.44	68.20	-2.82	188	4 Peak	Vertical	
3	5720.000	64.26	21.79	42.47	110.00	-46.54	188	4 Peak	Vertical	
4	5725.000	66.17	23.68	42.49	130.00	-63.83	188	4 Peak	Vertical	
5	5795.000	126.62	83.90	42.72	130.00	-3.38	188	4 Peak	Vertical	
6	5851.000	70.32	27.65	42.67	126.10	-55.64	188	4 Peak	Vertical	
7	5855.000	67.17	24.50	42.67	110.00	-43.63	188	4 Peak	Vertical	
8	5875.000	63.45	20.77	42.68	105.20	-41.75	188	4 Peak	Vertical	
9	5937.500	62.96	20.09	42.87	68.20	-5.24	188	4 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5649.000	66.67	24.23	42.44	68.20	-1.53	184	3 Peak	Horizontal	
2	5700.000	77.06	34.69	42.37	105.20	-28.14	184	3 Peak	Horizontal	
3	5719.000	80.30	37.83	42.47	110.52	-30.22	184	3 Peak	Horizontal	
4	5725.000	82.70	40.21	42.49	130.00	-47.30	184	3 Peak	Horizontal	
5	5775.000	124.42	81.75	42.67	130.00	-5.58	184	3 Peak	Horizontal	
6	5850.500	74.72	32.05	42.67	128.00	-53.30	184	3 Peak	Horizontal	
7	5857.500	74.56	31.89	42.67	110.10	-35.54	184	3 Peak	Horizontal	
8	5876.000	68.01	25.33	42.68	104.46	-36.45	184	3 Peak	Horizontal	
9	5931.000	64.48	21.64	42.84	68.20	-3.72	184	3 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5650.000	67.16	24.72	42.44	68.20	-1.04	193	5 Peak	Vertical	
2	5700.000	77.57	35.20	42.37	105.20	-27.63	193	5 Peak	Vertical	
3	5713.500	84.21	41.78	42.43	100.98	-24.77	193	5 Peak	Vertical	
4	5724.000	83.36	40.87	42.49	126.16	-42.80	193	5 Peak	Vertical	
5	5775.000	124.28	81.61	42.67	130.00	-5.72	193	5 Peak	Vertical	
6	5851.500	79.33	36.66	42.67	124.24	-44.91	193	5 Peak	Vertical	
7	5857.500	79.70	37.03	42.67	110.10	-30.40	193	5 Peak	Vertical	
8	5875.000	71.40	28.72	42.68	105.20	-33.80	193	5 Peak	Vertical	
9	5925.000	63.21	20.40	42.81	68.20	-4.99	193	5 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz

U-NII-1


Co-Location

(Open) (9kHz ~ 150kHz)

(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	48.74	31.02	17.72	127.60	-78.86	100	214	Peak	Open	
2	0.03	56.54	37.59	18.95	119.13	-62.59	100	238	Peak	Open	
3	0.03	40.87	21.67	19.20	117.69	-76.02	100	300	Peak	Open	
4	0.05	38.14	19.00	19.14	114.19	-76.05	100	281	Peak	Open	
5	0.06	41.11	22.26	18.85	111.82	-70.71	100	14	Peak	Open	
6	0.08	31.91	13.47	18.44	109.73	-77.82	100	135	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	42.86	24.73	18.13	104.80	-61.22	100	286	Peak	Open	
2	0.39	59.34	40.55	18.79	95.81	-36.47	100	360	Peak	Open	
3	0.81	51.30	32.31	18.99	69.36	-18.06	100	3	Peak	Open	
4	1.22	43.97	24.83	19.14	65.65	-21.68	100	24	Peak	Open	
5	2.90	35.40	15.80	19.60	69.50	-34.10	100	4	Peak	Open	
6	28.81	38.21	15.89	22.32	69.50	-31.29	100	160	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


Co-Location

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	70.74	38.15	48.28	-10.13	40.00	-1.85	300	192 Peak	Horizontal	
2	97.90	38.89	51.31	-12.42	43.50	-4.61	200	103 Peak	Horizontal	
3	196.84	41.11	50.77	-9.66	43.50	-2.39	100	271 Peak	Horizontal	
4	215.27	40.34	50.10	-9.76	43.50	-3.16	100	280 QP	Horizontal	
5	256.98	44.80	52.67	-7.87	46.00	-1.20	100	206 Peak	Horizontal	
6	288.02	45.48	52.32	-6.84	46.00	-0.52	100	266 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	54.25	37.92	44.91	-6.99	40.00	-2.08	100	222 QP	Vertical	
2	70.74	38.38	48.51	-10.13	40.00	-1.62	100	80 QP	Vertical	
3	94.99	41.07	53.99	-12.92	43.50	-2.43	100	184 Peak	Vertical	
4	210.42	39.38	49.33	-9.95	43.50	-4.12	200	142 Peak	Vertical	
5	263.77	44.88	52.54	-7.66	46.00	-1.12	100	180 Peak	Vertical	
6	288.02	44.96	51.80	-6.84	46.00	-1.04	137	274 QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.000	46.74	51.45	-4.71	68.20	-21.46	400	52 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.000	51.61	56.32	-4.71	68.20	-16.59	100	152 Peak	Vertical	


802.11a

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.000	45.81	50.52	-4.71	68.20	-22.39	300	174 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.000	49.20	53.91	-4.71	68.20	-19.00	100	95 Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.000	48.32	52.94	-4.62	68.20	-19.88	400	198 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.000	51.47	56.09	-4.62	68.20	-16.73	200	291 Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.000	49.03	53.39	-4.36	68.20	-19.17	400	58 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.000	52.95	57.31	-4.36	68.20	-15.25	400	298 Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.000	46.01	50.67	-4.66	68.20	-22.19	334	300 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.000	48.32	52.98	-4.66	68.20	-19.88	225	276 Peak	Vertical	