


802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.00	56.45	13.19	43.26	74.00	-17.55	141	177 Peak	Horizontal	
2	5462.00	55.50	12.34	43.26	68.20	-12.60	141	177 Peak	Horizontal	
3 *	5580.00	114.98	71.58	43.40	68.20	46.78	141	177 Peak	Horizontal	
4	6934.50	60.50	15.24	45.26	68.20	-7.70	141	177 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5391.00	56.03	12.87	43.16	74.00	-17.97	134	184 Peak	Vertical	
2	5461.50	55.99	12.73	43.26	68.20	-12.21	134	184 Peak	Vertical	
3 *	5580.00	110.81	67.41	43.40	68.20	42.61	134	184 Peak	Vertical	
4	6915.50	60.62	15.38	45.24	68.20	-7.58	134	184 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5448.58	44.06	0.81	43.25	54.00	-9.94	141	177	Average	Horizontal		
2 *	5500.00	104.56	61.16	43.40	54.00	50.56	141	177	Average	Horizontal		

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5447.00	43.88	0.63	43.25	54.00	-10.12	134	184	Average	Vertical		
2 *	5500.00	101.06	58.46	43.40	54.00	47.06	134	184	Average	Vertical		

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5421.50	56.63	13.40	43.23	74.00	-17.37	137	177 Peak	Horizontal	
2	5462.50	56.29	13.03	43.26	68.20	-11.91	137	177 Peak	Horizontal	
3 *	5700.00	114.56	70.90	43.66	68.20	46.36	137	177 Peak	Horizontal	
4	6923.00	60.37	15.12	45.25	68.20	-7.83	137	177 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5435.50	56.24	13.00	43.24	74.00	-17.76	132	178 Peak	Vertical	
2	5460.00	56.85	13.59	43.26	68.20	-11.35	132	178 Peak	Vertical	
3 *	5700.00	110.71	67.05	43.66	68.20	42.51	132	178 Peak	Vertical	
4	6967.00	59.92	14.61	45.31	68.20	-8.28	132	178 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5454.58	43.75	0.49	43.26	54.00	-10.25	137	177	Average	Horizontal
2 *	5700.00	104.02	60.36	43.66	54.00	50.02	137	177	Average	Horizontal

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5453.00	43.85	0.59	43.26	54.00	-10.15	132	178	Average	Vertical
2 *	5700.00	101.51	57.85	43.66	54.00	47.51	132	178	Average	Vertical


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5384.00	55.27	13.01	42.26	74.00	-10.73	141		174 Peak	Horizontal	
2	5466.00	56.03	13.64	42.19	68.20	-12.17	141		174 Peak	Horizontal	
3 *	5500.00	113.97	71.62	42.35	68.20	45.77	141		174 Peak	Horizontal	
4	6938.50	58.88	15.10	43.78	68.20	-9.32	141		174 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5457.50	56.58	14.43	42.15	74.00	-17.42	135		180 Peak	Vertical	
2	5467.00	55.55	13.35	42.20	68.20	-12.65	135		180 Peak	Vertical	
3 *	5500.00	114.60	72.25	42.35	68.20	46.40	135		180 Peak	Vertical	
4	6985.00	59.41	15.65	43.76	68.20	-8.79	135		180 Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5424.58	43.36	1.06	42.30	54.00	-10.64	141	174	Average	Horizontal
2 *	5500.00	102.61	60.26	42.35	54.00	48.61	141	174	Average	Horizontal

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.00	43.28	1.12	42.16	54.00	-10.72	135	180	Average	Vertical
2 *	5500.00	102.93	60.58	42.35	54.00	48.93	135	180	Average	Vertical

802.11ax HE20

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5480.00	56.47	13.98	42.49	74.00	-17.53	138	178 Peak	Horizontal	
2	5464.50	55.97	13.76	42.19	68.20	-12.23	138	178 Peak	Horizontal	
3 *	5580.00	115.95	73.71	42.24	68.20	47.75	138	178 Peak	Horizontal	
4	6986.00	60.01	16.25	43.76	68.20	-8.19	138	178 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5436.50	56.14	13.92	42.22	74.00	-17.86	138	179 Peak	Vertical	
2	5464.50	54.81	12.61	42.20	68.20	-13.39	138	179 Peak	Vertical	
3 *	5580.00	111.52	69.28	42.24	68.20	43.32	138	179 Peak	Vertical	
4	6937.50	58.97	15.20	43.77	68.20	-9.23	138	179 Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5420.00	43.13	0.79	42.34	54.00	-10.87	138	178	Average	Horizontal
2 *	5500.00	103.31	61.07	42.24	54.00	49.31	138	178	Average	Horizontal

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5437.50	43.27	1.06	42.21	54.00	-10.73	138	179	Average	Vertical
2 *	5500.00	99.61	57.37	42.24	54.00	45.61	138	179	Average	Vertical

802.11ax HE20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5399.50	56.39	13.91	42.48	74.00	-17.61	132	179 Peak	Horizontal	
2	5469.50	56.93	13.82	42.21	68.20	-12.17	132	179 Peak	Horizontal	
3 *	5700.00	114.74	72.37	42.37	68.20	46.54	132	179 Peak	Horizontal	
4	5726.00	60.46	17.97	42.49	68.20	-7.74	132	179 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5400.00	55.55	13.06	42.49	74.00	-18.45	131	181 Peak	Vertical	
2	5469.50	54.76	12.56	42.20	68.20	-13.44	131	181 Peak	Vertical	
3 *	5700.00	111.08	68.71	42.37	68.20	42.88	131	181 Peak	Vertical	
4	6799.50	59.11	15.29	43.82	68.20	-9.09	131	181 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5392.50	42.94	0.56	42.38	54.00	-11.06	132	179	Average	Horizontal
2 *	5700.00	103.00	60.63	42.37	54.00	49.00	132	179	Average	Horizontal

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5437.50	43.00	0.79	42.21	54.00	-11.00	131	181	Average	Vertical
2 *	5700.00	99.44	57.07	42.37	54.00	45.44	131	181	Average	Vertical


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.00	58.48	15.22	43.26	74.00	-15.52	139	174 Peak	Horizontal	
2	5469.00	63.88	20.61	43.27	68.20	-4.32	139	174 Peak	Horizontal	
3	5510.00	113.12	69.80	43.32	68.20	44.92	139	174 Peak	Horizontal	
4	6852.00	60.83	15.73	45.10	68.20	-7.37	139	174 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.00	58.14	14.88	43.26	68.20	-10.06	153	141 Peak	Vertical	
2	5469.00	62.57	19.30	43.27	68.20	-5.63	153	141 Peak	Vertical	
3	5510.00	112.78	69.46	43.32	68.20	44.58	153	141 Peak	Vertical	
4	6960.00	60.65	15.36	45.29	68.20	-7.55	153	141 Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.58	46.49	3.23	43.26	54.00	-7.51	139	174	Average	Horizontal	
2 *	5510.00	101.66	58.34	43.32	54.00	47.66	139	174	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	45.96	2.70	43.26	54.00	-8.04	153	141	Average	Vertical	
2 *	5510.00	100.76	57.44	43.32	54.00	46.76	153	141	Average	Vertical	


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5391.00	57.11	13.95	43.16	74.00	-16.89	138	178 Peak	Horizontal	
2	5470.00	55.66	12.39	43.27	68.20	-12.54	138	178 Peak	Horizontal	
3 *	5550.00	114.11	70.67	43.44	68.20	45.91	138	178 Peak	Horizontal	
4	6935.50	60.78	15.52	45.26	68.20	-7.42	138	178 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5480.00	50.12	14.90	43.22	74.00	-15.88	159	140 Peak	Vertical	
2	5470.00	55.51	12.24	43.27	68.20	-12.69	159	140 Peak	Vertical	
3 *	5550.00	111.52	68.08	43.44	68.20	43.32	159	140 Peak	Vertical	
4	6951.00	60.40	15.13	45.27	68.20	-7.80	159	140 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5398.00	44.36	1.20	43.16	54.00	-9.64	138	178	Average	Horizontal		
2 *	5558.00	102.18	58.74	43.44	54.00	48.18	138	178	Average	Horizontal		

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5398.50	44.33	1.13	43.20	54.00	-9.67	159	140	Average	Vertical		
2 *	5558.00	100.25	56.81	43.44	54.00	46.25	159	140	Average	Vertical		

802.11ax HE40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5392.00	56.04	12.87	43.17	74.00	-17.96	138	177 Peak	Horizontal	
2	5465.50	56.14	12.87	43.27	68.20	-12.06	138	177 Peak	Horizontal	
3 *	5670.00	113.25	69.73	43.52	68.20	45.05	138	177 Peak	Horizontal	
4	6931.50	60.39	15.14	45.25	68.20	-7.81	138	177 Peak	Horizontal	

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5438.50	56.15	12.91	43.24	74.00	-17.85	148	137 Peak	Vertical	
2	5465.00	56.65	13.39	43.26	68.20	-11.55	148	137 Peak	Vertical	
3 *	5670.00	112.28	68.76	43.52	68.20	44.08	148	137 Peak	Vertical	
4	6927.50	60.30	15.05	45.25	68.20	-7.90	148	137 Peak	Vertical	

802.11ax HE40

CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5446.58	44.07	0.82	43.25	54.00	-9.93	138	177	Average	Horizontal		
2 *	5670.00	101.60	58.08	43.52	54.00	47.60	138	177	Average	Horizontal		

CH 134 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5438.00	44.15	0.91	43.24	54.00	-9.85	148	137	Average	Vertical		
2 *	5670.00	101.14	57.62	43.52	54.00	47.14	148	137	Average	Vertical		

802.11ax HE80

CH 106 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5454.50	66.82	23.56	43.26	74.00	-7.18	138	174 Peak	Horizontal	
2	5468.00	65.76	22.49	43.27	68.20	-2.44	138	174 Peak	Horizontal	
3 *	5530.00	110.09	66.71	43.38	68.20	41.89	138	174 Peak	Horizontal	
4	6980.50	60.11	14.76	45.35	68.20	-8.09	138	174 Peak	Horizontal	

CH 106 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5454.50	66.67	23.41	43.26	74.00	-7.33	158	138 Peak	Vertical	
2	5468.00	65.43	22.16	43.27	68.20	-2.77	158	138 Peak	Vertical	
3 *	5530.00	110.32	66.94	43.38	68.20	42.12	158	138 Peak	Vertical	
4	6963.00	60.82	15.52	45.36	68.20	-7.38	158	138 Peak	Vertical	

802.11ax HE80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5457.00	52.83	9.57	43.26	54.00	-1.17	138	174	Average	Horizontal		
2	5530.00	98.13	54.75	43.38	54.00	44.13	138	174	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.50	52.18	8.92	43.26	54.00	-1.82	158	138	Average	Vertical		
2	5530.00	97.49	54.11	43.38	54.00	43.49	158	138	Average	Vertical		


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5434.00	56.38	13.14	43.24	74.00	-17.62	138	176 Peak	Horizontal	
2	5462.00	56.97	13.71	43.26	68.20	-11.23	138	176 Peak	Horizontal	
3 *	5610.00	110.69	67.30	43.39	68.20	42.49	138	176 Peak	Horizontal	
4	6998.00	60.52	15.12	45.40	68.20	-7.68	138	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5452.50	56.32	13.07	43.25	74.00	-17.68	152	138 Peak	Vertical	
2	5465.50	55.74	12.47	43.27	68.20	-12.46	152	138 Peak	Vertical	
3 *	5610.00	100.78	65.39	43.39	68.20	40.58	152	138 Peak	Vertical	
4	6934.50	60.38	15.12	45.26	68.20	-7.82	152	138 Peak	Vertical	

802.11ax HE80

CH 122 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5454.00	44.34	1.08	43.26	54.00	-9.66	138	176	Average	Horizontal		
2 *	5610.00	98.86	55.47	43.39	54.00	44.86	138	176	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5446.50	44.33	1.08	43.25	54.00	-9.67	152	138	Average	Vertical		
2 *	5610.00	97.23	53.84	43.39	54.00	43.23	152	138	Average	Vertical		

802.11ax HE160

CH 114 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5454.50	63.56	20.30	43.26	74.00	-10.44	140	177 Peak	Horizontal	
2	5464.00	60.51	17.25	43.26	68.20	-7.69	140	177 Peak	Horizontal	
3 *	5570.00	104.34	60.53	43.41	68.20	36.14	140	177 Peak	Horizontal	
4	5725.00	60.97	17.28	43.69	68.20	-7.23	140	177 Peak	Horizontal	

CH 114 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5454.50	63.65	20.39	43.26	74.00	-10.35	155	137 Peak	Vertical	
2	5464.00	61.33	18.87	43.26	68.20	-6.87	155	137 Peak	Vertical	
3 *	5570.00	103.63	60.22	43.41	68.20	35.43	155	137 Peak	Vertical	
4	6870.50	60.86	15.71	45.15	68.20	-7.34	155	137 Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5457.50	53.19	9.93	43.26	54.00	-0.81	140	177	Average	Horizontal		
2	5570.00	94.95	51.54	43.41	54.00	40.95	140	177	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.00	53.48	10.22	43.26	54.00	-0.52	155	137	Average	Vertical		
2	5570.00	93.61	50.40	43.41	54.00	39.61	155	137	Average	Vertical		

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5684.00	56.40	14.17	42.23	68.20	-11.00	141	182 Peak	Horizontal	
2	5699.00	58.47	16.10	42.37	104.46	-45.99	141	182 Peak	Horizontal	
3	5720.00	75.16	32.69	42.47	110.80	-35.64	141	182 Peak	Horizontal	
4	5724.00	80.35	37.86	42.49	126.16	-45.81	141	182 Peak	Horizontal	
5	5745.00	117.96	75.38	42.58	130.00	-12.04	141	182 Peak	Horizontal	
6	5852.50	56.26	13.59	42.67	120.40	-64.14	141	182 Peak	Horizontal	
7	5862.50	56.21	13.54	42.67	100.70	-52.49	141	182 Peak	Horizontal	
8	5889.00	57.69	15.00	42.69	94.81	-37.12	141	182 Peak	Horizontal	
9	5927.50	56.22	13.39	42.83	68.20	-11.98	141	182 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5580.50	57.02	14.79	42.23	68.20	-11.18	134	180 Peak	Vertical	
2	5700.00	57.02	14.65	42.37	105.20	-48.18	134	180 Peak	Vertical	
3	5720.00	74.07	31.60	42.47	110.80	-36.73	134	180 Peak	Vertical	
4	5725.00	78.23	35.74	42.49	130.00	-51.77	134	180 Peak	Vertical	
5	5745.00	114.95	72.37	42.58	130.00	-15.05	134	180 Peak	Vertical	
6	5854.50	56.09	13.42	42.67	112.72	-56.63	134	180 Peak	Vertical	
7	5874.50	56.92	14.24	42.68	105.34	-48.42	134	180 Peak	Vertical	
8	5879.00	57.97	15.29	42.68	102.23	-44.26	134	180 Peak	Vertical	
9	5935.00	56.86	14.00	42.86	68.20	-11.34	134	180 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5636.00	56.59	14.24	42.35	68.20	-11.61	135	177 Peak	Horizontal	
2	5667.50	57.80	14.66	42.42	81.19	-24.11	135	177 Peak	Horizontal	
3	5705.00	58.38	15.98	42.40	106.60	-48.22	135	177 Peak	Horizontal	
4	5722.00	56.57	14.09	42.48	118.48	-61.91	135	177 Peak	Horizontal	
5	5785.00	119.66	76.96	42.70	130.00	-10.34	135	177 Peak	Horizontal	
6	5851.50	56.61	13.94	42.67	124.24	-67.63	135	177 Peak	Horizontal	
7	5858.00	57.33	14.66	42.67	109.96	-52.63	135	177 Peak	Horizontal	
8	5913.50	58.50	15.74	42.76	76.68	-18.18	135	177 Peak	Horizontal	
9	5938.00	57.65	14.78	42.87	68.20	-10.55	135	177 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5636.00	56.61	14.24	42.37	68.20	-11.59	134	177 Peak	Vertical	
2	5676.00	56.74	14.33	42.41	87.48	-30.74	134	177 Peak	Vertical	
3	5719.50	55.98	13.51	42.47	110.66	-54.68	134	177 Peak	Vertical	
4	5723.00	55.92	13.44	42.48	122.32	-66.40	134	177 Peak	Vertical	
5	5785.00	115.07	72.37	42.70	130.00	-14.93	134	177 Peak	Vertical	
6	5855.00	55.36	12.69	42.67	110.00	-55.44	134	177 Peak	Vertical	
7	5873.50	56.48	13.80	42.68	105.62	-49.14	134	177 Peak	Vertical	
8	5893.50	57.18	14.49	42.69	91.47	-34.29	134	177 Peak	Vertical	
9	5929.50	56.79	13.95	42.84	68.20	-11.41	134	177 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5633.00	56.33	13.97	42.36	68.20	-11.87	135	177 Peak	Horizontal	
2	5686.00	56.41	16.01	42.40	94.87	-36.46	135	177 Peak	Horizontal	
3	5718.00	57.21	14.75	42.46	110.24	-53.03	135	177 Peak	Horizontal	
4	5720.50	57.40	14.93	42.47	112.72	-55.32	135	177 Peak	Horizontal	
5	5825.00	119.57	76.87	42.70	130.00	-10.43	135	177 Peak	Horizontal	
6	5856.00	77.03	34.36	42.67	130.00	-52.97	135	177 Peak	Horizontal	
7	5855.00	74.52	31.05	42.67	110.00	-36.28	135	177 Peak	Horizontal	
8	5904.50	57.10	14.38	42.72	83.33	-26.23	135	177 Peak	Horizontal	
9	5974.50	57.77	14.78	42.99	68.20	-10.43	135	177 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5576.50	56.62	14.37	42.25	68.20	-11.58	138	176 Peak	Vertical	
2	5686.00	56.66	14.26	42.40	90.44	-33.78	138	176 Peak	Vertical	
3	5716.50	56.15	13.70	42.45	109.82	-53.67	138	176 Peak	Vertical	
4	5723.50	56.00	13.52	42.48	124.24	-68.24	138	176 Peak	Vertical	
5	5825.00	113.76	71.06	42.70	130.00	-16.24	138	176 Peak	Vertical	
6	5856.00	73.52	30.85	42.67	130.00	-56.48	138	176 Peak	Vertical	
7	5855.00	71.33	28.66	42.67	110.00	-39.47	138	176 Peak	Vertical	
8	5895.50	57.61	14.91	42.70	89.99	-32.38	138	176 Peak	Vertical	
9	5974.50	56.69	13.70	42.99	68.20	-11.51	138	176 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5583.00	57.21	14.98	42.23	68.20	-10.99	138	180	Peak	Horizontal
2	5700.00	59.78	17.41	42.37	105.20	-45.42	138	180	Peak	Horizontal
3	5718.00	79.29	36.83	42.46	110.24	-30.95	138	180	Peak	Horizontal
4	5725.00	86.19	43.70	42.49	130.00	-43.81	138	180	Peak	Horizontal
5	5745.00	120.88	78.30	42.58	130.00	-9.12	138	180	Peak	Horizontal
6	5852.50	56.05	13.38	42.67	120.40	-64.35	138	180	Peak	Horizontal
7	5875.00	57.35	14.67	42.68	105.20	-47.85	138	180	Peak	Horizontal
8	5890.00	57.73	15.04	42.69	94.07	-36.34	138	180	Peak	Horizontal
9	5946.00	57.38	14.47	42.91	68.20	-10.82	138	180	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5630.50	56.48	14.13	42.35	68.20	-11.72	136	181	Peak	Vertical
2	5690.50	58.68	16.31	42.37	104.09	-45.41	136	181	Peak	Vertical
3	5719.00	78.22	35.75	42.47	110.52	-32.30	136	181	Peak	Vertical
4	5725.00	83.99	41.50	42.49	130.00	-46.01	136	181	Peak	Vertical
5	5745.00	118.93	76.35	42.58	130.00	-11.07	136	181	Peak	Vertical
6	5851.50	57.36	14.09	42.67	124.24	-66.88	136	181	Peak	Vertical
7	5861.50	57.61	14.93	42.68	108.42	-50.81	136	181	Peak	Vertical
8	5913.50	57.14	14.38	42.76	76.68	-19.54	136	181	Peak	Vertical
9	5932.50	57.72	14.87	42.85	68.20	-10.48	136	181	Peak	Vertical


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.00	58.36	15.92	42.44	68.20	-9.84	135	180 Peak	Horizontal	
2	5665.00	58.05	15.63	42.42	79.33	-21.28	135	180 Peak	Horizontal	
3	5715.50	57.30	14.86	42.44	109.54	-52.24	135	180 Peak	Horizontal	
4	5724.50	57.92	15.43	42.49	128.08	-70.16	135	180 Peak	Horizontal	
5	5785.00	121.07	78.37	42.70	130.00	-8.93	135	180 Peak	Horizontal	
6	5852.50	57.72	15.05	42.67	120.40	-62.60	135	180 Peak	Horizontal	
7	5862.50	57.41	14.74	42.67	100.70	-51.29	135	180 Peak	Horizontal	
8	5903.50	57.86	15.15	42.71	84.07	-26.21	135	180 Peak	Horizontal	
9	5934.00	58.13	15.27	42.86	68.20	-10.07	135	180 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5637.50	57.57	15.18	42.39	68.20	-10.63	132	181 Peak	Vertical	
2	5657.50	58.62	16.18	42.44	73.77	-15.15	132	181 Peak	Vertical	
3	5705.00	58.12	15.72	42.40	106.60	-46.48	132	181 Peak	Vertical	
4	5724.00	56.98	14.49	42.49	126.16	-69.18	132	181 Peak	Vertical	
5	5785.00	117.42	74.72	42.70	130.00	-12.58	132	181 Peak	Vertical	
6	5850.00	56.53	13.86	42.67	130.00	-73.47	132	181 Peak	Vertical	
7	5863.00	57.53	14.85	42.60	100.56	-51.03	132	181 Peak	Vertical	
8	5883.00	58.44	15.75	42.69	99.26	-40.82	132	181 Peak	Vertical	
9	5965.00	58.26	15.29	42.97	68.20	-9.94	132	181 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5497.50	57.02	14.68	42.34	68.20	-11.18	142	176 Peak	Horizontal	
2	5672.50	57.44	15.02	42.42	84.59	-27.45	142	176 Peak	Horizontal	
3	5707.00	57.08	14.67	42.41	107.16	-50.08	142	176 Peak	Horizontal	
4	5723.50	56.84	14.36	42.48	124.24	-67.40	142	176 Peak	Horizontal	
5	5825.00	120.94	78.24	42.70	130.00	-9.06	142	176 Peak	Horizontal	
6	5853.50	60.01	37.34	42.67	116.56	-36.55	142	176 Peak	Horizontal	
7	5855.00	79.12	36.45	42.67	110.00	-31.68	142	176 Peak	Horizontal	
8	5875.00	59.43	16.75	42.68	105.20	-45.77	142	176 Peak	Horizontal	
9	5964.00	57.97	15.00	42.97	68.20	-10.23	142	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.00	56.25	13.83	42.42	68.20	-11.95	141	178 Peak	Vertical	
2	5677.00	56.82	14.41	42.41	88.22	-31.40	141	178 Peak	Vertical	
3	5712.00	57.10	14.67	42.43	108.56	-51.46	141	178 Peak	Vertical	
4	5725.00	57.12	14.63	42.49	130.00	-72.88	141	178 Peak	Vertical	
5	5825.00	115.94	73.24	42.70	130.00	-14.06	141	178 Peak	Vertical	
6	5856.00	76.57	33.90	42.67	130.00	-53.43	141	178 Peak	Vertical	
7	5856.00	75.27	32.60	42.67	110.52	-35.25	141	178 Peak	Vertical	
8	5877.00	58.94	16.26	42.68	103.71	-44.77	141	178 Peak	Vertical	
9	5967.50	58.22	15.25	42.97	68.20	-9.98	141	178 Peak	Vertical	

802.11ax HE40

CH 151 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	58.32	15.89	42.43	68.20	-9.88	139	178 Peak	Horizontal	
2	5699.00	73.90	31.61	42.37	104.46	-30.48	139	178 Peak	Horizontal	
3	5716.00	83.37	40.93	42.44	109.68	-26.31	139	178 Peak	Horizontal	
4	5724.00	85.00	42.51	42.49	126.16	-41.16	139	178 Peak	Horizontal	
5	5755.00	117.22	74.60	42.62	130.00	-12.78	139	178 Peak	Horizontal	
6	5853.00	61.61	18.94	42.67	116.48	-56.87	139	178 Peak	Horizontal	
7	5861.00	59.31	16.64	42.67	109.12	-49.81	139	178 Peak	Horizontal	
8	5903.50	57.90	15.19	42.71	84.07	-26.17	139	178 Peak	Horizontal	
9	5968.00	57.97	14.99	42.98	68.20	-10.23	139	178 Peak	Horizontal	

CH 151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5614.00	57.70	15.42	42.28	68.20	-10.50	155	142 Peak	Vertical	
2	5699.50	71.71	29.34	42.37	104.83	-33.12	155	142 Peak	Vertical	
3	5719.00	81.90	39.43	42.47	110.52	-28.62	155	142 Peak	Vertical	
4	5724.00	84.49	42.00	42.49	126.16	-41.67	155	142 Peak	Vertical	
5	5755.00	115.83	73.21	42.62	130.00	-14.17	155	142 Peak	Vertical	
6	5850.50	58.54	15.87	42.67	120.00	-69.54	155	142 Peak	Vertical	
7	5855.00	56.12	15.45	42.67	110.00	-52.68	155	142 Peak	Vertical	
8	5910.00	57.75	15.01	42.74	79.27	-21.52	155	142 Peak	Vertical	
9	5988.00	57.87	14.84	43.03	68.20	-10.33	155	142 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.00	58.42	16.02	42.40	68.20	-9.78	140	176 Peak	Horizontal	
2	5696.00	60.00	17.70	42.38	102.25	-42.17	140	176 Peak	Horizontal	
3	5720.00	67.98	25.51	42.47	110.80	-42.82	140	176 Peak	Horizontal	
4	5724.00	70.36	27.87	42.49	126.16	-55.80	140	176 Peak	Horizontal	
5	5795.00	118.12	75.40	42.72	130.00	-11.88	140	176 Peak	Horizontal	
6	5851.00	77.18	34.51	42.67	126.16	-48.90	140	176 Peak	Horizontal	
7	5856.00	75.00	32.33	42.67	110.52	-35.52	140	176 Peak	Horizontal	
8	5875.00	65.46	22.78	42.68	105.20	-39.74	140	176 Peak	Horizontal	
9	5938.50	58.68	15.81	42.87	68.20	-9.52	140	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5620.50	58.81	16.47	42.34	68.20	-9.39	153	137 Peak	Vertical	
2	5685.50	58.60	16.20	42.40	94.50	-35.90	153	137 Peak	Vertical	
3	5720.00	64.60	22.13	42.47	110.80	-46.20	153	137 Peak	Vertical	
4	5722.00	69.59	27.11	42.48	118.48	-48.89	153	137 Peak	Vertical	
5	5795.00	117.43	74.71	42.72	130.00	-12.57	153	137 Peak	Vertical	
6	5851.50	74.71	32.84	42.67	124.24	-49.53	153	137 Peak	Vertical	
7	5855.00	72.20	29.61	42.67	110.80	-30.52	153	137 Peak	Vertical	
8	5878.50	63.98	21.30	42.68	102.60	-38.62	153	137 Peak	Vertical	
9	5982.50	58.58	15.56	43.02	68.20	-9.62	153	137 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.00	67.08	24.64	42.44	68.20	-1.12	134	178 Peak	Horizontal	
2	5700.00	80.39	38.02	42.37	105.20	-24.81	134	178 Peak	Horizontal	
3	5719.50	84.07	41.60	42.47	110.66	-26.59	134	178 Peak	Horizontal	
4	5720.00	83.74	41.27	42.47	110.80	-27.06	134	178 Peak	Horizontal	
5	5775.00	114.18	71.51	42.67	130.00	-15.82	134	178 Peak	Horizontal	
6	5854.00	75.87	33.20	42.67	114.64	-36.77	134	178 Peak	Horizontal	
7	5860.00	76.36	33.69	42.67	109.40	-33.04	134	178 Peak	Horizontal	
8	5880.00	70.90	28.21	42.69	101.49	-30.59	134	178 Peak	Horizontal	
9	5945.50	61.59	18.68	42.91	68.20	-6.61	134	178 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	65.42	22.99	42.43	68.20	-2.78	153	139 Peak	Vertical	
2	5679.50	75.23	32.83	42.40	90.07	-14.84	153	139 Peak	Vertical	
3	5719.50	80.33	37.86	42.47	110.66	-30.33	153	139 Peak	Vertical	
4	5725.00	77.59	35.10	42.49	130.00	-52.41	153	139 Peak	Vertical	
5	5775.00	114.79	72.12	42.67	130.00	-15.21	153	139 Peak	Vertical	
6	5851.50	71.29	28.62	42.67	124.24	-52.95	153	139 Peak	Vertical	
7	5866.00	73.75	31.07	42.68	107.72	-33.97	153	139 Peak	Vertical	
8	5880.00	70.22	27.53	42.69	101.49	-31.27	153	139 Peak	Vertical	
9	5925.00	60.69	17.88	42.81	68.20	-7.51	153	139 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz


U-NII-1

Co-Location

(Open) (9kHz ~ 150kHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	48.74	31.02	17.72	127.60	-78.86	100	214	Peak	Open	
2	0.03	56.54	37.59	18.95	119.13	-62.59	100	238	Peak	Open	
3	0.03	40.87	21.67	19.20	117.69	-76.02	100	300	Peak	Open	
4	0.05	38.14	19.00	19.14	114.19	-76.05	100	281	Peak	Open	
5	0.06	41.11	22.26	18.85	111.82	-70.71	100	14	Peak	Open	
6	0.08	31.91	13.47	18.44	109.73	-77.82	100	135	Peak	Open	

(Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	42.86	24.73	18.13	104.80	-61.22	100	286	Peak	Open	
2	0.39	59.34	40.55	18.79	95.81	-36.47	100	360	Peak	Open	
3	0.81	51.30	32.31	18.99	69.36	-18.06	100	3	Peak	Open	
4	1.22	43.97	24.83	19.14	65.65	-21.68	100	24	Peak	Open	
5	2.90	35.40	15.80	19.60	69.50	-34.10	100	4	Peak	Open	
6	28.81	38.21	15.89	22.32	69.50	-31.29	100	160	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


Co-Location

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	70.74	38.15	48.28	-10.13	40.00	-1.85	300	192	Peak	Horizontal	
2	97.90	38.89	51.31	-12.42	43.50	-4.61	200	103	Peak	Horizontal	
3	196.84	41.11	50.77	-9.66	43.50	-2.39	100	271	Peak	Horizontal	
4	215.27	40.34	50.10	-9.76	43.50	-3.16	100	280	QP	Horizontal	
5	256.98	44.80	52.67	-7.87	46.00	-1.20	100	206	Peak	Horizontal	
6	288.02	45.48	52.32	-6.84	46.00	-0.52	100	266	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.25	37.92	44.91	-6.99	40.00	-2.08	100	222	QP	Vertical	
2	70.74	38.38	48.51	-10.13	40.00	-1.62	100	80	QP	Vertical	
3	94.99	41.07	53.99	-12.92	43.50	-2.43	100	184	Peak	Vertical	
4	210.42	39.38	49.33	-9.95	43.50	-4.12	200	142	Peak	Vertical	
5	263.77	44.88	52.54	-7.66	46.00	-1.12	100	100	Peak	Vertical	
6	288.02	44.96	51.80	-6.84	46.00	-1.04	137	274	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	54.47	59.18	-4.71	68.20	-13.73	400	97	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	59.92	64.63	-4.71	68.20	-8.28	200	286	Peak	Vertical		


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10400.00	55.35	59.97	-4.62	68.20	-12.85	280	261 Peak	Horizontal	
2	15600.00	40.60	39.43	1.25	54.00	-13.32	104	232 Average	Horizontal	
3	15600.00	50.21	48.96	1.25	74.00	-23.79	104	232 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10400.00	59.89	64.51	-4.62	68.20	-8.31	280	288 Peak	Vertical	
2	15600.00	45.43	44.18	1.25	54.00	-8.57	277	295 Average	Vertical	
3	15600.00	53.26	52.01	1.25	74.00	-20.74	277	295 Peak	Vertical	

802.11a

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	57.76	62.12	-4.36	68.20	-10.44	400	187	Peak	Horizontal
2	15720.00	42.00	40.22	1.86	54.00	-11.92	100	231	Average	Horizontal
3	15720.00	51.90	50.04	1.86	74.00	-22.10	100	231	Peak	Horizontal

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	63.09	67.45	-4.36	68.20	-5.11	100	252	Peak	Vertical
2	15720.00	46.57	44.71	1.86	54.00	-7.43	283	295	Average	Vertical
3	15720.00	56.06	54.20	1.86	74.00	-17.94	283	295	Peak	Vertical


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	53.99	58.70	-4.71	68.20	-14.21	400	188	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10360.00	57.59	62.30	-4.71	68.20	-10.61	100	283	Peak	Vertical		


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10400.00	54.57	59.19	-4.62	68.20	-13.63		400	197	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10400.00	59.10	63.72	-4.62	68.20	-9.10		202	173	Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	58.30	62.66	-4.36	68.20	-9.90	400	204 Peak	Horizontal	
2	15720.00	41.50	39.64	1.86	54.00	-12.50	400	212 Average	Horizontal	
3	15720.00	51.04	49.18	1.86	74.00	-22.96	400	212 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	62.09	66.45	-4.36	68.20	-6.11	200	209 Peak	Vertical	
2	15720.00	46.66	44.80	1.86	54.00	-7.34	284	295 Average	Vertical	
3	15720.00	55.47	53.61	1.86	74.00	-18.53	284	295 Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10380.00	51.41	56.07	-4.66	68.20	-16.79	400	197	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10380.00	54.98	59.64	-4.66	68.20	-13.22	200	289	Peak	Vertical		