RF EXPOSURE REPORT

REPORT NO.:	SA121213C12
MODEL NO.:	EUB600v2
FCC ID:	A8J-EUB600V2
RECEIVED:	Dec. 13, 2012
TESTED:	Dec. 18 ~ Dec. 22, 2012
ISSUED:	Dec. 25, 2012

APPLICANT:	EnGenius Technologies
ADDRESS:	1580 Scenic Avenue, Costa Mesa, CA92626

ISSUED BY:	Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
LAB ADDRESS:	No. 47, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan, R.O.C.
TEST LOCATION:	No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.

Table of Contents

RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
SA121213C12	Original release	Dec. 25, 2012

1. CERTIFICATION

PRODUCT:	300Mbps Dual Band Wireless USB Adapter
MODEL NO.:	EUB600v2
BRAND:	EnGenius
APPLICANT:	EnGenius Technologies
TESTED:	Dec. 18 ~ Dec. 22, 2012
TEST SAMPLE:	ENGINEERING SAMPLE
STANDARDS:	**FCC Part 2 (Section 2.1093)**
	FCC OET Bulletin 65, Supplement C (01-01)
	IEEE C95.1

The above equipment (model: EUB600v2) has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch,** and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

PREPARED BY : _____ , DATE : Dec. 25, 2012
Suntee Liu / Specialist

APPROVED BY : _____ , DATE : Dec. 25, 2012
Ken Liu / Manager

2. REDUCED CONDITION FOR SAR

When output power is ≤ 60/f(GHz) mW, SAR evaluation is not required.

3. AVERAGE MEASURED POWER OF EUT

Maximum measured transmitter power:

Frequency Band (MHz)	Antenna	Pout (dBm)		Pout (mW)
2412-2462	Printed antenna with -3dBi gain	Conducted Power	12.89	19.45
		EIRP Power	9.89	9.75
5180-5240	Printed antenna with 1dBi gain	Conducted Power	8.94	7.83
		EIRP Power	9.94	9.86
5745-5825	Printed antenna with 1dBi gain	Conducted Power	8.92	7.80
		EIRP Power	9.92	9.82

4. CONCLUSION

No SAR evaluation is required since output power of EUT is less than threshold of SAR.