

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10528.00	43.73	46.86	-3.13	68.20	-24.47	100	33	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10528.00	43.59	46.72	-3.13	68.20	-24.61	300	218	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------

802.11a

CH 60 (Horizontal)


CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10680.00	42.14	45.01	-2.87	68.20	-26.06	164	360	Peak	Horizontal	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------	--



1	10680.00	43.17	46.04	-2.87	68.20	-25.03	200	281	Peak	Vertical	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------	--

802.11a

CH 64 (Horizontal)


CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10640.00	42.36	45.18	-2.82	74.00	-31.64	200	100	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------



1	10640.00	43.14	45.96	-2.82	74.00	-30.86	400	330	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------

802.11ax HE20

CH 52 (Horizontal)



CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	42.79	45.92	-3.13	68.20	-25.41	200	104	Peak	Horizontal	

1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	44.76	47.89	-3.13	68.20	-23.44	100	360	Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal)



CH 60 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10680.00	42.73	45.60	-2.87	68.20	-25.47	100	331	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------

1	10680.00	43.16	46.03	-2.87	68.20	-25.04	300	200	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------

802.11ax HE20

CH 64 (Horizontal)



CH 64 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10640.00	43.65	46.47	-2.82	74.00	-30.35	100	24	Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10640.00	42.81	45.63	-2.82	74.00	-31.19	200	59	Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal)


CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10540.00	42.42	45.49	-3.07	68.20	-25.78	100	70	Peak	Horizontal	
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------	--



1	10540.00	43.47	46.54	-3.07	68.20	-24.73	200	336	Peak	Vertical	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------	--

802.11ax HE40

CH 62 (Horizontal)



CH 62 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10628.00	42.91	45.75	-2.84	74.00	-31.09	400	233	Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10628.00	43.71	46.55	-2.84	74.00	-30.29	200	153	Peak	Vertical	

802.11ax HE80

CH 58 (Horizontal)



CH 58 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10580.00	43.32	46.25	-2.93	68.20	-24.88	400	202	Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10580.00	42.60	45.53	-2.93	68.20	-25.60	200	151	Peak	Vertical	

U-NII-2C

802.11a

CH 100 (Horizontal)


CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11800.00	45.14	47.40	-2.26	74.00	-28.86	300	246	Peak	Horizontal	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------	--



1	11800.00	47.48	49.74	-2.26	74.00	-26.52	100	120	Peak	Vertical	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------	--

802.11a

CH 116 (Horizontal)


CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	16740.00	50.81	44.16	6.65	68.20	-17.39	400	321	Peak	Horizontal	
---	----------	-------	-------	------	-------	--------	-----	-----	------	------------	--



1	16740.00	57.05	50.40	6.65	68.20	-11.15	200	270	Peak	Vertical	
---	----------	-------	-------	------	-------	--------	-----	-----	------	----------	--

802.11a

CH 140 (Horizontal)



CH 140 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	17180.00	51.83	44.91	6.92	68.20	-16.37	200	57	Peak	Horizontal	

1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	17180.00	57.12	50.20	6.92	68.20	-11.08	300	341	Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal)



CH 100 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11800.00	43.29	45.55	-2.26	74.00	-30.71	100	38	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------

1	11800.00	46.14	48.48	-2.26	74.00	-27.86	300	47	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	----	------	----------

802.11ax HE20

CH 116 (Horizontal)


CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	16740.00	58.86	44.21	6.65	68.20	-17.34	200	55	Peak	Horizontal
---	----------	-------	-------	------	-------	--------	-----	----	------	------------



1	16740.00	55.12	48.47	6.65	68.20	-13.08	100	96	Peak	Vertical
---	----------	-------	-------	------	-------	--------	-----	----	------	----------

802.11ax HE20

CH 140 (Horizontal)


CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	17180.00	51.73	44.81	6.92	68.20	-16.47	200	4	Peak	Horizontal	



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	17180.00	56.14	49.22	6.92	68.20	-12.06	400	133	Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal)



CH 102 (Vertical)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11828.00	42.72	44.96	-2.24	74.00	-31.28	100	237	Peak	Horizontal	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				

1	11828.00	43.45	45.69	-2.24	74.00	-30.55	300	275	Peak	Vertical	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				

802.11ax HE40

CH 110 (Horizontal)


CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11180.00	43.82	45.96	-2.14	74.00	-30.18	200	360	Peak	Horizontal	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------	--



1	11180.00	42.45	44.59	-2.14	74.00	-31.55	300	59	Peak	Vertical	
---	----------	-------	-------	-------	-------	--------	-----	----	------	----------	--

802.11ax HE40

CH 134 (Horizontal)



CH 134 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	17818.00	51.38	44.67	6.71	68.20	-16.82	200	154	Peak	Horizontal	

1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	17818.00	56.63	49.92	6.71	68.20	-11.57	300	77	Peak	Vertical	

802.11ax HE80

CH 106 (Horizontal)


CH 106 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11860.00	42.69	44.87	-2.18	74.00	-31.31	129	360	Peak	Horizontal	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------	--



1	11860.00	41.99	44.17	-2.18	74.00	-32.01	200	61	Peak	Vertical	
---	----------	-------	-------	-------	-------	--------	-----	----	------	----------	--

802.11ax HE80

CH 122 (Horizontal)


CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	11228.00	42.86	44.84	-1.98	74.00	-31.14	100	237	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------



1	11228.00	43.87	45.85	-1.98	74.00	-30.13	300	176	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------