

Tested By:Hong, Report No.:0615307

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV

Meas Time: 1 s


Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
----------------	-------	------	------

2	1	9k	30M	EW0699
---	---	----	-----	--------

12	9k	30M	EW0192
----	----	-----	--------



Report No.: 06153071
Charging Mode
AC Mains "L"

Tested By: Hong, Report No.: 0615307

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.15000	45.4	66.0
0.35500	32.3	58.8
0.41500	27.5	57.6

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

no Results

* limit

Report No.: 06153071
Tx Mode
AC Mains “L”

Tested By: Hong, Report No.: 0615307

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s


Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1	9k	30M
	12	9k	30M

EW0699

EW0192



PAGE 1

Ctrl No.: N/A

FCC ID: AAO330103T

Report No.: 06153071
Tx Mode
AC Mains “L”

Tested By: Hong, Report No.: 0615307

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.15000	42.4	66.0
0.36000	32.8	58.7
0.41000	30.7	57.7

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

no Results

* limit