

2/11

CIRCUIT SCHEMATIC AND DESCRIPTION

The interface schematic diagram for the telephone is attached. The terminal categories of Section 68.304, categories (1) through (8), are indicated for each point of connection.

A description of all electrical circuitry which affects compliance with Part 68 is given below :

- The electrical circuitry is that of a standard telephone instrument. It is composed of a high-impedance ringer in series with a capacitor, a network, a switch hook assembly and receiver and transmitter
- The device is powered solely from the telephone loop to which it is connected, drawing the normal and permissive off-hook current from the serving central office or private branch exchange, when used with a PBX
- Ringing current is received from the central office to cause the internal ringing to signal that a call is to be received. The device produces only human sensory sounds, and network address signaling such tone below the maximum permissible signal levels
- A typical industry standard drawing is attached showing all active and passive circuit elements. None can cause non-compliance with subpart D of Part 68
- The instrument consists of a base plate on which elements are mounted and a cover housing. Photographs are attached showing exterior and interior details

U3-101
 4. FREQUENCY TABLE
 T = Tommy Leung
 Fri: Blandre - 107 1/4/00
 2.7 of 10th copy
 6 of 12

CH NO	BASE			HAND		
	RX	LOCAL	TX	RX	LOCAL	TX
CH1	925.30	936.00	902.80	902.80	892.10	925.30
CH2	925.35	936.05	902.85	902.85	892.15	925.35
CH3	925.40	936.10	902.90	902.90	892.20	925.40
CH4	925.45	936.15	902.95	902.95	892.25	925.45
CH5	925.50	936.20	903.00	903.00	892.30	925.50
CH6	925.55	936.25	903.05	903.05	892.35	925.55
CH7	925.60	936.30	903.10	903.10	892.40	925.60
CH8	925.65	936.35	903.15	903.15	892.45	925.65
CH9	925.70	936.40	903.20	903.20	892.50	925.70
CH10	925.75	936.45	903.25	903.25	892.55	925.75
CH11	925.80	936.50	903.30	903.30	892.60	925.80
CH12	925.85	936.55	903.35	903.35	892.65	925.85
CH13	925.90	936.60	903.40	903.40	892.70	925.90
CH14	925.95	936.65	903.45	903.45	892.75	925.95
CH15	926.00	936.70	903.50	903.50	892.80	926.00
CH16	926.05	936.75	903.55	903.55	892.85	926.05
CH17	926.10	936.80	903.60	903.60	892.90	926.10
CH18	926.15	936.85	903.65	903.65	892.95	926.15
CH19	926.20	936.90	903.70	903.70	893.00	926.20
CH20	926.25	936.95	903.75	903.75	893.05	926.25
CH21	926.30	937.00	903.80	903.80	893.10	926.30
CH22	926.35	937.05	903.85	903.85	893.15	926.35
CH23	926.40	937.10	903.90	903.90	893.20	926.40
CH24	926.45	937.15	903.95	903.95	893.25	926.45
CH25	926.50	937.20	904.00	904.00	893.30	926.50
CH26	926.55	937.25	904.05	904.05	893.35	926.55
CH27	926.60	937.30	904.10	904.10	893.40	926.60
CH28	926.65	937.35	904.15	904.15	893.45	926.65
CH29	926.70	937.40	904.20	904.20	893.50	926.70
CH30	926.75	937.45	904.25	904.25	893.55	926.75
CH31	926.80	937.50	904.30	904.30	893.60	926.80
CH32	926.85	937.55	904.35	904.35	893.65	926.85
CH33	926.90	937.60	904.40	904.40	893.70	926.90
CH34	926.95	937.65	904.45	904.45	893.75	926.95
CH35	927.00	937.70	904.50	904.50	893.80	927.00
CH36	927.05	937.75	904.55	904.55	893.85	927.05
CH37	927.10	937.80	904.60	904.60	893.90	927.10
CH38	927.15	937.85	904.65	904.65	893.95	927.15
CH39	927.20	937.90	904.70	904.70	894.00	927.20
CH40	927.25	937.95	904.75	904.75	894.05	927.25

A-13-0716(88.10) AR VP

REV	0	PAGE	4
-----	---	------	---

SAMSUNG ELECTRO-MECHANICS CO., LTD.

ETL SEMKO ③		
Incoming Date:	11-1-00	
	Action By	
	Tommy Leung	