

Tested By:Hong, Report No.:0521833

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
----------------	-------	------	------

21	9k	30M	EW0698
----	----	-----	--------



Report No.: 0521833
Charging mode

Tested By: Hong, Report No.: 0521833

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
-----------	----------	----------

MHz	dBuV	dBuV
-----	------	------

0.15000	40.7	66.0
---------	------	------

0.22000	37.8	62.9
---------	------	------

0.29500	35.8	60.3
---------	------	------

0.41000	34.2	57.7
---------	------	------

0.57500	33.1	56.0
---------	------	------

0.79000	29.8	56.0
---------	------	------

Frequency	AV Level	AV Limit
-----------	----------	----------

MHz	dBuV	dBuV
-----	------	------

no Results

* limit



Report No.: 0521833
Receiving mode
(Channel 1)


Tested By:Hong, Report No.:0521833

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No. Start Stop Name
21 9k 30M EW0698



Report No.: 0521833
Receiving mode
(Channel 1)

Tested By: Hong, Report No.: 0521833

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.15000	40.9	66.0
0.21500	38.4	63.0
0.29500	36.2	60.3
0.41000	34.8	57.7
0.57500	33.6	56.0
0.79500	29.9	56.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

no Results

* limit



Report No.: 0521833
Receiving mode
(Channel 3)


Tested By:Hong, Report No.:0521833

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698



Report No.: 0521833
Receiving mode
(Channel 3)

Tested By: Hong, Report No.: 0521833

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.15000	41.3	66.0
0.22000	38.6	62.9
0.29500	36.7	60.3
0.42500	35.4	57.4
0.56500	34.3	56.0
0.79000	30.5	56.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

no Results

* limit