


AMENDED CONDUCTED SPURIOUS EMISSIONS
HIGH POWER, 438.050MHz


Transmitter Type: See Above
Power Output: 4.60W at 438.050MHz



The conducted spurious level is plotted in dBm on the vertical axis.
The specification for conducted spurious emissions is -13 dBm.
All non-harmonic emissions are at or below the noise floor.

**AMENDED CONDUCTED SPURIOUS EMISSIONS
HIGH POWER, 454.050 MHz**


Transmitter Type: See Above
Power Output: 4.60W at 454.0500MHz



The conducted spurious level is plotted in dBm on the vertical axis.
The specification for conducted spurious emissions is -13 dBm.
All non-harmonic emissions are at or below the noise floor.

**AMENDED CONDUCTED SPURIOUS EMISSIONS
HIGH POWER, 469.950 MHz**


Transmitter Type: See Above
Power Output: 4.60W at 469.950MHz



The conducted spurious level is plotted in dBm on the vertical axis.
The specification for conducted spurious emissions is -13 dBm.
All non-harmonic emissions are at or below the noise floor.

AMENDED CONDUCTED SPURIOUS EMISSIONS
LOW POWER, 438.000MHz

Transmitter Type: See Above
Power Output: 1.00W at 438.0000MHz




The conducted spurious level is plotted in dBm on the vertical axis.
The specification for conducted spurious emissions is -13 dBm.
All non-harmonic emissions are at or below the noise floor.

AMENDED CONDUCTED SPURIOUS EMISSIONS
LOW POWER, 454.000 MHz

Transmitter Type: See Above


Power Output: 1.00W at 454.0000MHz



The conducted spurious level is plotted in dBm on the vertical axis.
The specification for conducted spurious emissions is -13 dBm.
All non-harmonic emissions are at or below the noise floor.

AMENDED CONDUCTED SPURIOUS EMISSIONS
LOW POWER, 470.000 MHz

Transmitter Type: See Above
Power Output: 1.00W at 470.0000MHz



The conducted spurious level is plotted in dBm on the vertical axis.
The specification for conducted spurious emissions is -13 dBm.
All non-harmonic emissions are at or below the noise floor.