



Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-4.62	0.00	-4.62	29.59	Complies
159	5795	-5.26	0.00	-5.26	29.59	Complies





Date: 25.FEB.2019 16:20:25

Date: 25.FEB.2019 16:21:43

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-6.91	0.00	-6.91	29.59	Complies
159	5795	-6.73	0.00	-6.73	29.59	Complies



Date: 25.FEB.2019 16:05:40


Date: 25.FEB.2019 16:06:33

Test Mode UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.61	29.59	Complies
159	5795	-2.92	29.59	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-11.43	0.00	-11.43	29.59	Complies



Date: 26.FEB.2019 11:54:15

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-13.80	0.00	-13.80	29.59	Complies



Date: 25.FEB.2019 17:21:48

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-9.44	29.59	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9796
120	5179.9796
102	5179.9792
Maximum Deviation (MHz)	0.0208
Maximum Deviation (ppm)	4.0154

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9808
10	5179.9804
20	5179.9796
30	5179.9796
40	5179.9792
Maximum Deviation (MHz)	0.0208
Maximum Deviation (ppm)	4.0154

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
132	5260.0000
120	5259.9788
102	5259.9788
Maximum Deviation (MHz)	0.0212
Maximum Deviation (ppm)	4.0304

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5260.0000
10	5259.9784
20	5259.9784
30	5259.9784
40	5259.9784
Maximum Deviation (MHz)	0.0216
Maximum Deviation (ppm)	4.1000

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
132	5499.9768
120	5499.9768
102	5499.9764
Maximum Deviation (MHz)	0.0236
Maximum Deviation (ppm)	4.2909

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5499.9764
10	5499.9760
20	5499.9760
30	5499.9760
40	5499.9760
Maximum Deviation (MHz)	0.0240
Maximum Deviation (ppm)	4.3636

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
132	5745.0000
120	5744.9744
102	5744.9744
Maximum Deviation (MHz)	0.0256
Maximum Deviation (ppm)	4.4560

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5745.0000
10	5744.9744
20	5744.9740
30	5744.9740
40	5744.9740
Maximum Deviation (MHz)	0.0260
Maximum Deviation (ppm)	4.5257

End of Test Report