



Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	23.39	17.90
40	5200	21.36	17.90
48	5240	20.79	17.80



Date: 25.FEB.2019 18:51:17




Date: 25.FEB.2019 18:52:59




Date: 25.FEB.2019 18:54:06

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.70	36.60
46	5230	41.41	36.60




Date: 25.FEB.2019 19:14:07



Date: 25.FEB.2019 19:15:45

Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	81.80	76.00



Date: 25.FEB.2019 19:22:59

Test Mode	UNII-2A_TX AC (VHT20) Mode
------------------	-----------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.59	17.80
60	5300	20.45	17.80
64	5320	20.51	17.80





Date: 25.FEB.2019 16:28:08

Date: 25.FEB.2019 16:32:55

Date: 25.FEB.2019 16:34:10

Test Mode	UNII-2A_TX AC (VHT40) Mode
------------------	-----------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	41.61	36.80
62	5310	41.81	36.60




Date: 25.FEB.2019 16:11:20

Date: 9.FEB.2019 08:03:49

Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	81.80	76.40


CH58




Date: 9.FEB.2019 08:25:44

Test Mode UNII-2C_TX AC (VHT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.65	17.80
116	5580	20.90	17.80
140	5700	20.80	17.80



Date: 25.FEB.2019 16:35:24




Date: 25.FEB.2019 16:36:40




Date: 25.FEB.2019 16:37:50

Test Mode UNII-2C_TX AC (VHT40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	41.90	36.60
110	5550	42.00	36.60
134	5670	42.10	36.80



Date: 9.FEB.2019 08:05:02





Date: 9.FEB.2019 08:06:08



Date: 9.FEB.2019 08:07:18

Test Mode	UNII-2C_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	82.00	76.80
122	5610	81.80	76.00






Date: 26.FEB.2019 11:49:42

Date: 9.FEB.2019 08:26:48

Test Mode UNII-3_TX AC (VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.85	17.80	500	Complies
157	5785	17.85	17.70	500	Complies
165	5825	17.90	17.80	500	Complies





Date: 25.FEB.2019 16:39:12

Date: 25.FEB.2019 16:40:18

Date: 25.FEB.2019 16:41:38

Test Mode UNII-3_TX AC (VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.50	36.40	500	Complies
159	5795	36.50	36.20	500	Complies




Date: 25.FEB.2019 16:20:13

Date: 25.FEB.2019 16:21:30

Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	77.20	76.40	500	Complies

CH155



Date: 26.FEB.2019 11:54:01

APPENDIX F - CONDUCTED OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.87	0.00	13.87	24.00	0.25	Complies
40	5200	13.78	0.00	13.78	24.00	0.25	Complies
48	5240	13.56	0.00	13.56	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.91	0.00	13.91	24.00	0.25	Complies
60	5300	13.82	0.00	13.82	24.00	0.25	Complies
64	5320	13.63	0.00	13.63	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.59	0.00	13.59	24.00	0.25	Complies
116	5580	13.53	0.00	13.53	24.00	0.25	Complies
140	5700	13.92	0.00	13.92	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.55	0.00	13.55	30.00	1.00	Complies
157	5785	13.83	0.00	13.83	30.00	1.00	Complies
165	5825	13.94	0.00	13.94	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.74	0.00	11.74	24.00	0.25	Complies
40	5200	13.51	0.00	13.51	24.00	0.25	Complies
48	5240	13.88	0.00	13.88	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.36	0.00	11.36	24.00	0.25	Complies
40	5200	13.69	0.00	13.69	24.00	0.25	Complies
48	5240	13.67	0.00	13.67	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.56	24.00	0.25	Complies
40	5200	16.61	24.00	0.25	Complies
48	5240	16.79	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.25	0.00	8.25	24.00	0.25	Complies
46	5230	8.22	0.00	8.22	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.66	0.00	8.66	24.00	0.25	Complies
46	5230	8.72	0.00	8.72	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.47	24.00	0.25	Complies
46	5230	11.49	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.57	0.00	13.57	24.00	0.25	Complies
60	5300	13.55	0.00	13.55	24.00	0.25	Complies
64	5320	12.06	0.00	12.06	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.21	0.00	13.21	24.00	0.25	Complies
60	5300	13.20	0.00	13.20	24.00	0.25	Complies
64	5320	12.18	0.00	12.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.40	24.00	0.25	Complies
60	5300	16.39	24.00	0.25	Complies
64	5320	15.13	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.19	0.00	8.19	24.00	0.25	Complies
62	5310	8.13	0.00	8.13	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.37	0.00	8.37	24.00	0.25	Complies
62	5310	8.61	0.00	8.61	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.29	24.00	0.25	Complies
62	5310	11.39	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.43	0.00	12.43	24.00	0.25	Complies
116	5580	13.21	0.00	13.21	24.00	0.25	Complies
140	5700	12.73	0.00	12.73	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.73	0.00	11.73	24.00	0.25	Complies
116	5580	13.55	0.00	13.55	24.00	0.25	Complies
140	5700	11.37	0.00	11.37	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.10	24.00	0.25	Complies
116	5580	16.39	24.00	0.25	Complies
140	5700	15.11	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.53	0.00	8.53	24.00	0.25	Complies
110	5550	8.54	0.00	8.54	24.00	0.25	Complies
134	5670	8.51	0.00	8.51	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.89	0.00	7.89	24.00	0.25	Complies
110	5550	7.42	0.00	7.42	24.00	0.25	Complies
134	5670	7.01	0.00	7.01	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.23	24.00	0.25	Complies
110	5550	11.03	24.00	0.25	Complies
134	5670	10.83	24.00	0.25	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.24	0.00	13.24	30.00	1.00	Complies
157	5785	13.15	0.00	13.15	30.00	1.00	Complies
165	5825	13.28	0.00	13.28	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.55	0.00	13.55	30.00	1.00	Complies
157	5785	13.92	0.00	13.92	30.00	1.00	Complies
165	5825	13.82	0.00	13.82	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.41	30.00	1.00	Complies
157	5785	16.56	30.00	1.00	Complies
165	5825	16.57	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.83	0.00	8.83	30.00	1.00	Complies
159	5795	8.95	0.00	8.95	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	6.63	0.00	6.63	30.00	1.00	Complies
159	5795	6.84	0.00	6.84	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.88	30.00	1.00	Complies
159	5795	11.03	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.21	0.00	12.21	24.00	0.25	Complies
40	5200	13.27	0.00	13.27	24.00	0.25	Complies
48	5240	13.63	0.00	13.63	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.08	0.00	12.08	24.00	0.25	Complies
40	5200	13.65	0.00	13.65	24.00	0.25	Complies
48	5240	13.71	0.00	13.71	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.16	24.00	0.25	Complies
40	5200	16.47	24.00	0.25	Complies
48	5240	16.68	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.05	0.00	8.05	24.00	0.25	Complies
46	5230	8.15	0.00	8.15	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.44	0.00	8.44	24.00	0.25	Complies
46	5230	8.64	0.00	8.64	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.26	24.00	0.25	Complies
46	5230	11.41	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	4.76	0.00	4.76	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	5.58	0.00	5.58	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.71	0.00	13.71	24.00	0.25	Complies
60	5300	13.53	0.00	13.53	24.00	0.25	Complies
64	5320	11.96	0.00	11.96	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.39	0.00	13.39	24.00	0.25	Complies
60	5300	13.22	0.00	13.22	24.00	0.25	Complies
64	5320	12.17	0.00	12.17	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.56	24.00	0.25	Complies
60	5300	16.39	24.00	0.25	Complies
64	5320	15.08	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.13	0.00	8.13	24.00	0.25	Complies
62	5310	8.22	0.00	8.22	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.66	0.00	8.66	24.00	0.25	Complies
62	5310	8.57	0.00	8.57	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.41	24.00	0.25	Complies
62	5310	11.41	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	5.51	0.00	5.51	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	5.32	0.00	5.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.43	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.48	0.00	12.48	24.00	0.25	Complies
116	5580	13.39	0.00	13.39	24.00	0.25	Complies
140	5700	13.47	0.00	13.47	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.67	0.00	12.67	24.00	0.25	Complies
116	5580	13.61	0.00	13.61	24.00	0.25	Complies
140	5700	13.85	0.00	13.85	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.59	24.00	0.25	Complies
116	5580	16.51	24.00	0.25	Complies
140	5700	16.67	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.67	0.00	8.67	24.00	0.25	Complies
110	5550	8.89	0.00	8.89	24.00	0.25	Complies
134	5670	8.44	0.00	8.44	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	7.72	0.00	7.72	24.00	0.25	Complies
110	5550	8.17	0.00	8.17	24.00	0.25	Complies
134	5670	7.12	0.00	7.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.23	24.00	0.25	Complies
110	5550	11.56	24.00	0.25	Complies
134	5670	10.84	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	5.55	0.00	5.55	24.00	0.25	Complies
122	5610	5.93	0.00	5.93	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	4.88	0.00	4.88	24.00	0.25	Complies
122	5610	4.54	0.00	4.54	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.24	24.00	0.25	Complies
122	5610	8.30	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.21	0.00	13.21	30.00	1.00	Complies
157	5785	13.01	0.00	13.01	30.00	1.00	Complies
165	5825	13.13	0.00	13.13	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.42	0.00	13.42	30.00	1.00	Complies
157	5785	13.74	0.00	13.74	30.00	1.00	Complies
165	5825	13.82	0.00	13.82	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.33	30.00	1.00	Complies
157	5785	16.40	30.00	1.00	Complies
165	5825	16.50	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	8.71	0.00	8.71	30.00	1.00	Complies
159	5795	8.73	0.00	8.73	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	6.52	0.00	6.52	30.00	1.00	Complies
159	5795	6.77	0.00	6.77	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.76	30.00	1.00	Complies
159	5795	10.87	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	5.84	0.00	5.84	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	4.11	0.00	4.11	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.07	30.00	1.00	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.75	0.00	2.75	11.00	Complies
40	5200	2.73	0.00	2.73	11.00	Complies
48	5240	2.58	0.00	2.58	11.00	Complies



Date: 25.FEB.2019 10:35:38




Date: 25.FEB.2019 10:38:27




Date: 25.FEB.2019 10:39:41

Test Mode UNII-2A_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.26	0.00	2.26	11.00	Complies
60	5300	1.49	0.00	1.49	11.00	Complies
64	5320	1.19	0.00	1.19	11.00	Complies



Date: 25.FEB.2019 10:41:23




Date: 25.FEB.2019 10:42:36




Date: 25.FEB.2019 10:43:59

Test Mode UNII-2C_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.09	0.00	3.09	11.00	Complies
116	5580	3.07	0.00	3.07	11.00	Complies
140	5700	1.22	0.00	1.22	11.00	Complies



Date: 25.FEB.2019 10:46:41




Date: 25.FEB.2019 10:48:05




Date: 25.FEB.2019 10:50:10

Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.10	0.00	0.10	30.00	Complies
157	5785	-0.45	0.00	-0.45	30.00	Complies
165	5825	-0.55	0.00	-0.55	30.00	Complies



Date: 25.FEB.2019 10:51:41




Date: 25.FEB.2019 10:52:48




Date: 25.FEB.2019 10:53:49

Test Mode UNII-1_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.17	0.00	3.17	11.00	Complies
40	5200	3.01	0.00	3.01	11.00	Complies
48	5240	2.58	0.00	2.58	11.00	Complies



Date: 25.FEB.2019 18:04:36




Date: 25.FEB.2019 18:05:39




Date: 25.FEB.2019 18:37:57

Test Mode UNII-1_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.86	0.00	2.86	11.00	Complies
40	5200	3.03	0.00	3.03	11.00	Complies
48	5240	2.90	0.00	2.90	11.00	Complies



Date: 25.FEB.2019 18:39:59



Date: 25.FEB.2019 18:41:04




Date: 25.FEB.2019 18:42:07

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.03	11.00	Complies
40	5200	6.03	11.00	Complies
48	5240	5.75	11.00	Complies

Test Mode UNII-1_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.13	0.00	-4.13	11.00	Complies
46	5230	-4.59	0.00	-4.59	11.00	Complies



Date: 25.FEB.2019 18:59:24




Date: 25.FEB.2019 19:04:58

Test Mode UNII-1_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.35	0.00	-4.35	11.00	Complies
46	5230	-4.38	0.00	-4.38	11.00	Complies



Date: 25.FEB.2019 19:06:57




Date: 25.FEB.2019 19:08:03

Test Mode UNII-1_TX N (HT40) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.23	11.00	Complies
46	5230	-1.47	11.00	Complies

Test Mode UNII-2A_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.63	0.00	4.63	11.00	Complies
60	5300	4.53	0.00	4.53	11.00	Complies
64	5320	2.24	0.00	2.24	11.00	Complies



Date: 25.FEB.2019 11:06:06




Date: 25.FEB.2019 11:08:46




Date: 25.FEB.2019 15:29:59

Test Mode UNII-2A_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.47	0.00	4.47	11.00	Complies
60	5300	4.10	0.00	4.10	11.00	Complies
64	5320	4.03	0.00	4.03	11.00	Complies



Date: 25.FEB.2019 15:05:06



Date: 25.FEB.2019 15:13:18





Date: 25.FEB.2019 15:14:29

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.56	11.00	Complies
60	5300	7.33	11.00	Complies
64	5320	6.24	11.00	Complies

Test Mode UNII-2A_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.15	0.00	-3.15	11.00	Complies
62	5310	-3.47	0.00	-3.47	11.00	Complies





Date: 25.FEB.2019 14:10:45

Date: 25.FEB.2019 14:13:01

Test Mode UNII-2A_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.73	0.00	-2.73	11.00	Complies
62	5310	-3.17	0.00	-3.17	11.00	Complies



Date: 25.FEB.2019 15:44:06


Date: 25.FEB.2019 15:45:12

Test Mode UNII-2A_TX N (HT40) Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.08	11.00	Complies
62	5310	-0.31	11.00	Complies

Test Mode UNII-2C_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.19	0.00	4.19	11.00	Complies
116	5580	6.03	0.00	6.03	11.00	Complies
140	5700	4.28	0.00	4.28	11.00	Complies



Date: 25.FEB.2019 11:13:34




Date: 25.FEB.2019 15:31:27




Date: 25.FEB.2019 15:39:06

Test Mode UNII-2C_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.54	0.00	3.54	11.00	Complies
116	5580	3.76	0.00	3.76	11.00	Complies
140	5700	2.60	0.00	2.60	11.00	Complies



Date: 25.FEB.2019 15:18:01



Date: 25.FEB.2019 15:19:09




Date: 25.FEB.2019 15:37:25

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.89	11.00	Complies
116	5580	8.05	11.00	Complies
140	5700	6.53	11.00	Complies

Test Mode UNII-2C_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.57	0.00	-1.57	11.00	Complies
110	5550	-1.49	0.00	-1.49	11.00	Complies
134	5670	-2.70	0.00	-2.70	11.00	Complies



Date: 25.FEB.2019 14:14:10




Date: 25.FEB.2019 14:15:19




Date: 25.FEB.2019 14:16:34

Test Mode UNII-2C_TX N (HT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.65	0.00	-2.65	11.00	Complies
110	5550	-3.03	0.00	-3.03	11.00	Complies
134	5670	-4.43	0.00	-4.43	11.00	Complies



Date: 25.FEB.2019 15:46:52



Date: 25.FEB.2019 15:48:07




Date: 25.FEB.2019 15:49:53

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.93	11.00	Complies
110	5550	0.82	11.00	Complies
134	5670	-0.47	11.00	Complies

Test Mode UNII-3_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.82	0.00	1.82	30.00	Complies
157	5785	1.68	0.00	1.68	30.00	Complies
165	5825	1.60	0.00	1.60	30.00	Complies



Date: 25.FEB.2019 15:34:25




Date: 25.FEB.2019 11:20:07




Date: 25.FEB.2019 11:27:21

Test Mode UNII-3_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.42	0.00	0.42	30.00	Complies
157	5785	0.82	0.00	0.82	30.00	Complies
165	5825	0.92	0.00	0.92	30.00	Complies



Date: 25.FEB.2019 15:21:34



Date: 25.FEB.2019 15:22:39



Date: 25.FEB.2019 15:23:50


Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.19	30.00	Complies
157	5785	4.28	30.00	Complies
165	5825	4.28	30.00	Complies

Test Mode UNII-3_TX N (HT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-4.93	0.00	-4.93	30.00	Complies
159	5795	-5.63	0.00	-5.63	30.00	Complies

CH151



Date: 25.FEB.2019 14:17:42

CH159




Date: 25.FEB.2019 14:18:49

Test Mode UNII-3_TX N (HT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.06	0.00	-7.06	30.00	Complies
159	5795	-6.73	0.00	-6.73	30.00	Complies

CH151



Date: 25.FEB.2019 15:52:35

CH159




Date: 25.FEB.2019 15:53:52

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.86	30.00	Complies
159	5795	-3.13	30.00	Complies

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.94	0.00	2.94	11.00	Complies
40	5200	3.23	0.00	3.23	11.00	Complies
48	5240	2.45	0.00	2.45	11.00	Complies



Date: 25.FEB.2019 18:51:27




Date: 25.FEB.2019 18:53:09




Date: 25.FEB.2019 18:54:15

Test Mode UNII-1_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.75	0.00	2.75	11.00	Complies
40	5200	3.22	0.00	3.22	11.00	Complies
48	5240	3.50	0.00	3.50	11.00	Complies



Date: 25.FEB.2019 18:46:13



Date: 25.FEB.2019 18:47:54





Date: 25.FEB.2019 18:49:46

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.86	11.00	Complies
40	5200	6.24	11.00	Complies
48	5240	6.02	11.00	Complies

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.43	0.00	-2.43	11.00	Complies
46	5230	-2.66	0.00	-2.66	11.00	Complies





Date: 25.FEB.2019 19:14:20

Date: 25.FEB.2019 19:15:57

Test Mode UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.36	0.00	-4.36	11.00	Complies
46	5230	-2.35	0.00	-2.35	11.00	Complies



Date: 25.FEB.2019 19:10:26


Date: 25.FEB.2019 19:11:31

Test Mode UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.28	11.00	Complies
46	5230	0.51	11.00	Complies


Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-10.03	0.00	-10.03	11.00	Complies



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.84	0.00	-8.84	11.00	Complies




Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.38	11.00	Complies

Test Mode UNII-2A_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.59	0.00	4.59	11.00	Complies
60	5300	4.91	0.00	4.91	11.00	Complies
64	5320	3.64	0.00	3.64	11.00	Complies



Date: 25.FEB.2019 16:28:17




Date: 25.FEB.2019 16:33:05




Date: 25.FEB.2019 16:34:19

Test Mode UNII-2A_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.88	0.00	4.88	11.00	Complies
60	5300	4.50	0.00	4.50	11.00	Complies
64	5320	3.49	0.00	3.49	11.00	Complies



Date: 25.FEB.2019 16:51:07



Date: 25.FEB.2019 16:52:29





Date: 25.FEB.2019 16:53:55

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.75	11.00	Complies
60	5300	7.72	11.00	Complies
64	5320	6.58	11.00	Complies

Test Mode UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.74	0.00	-2.74	11.00	Complies
62	5310	-2.44	0.00	-2.44	11.00	Complies




Date: 25.FEB.2019 16:11:33

Date: 25.FEB.2019 16:16:12

Test Mode UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.70	0.00	-2.70	11.00	Complies
62	5310	-3.02	0.00	-3.02	11.00	Complies



Date: 25.FEB.2019 15:59:26


Date: 25.FEB.2019 16:00:50

Test Mode UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.29	11.00	Complies
62	5310	0.29	11.00	Complies


Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-10.11	0.00	-10.11	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-9.89	0.00	-9.89	11.00	Complies




Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.99	11.00	Complies

Test Mode UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.08	0.00	5.08	11.00	Complies
116	5580	5.90	0.00	5.90	11.00	Complies
140	5700	5.24	0.00	5.24	11.00	Complies



Date: 25.FEB.2019 16:35:33




Date: 25.FEB.2019 16:36:49




Date: 25.FEB.2019 16:37:59

Test Mode UNII-2C_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.86	0.00	3.86	11.00	Complies
116	5580	4.02	0.00	4.02	11.00	Complies
140	5700	3.03	0.00	3.03	11.00	Complies



Date: 25.FEB.2019 16:55:16



Date: 25.FEB.2019 16:56:29




Date: 25.FEB.2019 16:57:49

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.52	11.00	Complies
116	5580	8.07	11.00	Complies
140	5700	7.28	11.00	Complies

Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.94	0.00	-0.94	11.00	Complies
110	5550	-1.00	0.00	-1.00	11.00	Complies
134	5670	-2.30	0.00	-2.30	11.00	Complies



Date: 25.FEB.2019 16:17:20




Date: 25.FEB.2019 16:18:17




Date: 25.FEB.2019 16:19:16

Test Mode UNII-2C_TX AC (VHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.60	0.00	-2.60	11.00	Complies
110	5550	-3.04	0.00	-3.04	11.00	Complies
134	5670	-4.47	0.00	-4.47	11.00	Complies



Date: 25.FEB.2019 16:01:48



Date: 25.FEB.2019 16:02:36



Date: 25.FEB.2019 16:03:49

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.32	11.00	Complies
110	5550	1.11	11.00	Complies
134	5670	-0.24	11.00	Complies