


Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	195.190	88.000
122	5610	192.000	78.800

CH106




Date: 24.AUG.2022 17:30:17

CH122
26 dB Bandwidth




Date: 24.AUG.2022 17:32:13

99 % Occupied Bandwidth



Date: 24.AUG.2022 17:30:00




Date: 31.AUG.2022 14:15:07

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.650	16.800	0.5	Complies
157	5785	16.650	16.900	0.5	Complies
165	5825	16.389	16.900	0.5	Complies

CH149




Date: 22_AUG.2022 08:25:44

CH157




Date: 22_AUG.2022 08:26:58

CH165




Date: 22_AUG.2022 08:28:01


99 % Occupied Bandwidth



Date: 22_AUG.2022 08:25:22



Date: 22_AUG.2022 08:26:35




Date: 22_AUG.2022 08:27:39

Test Mode UNII-3_TX AC(VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.689	17.800	0.5	Complies
157	5785	17.650	17.800	0.5	Complies
165	5825	17.800	17.800	0.5	Complies

CH149




Date: 22_AUG_2022 08:40:13

CH157
6 dB Bandwidth




Date: 22_AUG_2022 08:41:02

CH165




Date: 22_AUG_2022 08:41:51


99 % Occupied Bandwidth



Date: 22_AUG_2022 08:39:53



Date: 22_AUG_2022 08:40:39




Date: 22_AUG_2022 08:41:30

Test Mode UNII-3_TX AC(VHT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.600	36.600	0.5	Complies
159	5795	36.600	36.800	0.5	Complies

CH151




Date: 24.AUG.2022 19:25:10

CH159 6 dB Bandwidth




Date: 24.AUG.2022 19:25:50

99 % Occupied Bandwidth



Date: 24.AUG.2022 19:24:41




Date: 24.AUG.2022 19:25:21

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.200	76.800	0.5	Complies

CH155 6 dB Bandwidth



Date: 24.AUG.2022 17:35:43

99 % Occupied Bandwidth



Date: 24.AUG.2022 17:35:15

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.26	0.00	14.26	23.98	0.2500	Complies
40	5200	14.24	0.00	14.24	23.98	0.2500	Complies
48	5240	14.18	0.00	14.18	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.69	0.00	13.69	23.98	0.2500	Complies
40	5200	13.39	0.00	13.39	23.98	0.2500	Complies
48	5240	13.65	0.00	13.65	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.65	0.00	13.65	23.98	0.2500	Complies
40	5200	13.66	0.00	13.66	23.98	0.2500	Complies
48	5240	14.35	0.00	14.35	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.68	23.98	0.2500	Complies
40	5200	16.54	23.98	0.2500	Complies
48	5240	17.02	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.71	0.00	10.71	23.98	0.2500	Complies
46	5230	13.57	0.00	13.57	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.38	0.00	10.38	23.98	0.2500	Complies
46	5230	14.22	0.00	14.22	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.56	23.98	0.2500	Complies
46	5230	16.92	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.85	0.00	13.85	23.98	0.2500	Complies
40	5200	13.84	0.00	13.84	23.98	0.2500	Complies
48	5240	14.02	0.00	14.02	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.11	0.00	14.11	23.98	0.2500	Complies
40	5200	13.98	0.00	13.98	23.98	0.2500	Complies
48	5240	14.03	0.00	14.03	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.99	23.98	0.2500	Complies
40	5200	16.92	23.98	0.2500	Complies
48	5240	17.04	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.74	0.00	10.74	23.98	0.2500	Complies
46	5230	14.05	0.00	14.05	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.36	0.00	10.36	23.98	0.2500	Complies
46	5230	13.98	0.00	13.98	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.56	23.98	0.2500	Complies
46	5230	17.03	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.06	0.00	9.06	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.05	0.00	7.05	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.44	0.00	14.44	23.98	0.2500	Complies
60	5300	13.55	0.00	13.55	23.98	0.2500	Complies
64	5320	14.43	0.00	14.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.79	0.00	13.79	23.98	0.2500	Complies
60	5300	13.84	0.00	13.84	23.98	0.2500	Complies
64	5320	12.17	0.00	12.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.96	0.00	13.96	23.98	0.2500	Complies
60	5300	14.03	0.00	14.03	23.98	0.2500	Complies
64	5320	11.69	0.00	11.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.89	23.98	0.2500	Complies
60	5300	16.95	23.98	0.2500	Complies
64	5320	14.95	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.82	0.00	13.82	23.98	0.2500	Complies
62	5310	11.92	0.00	11.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.17	0.00	14.17	23.98	0.2500	Complies
62	5310	11.69	0.00	11.69	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.01	23.98	0.2500	Complies
62	5310	14.82	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.07	0.00	14.07	23.98	0.2500	Complies
60	5300	14.13	0.00	14.13	23.98	0.2500	Complies
64	5320	12.47	0.00	12.47	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.02	0.00	14.02	23.98	0.2500	Complies
60	5300	13.81	0.00	13.81	23.98	0.2500	Complies
64	5320	11.91	0.00	11.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.06	23.98	0.2500	Complies
60	5300	16.98	23.98	0.2500	Complies
64	5320	15.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.28	0.00	14.28	23.98	0.2500	Complies
62	5310	12.14	0.00	12.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.16	0.00	14.16	23.98	0.2500	Complies
62	5310	11.71	0.00	11.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.23	23.98	0.2500	Complies
62	5310	14.94	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.04	0.00	9.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.23	0.00	7.23	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.84	0.00	13.84	23.98	0.2500	Complies
116	5580	14.22	0.00	14.22	23.98	0.2500	Complies
140	5700	13.73	0.00	13.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.96	0.00	13.96	23.98	0.2500	Complies
116	5580	13.67	0.00	13.67	23.98	0.2500	Complies
140	5700	13.44	0.00	13.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.84	0.00	12.84	23.98	0.2500	Complies
116	5580	13.01	0.00	13.01	23.98	0.2500	Complies
140	5700	13.54	0.00	13.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.45	23.98	0.2500	Complies
116	5580	16.36	23.98	0.2500	Complies
140	5700	16.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.08	0.00	12.08	23.98	0.2500	Complies
110	5550	14.28	0.00	14.28	23.98	0.2500	Complies
134	5670	14.23	0.00	14.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.01	0.00	11.01	23.98	0.2500	Complies
110	5550	13.33	0.00	13.33	23.98	0.2500	Complies
134	5670	13.13	0.00	13.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.59	23.98	0.2500	Complies
110	5550	16.84	23.98	0.2500	Complies
134	5670	16.73	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.96	0.00	13.96	23.98	0.2500	Complies
116	5580	13.83	0.00	13.83	23.98	0.2500	Complies
140	5700	13.77	0.00	13.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.07	0.00	13.07	23.98	0.2500	Complies
116	5580	12.92	0.00	12.92	23.98	0.2500	Complies
140	5700	13.19	0.00	13.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.55	23.98	0.2500	Complies
116	5580	16.41	23.98	0.2500	Complies
140	5700	16.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.56	0.00	11.56	23.98	0.2500	Complies
110	5550	14.04	0.00	14.04	23.98	0.2500	Complies
134	5670	14.42	0.00	14.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.65	0.00	11.65	23.98	0.2500	Complies
110	5550	14.21	0.00	14.21	23.98	0.2500	Complies
134	5670	13.95	0.00	13.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.62	23.98	0.2500	Complies
110	5550	17.14	23.98	0.2500	Complies
134	5670	17.20	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.27	0.00	9.27	23.98	0.2500	Complies
122	5610	9.48	0.00	9.48	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	7.27	0.00	7.27	23.98	0.2500	Complies
122	5610	6.96	0.00	6.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.39	23.98	0.2500	Complies
122	5610	11.41	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.84	0.00	13.84	30.00	1.0000	Complies
157	5785	13.34	0.00	13.34	30.00	1.0000	Complies
165	5825	13.56	0.00	13.56	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.86	0.00	13.86	30.00	1.0000	Complies
157	5785	13.27	0.00	13.27	30.00	1.0000	Complies
165	5825	13.21	0.00	13.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.95	0.00	12.95	30.00	1.0000	Complies
157	5785	13.26	0.00	13.26	30.00	1.0000	Complies
165	5825	12.69	0.00	12.69	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.44	30.00	1.0000	Complies
157	5785	16.28	30.00	1.0000	Complies
165	5825	15.97	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.94	0.00	13.94	30.00	1.0000	Complies
159	5795	13.07	0.00	13.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.67	0.00	13.67	30.00	1.0000	Complies
159	5795	13.96	0.00	13.96	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.82	30.00	1.0000	Complies
159	5795	16.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.85	0.00	13.85	30.00	1.0000	Complies
157	5785	13.09	0.00	13.09	30.00	1.0000	Complies
165	5825	13.58	0.00	13.58	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.46	0.00	13.46	30.00	1.0000	Complies
157	5785	13.73	0.00	13.73	30.00	1.0000	Complies
165	5825	13.25	0.00	13.25	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.67	30.00	1.0000	Complies
157	5785	16.43	30.00	1.0000	Complies
165	5825	16.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.74	0.00	13.74	30.00	1.0000	Complies
159	5795	13.16	0.00	13.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.94	0.00	13.94	30.00	1.0000	Complies
159	5795	13.95	0.00	13.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.85	30.00	1.0000	Complies
159	5795	16.58	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.35	0.00	9.35	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.87	0.00	8.87	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.13	30.00	1.0000	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.51	0.00	3.51	11.00	Complies
40	5200	2.77	0.00	2.77	11.00	Complies
48	5240	2.72	0.00	2.72	11.00	Complies

CH36




Date: 22_AUG_2022 08:12:13

CH40



Date: 22_AUG_2022 08:16:16




CH48



Date: 22_AUG_2022 08:17:07




Test Mode UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.44	0.00	3.44	11.00	Complies
40	5200	3.25	0.00	3.25	11.00	Complies
48	5240	2.63	0.00	2.63	11.00	Complies



Test Mode UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.70	0.00	2.70	11.00	Complies
40	5200	2.41	0.00	2.41	11.00	Complies
48	5240	2.15	0.00	2.15	11.00	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.10	11.00	Complies
40	5200	5.86	11.00	Complies
48	5240	5.41	11.00	Complies

Test Mode UNII-1_TX AC(VHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.95	0.00	-2.95	11.00	Complies
46	5230	-2.66	0.00	-2.66	11.00	Complies

CH38



Date: 24.AUG.2022 16:34:32

CH46




Date: 24.AUG.2022 16:48:18

Test Mode UNII-1_TX AC(VHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.62	0.00	-2.62	11.00	Complies
46	5230	-3.00	0.00	-3.00	11.00	Complies

CH38



Date: 24.AUG.2022 20:24:17

CH46




Date: 24.AUG.2022 20:24:52

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.23	11.00	Complies
46	5230	0.18	11.00	Complies

Test Mode UNII-1_TX AC(VHT80) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.99	0.00	-3.99	11.00	Complies



Date: 24.AUG.2022 17:16:19

Test Mode UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.73	0.00	-4.73	11.00	Complies



Date: 24.AUG.2022 20:33:30


Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.33	11.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.71	0.00	2.71	11.00	Complies
60	5300	2.75	0.00	2.75	11.00	Complies
64	5320	2.31	0.00	2.31	11.00	Complies

CH52




Date: 22_AUG_2022 08:18:13

CH60



Date: 22_AUG_2022 08:19:21


CH64




Date: 22_AUG_2022 08:20:23

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.90	0.00	2.90	11.00	Complies
60	5300	2.75	0.00	2.75	11.00	Complies
64	5320	2.56	0.00	2.56	11.00	Complies



Date: 22_AUG.2022 08:35:08




Date: 22_AUG.2022 08:36:01




Date: 22_AUG.2022 08:37:22

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.02	0.00	2.02	11.00	Complies
60	5300	1.37	0.00	1.37	11.00	Complies
64	5320	1.51	0.00	1.51	11.00	Complies



Date: 22_AUG.2022 08:46:43



Date: 22_AUG.2022 08:47:21





Date: 22_AUG.2022 08:47:39

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.49	11.00	Complies
60	5300	5.12	11.00	Complies
64	5320	5.08	11.00	Complies



Test Mode UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.57	0.00	-2.57	11.00	Complies
62	5310	-2.89	0.00	-2.89	11.00	Complies



Test Mode UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.50	0.00	-3.50	11.00	Complies
62	5310	-4.03	0.00	-4.03	11.00	Complies




Test Mode UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.00	11.00	Complies
62	5310	-0.41	11.00	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.08	0.00	-4.08	11.00	Complies



Date: 24.AUG.2022 17:17:14

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.63	0.00	-4.63	11.00	Complies



Date: 24.AUG.2022 20:33:58


Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.34	11.00	Complies

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.75	0.00	3.75	11.00	Complies
116	5580	4.33	0.00	4.33	11.00	Complies
140	5700	3.48	0.00	3.48	11.00	Complies

CH100




Date: 22_AUG.2022 08:21:45

CH116



Date: 22_AUG.2022 08:22:59


CH140




Date: 22_AUG.2022 08:24:13

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.76	0.00	3.76	11.00	Complies
116	5580	4.30	0.00	4.30	11.00	Complies
140	5700	3.28	0.00	3.28	11.00	Complies



Date: 22_AUG.2022 08:38:07




Date: 22_AUG.2022 08:38:54




Date: 22_AUG.2022 08:39:39

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.76	0.00	2.76	11.00	Complies
116	5580	3.14	0.00	3.14	11.00	Complies
140	5700	2.52	0.00	2.52	11.00	Complies



Date: 22_AUG.2022 08:48:07



Date: 22_AUG.2022 08:48:30




Date: 22_AUG.2022 08:48:57

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.30	11.00	Complies
116	5580	6.77	11.00	Complies
140	5700	5.93	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.28	0.00	-2.28	11.00	Complies
110	5550	-0.31	0.00	-0.31	11.00	Complies
134	5670	-0.84	0.00	-0.84	11.00	Complies



Date: 24.AUG.2022 20:10:31




Date: 24.AUG.2022 16:15:16




Date: 24.AUG.2022 17:00:43

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.39	0.00	-2.39	11.00	Complies
110	5550	-0.79	0.00	-0.79	11.00	Complies
134	5670	-2.38	0.00	-2.38	11.00	Complies



Date: 24.AUG.2022 20:12:41



Date: 24.AUG.2022 20:12:11




Date: 24.AUG.2022 20:12:17

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.68	11.00	Complies
110	5550	2.47	11.00	Complies
134	5670	1.47	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.47	0.00	-3.47	11.00	Complies
122	5610	-3.02	0.00	-3.02	11.00	Complies




Date: 24.AUG.2022 17:17:54




Date: 24.AUG.2022 17:18:37

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.09	0.00	-4.09	11.00	Complies
122	5610	-3.80	0.00	-3.80	11.00	Complies



Date: 24.AUG.2022 20:34:22



Date: 24.AUG.2022 20:34:44


Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.76	11.00	Complies
122	5610	-0.38	11.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.74	0.00	-2.74	30.00	Complies
157	5785	-2.72	0.00	-2.72	30.00	Complies
165	5825	-3.68	0.00	-3.68	30.00	Complies

CH149




Date: 22_AUG.2022 08:25:57

CH157



Date: 22_AUG.2022 08:27:25




CH165



Date: 22_AUG.2022 08:28:15




Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.82	0.00	-2.82	30.00	Complies
157	5785	-2.95	0.00	-2.95	30.00	Complies
165	5825	-2.79	0.00	-2.79	30.00	Complies



Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.93	0.00	-3.93	30.00	Complies
157	5785	-4.18	0.00	-4.18	30.00	Complies
165	5825	-3.87	0.00	-3.87	30.00	Complies





Test Mode UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.33	30.00	Complies
157	5785	-0.51	30.00	Complies
165	5825	-0.29	30.00	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.01	0.00	-8.01	30.00	Complies
159	5795	-8.92	0.00	-8.92	30.00	Complies





Date: 24.AUG.2022 17:02:49

Date: 24.AUG.2022 20:32:12

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-9.11	0.00	-9.11	30.00	Complies
159	5795	-9.19	0.00	-9.19	30.00	Complies



Date: 24.AUG.2022 20:27:19


Date: 24.AUG.2022 20:27:42

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-5.51	30.00	Complies
159	5795	-6.04	30.00	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-11.62	0.00	-11.62	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-12.35	0.00	-12.35	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-8.96	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
102	5179.9750
120	5179.9750
138	5179.9748
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.8625

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9599
10	5179.9750
20	5179.9750
30	5179.9550
40	5179.9600
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	8.6848

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
102	5259.9950
120	5259.9600
138	5259.9600
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.6069

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9748
10	5259.9600
20	5259.9600
30	5259.9750
40	5259.9750
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.6069

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
102	5499.9600
120	5499.9750
138	5499.9750
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.2750

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9600
10	5499.9600
20	5499.9750
30	5499.9599
40	5499.9750
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.2932

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
102	5744.9800
120	5744.9550
138	5744.9599
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	7.8307

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9750
10	5744.9750
20	5744.9750
30	5744.9750
40	5744.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.3516

End of Test Report