


Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5745 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11490.00	45.97	8.06	54.03	74.00	-19.97	peak	150	291
2	*	11490.00	36.21	8.06	44.27	54.00	-9.73	AVG	150	291

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5785 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11570.00	46.29	8.00	54.29	74.00	-19.71	peak	150	96	
2	*	11570.00	36.57	8.00	44.57	54.00	-9.43	AVG	150	96	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5785 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11570.00	47.30	8.00	55.30	74.00	-18.70	peak	150	268	
2	*	11570.00	37.67	8.00	45.67	54.00	-8.33	AVG	150	268	

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5825 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Antenna Height cm	Table Degree	Comment
1		11650.00	46.47	7.97	54.44	74.00	-19.56	peak	150	96
2	*	11650.00	36.82	7.97	44.79	54.00	-9.21	AVG	150	96

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT20) Mode 5825 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11650.00	46.68	7.97	54.65	74.00	-19.35	peak	150	264	
2	*	11650.00	36.87	7.97	44.84	54.00	-9.16	AVG	150	264	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5755 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Antenna Height cm	Table Degree	Comment
1		11510.00	45.39	8.04	53.43	74.00	-20.57	peak	150	69
2	*	11510.00	35.65	8.04	43.69	54.00	-10.31	AVG	150	69

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5755 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11510.00	45.80	8.04	53.84	74.00	-20.16	peak	150	236	
2	*	11510.00	35.30	8.04	43.34	54.00	-10.66	AVG	150	236	


*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5795 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11590.00	46.24	8.01	54.25	74.00	-19.75	peak	150	81	
2	*	11590.00	36.95	8.01	44.96	54.00	-9.04	AVG	150	81	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX N (HT40) Mode 5795 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11590.00	46.54	8.01	54.55	74.00	-19.45	peak	150	249
2	*	11590.00	36.18	8.01	44.19	54.00	-9.81	AVG	150	249

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Antenna Height cm	Table Degree	Comment
1		10360.00	47.48	6.22	53.70	74.00	-20.30	peak	150	49
2	*	10360.00	37.45	6.22	43.67	54.00	-10.33	AVG	150	49

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		10360.00	44.77	6.22	50.99	74.00	-23.01	peak	150	279
2	*	10360.00	35.57	6.22	41.79	54.00	-12.21	AVG	150	279

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10400.00	46.95	6.35	53.30	74.00	-20.70	peak	150	99	
2	*	10400.00	37.49	6.35	43.84	54.00	-10.16	AVG	150	99	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10400.00	45.38	6.35	51.73	74.00	-22.27	peak	150	280	
2	*	10400.00	34.89	6.35	41.24	54.00	-12.76	AVG	150	280	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10480.00	46.69	6.61	53.30	74.00	-20.70	peak	150	82	
2	*	10480.00	37.08	6.61	43.69	54.00	-10.31	AVG	150	82	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10480.00	46.30	6.61	52.91	74.00	-21.09	peak	150	279	
2	*	10480.00	35.90	6.61	42.51	54.00	-11.49	AVG	150	279	

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5260 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10520.00	46.45	6.74	53.19	74.00	-20.81	peak	150	84	
2	*	10520.00	36.54	6.74	43.28	54.00	-10.72	AVG	150	84	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5260 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		10520.00	44.93	6.74	51.67	74.00	-22.33	peak	150	269
2	*	10520.00	34.75	6.74	41.49	54.00	-12.51	AVG	150	269

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5300 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10600.00	46.92	7.00	53.92	74.00	-20.08	peak	150	73	
2	*	10600.00	36.78	7.00	43.78	54.00	-10.22	AVG	150	73	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5300 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Antenna Height cm	Table Degree	Comment
1		10600.00	45.93	7.00	52.93	74.00	-21.07	peak	150	279
2	*	10600.00	35.78	7.00	42.78	54.00	-11.22	AVG	150	279

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5320 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	
1		10640.00	46.88	7.13	54.01	74.00	-19.99	peak	150	294
2	*	10640.00	37.08	7.13	44.21	54.00	-9.79	AVG	150	294

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5320 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		10640.00	46.27	7.13	53.40	74.00	-20.60	peak	150	274
2	*	10640.00	36.66	7.13	43.79	54.00	-10.21	AVG	150	274

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11000.00	44.58	8.32	52.90	74.00	-21.10	peak	150	69	
2	*	11000.00	34.43	8.32	42.75	54.00	-11.25	AVG	150	69	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11000.00	44.82	8.32	53.14	74.00	-20.86	peak	150	249	
2	*	11000.00	35.52	8.32	43.84	54.00	-10.16	AVG	150	249	


*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5600 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11200.00	42.37	8.21	50.58	74.00	-23.42	peak	150	81	
2	*	11200.00	32.15	8.21	40.36	54.00	-13.64	AVG	150	81	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5600 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11200.00	42.60	8.21	50.81	74.00	-23.19	peak	150	297	
2	*	11200.00	33.57	8.21	41.78	54.00	-12.22	AVG	150	297	


*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	
1		11400.00	44.54	8.10	52.64	74.00	-21.36	peak	150	96
2	*	11400.00	34.49	8.10	42.59	54.00	-11.41	AVG	150	96

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11400.00	44.38	8.10	52.48	74.00	-21.52	peak	150	293
2	*	11400.00	34.68	8.10	42.78	54.00	-11.22	AVG	150	293


*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10380.00	48.12	6.28	54.40	74.00	-19.60	peak	150	93	
2	*	10380.00	37.92	6.28	44.20	54.00	-9.80	AVG	150	93	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10380.00	46.70	6.28	52.98	74.00	-21.02	peak	150	278	
2	*	10380.00	36.29	6.28	42.57	54.00	-11.43	AVG	150	278	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Antenna Height cm	Table Degree	Comment
1		10460.00	48.66	6.55	55.21	74.00	-18.79	peak	150	63
2	*	10460.00	39.39	6.55	45.94	54.00	-8.06	AVG	150	63

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		10460.00	46.25	6.55	52.80	74.00	-21.20	peak	150	267
2	*	10460.00	35.63	6.55	42.18	54.00	-11.82	AVG	150	267

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10540.00	47.25	6.80	54.05	74.00	-19.95	peak	150	106	
2	*	10540.00	37.46	6.80	44.26	54.00	-9.74	AVG	150	106	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10540.00	47.02	6.80	53.82	74.00	-20.18	peak	150	249	
2	*	10540.00	36.87	6.80	43.67	54.00	-10.33	AVG	150	249	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	
1		10620.00	47.79	7.07	54.86	74.00	-19.14	peak	150	115
2	*	10620.00	37.20	7.07	44.27	54.00	-9.73	AVG	150	115

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		10620.00	47.16	7.07	54.23	74.00	-19.77	peak	150	251
2	*	10620.00	38.89	7.07	45.96	54.00	-8.04	AVG	150	251


*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11020.00	44.51	8.30	52.81	74.00	-21.19	peak	150	96	
2	*	11020.00	34.34	8.30	42.64	54.00	-11.36	AVG	150	96	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11020.00	42.24	8.30	50.54	74.00	-23.46	peak	150	321
2	*	11020.00	32.06	8.30	40.36	54.00	-13.64	AVG	150	321

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5590 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11180.00	44.65	8.23	52.88	74.00	-21.12	peak	150	79	
2	*	11180.00	34.44	8.23	42.67	54.00	-11.33	AVG	150	79	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5590 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11180.00	42.45	8.23	50.68	74.00	-23.32	peak	150	248	
2	*	11180.00	32.53	8.23	40.76	54.00	-13.24	AVG	150	248	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11340.00	45.72	8.14	53.86	74.00	-20.14	peak	150	94	
2	*	11340.00	34.84	8.14	42.98	54.00	-11.02	AVG	150	94	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11340.00	44.87	8.14	53.01	74.00	-20.99	peak	150	289	
2	*	11340.00	34.34	8.14	42.48	54.00	-11.52	AVG	150	289	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10420.00	47.99	6.41	54.40	74.00	-19.60	peak	150	131	
2	*	10420.00	37.49	6.41	43.90	54.00	-10.10	AVG	150	131	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		10420.00	49.07	6.41	55.48	74.00	-18.52	peak	150	268
2	*	10420.00	37.88	6.41	44.29	54.00	-9.71	AVG	150	268

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10580.00	47.92	6.94	54.86	74.00	-19.14	peak	150	125	
2	*	10580.00	37.03	6.94	43.97	54.00	-10.03	AVG	150	125	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10580.00	46.79	6.94	53.73	74.00	-20.27	peak	150	291	
2	*	10580.00	35.54	6.94	42.48	54.00	-11.52	AVG	150	291	


*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	
1		11060.00	44.03	8.28	52.31	74.00	-21.69	peak	150	68
2	*	11060.00	34.20	8.28	42.48	54.00	-11.52	AVG	150	68

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11060.00	43.26	8.28	51.54	74.00	-22.46	peak	150	287	
2	*	11060.00	32.27	8.28	40.55	54.00	-13.45	AVG	150	287	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11220.00	45.33	8.19	53.52	74.00	-20.48	peak	150	116
2	*	11220.00	34.29	8.19	42.48	54.00	-11.52	AVG	150	116

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Antenna Height cm	Table Degree	Comment
1		11220.00	42.45	8.19	50.64	74.00	-23.36	peak	150	311
2	*	11220.00	32.76	8.19	40.95	54.00	-13.05	AVG	150	311

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11490.00	44.87	8.06	52.93	74.00	-21.07	peak	150	86
2	*	11490.00	34.28	8.06	42.34	54.00	-11.66	AVG	150	86

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11490.00	44.78	8.06	52.84	74.00	-21.16	peak	150	279	
2	*	11490.00	34.63	8.06	42.69	54.00	-11.31	AVG	150	279	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Antenna Height cm	Table Degree	Comment
1		11570.00	44.69	8.00	52.69	74.00	-21.31	peak	150	94
2	*	11570.00	34.48	8.00	42.48	54.00	-11.52	AVG	150	94

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11570.00	45.03	8.00	53.03	74.00	-20.97	peak	150	287	
2	*	11570.00	35.16	8.00	43.16	54.00	-10.84	AVG	150	287	


*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11650.00	45.45	7.97	53.42	74.00	-20.58	peak	150	92	
2	*	11650.00	35.27	7.97	43.24	54.00	-10.76	AVG	150	92	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11650.00	44.92	7.97	52.89	74.00	-21.11	peak	150	289	
2	*	11650.00	34.67	7.97	42.64	54.00	-11.36	AVG	150	289	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11510.00	45.89	8.04	53.93	74.00	-20.07	peak	150	106
2	*	11510.00	35.60	8.04	43.64	54.00	-10.36	AVG	150	106

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11510.00	45.30	8.04	53.34	74.00	-20.66	peak	150	259	
2	*	11510.00	35.12	8.04	43.16	54.00	-10.84	AVG	150	259	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11590.00	45.74	8.01	53.75	74.00	-20.25	peak	150	104	
2	*	11590.00	35.91	8.01	43.92	54.00	-10.08	AVG	150	104	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11590.00	45.04	8.01	53.05	74.00	-20.95	peak	150	302	
2	*	11590.00	34.96	8.01	42.97	54.00	-11.03	AVG	150	302	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11550.00	46.67	8.02	54.69	74.00	-19.31	peak	150	98	
2	*	11550.00	36.34	8.02	44.36	54.00	-9.64	AVG	150	98	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11550.00	43.51	8.02	51.53	74.00	-22.47	peak	150	246	
2	*	11550.00	32.27	8.02	40.29	54.00	-13.71	AVG	150	246	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE20) Mode 5180 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10360.00	49.07	6.22	55.29	74.00	-18.71	peak	150	98	
2	*	10360.00	39.06	6.22	45.28	54.00	-8.72	AVG	150	98	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE20) Mode 5180 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10360.00	47.72	6.22	53.94	74.00	-20.06	peak	150	245	
2	*	10360.00	37.47	6.22	43.69	54.00	-10.31	AVG	150	245	


*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE20) Mode 5200 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10400.00	48.55	6.35	54.90	74.00	-19.10	peak	150	69	
2	*	10400.00	38.39	6.35	44.74	54.00	-9.26	AVG	150	69	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE20) Mode 5200 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10400.00	47.13	6.35	53.48	74.00	-20.52	peak	150	287	
2	*	10400.00	36.81	6.35	43.16	54.00	-10.84	AVG	150	287	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE20) Mode 5240 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10480.00	48.10	6.61	54.71	74.00	-19.29	peak	150	87	
2	*	10480.00	37.66	6.61	44.27	54.00	-9.73	AVG	150	87	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE20) Mode 5240 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10480.00	46.69	6.61	53.30	74.00	-20.70	peak	150	293	
2	*	10480.00	36.66	6.61	43.27	54.00	-10.73	AVG	150	293	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE20) Mode 5260 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		10520.00	46.81	6.74	53.55	74.00	-20.45	peak	150	76
2	*	10520.00	36.87	6.74	43.61	54.00	-10.39	AVG	150	76

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE20) Mode 5260 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10520.00	47.08	6.74	53.82	74.00	-20.18	peak	150	274	
2	*	10520.00	36.54	6.74	43.28	54.00	-10.72	AVG	150	274	


*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE20) Mode 5300 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10600.00	47.86	7.00	54.86	74.00	-19.14	peak	150	78	
2	*	10600.00	37.38	7.00	44.38	54.00	-9.62	AVG	150	78	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE20) Mode 5300 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10600.00	47.23	7.00	54.23	74.00	-19.77	peak	150	95	
2	*	10600.00	37.61	7.00	44.61	54.00	-9.39	AVG	150	95	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE20) Mode 5320 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		10640.00	47.52	7.13	54.65	74.00	-19.35	peak	150	99
2	*	10640.00	37.14	7.13	44.27	54.00	-9.73	AVG	150	99

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE20) Mode 5320 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	
1		10640.00	47.23	7.13	54.36	74.00	-19.64	peak	150	301
2	*	10640.00	37.08	7.13	44.21	54.00	-9.79	AVG	150	301

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE20) Mode 5500 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11000.00	45.23	8.32	53.55	74.00	-20.45	peak	150	98	
2	*	11000.00	35.59	8.32	43.91	54.00	-10.09	AVG	150	98	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE20) Mode 5500 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11000.00	44.21	8.32	52.53	74.00	-21.47	peak	150	258	
2	*	11000.00	34.17	8.32	42.49	54.00	-11.51	AVG	150	258	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE20) Mode 5600 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11200.00	44.67	8.21	52.88	74.00	-21.12	peak	150	263	
2	*	11200.00	33.93	8.21	42.14	54.00	-11.86	AVG	150	263	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE20) Mode 5600 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	
1		11200.00	43.47	8.21	51.68	74.00	-22.32	peak	150	279
2	*	11200.00	33.38	8.21	41.59	54.00	-12.41	AVG	150	279

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE20) Mode 5700 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11400.00	45.66	8.10	53.76	74.00	-20.24	peak	150	75	
2	*	11400.00	35.47	8.10	43.57	54.00	-10.43	AVG	150	75	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE20) Mode 5700 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11400.00	44.39	8.10	52.49	74.00	-21.51	peak	150	279	
2	*	11400.00	34.69	8.10	42.79	54.00	-11.21	AVG	150	279	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE40) Mode 5190 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		10380.00	48.62	6.28	54.90	74.00	-19.10	peak	150	100
2	*	10380.00	37.39	6.28	43.67	54.00	-10.33	AVG	150	100

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE40) Mode 5190 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Antenna Height cm	Table Degree	Comment
1		10380.00	48.20	6.28	54.48	74.00	-19.52	peak	150	287
2	*	10380.00	38.29	6.28	44.57	54.00	-9.43	AVG	150	287

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE40) Mode 5230 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10460.00	49.16	6.55	55.71	74.00	-18.29	peak	150	98	
2	*	10460.00	38.74	6.55	45.29	54.00	-8.71	AVG	150	98	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE40) Mode 5230 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10460.00	47.75	6.55	54.30	74.00	-19.70	peak	150	275	
2	*	10460.00	37.74	6.55	44.29	54.00	-9.71	AVG	150	275	

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE40) Mode 5270 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10540.00	46.75	6.80	53.55	74.00	-20.45	peak	150	113	
2	*	10540.00	35.68	6.80	42.48	54.00	-11.52	AVG	150	113	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE40) Mode 5270 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10540.00	47.02	6.80	53.82	74.00	-20.18	peak	150	274	
2	*	10540.00	36.49	6.80	43.29	54.00	-10.71	AVG	150	274	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE40) Mode 5310 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10620.00	47.29	7.07	54.36	74.00	-19.64	peak	150	108	
2	*	10620.00	37.43	7.07	44.50	54.00	-9.50	AVG	150	108	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE40) Mode 5310 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10620.00	47.16	7.07	54.23	74.00	-19.77	peak	150	236	
2	*	10620.00	37.11	7.07	44.18	54.00	-9.82	AVG	150	236	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE40) Mode 5510 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11020.00	44.01	8.30	52.31	74.00	-21.69	peak	150	86	
2	*	11020.00	34.39	8.30	42.69	54.00	-11.31	AVG	150	86	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE40) Mode 5510 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11020.00	43.24	8.30	51.54	74.00	-22.46	peak	150	239	
2	*	11020.00	33.33	8.30	41.63	54.00	-12.37	AVG	150	239	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE40) Mode 5590 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11180.00	44.15	8.23	52.38	74.00	-21.62	peak	150	121	
2	*	11180.00	34.61	8.23	42.84	54.00	-11.16	AVG	150	121	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE40) Mode 5590 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	
1		11180.00	42.45	8.23	50.68	74.00	-23.32	peak	150	279
2	*	11180.00	31.90	8.23	40.13	54.00	-13.87	AVG	150	279

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE40) Mode 5670 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	
1		11340.00	44.72	8.14	52.86	74.00	-21.14	peak	150	103
2	*	11340.00	34.45	8.14	42.59	54.00	-11.41	AVG	150	103

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE40) Mode 5670 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11340.00	44.87	8.14	53.01	74.00	-20.99	peak	150	288	
2	*	11340.00	34.60	8.14	42.74	54.00	-11.26	AVG	150	288	

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE80) Mode 5210 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10420.00	47.99	6.41	54.40	74.00	-19.60	peak	150	84	
2	*	10420.00	37.28	6.41	43.69	54.00	-10.31	AVG	150	84	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-1_TX AX (HE80) Mode 5210 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10420.00	47.57	6.41	53.98	74.00	-20.02	peak	150	269	
2	*	10420.00	36.08	6.41	42.49	54.00	-11.51	AVG	150	269	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE80) Mode 5290 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10580.00	46.92	6.94	53.86	74.00	-20.14	peak	150	101	
2	*	10580.00	36.84	6.94	43.78	54.00	-10.22	AVG	150	101	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2A_TX AX (HE80) Mode 5290 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		10580.00	45.79	6.94	52.73	74.00	-21.27	peak	150	255	
2	*	10580.00	34.75	6.94	41.69	54.00	-12.31	AVG	150	255	

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE80) Mode 5530 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	
1		11060.00	44.03	8.28	52.31	74.00	-21.69	peak	150	99
2	*	11060.00	34.39	8.28	42.67	54.00	-11.33	AVG	150	99

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE80) Mode 5530 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11060.00	42.26	8.28	50.54	74.00	-23.46	peak	150	239	
2	*	11060.00	32.21	8.28	40.49	54.00	-13.51	AVG	150	239	

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE80) Mode 5610 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11220.00	45.33	8.19	53.52	74.00	-20.48	peak	150	97	
2	*	11220.00	35.46	8.19	43.65	54.00	-10.35	AVG	150	97	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-2C_TX AX (HE80) Mode 5610 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Antenna Height cm	Table Degree	Comment
1		11220.00	42.95	8.19	51.14	74.00	-22.86	peak	150	233
2	*	11220.00	32.00	8.19	40.19	54.00	-13.81	AVG	150	233


*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE20) Mode 5745 MHz

Vertical

80.0 dBuV/m




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11490.00	44.87	8.06	52.93	74.00	-21.07	peak	150	82	
2	*	11490.00	34.51	8.06	42.57	54.00	-11.43	AVG	150	82	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE20) Mode 5745 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11490.00	45.78	8.06	53.84	74.00	-20.16	peak	150	246
2	*	11490.00	35.39	8.06	43.45	54.00	-10.55	AVG	150	246

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE20) Mode 5785 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11570.00	44.69	8.00	52.69	74.00	-21.31	peak	150	91	
2	*	11570.00	34.94	8.00	42.94	54.00	-11.06	AVG	150	91	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE20) Mode 5785 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11570.00	46.53	8.00	54.53	74.00	-19.47	peak	150	257	
2	*	11570.00	36.28	8.00	44.28	54.00	-9.72	AVG	150	257	

*:Maximum data x:Over limit !:over margin

<Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE20) Mode 5825 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11650.00	44.95	7.97	52.92	74.00	-21.08	peak	150	104
2	*	11650.00	34.78	7.97	42.75	54.00	-11.25	AVG	150	104

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE20) Mode 5825 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11650.00	45.92	7.97	53.89	74.00	-20.11	peak	150	249	
2	*	11650.00	35.29	7.97	43.26	54.00	-10.74	AVG	150	249	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE40) Mode 5755 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11510.00	46.39	8.04	54.43	74.00	-19.57	peak	150	105
2	*	11510.00	35.25	8.04	43.29	54.00	-10.71	AVG	150	105

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE40) Mode 5755 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11510.00	45.30	8.04	53.34	74.00	-20.66	peak	150	245
2	*	11510.00	34.15	8.04	42.19	54.00	-11.81	AVG	150	245

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE40) Mode 5795 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11590.00	46.24	8.01	54.25	74.00	-19.75	peak	150	81	
2	*	11590.00	36.66	8.01	44.67	54.00	-9.33	AVG	150	81	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE40) Mode 5795 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	cm	degree	Comment
1		11590.00	45.54	8.01	53.55	74.00	-20.45	peak	150	85
2	*	11590.00	34.50	8.01	42.51	54.00	-11.49	AVG	150	85

*:Maximum data x:Over limit !:over margin

⟨Reference Only

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE80) Mode 5775 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11550.00	45.17	8.02	53.19	74.00	-20.81	peak	150	117	
2	*	11550.00	35.55	8.02	43.57	54.00	-10.43	AVG	150	117	

*:Maximum data x:Over limit !:over margin

(Reference Only)

Orthogonal Axis	X
Test Mode	UNII-3_TX AX (HE80) Mode 5775 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dB/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11550.00	44.01	8.02	52.03	74.00	-21.97	peak	150	299	
2	*	11550.00	32.17	8.02	40.19	54.00	-13.81	AVG	150	299	

*:Maximum data x:Over limit !:over margin

⟨Reference Only

6 BANDWIDTH TEST

6.1 LIMIT

FCC Part15, Subpart E (15.407) RSS-Gen and RSS-247			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a) 15.407(e)	26 dB Bandwidth	-	5150-5250
RSS-247 6.2.1.1 RSS-247 6.2.4.1	6dB Bandwidth	Minimum 500 kHz	5725-5850

6.2 TEST PROCEDURE AND SETTING

a. The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram below

b. Spectrum Setting:

For UNII-1:

Spectrum Parameter	Setting
Attenuation	Auto
Span Frequency	> 26dB Bandwidth
RBW	300 kHz (Bandwidth 20 MHz) 1 MHz (Bandwidth 40 MHz and 80 MHz)
VBW	1 MHz (Bandwidth 20 MHz) 3 MHz (Bandwidth 40 MHz and 80 MHz)
Detector	Peak
Trace	Max Hold
Sweep Time	Auto


For UNII-3:

Spectrum Parameter	Setting
Attenuation	Auto
Span Frequency	6dB Bandwidth
RBW	100 kHz
VBW	300 kHz
Detector	Peak
Trace	Max Hold
Sweep Time	Auto

c. Measured the spectrum width with power higher than 26dB / 6dB below carrier.

6.3 MEASUREMENT INSTRUMENTS LIST


Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	Spectrum analyzer	KEYSIGHT	N9010A	MY55150427	2023/05/26
2	Attenuator	Mini-Circuits	BW-S10W2	101109	N/A
3	RF Cable	Mi-cable	C10-01-01-1	100309	N/A

6.4 TEST SETUP**6.5 EUT OPERATION CONDITIONS**


The EUT was programmed to be in continuously transmitting mode.

6.6 TEST RESULTS

UNII-1_TX A Mode			
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	25.80	17.198
40	5200	21.07	16.927
48	5240	21.34	16.938




UNII-2A_TX A Mode			
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.52	16.896
60	5300	21.42	16.890
64	5320	21.23	16.872




UNII-2C_TX A Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.45	16.980
120	5600	21.44	16.900
140	5700	21.65	16.851

CH100



CH120




CH140




UNII-1_TX N (HT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	22.62	18.080
40	5200	21.53	18.044
48	5240	21.28	18.021


CH36



CH40




CH48




UNII-2A_TX N (HT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.49	17.980
60	5300	21.49	18.018
64	5320	21.57	18.033


CH52



CH60




CH64




UNII-2C_TX N (HT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.80	18.029
120	5600	21.72	18.070
140	5700	21.73	18.049


CH100



CH120




CH140




UNII-1_TX N (HT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	65.11	36.935
46	5230	40.57	36.814

CH38




CH46




UNII-2A_TX N (HT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	43.69	36.761
62	5310	40.67	36.686

CH54




CH62




UNII-2C_TX N (HT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	57.38	36.831
118	5590	60.42	36.958
134	5670	73.44	37.001


CH102



CH118



CH134




UNII-3 TX A Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
149	5745	16.33	16.945	500	PASS
157	5785	16.29	16.832	500	PASS
165	5825	16.32	16.944	500	PASS

6 dB Bandwidth


CH149



CH157




CH165




99% Emission Bandwidth


CH149



CH157



CH165




UNII-3_TX N (HT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
149	5745	17.77	18.053	500	PASS
157	5785	17.72	18.037	500	PASS
165	5825	17.74	18.036	500	PASS

6 dB Bandwidth


CH149



CH157




CH165




99% Emission Bandwidth


CH149



CH157



CH165




UNII-3_TX N (HT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
151	5755	36.54	37.048	500	PASS
159	5795	36.41	37.252	500	PASS

6 dB Bandwidth

CH151




CH159




99% Emission Bandwidth

CH151




CH159




UNII-1_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.76	17.993
40	5200	21.71	17.957
48	5240	21.96	18.037


CH36



CH40




CH48




UNII-2A_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.64	18.021
60	5300	21.77	18.117
64	5320	21.62	18.030


CH52



CH60




CH64




UNII-2C_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.77	18.022
120	5600	21.71	18.002
140	5700	21.93	18.085

CH100



CH120




CH140




UNII-1_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.10	36.371
46	5230	39.75	36.401

CH38




CH46




UNII-2A_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	39.57	36.333
62	5310	39.33	36.314

CH54




CH62




UNII-2C_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	39.68	36.421
118	5590	39.90	36.376
134	5670	39.91	36.418


CH102



CH118




CH134



UNII-1_TX AC (VHT80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	80.85	75.885


CH42



UNII-2A_TX AC (VHT80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	80.23	75.835


CH58




UNII-2C_TX AC (VHT80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	79.79	75.807
122	5610	79.94	75.862

CH106



CH122




UNII-3_TX AC (VHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
149	5745	17.77	18.048	500	PASS
157	5785	17.70	18.029	500	PASS
165	5825	17.73	18.117	500	PASS

6 dB Bandwidth


CH149



CH157




CH165




99% Emission Bandwidth


CH149



CH157



CH165




UNII-3_TX AC (VHT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
151	5755	36.52	36.447	500	PASS
159	5795	36.48	36.464	500	PASS

6 dB Bandwidth

CH151




CH159




99% Emission Bandwidth

CH151




CH159



UNII-3_TX AC (VHT80) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99% Emission Bandwidth(MHz)	6dB Bandwidth Min. Limit(kHz)	Result
155	5775	76.48	75.898	500	PASS

**6 dB Bandwidth
CH155**



**99% Emission Bandwidth
CH155**

