


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11589.6600	21.11	16.06	37.17	54.00	-16.83	AVG	
2	11594.9800	32.06	16.06	48.12	74.00	-25.88	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5798.4000	59.73	43.78	103.51	122.20	-18.69	Peak	
2	5798.6000	50.29	43.78	94.07	122.20	-28.13	AVG	
3	5850.0000	17.43	43.94	61.37	122.20	-60.83	Peak	
4	5850.0000	4.53	43.94	48.47	122.20	-73.73	AVG	
5	5860.0000	12.24	43.97	56.21	109.40	-53.19	Peak	
6	5860.0000	2.23	43.97	46.20	109.40	-63.20	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11589.7900	22.17	16.06	38.23	54.00	-15.77	AVG	
2	11594.1300	33.17	16.06	49.23	74.00	-24.77	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	12.35	41.10	53.45	68.30	-14.85	Peak	
2	5150.0000	3.65	41.10	44.75	54.00	-9.25	AVG	
3 *	5178.0000	55.32	41.24	96.56	54.00	42.56	AVG	No Limit
4	5179.4000	64.43	41.25	105.68	68.30	37.38	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10356.2600	33.53	14.81	48.34	68.30	-19.96	Peak	
2	10360.3800	23.59	14.82	38.41	999.00	-960.59	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	10.26	41.10	51.36	68.30	-16.94	Peak	
2	5150.0000	1.58	41.10	42.68	54.00	-11.32	AVG	
3 *	5182.1000	52.67	41.26	93.93	54.00	39.93	AVG	No Limit
4	5182.7000	61.60	41.27	102.87	68.30	34.57	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10359.6800	22.41	14.82	37.23	999.00	-961.77	AVG	
2 *	10367.3200	32.30	14.83	47.13	68.30	-21.17	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5201.2000	54.04	40.55	94.59	54.00	40.59	AVG	No Limit
2	5201.5000	62.91	40.56	103.47	68.30	35.17	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10399.4000	23.20	14.90	38.10	999.00	-960.90	AVG	
2 *	10403.3400	33.46	14.90	48.36	68.30	-19.94	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5202.1000	52.54	40.56	93.10	54.00	39.10	AVG	No Limit
2	5202.5000	62.22	40.56	102.78	68.30	34.48	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10394.8000	32.55	14.89	47.44	68.30	-20.86	Peak	
2	10397.4000	22.00	14.89	36.89	999.00	-962.11	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5237.7000	62.88	40.74	103.62	68.30	35.32	Peak	No Limit
2 *	5242.1000	53.25	40.76	94.01	54.00	40.01	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10480.7400	23.03	15.06	38.09	999.00	-960.91	AVG	
2 *	10483.3000	33.36	15.06	48.42	68.30	-19.88	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5242.1000	62.48	40.76	103.24	68.30	34.94	Peak	No Limit
2 *	5242.1000	53.24	40.76	94.00	54.00	40.00	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10479.9000	21.84	15.06	36.90	999.00	-962.10	AVG	
2 *	10485.3400	31.55	15.07	46.62	68.30	-21.68	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	15.24	41.10	56.34	68.30	-11.96	Peak	
2	5150.0000	5.55	41.10	46.65	54.00	-7.35	AVG	
3 *	5185.4000	52.90	41.28	94.18	54.00	40.18	AVG	No Limit
4	5186.6000	64.16	41.29	105.45	68.30	37.15	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10380.4000	22.99	14.86	37.85	999.00	-961.15	AVG	
2 *	10381.4000	32.29	14.86	47.15	68.30	-21.15	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	10.26	41.10	51.36	68.30	-16.94	Peak	
2	5150.0000	2.23	41.10	43.33	54.00	-10.67	AVG	
3 *	5185.2000	49.67	41.28	90.95	54.00	36.95	AVG	No Limit
4	5192.4000	60.35	41.32	101.67	68.30	33.37	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10375.8000	22.25	14.85	37.10	999.00	-961.90	AVG	
2 *	10380.4000	32.11	14.86	46.97	68.30	-21.33	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5226.6000	63.35	41.49	104.84	68.30	36.54	Peak	No Limit
2 *	5233.0000	51.92	41.52	93.44	54.00	39.44	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10451.7500	33.81	15.00	48.81	68.30	-19.49	Peak	
2	10460.0500	23.44	15.02	38.46	999.00	-960.54	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5235.4000	60.49	41.54	102.03	68.30	33.73	Peak	No Limit
2 *	5235.4000	49.77	41.54	91.31	54.00	37.31	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10450.2000	33.06	15.00	48.06	68.30	-20.24	Peak	
2	10459.0000	22.47	15.01	37.48	999.00	-961.52	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	23.52	41.10	64.62	68.30	-3.68	Peak	
2	5150.0000	9.25	41.10	50.35	54.00	-3.65	AVG	
3	5199.6000	61.88	41.35	103.23	68.30	34.93	Peak	No Limit
4 *	5205.2000	48.04	41.38	89.42	54.00	35.42	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10420.4900	23.31	14.94	38.25	999.00	-960.75	AVG	
2 *	10421.8700	32.79	14.94	47.73	68.30	-20.57	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	13.41	41.10	54.51	68.30	-13.79	Peak	
2	5150.0000	4.77	41.10	45.87	54.00	-8.13	AVG	
3 *	5218.0000	44.15	41.45	85.60	54.00	31.60	AVG	No Limit
4	5242.4000	57.43	41.57	99.00	68.30	30.70	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10417.3400	31.59	14.93	46.52	68.30	-21.78	Peak	
2	10417.3700	22.00	14.93	36.93	999.00	-962.07	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5255.6000	63.50	41.64	105.14	68.30	36.84	Peak	No Limit
2 *	5262.2000	54.02	41.67	95.69	54.00	41.69	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10517.5800	33.97	15.08	49.05	68.30	-19.25	Peak	
2	10520.0400	23.14	15.08	38.22	999.00	-960.78	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5261.2000	52.88	41.67	94.55	54.00	40.55	AVG	No Limit
2	5262.3000	62.97	41.67	104.64	68.30	36.34	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10520.5000	22.31	15.08	37.39	999.00	-961.61	AVG	
2 *	10520.7200	32.76	15.08	47.84	68.30	-20.46	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5297.6000	64.53	41.85	106.38	68.30	38.08	Peak	No Limit
2 *	5297.9000	55.24	41.85	97.09	54.00	43.09	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10599.9000	23.36	15.02	38.38	999.00	-960.62	AVG	
2 *	10600.8600	34.22	15.02	49.24	74.00	-24.76	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5298.7000	62.75	41.86	104.61	68.30	36.31	Peak	No Limit
2 *	5302.2000	53.33	41.88	95.21	54.00	41.21	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10599.0000	33.05	15.02	48.07	68.30	-20.23	Peak	
2 *	10600.0199	22.53	15.02	37.55	54.00	-16.45	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5319.0000	55.04	41.96	97.00	54.00	43.00	AVG	No Limit
2	5325.6000	64.60	41.99	106.59	68.30	38.29	Peak	No Limit
3	5350.0000	12.22	42.12	54.34	68.30	-13.96	Peak	
4	5350.0000	4.45	42.12	46.57	54.00	-7.43	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10638.2800	33.59	14.99	48.58	74.00	-25.42	Peak	
2 *	10640.3200	23.46	14.99	38.45	54.00	-15.55	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5321.2000	52.94	41.97	94.91	54.00	40.91	AVG	No Limit
2	5322.4000	63.73	41.98	105.71	68.30	37.41	Peak	No Limit
3	5350.0000	9.56	42.12	51.68	68.30	-16.62	Peak	
4	5350.0000	1.87	42.12	43.99	54.00	-10.01	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10640.9400	22.66	14.99	37.65	54.00	-16.35	AVG	
2	10643.8600	32.77	14.99	47.76	74.00	-26.24	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5268.8000	62.81	41.71	104.52	68.30	36.22	Peak	No Limit
2 *	5272.6000	52.05	41.72	93.77	54.00	39.77	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10538.1500	22.99	15.07	38.06	999.00	-960.94	AVG	
2 *	10547.2500	33.20	15.06	48.26	68.30	-20.04	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5265.2000	49.57	41.69	91.26	54.00	37.26	AVG	No Limit
2	5272.4000	60.17	41.72	101.89	68.30	33.59	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10545.7500	22.14	15.06	37.20	999.00	-961.80	AVG	
2 *	10563.3000	32.41	15.05	47.46	68.30	-20.84	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5311.6000	63.19	41.92	105.11	68.30	36.81	Peak	No Limit
2 *	5313.0000	53.18	41.93	95.11	54.00	41.11	AVG	No Limit
3	5350.0000	16.77	42.12	58.89	68.30	-9.41	Peak	
4	5350.0000	6.09	42.12	48.21	54.00	-5.79	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10620.2600	22.83	15.01	37.84	54.00	-16.16	AVG	
2	10626.1800	34.40	15.00	49.40	74.00	-24.60	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5305.0000	49.57	41.89	91.46	54.00	37.46	AVG	No Limit
2	5314.0000	58.97	41.94	100.91	68.30	32.61	Peak	No Limit
3	5350.0000	10.79	42.12	52.91	68.30	-15.39	Peak	
4	5350.0000	2.33	42.12	44.45	54.00	-9.55	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10621.6000	22.37	15.01	37.38	54.00	-16.62	AVG	
2	10621.9200	33.62	15.01	48.63	74.00	-25.37	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5295.6000	61.30	41.84	103.14	68.30	34.84	Peak	No Limit
2 *	5306.0000	47.19	41.89	89.08	54.00	35.08	AVG	No Limit
3	5350.0000	18.80	42.12	60.92	68.30	-7.38	Peak	
4	5350.0000	7.52	42.12	49.64	54.00	-4.36	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10580.2000	22.29	15.04	37.33	999.00	-961.67	AVG	
2 *	10583.6700	33.19	15.03	48.22	68.30	-20.08	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5295.2000	54.21	41.84	96.05	68.30	27.75	Peak	No Limit
2 *	5304.0000	41.40	41.88	83.28	54.00	29.28	AVG	No Limit
3	5350.0000	13.09	42.12	55.21	68.30	-13.09	Peak	
4	5350.0000	2.74	42.12	44.86	54.00	-9.14	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10576.0800	32.42	15.04	47.46	68.30	-20.84	Peak	
2	10583.9000	21.83	15.03	36.86	999.00	-962.14	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	10.65	42.68	53.33	68.30	-14.97	Peak	
2	5460.0000	3.16	42.68	45.84	54.00	-8.16	AVG	
3	5470.0000	10.44	42.73	53.17	68.30	-15.13	Peak	
4	5470.0000	3.53	42.73	46.26	54.00	-7.74	AVG	
5 *	5497.9000	54.54	42.87	97.41	54.00	43.41	AVG	No Limit
6	5501.6000	64.20	42.88	107.08	68.30	38.78	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10999.6900	32.95	14.73	47.68	74.00	-26.32	Peak	
2 *	11004.5100	23.34	14.74	38.08	54.00	-15.92	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	11.21	42.68	53.89	68.30	-14.41	Peak	
2	5460.0000	1.38	42.68	44.06	54.00	-9.94	AVG	
3	5470.0000	11.76	42.73	54.49	68.30	-13.81	Peak	
4	5470.0000	1.72	42.73	44.45	54.00	-9.55	AVG	
5	5501.1000	61.38	42.88	104.26	68.30	35.96	Peak	No Limit
6 *	5502.1000	52.26	42.89	95.15	54.00	41.15	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10998.6300	31.85	14.73	46.58	74.00	-27.42	Peak	
2 *	10999.7800	22.08	14.73	36.81	54.00	-17.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5577.7000	65.78	43.11	108.89	68.30	40.59	Peak	No Limit
2 *	5581.2000	55.69	43.13	98.82	54.00	44.82	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11158.4000	22.21	15.12	37.33	54.00	-16.67	AVG	
2	11160.3500	33.23	15.12	48.35	74.00	-25.65	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5581.9000	62.04	43.13	105.17	68.30	36.87	Peak	No Limit
2 *	5582.2000	52.07	43.13	95.20	54.00	41.20	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11158.6300	21.71	15.12	36.83	54.00	-17.17	AVG	
2	11161.8700	32.48	15.13	47.61	74.00	-26.39	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5697.9000	54.54	43.48	98.02	54.00	44.02	AVG	No Limit
2	5701.7000	63.47	43.49	106.96	68.30	38.66	Peak	No Limit
3	5725.0000	12.55	43.56	56.11	68.30	-12.19	Peak	
4	5725.0000	3.52	43.56	47.08	54.00	-6.92	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11397.0199	33.58	15.70	49.28	74.00	-24.72	Peak	
2 *	11400.4200	22.71	15.71	38.42	54.00	-15.58	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5702.3000	59.40	43.49	102.89	68.30	34.59	Peak	No Limit
2 *	5702.3000	50.38	43.49	93.87	54.00	39.87	AVG	No Limit
3	5725.0000	10.60	43.56	54.16	68.30	-14.14	Peak	
4	5725.0000	1.63	43.56	45.19	54.00	-8.81	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11396.1800	32.54	15.70	48.24	74.00	-25.76	Peak	
2 *	11399.3900	21.38	15.71	37.09	54.00	-16.91	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	13.66	42.68	56.34	68.30	-11.96	Peak	
2	5460.0000	3.56	42.68	46.24	54.00	-7.76	AVG	
3	5470.0000	21.58	42.73	64.31	68.30	-3.99	Peak	
4	5470.0000	7.85	42.73	50.58	54.00	-3.42	AVG	
5	5499.0000	63.01	42.87	105.88	68.30	37.58	Peak	No Limit
6 *	5507.4000	52.97	42.90	95.87	54.00	41.87	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11020.0100	21.63	14.78	36.41	54.00	-17.59	AVG	
2	11021.2600	32.80	14.78	47.58	74.00	-26.42	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	10.37	42.68	53.05	68.30	-15.25	Peak	
2	5460.0000	2.01	42.68	44.69	54.00	-9.31	AVG	
3	5470.0000	16.51	42.73	59.24	68.30	-9.06	Peak	
4	5470.0000	4.86	42.73	47.59	54.00	-6.41	AVG	
5	5505.8000	58.83	42.90	101.73	68.30	33.43	Peak	No Limit
6 *	5513.0000	48.66	42.92	91.58	54.00	37.58	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11020.1000	21.46	14.78	36.24	54.00	-17.76	AVG	
2	11020.5199	32.46	14.78	47.24	74.00	-26.76	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5547.0000	53.51	43.02	96.53	54.00	42.53	AVG	No Limit
2	5551.0000	62.89	43.03	105.92	68.30	37.62	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11097.6300	33.12	14.97	48.09	74.00	-25.91	Peak	
2 *	11099.9600	22.52	14.97	37.49	54.00	-16.51	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5544.8000	48.39	43.02	91.41	54.00	37.41	AVG	No Limit
2	5551.0000	58.31	43.03	101.34	68.30	33.04	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11099.1800	21.63	14.97	36.60	54.00	-17.40	AVG	
2	11099.7600	32.28	14.97	47.25	74.00	-26.75	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5663.8000	62.63	43.37	106.00	68.30	37.70	Peak	No Limit
2 *	5674.8000	52.58	43.41	95.99	54.00	41.99	AVG	No Limit
3	5725.0000	10.01	43.56	53.57	68.30	-14.73	Peak	
4	5725.0000	2.06	43.56	45.62	54.00	-8.38	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11337.5599	32.46	15.56	48.02	74.00	-25.98	Peak	
2 *	11339.7900	22.38	15.56	37.94	54.00	-16.06	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5673.0000	46.58	43.40	89.98	54.00	35.98	AVG	No Limit
2	5673.8000	57.51	43.40	100.91	68.30	32.61	Peak	No Limit
3	5725.0000	11.23	43.56	54.79	68.30	-13.51	Peak	
4	5725.0000	0.91	43.56	44.47	54.00	-9.53	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11341.4300	21.99	15.57	37.56	54.00	-16.44	AVG	
2	11343.8800	31.56	15.57	47.13	74.00	-26.87	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	16.46	42.68	59.14	68.30	-9.16	Peak	
2	5460.0000	5.97	42.68	48.65	54.00	-5.35	AVG	
3	5470.0000	19.47	42.73	62.20	68.30	-6.10	Peak	
4	5470.0000	7.27	42.73	50.00	54.00	-4.00	AVG	
5	5514.0000	44.84	42.92	87.76	54.00	33.76	AVG	No Limit
6 *	5519.2000	59.21	42.94	102.15	68.30	33.85	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11061.0400	32.49	14.88	47.37	74.00	-26.63	Peak	
2 *	11062.2300	22.65	14.88	37.53	54.00	-16.47	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	10.22	42.68	52.90	68.30	-15.40	Peak	
2	5460.0000	2.19	42.68	44.87	54.00	-9.13	AVG	
3	5470.0000	14.38	42.73	57.11	68.30	-11.19	Peak	
4	5470.0000	2.82	42.73	45.55	54.00	-8.45	AVG	
5 *	5522.8000	39.28	42.95	82.23	54.00	28.23	AVG	No Limit
6	5542.4000	52.75	43.01	95.76	68.30	27.46	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11057.9200	31.58	14.87	46.45	74.00	-27.55	Peak	
2 *	11059.9900	21.82	14.88	36.70	54.00	-17.30	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5606.0000	48.83	43.20	92.03	54.00	38.03	AVG	No Limit
2	5607.6000	61.22	43.20	104.42	68.30	36.12	Peak	No Limit
3	5725.0000	12.42	43.56	55.98	68.30	-12.32	Peak	
4	5725.0000	2.33	43.56	45.89	54.00	-8.11	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11217.1100	33.23	15.26	48.49	74.00	-25.51	Peak	
2 *	11220.0900	21.76	15.27	37.03	54.00	-16.97	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5601.2000	56.86	43.19	100.05	68.30	31.75	Peak	No Limit
2 *	5604.0000	42.69	43.19	85.88	54.00	31.88	AVG	No Limit
3	5725.0000	11.54	43.56	55.10	68.30	-13.20	Peak	
4	5725.0000	0.83	43.56	44.39	54.00	-9.61	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11220.1300	20.75	15.27	36.02	54.00	-17.98	AVG	
2	11220.9100	31.56	15.27	46.83	74.00	-27.17	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	13.34	43.53	56.87	109.40	-52.53	Peak	
2	5715.0000	2.79	43.53	46.32	109.40	-63.08	AVG	
3	5725.0000	21.96	43.56	65.52	122.20	-56.68	Peak	
4	5725.0000	9.84	43.56	53.40	122.20	-68.80	AVG	
5	5743.0000	54.58	43.61	98.19	122.20	-24.01	AVG	
6 *	5744.4000	63.64	43.62	107.26	122.20	-14.94	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11486.7200	22.65	15.92	38.57	54.00	-15.43	AVG	
2	11494.5100	32.43	15.94	48.37	74.00	-25.63	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	9.38	43.53	52.91	109.40	-56.49	Peak	
2	5715.0000	1.15	43.53	44.68	109.40	-64.72	AVG	
3	5725.0000	16.14	43.56	59.70	122.20	-62.50	Peak	
4	5725.0000	6.36	43.56	49.92	122.20	-72.28	AVG	
5 *	5744.4000	60.26	43.62	103.88	122.20	-18.32	Peak	
6	5747.2000	50.34	43.63	93.97	122.20	-28.23	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11488.3300	31.29	15.93	47.22	74.00	-26.78	Peak	
2 *	11489.4700	21.01	15.93	36.94	54.00	-17.06	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5786.2000	54.08	43.74	97.82	122.20	-24.38	AVG	
2 *	5786.8000	63.47	43.75	107.22	122.20	-14.98	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Vertical


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11649.9000	33.46	16.12	49.58	74.00	-24.42	Peak	
2 *	11650.9200	22.69	16.13	38.82	54.00	-15.18	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5783.8000	58.43	43.74	102.17	122.20	-20.03	Peak	
2	5787.2000	49.73	43.75	93.48	122.20	-28.72	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11645.0199	32.41	16.12	48.53	74.00	-25.47	Peak	
2 *	11652.5500	21.79	16.13	37.92	54.00	-16.08	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5827.2000	55.28	43.87	99.15	122.20	-23.05	AVG	
2 *	5827.6000	63.20	43.87	107.07	122.20	-15.13	Peak	
3	5850.0000	14.81	43.94	58.75	122.20	-63.45	Peak	
4	5850.0000	4.87	43.94	48.81	122.20	-73.39	AVG	
5	5860.0000	9.78	43.97	53.75	109.40	-55.65	Peak	
6	5860.0000	2.44	43.97	46.41	109.40	-62.99	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11649.8700	21.40	16.12	37.52	54.00	-16.48	AVG	
2	11651.8800	32.84	16.13	48.97	74.00	-25.03	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5825.7000	58.78	43.86	102.64	122.20	-19.56	Peak	
2	5826.2000	50.56	43.87	94.43	122.20	-27.77	AVG	
3	5850.0000	12.88	43.94	56.82	122.20	-65.38	Peak	
4	5850.0000	1.91	43.94	45.85	122.20	-76.35	AVG	
5	5860.0000	8.27	43.97	52.24	109.40	-57.16	Peak	
6	5860.0000	0.76	43.97	44.73	109.40	-64.67	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11648.3300	31.16	16.12	47.28	74.00	-26.72	Peak	
2 *	11649.7000	20.70	16.12	36.82	54.00	-17.18	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	22.01	43.53	65.54	109.40	-43.86	Peak	
2	5715.0000	8.21	43.53	51.74	109.40	-57.66	AVG	
3	5725.0000	23.55	43.56	67.11	122.20	-55.09	Peak	
4	5725.0000	12.13	43.56	55.69	122.20	-66.51	AVG	
5 *	5743.8000	61.36	43.62	104.98	122.20	-17.22	Peak	
6	5748.2000	51.56	43.63	95.19	122.20	-27.01	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11509.9500	22.41	15.97	38.38	54.00	-15.62	AVG	
2	11511.5000	33.01	15.97	48.98	74.00	-25.02	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	14.95	43.53	58.48	109.40	-50.92	Peak	
2	5715.0000	4.31	43.53	47.84	109.40	-61.56	AVG	
3	5725.0000	21.80	43.56	65.36	122.20	-56.84	Peak	
4	5725.0000	8.13	43.56	51.69	122.20	-70.51	AVG	
5 *	5753.4000	55.55	43.65	99.20	122.20	-23.00	Peak	
6	5758.0000	46.30	43.66	89.96	122.20	-32.24	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11509.3600	32.13	15.97	48.10	74.00	-25.90	Peak	
2 *	11511.5100	21.73	15.97	37.70	54.00	-16.30	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5798.2000	51.73	43.78	95.51	122.20	-26.69	AVG	
2 *	5800.8000	61.25	43.79	105.04	122.20	-17.16	Peak	
3	5850.0000	10.35	43.94	54.29	122.20	-67.91	Peak	
4	5850.0000	1.96	43.94	45.90	122.20	-76.30	AVG	
5	5860.0000	10.93	43.97	54.90	109.40	-54.50	Peak	
6	5860.0000	1.80	43.97	45.77	109.40	-63.63	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11585.4600	32.28	16.05	48.33	74.00	-25.67	Peak	
2 *	11589.7500	22.01	16.06	38.07	54.00	-15.93	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5788.2000	45.29	43.75	89.04	122.20	-33.16	AVG	
2 *	5803.8000	55.40	43.80	99.20	122.20	-23.00	Peak	
3	5850.0000	9.60	43.94	53.54	122.20	-68.66	Peak	
4	5850.0000	0.65	43.94	44.59	122.20	-77.61	AVG	
5	5860.0000	8.64	43.97	52.61	109.40	-56.79	Peak	
6	5860.0000	0.50	43.97	44.47	109.40	-64.93	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11586.7800	31.11	16.05	47.16	74.00	-26.84	Peak	
2 *	11589.9800	21.07	16.06	37.13	54.00	-16.87	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	19.18	43.53	62.71	109.40	-46.69	Peak	
2	5715.0000	9.11	43.53	52.64	109.40	-56.76	AVG	
3	5725.0000	18.92	43.56	62.48	122.20	-59.72	Peak	
4	5725.0000	9.74	43.56	53.30	122.20	-68.90	AVG	
5 *	5751.4000	59.96	43.64	103.60	122.20	-18.60	Peak	
6	5762.2000	46.72	43.67	90.39	122.20	-31.81	AVG	
7	5850.0000	14.70	43.94	58.64	122.20	-63.56	Peak	
8	5850.0000	4.22	43.94	48.16	122.20	-74.04	AVG	
9	5860.0000	18.58	43.97	62.55	109.40	-46.85	Peak	
10	5860.0000	3.71	43.97	47.68	109.40	-61.72	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	32.65	16.01	48.66	74.00	-25.34	Peak	
2 *	11550.0000	22.79	16.01	38.80	54.00	-15.20	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	16.01	43.53	59.54	109.40	-49.86	Peak	
2	5715.0000	4.59	43.53	48.12	109.40	-61.28	AVG	
3	5725.0000	15.98	43.56	59.54	122.20	-62.66	Peak	
4	5725.0000	5.56	43.56	49.12	122.20	-73.08	AVG	
5	5769.4000	39.70	43.69	83.39	122.20	-38.81	AVG	
6 *	5780.2000	52.21	43.73	95.94	122.20	-26.26	Peak	
7	5850.0000	10.47	43.94	54.41	122.20	-67.79	Peak	
8	5850.0000	1.56	43.94	45.50	122.20	-76.70	AVG	
9	5860.0000	11.06	43.97	55.03	109.40	-54.37	Peak	
10	5860.0000	1.19	43.97	45.16	109.40	-64.24	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	31.19	16.01	47.20	74.00	-26.80	Peak	
2 *	11550.0000	21.58	16.01	37.59	54.00	-16.41	AVG	

TX A Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


T_{ON} : 1.40 msec

T_{Total} : 1.44 msec

Duty cycle: 97.22%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.12



Date: 13.NOV.2017 18:57:51

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX N20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


T_{ON} : 0.67 msec

T_{Total} : 0.72 msec

Duty cycle: 93.06%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.31



Date: 13.NOV.2017 18:58:08

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor
 Power Spectral Density = Measured density + Duty factor

TX N40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 1.38 msec

T_{Total} : 1.44 msec

Duty cycle: 95.83%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.18



Date: 13.NOV.2017 18:59:57

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX AC20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


T_{ON} : 0.68 msec

T_{Total} : 0.72 msec

Duty cycle: 94.44%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

$$\text{Duty Factor} = 0.25$$



Date: 13.NOV.2017 19:02:14

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor
 Power Spectral Density = Measured density + Duty factor

TX AC40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


T_{ON} : 0.32 msec

T_{Total} : 0.39 msec

Duty cycle: 82.05%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.86



Date: 13.NOV.2017 19:00:11

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor
 Power Spectral Density = Measured density + Duty factor

TX AC80 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 1.36 msec

T_{Total} : 1.78 msec

Duty cycle: 76.40%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 1.17



Date: 13.NOV.2017 19:01:41


Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor
 Power Spectral Density = Measured density + Duty factor

APPENDIX E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.65	17.10
CH40	5200	27.19	17.20
CH48	5240	25.71	17.10

TX CH36




Date: 16.NOV.2017 10:43:29

TX CH40



Date: 16.NOV.2017 10:44:11

TX CH48




Date: 16.NOV.2017 10:45:08

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	29.99	18.30
CH40	5200	29.55	18.10
CH48	5240	29.60	18.10

TX CH36




Date: 16.NOV.2017 10:57:01

TX CH40



Date: 16.NOV.2017 10:57:47

TX CH48




Date: 16.NOV.2017 10:58:33

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	73.59	37.60
CH46	5230	69.39	37.80

TX CH38



Date: 16.NOV.2017 11:19:03

TX CH46




Date: 16.NOV.2017 11:19:46

Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	25.65	17.20
CH60	5300	25.75	17.20
CH64	5320	26.89	17.10

TX CH52




Date: 16.NOV.2017 10:46:25

TX CH60



Date: 16.NOV.2017 10:47:21


TX CH64



Date: 16.NOV.2017 10:49:41


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	27.75	18.10
CH60	5300	28.69	18.10
CH64	5320	29.80	18.30

TX CH52



Date: 16.NOV.2017 10:59:39

TX CH60



Date: 16.NOV.2017 11:00:23

TX CH64




Date: 16.NOV.2017 11:01:09

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	69.79	37.60
CH62	5310	72.58	37.60

TX CH54



Date: 16.NOV.2017 11:20:33

TX CH62




Date: 16.NOV.2017 11:21:20

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	25.69	17.20
CH116	5580	25.55	17.10
CH140	5700	26.60	17.20

TX CH100




Date: 16.NOV.2017 10:50:34

TX CH116



Date: 16.NOV.2017 10:51:20

TX CH140




Date: 16.NOV.2017 10:52:09

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	28.40	18.10
CH116	5580	27.69	18.10
CH140	5700	29.75	18.20

TX CH100




Date: 16.NOV.2017 11:02:00

TX CH116



Date: 16.NOV.2017 11:02:58

TX CH140




Date: 16.NOV.2017 11:03:42

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	67.59	37.20
CH110	5550	69.90	37.80
CH134	5670	69.79	37.60

TX CH102




Date: 16.NOV.2017 11:22:27

TX CH110



Date: 16.NOV.2017 11:23:16


TX CH134



Date: 16.NOV.2017 11:24:15


Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	15.30	16.60	>=500
CH157	5785	15.15	17.00	>=500
CH165	5825	15.15	17.40	>=500

TX CH 149



Date: 16.NOV.2017 10:53:30

TX CH 157



Date: 16.NOV.2017 10:54:13


TX CH 165



Date: 16.NOV.2017 10:55:14


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	15.15	17.70	>=500
CH157	5785	15.15	17.80	>=500
CH165	5825	15.15	17.80	>=500

TX CH 149



Date: 16.NOV.2017 11:04:46

TX CH 157



Date: 16.NOV.2017 11:05:47

TX CH 165




Date: 16.NOV.2017 11:07:13

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	35.20	36.40	≥ 500
CH159	5795	35.30	36.60	≥ 500

TX CH 151



Date: 16.NOV.2017 11:25:17

TX CH 159




Date: 16.NOV.2017 11:26:19

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	24.60	18.00
CH40	5200	25.60	18.00
CH48	5240	26.50	18.00

TX CH36




Date: 16.NOV.2017 11:08:15

TX CH40



Date: 16.NOV.2017 11:09:09

TX CH48




Date: 16.NOV.2017 11:09:55

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	69.99	37.60
CH46	5230	69.19	37.80

TX CH38



Date: 16.NOV.2017 11:27:21

TX CH46



Date: 16.NOV.2017 11:28:04