



CH116



Date: 16.NOV.2017 14:03:29

CH140




Date: 16.NOV.2017 14:04:23

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.42	11.00
CH116	5580	9.64	11.00
CH140	5700	9.08	11.00


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.18	0.86	4.04	11.00
CH110	5550	3.27	0.86	4.13	11.00
CH134	5670	2.98	0.86	3.84	11.00




Date: 16.NOV.2017 11:31:00

CH110



Date: 16.NOV.2017 11:32:01


CH134



Date: 16.NOV.2017 11:32:49


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.94	0.86	3.80	11.00
CH110	5550	3.03	0.86	3.89	11.00
CH134	5670	2.94	0.86	3.80	11.00




Date: 16.NOV.2017 14:44:53

CH110



Date: 16.NOV.2017 14:46:53

CH134



Date: 16.NOV.2017 14:48:15


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	6.93	11.00
CH110	5550	7.02	11.00
CH134	5670	6.83	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.98	1.17	-5.81	11.00
CH122	5610	-4.00	1.17	-2.83	11.00

CH106



Date: 16.NOV.2017 11:40:31

CH122




Date: 16.NOV.2017 11:41:46

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-7.40	1.17	-6.23	11.00
CH122	5610	-4.48	1.17	-3.31	11.00

CH106



Date: 16.NOV.2017 14:55:58

CH122




Date: 16.NOV.2017 14:57:00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-3.00	11.00
CH122	5610	-0.05	11.00


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.39	0.25	3.64	30.00
CH157	5785	3.46	0.25	3.71	30.00
CH165	5825	3.75	0.25	4.00	30.00




Date: 16.NOV.2017 11:16:10

TX CH157



Date: 16.NOV.2017 11:17:05

TX CH165




Date: 16.NOV.2017 11:18:03

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.82	0.25	3.07	30.00
CH157	5785	2.74	0.25	2.99	30.00
CH165	5825	2.89	0.25	3.14	30.00

TX CH149




Date: 16.NOV.2017 14:05:13

TX CH157



Date: 16.NOV.2017 14:06:30

TX CH165



Date: 16.NOV.2017 14:12:52


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.37	30.00
CH157	5785	6.38	30.00
CH165	5825	6.60	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.18	0.86	1.04	30.00
CH159	5795	0.34	0.86	1.20	30.00

TX CH151



Date: 16.NOV.2017 11:33:51

TX CH159




Date: 16.NOV.2017 11:34:53

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.39	0.86	0.47	30.00
CH159	5795	-0.31	0.86	0.55	30.00

TX CH151



Date: 16.NOV.2017 14:49:14

TX CH159



Date: 16.NOV.2017 14:50:15


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.77	30.00
CH159	5795	3.90	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-6.55	1.17	-5.38	30.00

TX CH155




Date: 16.NOV.2017 11:42:48

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-8.92	1.17	-7.75	30.00

TX CH155



Date: 16.NOV.2017 14:57:57

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.39	30.00

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0148
120	5180.0200
108	5180.0350
Max. Deviation (MHz)	0.0350
Max. Deviation (ppm)	6.7568

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0350
5	5180.0350
15	5180.0350
25	5180.0200
35	5180.0350
45	5180.0350
50	5180.0350
Max. Deviation (MHz)	0.0350
Max. Deviation (ppm)	6.7568

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0350
120	5260.0550
108	5260.0550
Max. Deviation (MHz)	0.0550
Max. Deviation (ppm)	10.4563

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0550
5	5260.0550
15	5260.0548
25	5260.0600
35	5260.0600
45	5260.0750
50	5260.0750
Max. Deviation (MHz)	0.0750
Max. Deviation (ppm)	14.2586

Test Mode:	UNII-2C
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0200
120	5500.0150
108	5500.0150
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.6364

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0150
5	5500.0150
15	5500.0199
25	5500.0150
35	5500.0150
45	5500.0150
50	5500.0199
Max. Deviation (MHz)	0.0199
Max. Deviation (ppm)	3.6182

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0150
120	5745.0150
108	5744.9999
Max. Deviation (MHz)	0.0150
Max. Deviation (ppm)	2.6110

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0200
5	5745.0200
15	5745.0199
25	5745.0150
35	5745.0199
45	5745.0400
50	5745.0400
Max. Deviation (MHz)	0.0400
Max. Deviation (ppm)	6.9626