

---



## APPENDIX 3: Photographs of test setup

### Radiated emission

#### Hi type (14 inch Display)

##### Analog

##### Below 1 GHz



##### 1 GHz to 13 GHz



##### 13 GHz to 18GHz



##### 18 GHz to 26.5 GHz



##### 26.5 GHz to 40 GHz



---

**UL Japan, Inc.**

**Shonan EMC Lab.**

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN


Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401

**Hi type (14 inch Display)**

**Digital**

Below 1 GHz



1 GHz to 13 GHz



13 GHz to 18GHz



18 GHz to 26.5 GHz



26.5 GHz to 40 GHz



**UL Japan, Inc.**

**Shonan EMC Lab.**

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401



**Radiated emission**

**Lo type (9.8 inch Display)**

**Analog**

**Below 1 GHz**



**1 GHz to 10 GHz**



**10 GHz to 18GHz**



**18 GHz to 26.5 GHz**



**26.5 GHz to 40 GHz**



**UL Japan, Inc.**

**Shonan EMC Lab.**

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401

**Radiated emission**

**Lo type (9.8 inch Display)**

**digital**

Below 1 GHz



1 GHz to 10 GHz



10 GHz to 18GHz



18 GHz to 26.5 GHz



26.5 GHz to 40 GHz



**UL Japan, Inc.**

**Shonan EMC Lab.**

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN


Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401




Pre-Check Worst Case Position


**EUT : Hi type(14 inch Display)**  
**0 deg.**




**EUT : Lo type(9.8 inch Display)**  
**0 deg.**



**30 deg.**



**30 deg.**



**UL Japan, Inc.**

**Shonan EMC Lab.**

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401

---

**Antenna power conduction for receivers**

Below 1 GHz



1 GHz to 26.5GHz



26.5 GHz to 40 GHz



**End of Report**

---

**UL Japan, Inc.**

**Shonan EMC Lab.**

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401