

APPENDIX 3: Photographs of test setup

Radiated emission

Analog

Below 1 GHz



1 GHz to 10 GHz



10 GHz to 18GHz



18 GHz to 26.5 GHz



26.5 GHz to 40 GHz



UL Japan, Inc.

Shonan EMC Lab.

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401

Digital


Below 1 GHz



1 GHz to 10 GHz



10 GHz to 18GHz



18 GHz to 26.5 GHz



26.5 GHz to 40 GHz



UL Japan, Inc.

Shonan EMC Lab.


1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400


Facsimile: +81 463 50 6401

Pre-Check Worst Case Position


**Car Navigation
0 deg.**




**Antenna
0 deg.**




30 deg.



90 deg.



-90 deg.



*1) The Above position of Antenna is for when Car Navigation at 0 deg.
The position of Antenna is linked to the position of Car Navigation.

UL Japan, Inc.

Shonan EMC Lab.


1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401

Antenna power conduction for receivers


Below 1 GHz



1 GHz to 26.5GHz



26.5 GHz to 40 GHz



End of Report

UL Japan, Inc.

Shonan EMC Lab.

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone: +81 463 50 6400

Facsimile: +81 463 50 6401