



Figure 273: Maximum Power Spectral Density, 802.11ac-80, MIMO, RF1, 5210MHz



17:29:57 19.10.2021

Figure 274: Maximum Power Spectral Density, 802.11ac-80, MIMO, RF1, 5775MHz



17:31:48 19.10.2021

5.2.6 Duty Cycle

RESULT:

PERFORMED

Date of testing: 2021-10-21

Ambient temperature: 23°C

Relative humidity: 47%

Atmospheric pressure: 1013hPa

Requirements:

N/A, this test item was performed as reference.


Test procedure:

ANSI C63.10-2013 §12.2, KDB 789033 D02, II. B.

Table 147: Duty Cycle


Radio	Data Rate	Type	On-Time [us]	Period [us]	Duty Cycle
802.11a	6Mbps	SISO	628.3	648.1	96.94%
802.11a	6Mbps	CDD	628.3	647.9	96.97%
802.11n-20	6Mbps	SISO	1300.4	1320.2	98.50%
802.11n-20	MCS0	CDD	1300.6	1320.4	98.50%
802.11n-20	MCS8	MIMO	1300.8	1320.0	98.55%
802.11ac-20	MCS0	SISO	1312.6	1332.2	98.53%
802.11ac-20	MCS0	CDD	1312.8	1332.2	98.54%
802.11ac-20	MCS0	MIMO	1312.4	1332.0	98.53%
802.11n-40	MCS0	SISO	644.9	664.1	97.11%
802.11n-40	MCS0	CDD	644.3	664.1	97.02%
802.11n-40	MCS8	MIMO	644.8	664.4	97.05%
802.11ac-40	MCS0	SISO	652.2	671.9	97.07%
802.11ac-40	MCS0	CDD	652.5	671.9	97.11%
802.11ac-40	MCS0	MIMO	652.7	672.0	97.13%
802.11ac-40	MCS0	SISO	324.2	345.0	93.97%
802.11ac-40	MCS0	CDD	323.4	344.7	93.82%
802.11ac-40	MCS0	MIMO	325.3	344.9	94.32%

Figure 275: Duty Cycle, 802.11a, 5180MHz, SISO, 6Mbps




15:15:27 21.10.2021

Figure 276: Duty Cycle, 802.11a, 5180MHz, CDD, 6Mbps




15:18:52 21.10.2021

Figure 277: Duty Cycle, 802.11n-20, 5180MHz, SISO, MCS0




15:24:10 21.10.2021

Figure 278: Duty Cycle, 802.11n-20, 5180MHz, CDD, MCS0




15:26:41 21.10.2021

Figure 279: Duty Cycle, 802.11n-20, 5180MHz, MIMO, MCS8




15:28:39 21.10.2021

Figure 280: Duty Cycle, 802.11ac-20, 5180MHz, SISO, MCS0




15:31:26 21.10.2021

Figure 281: Duty Cycle, 802.11ac-20, 5180MHz, CDD, MCS0




15:33:37 21.10.2021

Figure 282: Duty Cycle, 802.11ac-20, 5180MHz, MIMO, MCS0




15:34:36 21.10.2021

Figure 283: Duty Cycle, 802.11n-40, 5190MHz, SISO, MCS0




15:37:32 21.10.2021

Figure 284: Duty Cycle, 802.11n-40, 5190MHz, CDD, MCS0




15:40:04 21.10.2021

Figure 285: Duty Cycle, 802.11n-40, 5190MHz, MIMO, MCS8




15:42:01 21.10.2021

Figure 286: Duty Cycle, 802.11ac-40, 5190MHz, SISO, MCS0




15:47:12 21.10.2021

Figure 287: Duty Cycle, 802.11ac-40, 5190MHz, CDD, MCS0




15:49:42 21.10.2021

Figure 288: Duty Cycle, 802.11ac-40, 5190MHz, MIMO, MCS0




15:51:16 21.10.2021

Figure 289: Duty Cycle, 802.11ac-80, 5210MHz, SISO, MCS0




15:04:58 21.10.2021

Figure 290: Duty Cycle, 802.11ac-80, 5210MHz, CDD, MCS0



15:09:33 21.10.2021

Figure 291: Duty Cycle, 802.11ac-80, 5210MHz, MIMO, MCS0



15:10:51 21.10.2021

5.3 Radiated Measurements

5.3.1 Radiated Spurious Emissions of Transmitter and Band Edge

RESULT:

PASS

Date of testing: 2021-09-16, 2021-09-17, 2021-09-21,
2021-09-30, 2021-10-01, 2021-10-03,
2021-10-04

Ambient temperature: 23, 22, 21, 22, 22, 23, 22°C
Relative humidity: 62, 58, 58, 56, 54, 59, 52%
Atmospheric pressure: 1013, 1013, 1013, 1007, 997, 1018, 1022hPa

Frequency range: 9kHz - 40GHz
Measurement distance: 3m
Kind of test site: Semi Anechoic Chamber

Requirements:

FCC 15.205, FCC 15.209, FCC 15.407(b) and RSS-Gen §8.10, 8.9, RSS-247 §6.2.1.2, 6.2.4.2.

Radiated emissions which fall in the restricted bands, as defined in FCC 15.205(a) and RSS-Gen §8.10, must comply with the radiated emission limits specified in FCC 15.209(a) and RSS-Gen Table 5 and 6.

Radiated emissions which fall outside the operation frequency band and outside restricted bands shall meet the following:

- (1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz (Peak).
- (2) For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Test procedure:

ANSI C63.10:2013 §12.7, KDB 789033 D02 §G.

The EUT was placed on a nonconductive turntable. The table height was 0.8m for measurements below 1GHz and 1.5m for measurements above 1GHz. Before final measurements of radiated emissions were performed, the EUT was scanned to determine its emission spectrum profile. The physical arrangement of the test system,

the associated cabling were varied in order to ensure that maximum emission amplitudes were attained.

The spectrum was examined from 9kHz to the 10th harmonic of the highest fundamental transmitter frequency or to 40GHz, whichever is lower (i.e. 40GHz). Final radiated emission measurements were made at 3m distance.

At each frequency where a spurious emission was found, the EUT was rotated 360° in order to determine the emission's maximum level. For frequencies above 30MHz, the antenna was raised and lowered from 1 to 4m and measurements were taken using both horizontal and vertical antenna polarizations.

For emissions between 30MHz and 1GHz, measurements were performed with a test receiver operating in the CISPR quasi-peak detection.

For emissions above 1GHz in Restricted Bands, measurements were performed with a spectrum analyzer using the Peak detector. Averaging with 1kHz VBW is used.

For emissions above 1GHz outside of Restricted Bands, measurements were performed with a spectrum analyzer using the Peak detector.

Absorbers have been placed on the floor between the EUT and the measuring antenna for testing above 1GHz.

The highest emission amplitudes relative to the appropriate limit were recorded in this report. Emissions other than those mentioned are small or not detectable.

Table 148: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	62.5	-6.0	56.5	74.0	17.5	197	343
5150.000	V	60.6	-6.0	54.6	74.0	19.4	154	355
10360.000	H	50.3	-7.7	42.6	68.2	25.6	200	320
10360.000	V	49.6	-7.7	41.9	68.2	26.3	200	359
15540.000	H	51.4	-5.2	46.2	74.0	27.8	200	26
15540.000	V	51.5	-5.2	46.3	74.0	27.7	154	343
20720.000	H	54.1	-10.6	43.5	74.0	30.5	142	351
20720.000	V	54.4	-10.6	43.8	74.0	30.2	163	305
25900.000	H	53.3	-12.8	40.5	68.2	27.7	200	40
25900.000	V	53.4	-12.8	40.6	68.2	27.6	200	15

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm (1.995 x 10⁻⁶W), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 149: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	42.3	-6.0	36.3	54.0	17.7	197	343
5150.000	V	42.2	-6.0	36.2	54.0	17.8	154	355
15540.000	H	38.9	-5.2	33.7	54.0	20.3	200	26
15540.000	V	39.0	-5.2	33.8	54.0	20.2	154	343
20720.000	H	45.5	-10.6	34.9	54.0	19.1	142	351
20720.000	V	45.8	-10.6	35.2	54.0	18.8	163	305

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 292: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5180MHz

Horizontal Antenna Orientation



Date: 21.SEP.2021 15:48:58

Vertical Antenna Orientation



Date: 21.SEP.2021 15:44:30

Table 150: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5220MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	53.5	-6.0	47.5	74.0	26.5	198	120
5150.000	V	54.0	-6.0	48.0	74.0	26.0	146	144
10440.000	H	50.1	-7.2	42.9	68.2	25.3	200	17
10440.000	V	49.8	-7.2	42.6	68.2	25.6	186	23
15660.000	H	50.7	-5.0	45.7	74.0	28.3	200	300
15660.000	V	50.7	-5.0	45.7	74.0	28.3	200	20
20880.000	H	54.1	-10.6	43.5	74.0	30.5	135	352
20880.000	V	54.9	-10.6	44.3	74.0	29.7	161	8
26100.000	H	54.2	-12.7	41.5	68.2	26.7	141	359
26100.000	V	54.0	-12.7	41.3	68.2	26.9	148	20

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm (1.995 x 10⁻⁶W), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 151: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5220MHz

Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	42.3	-6.0	36.3	54.0	17.7	198	120
5150.000	V	42.3	-6.0	36.3	54.0	17.7	146	144
15660.000	H	38.5	-5.0	33.5	54.0	20.5	200	300
15660.000	V	38.5	-5.0	33.5	54.0	20.5	200	20
20880.000	H	45.0	-10.6	34.4	54.0	19.6	135	352
20880.000	V	47.2	-10.6	36.6	54.0	17.4	161	8

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Table 152: Radiated Emissions, Quasi Peak Data, 30MHz - 1GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz

Freq. [MHz]	Antenna Orientation	Reading QP [dBµV]	Factor [dB(1/m)]	Level QP [dBµV/m]	Limit [dBµV/m]	Margin QP [dB]	Height [cm]	Angle [°]
148.345	H	58.2	-21.0	37.2	43.5	6.3	217	344

Note: Level QP = Reading QP + Factor

Table 153: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5350.000	H	53.9	-6.3	47.6	74.0	26.4	138	339
5350.000	V	54.1	-6.3	47.8	74.0	26.2	173	111
10480.000	H	50.3	-6.9	43.4	68.2	24.8	194	21
10480.000	V	50.1	-6.9	43.2	68.2	25.0	200	10
15720.000	H	51.4	-4.9	46.5	74.0	27.5	200	302
15720.000	V	51.7	-4.9	46.8	74.0	27.2	113	359
20960.000	H	54.4	-10.7	43.7	74.0	30.3	140	351
20960.000	V	55.1	-10.7	44.4	74.0	29.6	156	8
26200.000	H	54.0	-12.8	41.2	68.2	27.0	131	39
26200.000	V	53.5	-12.8	40.7	68.2	27.5	186	139

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 154: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5350.000	H	42.5	-6.3	36.2	54.0	17.8	138	339
5350.000	V	42.2	-6.3	35.9	54.0	18.1	173	111
15720.000	H	38.6	-4.9	33.7	54.0	20.3	200	302
15720.000	V	38.6	-4.9	33.7	54.0	20.3	113	359
20960.000	H	46.1	-10.7	35.4	54.0	18.6	140	351
20960.000	V	47.8	-10.7	37.1	54.0	16.9	156	8

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 293: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5240MHz

Horizontal Antenna Orientation



Date: 21.SEP.2021 16:44:47

Vertical Antenna Orientation



Date: 21.SEP.2021 16:39:28

Table 155: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5250.000	V	53.9	-6.4	47.5	68.2	20.7	201	134
11490.000	H	49.0	-7.0	42.0	74.0	32.0	198	81
11490.000	V	48.4	-7.0	41.4	74.0	32.6	194	21
17235.000	H	50.5	-4.9	45.6	68.2	22.6	200	43
17235.000	V	50.8	-4.9	45.9	68.2	22.3	123	347
7250.000	H	53.5	0.9	54.4	74.0	19.6	166	354
22980.000	H	56.1	-11.4	44.7	74.0	29.3	156	53
22980.000	V	55.5	-11.4	44.1	74.0	29.9	174	18

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm (1.995 x 10⁻⁶W), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 156: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7250.000	H	41.3	0.9	42.2	54.0	11.8	166	354
11490.000	H	35.2	-7.0	28.2	54.0	25.8	198	81
11490.000	V	35.2	-7.0	28.2	54.0	25.8	194	21
22980.000	H	48.1	-11.4	36.7	54.0	17.3	156	53
22980.000	V	46.8	-11.4	35.4	54.0	18.6	174	18

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 294: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5745MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 157: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5785MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7266.423	V	53.9	1.0	54.9	74.0	19.1	200	179
7362.859	H	53.5	0.9	54.4	74.0	19.6	100	330
11570.000	H	49.1	-6.8	42.3	74.0	31.7	100	45
11570.000	V	49.4	-6.8	42.6	74.0	31.4	200	331
17355.000	H	50.2	-5.1	45.1	68.2	23.1	114	8
17355.000	V	49.9	-5.1	44.8	68.2	23.4	194	356
23300.000	H	52.8	-11.4	41.4	68.2	26.8	197	338
23300.000	V	52.0	-11.4	40.6	68.2	27.6	187	91

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 158: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5785MHz

Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7266.423	V	41.4	1.0	42.4	54.0	11.6	200	179
7362.859	H	41.3	0.9	42.2	54.0	11.8	100	330
11570.000	H	36.8	-6.8	30.0	54.0	24.0	100	45
11570.000	V	36.9	-6.8	30.1	54.0	23.9	200	331

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Table 159: Radiated Emissions, Quasi Peak Data, 30MHz - 1GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz

Freq. [MHz]	Antenna Orientation	Reading QP [dBµV]	Factor [dB(1/m)]	Level QP [dBµV/m]	Limit [dBµV/m]	Margin QP [dB]	Height [cm]	Angle [°]
148.346	H	58.0	-21.0	37.0	43.5	6.5	221	343
353.201	H	49.7	-17.8	31.9	46.0	14.1	100	10

Note: Level QP = Reading QP + Factor

Table 160: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7259.451	V	53.5	1.0	54.5	74.0	19.5	178	0
7266.278	H	54.3	1.0	55.3	74.0	18.7	114	113
11650.000	H	49.8	-6.4	43.4	74.0	30.6	194	88
11650.000	V	50.1	-6.4	43.7	74.0	30.3	200	329
17475.000	H	51.2	-4.9	46.3	68.2	21.9	200	356
17475.000	V	50.3	-4.9	45.4	68.2	22.8	160	300
23140.000	H	51.6	-11.4	40.2	68.2	28.0	161	353
23140.000	V	51.6	-11.4	40.2	68.2	28.0	194	128

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 161: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7259.451	V	41.5	1.0	42.5	54.0	11.5	178	0
7266.278	H	41.4	1.0	42.4	54.0	11.6	114	113
11650.000	H	37.7	-6.4	31.3	54.0	22.7	194	88
11650.000	V	37.8	-6.4	31.4	54.0	22.6	200	329

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 295: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5825MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 162: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	67.9	-6.0	61.9	74.0	12.1	178	326
5150.000	V	67.4	-6.0	61.4	74.0	12.6	196	357
10380.000	H	50.8	-7.6	43.2	68.2	25.0	195	53
10380.000	V	50.8	-7.6	43.2	68.2	25.0	198	21
15570.000	H	52.4	-5.1	47.3	74.0	26.7	101	262
15570.000	V	52.2	-5.1	47.1	74.0	26.9	200	200
20760.000	H	53.8	-10.6	43.2	74.0	30.8	148	346
20760.000	V	51.7	-10.6	41.1	74.0	32.9	164	312
25950.000	H	55.3	-12.7	42.6	68.2	25.6	173	58
25950.000	V	55.3	-12.7	42.6	68.2	25.6	177	6

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm (1.995 x 10⁻⁶W), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 163: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	43.5	-6.0	37.5	54.0	16.5	178	326
5150.000	V	43.5	-6.0	37.5	54.0	16.5	196	357
15570.000	H	39.0	-5.1	33.9	54.0	20.1	101	262
15570.000	V	39.1	-5.1	34.0	54.0	20.0	200	200
20760.000	H	43.8	-10.6	33.2	54.0	20.8	148	346
20760.000	V	37.9	-10.6	27.3	54.0	26.7	164	312

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 296: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5190MHz

Horizontal Antenna Orientation



Date: 21.SEP.2021 17:42:29

Vertical Antenna Orientation



Date: 21.SEP.2021 17:31:03

Table 164: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5350.000	H	53.0	-6.3	46.7	74.0	27.3	146	120
5350.000	V	53.5	-6.3	47.2	74.0	26.8	146	323
10460.000	H	50.6	-7.0	43.6	68.2	24.6	187	328
10460.000	V	51.0	-7.0	44.0	68.2	24.2	108	99
15690.000	H	51.6	-5.0	46.6	74.0	27.4	160	117
15690.000	V	52.0	-5.0	47.0	74.0	27.0	119	320
20920.000	V	54.2	-10.7	43.5	74.0	30.5	161	6
20920.000	H	53.6	-10.7	42.9	74.0	31.1	136	359
26150.000	H	55.0	-12.7	42.3	68.2	25.9	110	183
26150.000	V	55.5	-12.7	42.8	68.2	25.4	140	285

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm (1.995 x 10⁻⁶W), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 165: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5350.000	H	41.7	-6.3	35.4	54.0	18.6	146	120
5350.000	V	42.2	-6.3	35.9	54.0	18.1	146	323
15690.000	H	38.8	-5.0	33.8	54.0	20.2	160	117
15690.000	V	38.8	-5.0	33.8	54.0	20.2	119	320
20920.000	V	44.5	-10.7	33.8	54.0	20.2	161	6
20920.000	H	44.0	-10.7	33.3	54.0	20.7	136	359

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 297: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5230MHz

Horizontal Antenna Orientation



Date: 21.SEP.2021 18:12:02

Vertical Antenna Orientation



Date: 21.SEP.2021 18:09:19

Table 166: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7240.077	V	53.6	0.9	54.5	68.2	13.7	130	66
7731.056	H	53.4	0.0	53.4	74.0	20.6	179	345
11510.000	H	50.1	-7.0	43.1	74.0	30.9	147	245
11510.000	V	51.5	-7.0	44.5	74.0	29.5	164	318
17265.000	H	52.1	-5.0	47.1	68.2	21.1	111	236
17265.000	V	52.4	-5.0	47.4	68.2	20.8	167	209
23020.000	H	54.9	-11.4	43.5	74.0	30.5	153	323
23020.000	V	53.5	-11.4	42.1	74.0	31.9	183	22

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 167: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7731.056	H	41.1	0.0	41.1	54.0	12.9	179	345
11510.000	H	36.6	-7.0	29.6	54.0	24.4	147	245
11510.000	V	36.7	-7.0	29.7	54.0	24.3	164	318
23020.000	H	42.0	-11.4	30.6	54.0	23.4	153	323
23020.000	V	39.7	-11.4	28.3	54.0	25.7	183	22

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 298: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5755MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 168: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7256.453	V	53.9	0.9	54.8	74.0	19.2	160	25
7338.328	H	53.5	1.0	54.5	74.0	19.5	177	30
11590.000	H	51.4	-6.7	44.7	74.0	29.3	159	269
17385.000	V	53.2	-5.1	48.1	68.2	20.1	198	234
23180.000	H	54.2	-11.4	42.8	68.2	25.4	182	131

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 169: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7256.453	V	41.4	0.9	42.3	54.0	11.7	160	25
7338.328	H	41.2	1.0	42.2	54.0	11.8	177	30
11590.000	H	37.2	-6.7	30.5	54.0	23.5	159	269

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 299: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5795MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 170: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	59.1	-6.0	53.1	74.0	20.9	172	359
5150.000	V	62.8	-6.0	56.8	74.0	17.2	154	12
5350.000	H	54.4	-6.3	48.1	74.0	25.9	197	328
5350.000	H	54.9	-6.3	48.6	74.0	25.4	153	314
10420.000	H	50.7	-7.3	43.4	68.2	24.8	182	3
10420.000	V	50.8	-7.3	43.5	68.2	24.7	103	293
15630.000	H	52.6	-5.0	47.6	74.0	26.4	189	151
15630.000	V	51.7	-5.0	46.7	74.0	27.3	103	80
20840.000	H	52.2	-10.6	41.6	74.0	32.4	136	335
20840.000	V	51.8	-10.6	41.2	74.0	32.8	161	313
26050.000	H	55.2	-12.7	42.5	68.2	25.7	110	29
26050.000	V	55.2	-12.7	42.5	68.2	25.7	120	7

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 171: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	44.1	-6.0	38.1	54.0	15.9	172	359
5150.000	V	45.2	-6.0	39.2	54.0	14.8	154	12
5350.000	H	42.8	-6.3	36.5	54.0	17.5	197	328
5350.000	H	43.0	-6.3	36.7	54.0	17.3	153	314
15630.000	H	39.0	-5.0	34.0	54.0	20.0	189	151
15630.000	V	39.0	-5.0	34.0	54.0	20.0	103	80
20840.000	H	40.4	-10.6	29.8	54.0	24.2	136	335
20840.000	V	37.9	-10.6	27.3	54.0	26.7	161	313

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 300: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-80, CDD, 5210MHz

Horizontal Antenna Orientation – Lower Side




Date: 30.SEP.2021 08:38:38

Vertical Antenna Orientation – Lower Side




Date: 30.SEP.2021 08:42:15

Horizontal Antenna Orientation – Upper Side



Date: 30.SEP.2021 08:36:37

Vertical Antenna Orientation – Upper Side



Date: 30.SEP.2021 08:44:20

Table 172: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7285.134	H	53.5	1.0	54.5	74.0	19.5	200	136
7370.086	V	53.6	0.9	54.5	74.0	19.5	130	298
11550.000	H	50.7	-6.9	43.8	74.0	30.2	158	88
11550.000	V	50.6	-6.9	43.7	74.0	30.3	104	93
17325.000	H	52.7	-5.1	47.6	68.2	20.6	119	317
17325.000	V	52.3	-5.1	47.2	68.2	21.0	172	205
23100.000	V	54.3	-11.4	42.9	74.0	31.1	187	11
23100.000	H	53.3	-11.4	41.9	74.0	32.1	144	310

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 173: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7285.134	H	41.2	1.0	42.2	54.0	11.8	200	136
7370.086	V	41.2	0.9	42.1	54.0	11.9	130	298
11550.000	H	36.9	-6.9	30.0	54.0	24.0	158	88
11550.000	V	36.9	-6.9	30.0	54.0	24.0	104	93
23100.000	V	42.8	-11.4	31.4	54.0	22.6	187	11
23100.000	H	40.4	-11.4	29.0	54.0	25.0	144	310

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 301: Radiated Emissions at Band Edge, Peak, 802.11ac-80, CDD, 5775MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 174: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	V	60.1	-6.0	54.1	74.0	19.9	194	6
5150.000	H	62.8	-6.0	56.8	74.0	17.2	160	351

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 175: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz, with Bluetooth Hopping on DH5


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	V	42.3	-6.0	36.3	54.0	17.7	194	6
5150.000	H	42.3	-6.0	36.3	54.0	17.7	160	351

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 302: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5180MHz, with Bluetooth Hopping on DH5

Horizontal Antenna Orientation



Date: 21.SEP.2021 18:41:35

Vertical Antenna Orientation



Date: 21.SEP.2021 18:44:48

Table 176: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5350.000	H	53.4	-6.3	47.1	74.0	26.9	122	75
5350.000	V	53.8	-6.3	47.5	74.0	26.5	166	6
10480.000	H	51.3	-6.9	44.4	68.2	23.8	163	60
15720.000	V	52.1	-4.9	47.2	74.0	26.8	126	286

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 177: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5350.000	H	42.1	-6.3	35.8	54.0	18.2	122	75
5350.000	V	42.4	-6.3	36.1	54.0	17.9	166	6
15720.000	V	40.3	-4.9	35.4	54.0	18.6	126	286

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Table 178: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7310.141	V	55.3	1.0	56.3	74.0	17.7	200	329
7347.174	H	56.9	1.0	57.9	74.0	16.1	153	354

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 179: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz, with Bluetooth Hopping on DH5


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7310.141	V	42.3	1.0	43.3	54.0	10.7	200	329
7347.174	H	42.7	1.0	43.7	54.0	10.3	153	354

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 304: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5745MHz, with Bluetooth Hopping on DH5

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 180: Radiated Emissions, Quasi Peak Data, 30MHz - 1GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading QP [dBµV]	Factor [dB(1/m)]	Level QP [dBµV/m]	Limit [dBµV/m]	Margin QP [dB]	Height [cm]	Angle [°]
148.345	H	58.3	-21.0	37.3	43.5	6.2	221	343

Note: Level QP = Reading QP + Factor

Table 181: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7260.017	V	59.8	1.0	60.8	74.0	13.2	122	37
7424.978	H	56.2	0.8	57.0	74.0	17.0	196	8

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 182: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with Bluetooth Hopping on DH5


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7260.017	V	43.1	1.0	44.1	54.0	9.9	122	37
7424.978	H	42.6	0.8	43.4	54.0	10.6	196	8

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 305: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5825MHz, with Bluetooth Hopping on DH5

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 183: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	66.8	-6.0	60.8	74.0	13.2	184	351
5150.000	V	64.8	-6.0	58.8	74.0	15.2	114	7

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 184: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz, with Bluetooth Hopping on DH5


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	42.6	-6.0	36.6	54.0	17.4	184	351
5150.000	V	42.3	-6.0	36.3	54.0	17.7	114	7

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 306: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5190MHz, with Bluetooth Hopping on DH5

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 185: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5350.000	H	54.2	-6.3	47.9	74.0	26.1	179	325
5350.000	V	54.8	-6.3	48.5	74.0	25.5	190	344

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 186: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz, with Bluetooth Hopping on DH5


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5350.000	H	42.2	-6.3	35.9	54.0	18.1	179	325
5350.000	V	42.4	-6.3	36.1	54.0	17.9	190	344

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 307: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5230MHz, with Bluetooth Hopping on DH5

Horizontal Antenna Orientation



Date: 21.SEP.2021 18:23:19

Vertical Antenna Orientation



Date: 21.SEP.2021 18:23:19

Table 187: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7251.026	H	56.3	0.9	57.2	74.0	16.8	130	7
7317.014	V	60.1	1.0	61.1	74.0	12.9	198	51

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 188: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz, with Bluetooth Hopping on DH5


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7251.026	H	41.5	0.9	42.4	54.0	11.6	130	7
7317.014	V	43.2	1.0	44.2	54.0	9.8	198	51

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 308: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5755MHz, with Bluetooth Hopping on DH5

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 189: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7317.113	V	56.2	1.0	57.2	74.0	16.8	173	316
7328.868	H	56.2	1.0	57.2	74.0	16.8	184	6

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 190: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz, with Bluetooth Hopping on DH5


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7317.113	V	42.5	1.0	43.5	54.0	10.5	173	316
7328.868	H	42.5	1.0	43.5	54.0	10.5	184	6

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 309: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5795MHz, with Bluetooth Hopping on DH5

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 191: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	66.1	-6.0	60.1	74.0	13.9	146	331
5150.000	V	59.8	-6.0	53.8	74.0	20.2	191	349
5350.000	H	55.5	-6.3	49.2	74.0	24.8	190	353
5350.000	V	54.1	-6.3	47.8	74.0	26.2	153	33

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 192: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	46.0	-6.0	40.0	54.0	14.0	146	331
5150.000	V	43.9	-6.0	37.9	54.0	16.1	191	349
5350.000	H	42.7	-6.3	36.4	54.0	17.6	190	353
5350.000	V	42.8	-6.3	36.5	54.0	17.5	153	33

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 310: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5

Horizontal Antenna Orientation – Lower Side




Date: 30.SEP.2021 09:10:59

Vertical Antenna Orientation – Lower Side




Date: 30.SEP.2021 09:03:22

Horizontal Antenna Orientation – Upper Side



Date: 30.SEP.2021 09:09:19

Vertical Antenna Orientation – Upper Side



Date: 30.SEP.2021 09:05:09

Table 193: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz, with Bluetooth Hopping on DH5

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7251.127	H	53.6	0.9	54.5	74.0	19.5	200	236
7263.076	V	59.0	1.0	60.0	74.0	14.0	198	36

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 194: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz, with Bluetooth Hopping on DH5


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7251.127	H	41.4	0.9	42.3	54.0	11.7	200	236
7263.076	V	43.4	1.0	44.4	54.0	9.6	198	36

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 311: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5775MHz, with Bluetooth Hopping on DH5

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 195: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz, with 802.11n-20 on 2437MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	64.9	-6.0	58.9	74.0	15.1	161	0
5150.000	V	65.4	-6.0	59.4	74.0	14.6	200	12

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm (1.995 x 10⁻⁶W), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 196: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz, with 802.11n-20 on 2437MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	42.4	-6.0	36.4	54.0	17.6	161	0
5150.000	V	42.2	-6.0	36.2	54.0	17.8	200	12

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 312: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5180MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 197: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz, with 802.11n-20 on 2437MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5350.000	H	53.2	-6.3	46.9	74.0	27.1	147	50
5350.000	V	53.1	-6.3	46.8	74.0	27.2	196	302

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 198: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz, with 802.11n-20 on 2437MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5350.000	H	40.9	-6.3	34.6	54.0	19.4	147	50
5350.000	V	41.1	-6.3	34.8	54.0	19.2	196	302

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 313: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5240MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation



Date: 21.SEP.2021 16:47:56

Vertical Antenna Orientation



Date: 21.SEP.2021 17:05:00

Table 199: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz, with 802.11n-20 on 2437MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7282.076	H	53.3	1.0	54.3	74.0	19.7	200	28
7362.545	V	53.7	0.9	54.6	74.0	19.4	166	143

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 200: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz, with 802.11n-20 on 2437MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7282.076	H	41.2	1.0	42.2	54.0	11.8	200	28
7362.545	V	41.3	0.9	42.2	54.0	11.8	166	143

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 314: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5745MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 201: Radiated Emissions, Quasi Peak Data, 30MHz - 1GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with 802.11n-20 on 2437MHz

Freq. [MHz]	Antenna Orientation	Reading QP [dBµV]	Factor [dB(1/m)]	Level QP [dBµV/m]	Limit [dBµV/m]	Margin QP [dB]	Height [cm]	Angle [°]
148.347	H	58.2	-21.0	37.2	43.5	6.3	222	343

Note: Level QP = Reading QP + Factor

Table 202: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with 802.11n-20 on 2437MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7353.743	H	54.0	1.0	55.0	74.0	19.0	105	326
7473.287	V	53.0	0.7	53.7	74.0	20.3	160	0

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 203: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with 802.11n-20 on 2437MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7353.743	H	41.3	1.0	42.3	54.0	11.7	105	326
7473.287	V	41.2	0.7	41.9	54.0	12.1	160	0

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 315: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5825MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 204: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz, with 802.11n-20 on 2437MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	56.4	-6.0	50.4	74.0	23.6	154	334
5150.000	V	57.5	-6.0	51.5	74.0	22.5	190	348

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 205: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz, with 802.11n-20 on 2437MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	42.9	-6.0	36.9	54.0	17.1	154	334
5150.000	V	42.6	-6.0	36.6	54.0	17.4	190	348

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 316: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5190MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation



Date: 21.SEP.2021 17:40:11

Vertical Antenna Orientation



Date: 21.SEP.2021 17:46:12

Table 206: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz, with 802.11n-20 on 2437MHz

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5350.000	H	53.5	-6.3	47.2	74.0	26.8	191	53
5350.000	V	52.9	-6.3	46.6	74.0	27.4	190	169

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 207: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz, with 802.11n-20 on 2437MHz


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5350.000	H	42.3	-6.3	36.0	54.0	18.0	191	53
5350.000	V	42.3	-6.3	36.0	54.0	18.0	190	169

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 317: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5230MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation



Date: 21.SEP.2021 18:14:19

Vertical Antenna Orientation



Date: 21.SEP.2021 18:18:50

Table 208: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz, with 802.11n-20 on 2437MH

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7461.872	H	53.8	0.8	54.6	74.0	19.4	105	295
7548.188	V	53.2	0.5	53.7	74.0	20.3	105	106

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 209: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz, with 802.11n-20 on 2437MH


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7461.872	H	41.2	0.8	42.0	54.0	12.0	105	295
7548.188	V	41.0	0.5	41.5	54.0	12.5	105	106

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 318: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5755MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 210: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz, with 802.11n-20 on 2437MH

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7491.130	H	53.0	0.7	53.7	74.0	20.3	129	309
7657.419	V	53.2	0.1	53.3	74.0	20.7	114	354

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

Field Strength Limit = $\text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$

Table 211: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz, with 802.11n-20 on 2437MH


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7491.130	H	40.9	0.7	41.6	54.0	12.4	129	309
7657.419	V	40.9	0.1	41.0	54.0	13.0	114	354

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 319: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5795MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 212: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with 802.11n-20 on 2437MH

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	55.9	-6.0	49.9	74.0	24.1	146	348
5150.000	V	57.7	-6.0	51.7	74.0	22.3	172	344
5350.000	H	54.2	-6.3	47.9	74.0	26.1	177	350
5350.000	V	53.3	-6.3	47.0	74.0	27.0	190	33

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$

Table 213: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with 802.11n-20 on 2437MH


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	47.3	-6.0	41.3	54.0	12.7	146	348
5150.000	V	47.7	-6.0	41.7	54.0	12.3	172	344
5350.000	H	42.8	-6.3	36.5	54.0	17.5	177	350
5350.000	V	42.4	-6.3	36.1	54.0	17.9	190	33

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW


Figure 320: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-80, CDD, 5210MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation – Lower Side




Date: 30.SEP.2021 08:30:57

Vertical Antenna Orientation – Lower Side




Date: 30.SEP.2021 08:48:26

Horizontal Antenna Orientation – Upper Side



Date: 30.SEP.2021 08:33:43

Vertical Antenna Orientation – Upper Side



Date: 30.SEP.2021 08:46:33

Table 214: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz, with 802.11n-20 on 2437MH

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
7331.622	V	54.3	1.0	55.3	74.0	18.7	191	42
7543.349	H	53.7	0.6	54.3	74.0	19.7	100	314

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

Field Strength Limit = $\text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$

Table 215: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz, with 802.11n-20 on 2437MH


Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
7331.622	V	41.2	1.0	42.2	54.0	11.8	191	42
7543.349	H	41.0	0.6	41.6	54.0	12.4	100	314

Note: Level AV = Reading AV + Factor

Average results are measured with 1kHz of VBW

Figure 321: Radiated Emissions at Band Edge, Peak, 802.11ac-80, CDD, 5775MHz, with 802.11n-20 on 2437MHz

Horizontal Antenna Orientation



Vertical Antenna Orientation




Table 216: Radiated Emissions, Quasi Peak Data, 9kHz - 30MHz, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5 and 802.11n-20 on 2437MH

Freq. [MHz]	Antenna Orientation	Reading QP [dBµV]	Factor [dB(1/m)]	Level QP [dBµV/m]	Limit [dBµV/m]	Margin QP [dB]	Height [cm]	Angle [°]
0.01371	H	29.6	19.8	49.4	125.0	75.6	100.0	186
0.38338	H	26.7	19.6	46.3	96.0	49.7	100.0	252
1.51601	H	17.2	19.8	37.0	64.0	27.0	100.0	4
1.93180	H	15.6	19.8	35.4	69.5	34.1	100.0	30
2.57502	H	16.0	19.8	35.8	69.5	33.7	100.0	7
28.17876	H	16.2	21.0	37.2	69.5	32.3	100.0	29
0.01069	V	27.5	20.0	47.5	127.1	79.6	100.0	192
0.01365	V	34.0	19.8	53.8	125.0	71.2	100.0	190
0.38501	V	26.4	19.6	46.0	95.9	49.9	100.0	196
0.66808	V	7.3	19.7	27.0	71.1	44.1	100.0	225
2.57573	V	12.2	19.8	32.0	69.5	37.5	100.0	270
27.79529	V	16.4	20.9	37.3	69.5	32.2	100.0	52

Note: Level QP = Reading QP + Factor

Table 217: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5 and 802.11n-20 on 2437MH

Freq. [MHz]	Antenna Orientation	Reading PK [dBµV]	Factor [dB(1/m)]	Level PK [dBµV/m]	Limit [dBµV/m]	Margin PK [dB]	Height [cm]	Angle [°]
5150.000	H	64.4	-6.0	58.4	74.0	15.6	196	349
5150.000	V	59.2	-6.0	53.2	74.0	20.8	146	344
5350.000	H	54.1	-6.3	47.8	74.0	26.2	106	318
5350.000	V	54.4	-6.3	48.1	74.0	25.9	192	330
10423.489	V	50.6	-7.3	43.3	68.2	24.9	187	65
10431.034	H	50.6	-7.3	43.4	68.2	24.8	147	154
15629.379	H	52.2	-5.0	47.2	74.0	26.8	160	300
15632.835	V	52.1	-5.0	47.1	74.0	26.9	157	225
20960.000	H	53.1	-10.7	42.4	74.0	31.6	182	338

Note: Level PK = Reading PK + Factor

The e.i.r.p. peak limit for frequency range outside the restricted band is -27dBm ($1.995 \times 10^{-6}W$), with which the field strength limit is calculated as below:

$$\text{Field Strength Limit} = \text{Sqrt}(\text{e.i.r.p. [W]} \times 30) / \text{distance [m]} = 0.00257 \text{ [V/m]} = 68.2 \text{ [dBµV/m]}$$


Table 218: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5 and 802.11n-20 on 2437MH

Freq. [MHz]	Antenna Orientation	Reading AV [dBµV]	Factor [dB(1/m)]	Level AV [dBµV/m]	Limit [dBµV/m]	Margin AV [dB]	Height [cm]	Angle [°]
5150.000	H	46.4	-6.0	40.4	54.0	13.6	196	349
5150.000	V	44.4	-6.0	38.4	54.0	15.6	146	344
5350.000	H	42.4	-6.3	36.1	54.0	17.9	106	318
5350.000	V	42.5	-6.3	36.2	54.0	17.8	192	330
15629.379	H	40.2	-5.0	35.2	54.0	18.8	160	300
15632.835	V	40.2	-5.0	35.2	54.0	18.8	157	225
20960.000	H	38.1	-10.7	27.4	54.0	26.6	182	338

Note: Level AV = Reading AV + Factor
 Average results are measured with 1kHz of VBW


Figure 322: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5 and 802.11n-20 on 2437MH

Horizontal Antenna Orientation – Lower Side




Date: 30.SEP.2021 09:13:54

Vertical Antenna Orientation – Lower Side




Date: 30.SEP.2021 09:19:57

Horizontal Antenna Orientation – Upper Side



Date: 30.SEP.2021 09:15:48

Vertical Antenna Orientation – Upper Side



Date: 30.SEP.2021 09:17:51

5.4 AC Power Line Conducted Measurements

5.4.1 AC Power Line Conducted Emission of Transmitter

RESULT:

N/A

Requirements:

FCC 15.207 and RSS-Gen §8.8

The AC power line conducted emission on any frequency within the band 150kHz to 30MHz shall not exceed the limits specified in FCC 15.207 and RSS-Gen 8.8.

Test procedure:

ANSI C63.10 §6.2

Note:

Not applicable since the EUT is not the device that is designed to be connected to the public utility (AC) power line.

7. List of Tables

Table 1: Test Summary	5
Table 2: List of Test and Measurement Equipment	7
Table 3: Emission Measurement Uncertainty.....	9
Table 4: The System consists of the Following Units.....	14
Table 5: Interfaces present on the EUT	15
Table 6: Maximum Output Power, 802.11a, SISO, RF0, 6Mbps	23
Table 7: Maximum Output Power, 802.11a, SISO, RF1, 6Mbps	23
Table 8: Maximum Conducted Output Power, 802.11a, SISO, 5180MHz, all Data Rates	24
Table 9: Maximum Output Power, 802.11a, CDD, RF0+RF1, 6Mbps	25
Table 10: Individual - Maximum Output Power, 802.11a, CDD, RF0, 6Mbps.....	25
Table 11: Individual - Maximum Output Power, 802.11a, CDD, RF1, 6Mbps.....	25
Table 12: Maximum Conducted Output Power, 802.11a, CDD, 5180MHz, all Data Rates	26
Table 13: Maximum Output Power, 802.11n-20, SISO, RF0, MCS0	27
Table 14: Maximum Output Power, 802.11n-20, SISO, RF1, MCS0	27
Table 15: Maximum Conducted Output Power, 802.11n-20, SISO, 5180MHz, all Data Rates	28
Table 16: Maximum Output Power, 802.11n-20, CDD, RF0+RF1, MCS0.....	29
Table 17: Individual - Maximum Output Power, 802.11n-20, CDD, RF0, MCS0	29
Table 18: Individual - Maximum Output Power, 802.11n-20, CDD, RF1, MCS0	29
Table 19: Maximum Conducted Output Power, 802.11n-20, CDD, 5180MHz, all Data Rates	30
Table 20: Maximum Output Power, 802.11n-20, MIMO, RF0+RF1, MCS8.....	31
Table 21: Individual - Maximum Output Power, 802.11n-20, MIMO, RF0, MCS8	31
Table 22: Individual - Maximum Output Power, 802.11n-20, MIMO, RF1, MCS8	31
Table 23: Maximum Conducted Output Power, 802.11n-20, MIMO, 5180MHz, all Data Rates	32
Table 24: Maximum Output Power, 802.11ac-20, SISO, RF0, MCS0	33
Table 25: Maximum Output Power, 802.11ac-20, SISO, RF1, MCS0	33
Table 26: Maximum Conducted Output Power, 802.11ac-20, SISO, 5180MHz, all Data Rates	34
Table 27: Maximum Output Power, 802.11ac-20, CDD, RF0+RF1, MCS0	35
Table 28: Individual - Maximum Output Power, 802.11ac-20, CDD, RF0, MCS0	35
Table 29: Individual - Maximum Output Power, 802.11ac-20, CDD, RF1, MCS0	35
Table 30: Maximum Conducted Output Power, 802.11ac-20, CDD, 5180MHz, all Data Rates	36
Table 31: Maximum Output Power, 802.11ac-20, MIMO, RF0+RF1, MCS0	37
Table 32: Individual - Maximum Output Power, 802.11ac-20, MIMO, RF0, MCS0	37
Table 33: Individual - Maximum Output Power, 802.11ac-20, MIMO, RF1, MCS0	37
Table 34: Maximum Conducted Output Power, 802.11ac-20, MIMO, 5180MHz, all Data Rates	38
Table 35: Maximum Output Power, 802.11n-40, SISO, RF0, MCS0	39
Table 36: Maximum Output Power, 802.11n-40, SISO, RF1, MCS0	39
Table 37: Maximum Conducted Output Power, 802.11n-40, SISO, 5190MHz, all Data Rates	40
Table 38: Maximum Output Power, 802.11n-40, CDD, RF0+RF1, MCS0.....	41
Table 39: Individual - Maximum Output Power, 802.11n-40, CDD, RF0, MCS0	41
Table 40: Individual - Maximum Output Power, 802.11n-40, CDD, RF1, MCS0	41
Table 41: Maximum Conducted Output Power, 802.11n-40, CDD, 5190MHz, all Data Rates	42
Table 42: Maximum Output Power, 802.11n-40, MIMO, RF0+RF1, MCS8.....	43
Table 43: Individual - Maximum Output Power, 802.11n-40, MIMO, RF0, MCS8	43
Table 44: Individual - Maximum Output Power, 802.11n-40, MIMO, RF1, MCS8	43
Table 45: Maximum Conducted Output Power, 802.11n-40, MIMO, 5190MHz, all Data Rates	44
Table 46: Maximum Output Power, 802.11ac-40, SISO, RF0, MCS0	45
Table 47: Maximum Output Power, 802.11ac-40, SISO, RF1, MCS0	45
Table 48: Maximum Conducted Output Power, 802.11ac-40, SISO, 5190MHz, all Data Rates	46
Table 49: Maximum Output Power, 802.11ac-40, CDD, RF0+RF1, MCS0	47
Table 50: Individual - Maximum Output Power, 802.11ac-40, CDD, RF0, MCS0	47
Table 51: Individual - Maximum Output Power, 802.11ac-40, CDD, RF1, MCS0	47
Table 52: Maximum Conducted Output Power, 802.11ac-40, CDD, 5190MHz, all Data Rates	48
Table 53: Maximum Output Power, 802.11ac-40, MIMO, RF0+RF1, MCS0	49
Table 54: Individual - Maximum Output Power, 802.11ac-40, MIMO, RF0, MCS0	49

Table 55: Individual - Maximum Output Power, 802.11ac-40, MIMO, RF1, MCS0	49
Table 56: Maximum Conducted Output Power, 802.11ac-40, MIMO, 5190MHz, all Data Rates	50
Table 57: Maximum Output Power, 802.11ac-80, SISO, RF0, MCS0	51
Table 58: Maximum Output Power, 802.11ac-80, SISO, RF1, MCS0	51
Table 59: Maximum Conducted Output Power, 802.11ac-80, SISO, 5210MHz, all Data Rates	52
Table 60: Maximum Output Power, 802.11ac-80, CDD, RF0+RF1, MCS0	53
Table 61: Individual - Maximum Output Power, 802.11ac-80, CDD, RF0, MCS0	53
Table 62: Individual - Maximum Output Power, 802.11ac-80, CDD, RF1, MCS0	53
Table 63: Maximum Conducted Output Power, 802.11ac-80, CDD, 5210MHz, all Data Rates	54
Table 64: Maximum Output Power, 802.11ac-80, MIMO, RF0+RF1, MCS0	55
Table 65: Individual - Maximum Output Power, 802.11ac-80, MIMO, RF0, MCS0	55
Table 66: Individual - Maximum Output Power, 802.11ac-80, MIMO, RF1, MCS0	55
Table 67: Maximum Conducted Output Power, 802.11ac-80, MIMO, 5210MHz, all Data Rates	56
Table 68: 6dB Bandwidth, 802.11a, SISO, RF0	59
Table 69: 6dB Bandwidth, 802.11a, CDD, RF0	61
Table 70: 6dB Bandwidth, 802.11n-20, SISO, RF0	63
Table 71: 6dB Bandwidth, 802.11n-20, CDD, RF0	65
Table 72: 6dB Bandwidth, 802.11n-20, MIMO, RF0	67
Table 73: 6dB Bandwidth, 802.11ac-20, SISO, RF0	69
Table 74: 6dB Bandwidth, 802.11ac-20, CDD, RF0	71
Table 75: 6dB Bandwidth, 802.11ac-20, MIMO, RF0	73
Table 76: 6dB Bandwidth, 802.11n-40, SISO, RF0	75
Table 77: 6dB Bandwidth, 802.11n-40, CDD, RF0	77
Table 78: 6dB Bandwidth, 802.11n-40, MIMO, RF0	79
Table 79: 6dB Bandwidth, 802.11ac-40, SISO, RF0	81
Table 80: 6dB Bandwidth, 802.11ac-40, CDD, RF0	83
Table 81: 6dB Bandwidth, 802.11ac-40, MIMO, RF0	85
Table 82: 6dB Bandwidth, 802.11ac-80, SISO, RF0	87
Table 83: 6dB Bandwidth, 802.11ac-80, CDD, RF0	88
Table 84: 6dB Bandwidth, 802.11ac-80, MIMO, RF0	89
Table 85: 99% Bandwidth, 802.11a, SISO, RF0	91
Table 86: 99% Bandwidth, 802.11a, CDD, RF0	95
Table 87: 99% Bandwidth, 802.11n-20, SISO, RF0	99
Table 88: 99% Bandwidth, 802.11n-20, CDD, RF0	103
Table 89: 99% Bandwidth, 802.11n-20, MIMO, RF0	107
Table 90: 99% Bandwidth, 802.11ac-20, SISO, RF0	111
Table 91: 99% Bandwidth, 802.11ac-20, CDD, RF0	115
Table 92: 99% Bandwidth, 802.11ac-20, MIMO, RF0	119
Table 93: 99% Bandwidth, 802.11n-40, SISO, RF0	123
Table 94: 99% Bandwidth, 802.11n-40, CDD, RF0	126
Table 95: 99% Bandwidth, 802.11n-40, MIMO, RF0	129
Table 96: 99% Bandwidth, 802.11ac-40, SISO, RF0	132
Table 97: 99% Bandwidth, 802.11ac-40, CDD, RF0	135
Table 98: 99% Bandwidth, 802.11ac-40, MIMO, RF0	138
Table 99: 99% Bandwidth, 802.11ac-80, SISO, RF0	141
Table 100: 99% Bandwidth, 802.11ac-80, CDD, RF0	143
Table 101: 99% Bandwidth, 802.11ac-80, MIMO, RF0	145
Table 102: Maximum Power Spectral Density, 802.11a, SISO, RF0	148
Table 103: Maximum Power Spectral Density, 802.11a, SISO, RF1	148
Table 104: Maximum Power Spectral Density, 802.11a, CDD, RF0+RF1	155
Table 105: Individual - Maximum Power Spectral Density, 802.11a, CDD, RF0	155
Table 106: Individual - Maximum Power Spectral Density, 802.11a, CDD, RF1	155
Table 107: Maximum Power Spectral Density, 802.11n-20, SISO, RF0	162
Table 108: Maximum Power Spectral Density, 802.11n-20, SISO, RF1	162
Table 109: Maximum Power Spectral Density, 802.11n-20, CDD, RF0+RF1	169
Table 110: Individual - Maximum Power Spectral Density, 802.11n-20, CDD, RF0	169
Table 111: Individual - Maximum Power Spectral Density, 802.11n-20, CDD, RF1	169

Table 112: Maximum Power Spectral Density, 802.11n-20, MIMO, RF0+RF1	176
Table 113: Individual - Maximum Power Spectral Density, 802.11n-20, MIMO, RF0	176
Table 114: Individual - Maximum Power Spectral Density, 802.11n-20, MIMO, RF1	176
Table 115: Maximum Power Spectral Density, 802.11ac-20, SISO, RF0	183
Table 116: Maximum Power Spectral Density, 802.11ac-20, SISO, RF1	183
Table 117: Maximum Power Spectral Density, 802.11ac-20, CDD, RF0+RF1	190
Table 118: Individual - Maximum Power Spectral Density, 802.11ac-20, CDD, RF0	190
Table 119: Individual - Maximum Power Spectral Density, 802.11ac-20, CDD, RF1	190
Table 120: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF0+RF1	197
Table 121: Individual - Maximum Power Spectral Density, 802.11ac-20, MIMO, RF0	197
Table 122: Individual - Maximum Power Spectral Density, 802.11ac-20, MIMO, RF1	197
Table 123: Maximum Power Spectral Density, 802.11n-40, SISO, RF0	204
Table 124: Maximum Power Spectral Density, 802.11n-40, SISO, RF1	204
Table 125: Maximum Power Spectral Density, 802.11n-40, CDD, RF0+RF1	209
Table 126: Individual - Maximum Power Spectral Density, 802.11n-40, CDD, RF0	209
Table 127: Individual - Maximum Power Spectral Density, 802.11n-40, CDD, RF1	209
Table 128: Maximum Power Spectral Density, 802.11n-40, MIMO, RF0+RF1	214
Table 129: Individual - Maximum Power Spectral Density, 802.11n-40, MIMO, RF0	214
Table 130: Individual - Maximum Power Spectral Density, 802.11n-40, MIMO, RF1	214
Table 131: Maximum Power Spectral Density, 802.11ac-40, SISO, RF0	219
Table 132: Maximum Power Spectral Density, 802.11ac-40, SISO, RF1	219
Table 133: Maximum Power Spectral Density, 802.11ac-40, CDD, RF0+RF1	224
Table 134: Individual - Maximum Power Spectral Density, 802.11ac-40, CDD, RF0	224
Table 135: Individual - Maximum Power Spectral Density, 802.11ac-40, CDD, RF1	224
Table 136: Maximum Power Spectral Density, 802.11ac-40, MIMO, RF0+RF1	229
Table 137: Individual - Maximum Power Spectral Density, 802.11ac-40, MIMO, RF0	229
Table 138: Individual - Maximum Power Spectral Density, 802.11ac-40, MIMO, RF1	229
Table 139: Maximum Power Spectral Density, 802.11ac-80, SISO, RF0	234
Table 140: Maximum Power Spectral Density, 802.11ac-80, SISO, RF1	234
Table 141: Maximum Power Spectral Density, 802.11ac-80, CDD, RF0+RF1	237
Table 142: Individual - Maximum Power Spectral Density, 802.11ac-80, CDD, RF0	237
Table 143: Individual - Maximum Power Spectral Density, 802.11ac-80, CDD, RF1	237
Table 144: Maximum Power Spectral Density, 802.11ac-80, MIMO, RF0+RF1	240
Table 145: Individual - Maximum Power Spectral Density, 802.11ac-80, MIMO, RF0	240
Table 146: Individual - Maximum Power Spectral Density, 802.11ac-80, MIMO, RF1	240
Table 147: Duty Cycle	244
Table 148: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz	256
Table 149: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz	256
Table 150: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5220MHz	258
Table 151: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5220MHz	258
Table 152: Radiated Emissions, Quasi Peak Data, 30MHz - 1GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz	259
Table 153: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz	259
Table 154: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz	259
Table 155: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz	261
Table 156: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz	261
Table 157: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5785MHz	263

Table 158: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5785MHz.....	263
Table 159: Radiated Emissions, Quasi Peak Data, 30MHz - 1GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz.....	264
Table 160: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz	264
Table 161: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz.....	264
Table 162: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz	266
Table 163: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz.....	266
Table 164: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz	268
Table 165: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz.....	268
Table 166: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz	270
Table 167: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz.....	270
Table 168: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz	272
Table 169: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz.....	272
Table 170: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz	274
Table 171: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz.....	274
Table 172: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz	277
Table 173: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz.....	277
Table 174: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz, with Bluetooth Hopping on DH5.....	279
Table 175: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz, with Bluetooth Hopping on DH5	279
Table 176: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz, with Bluetooth Hopping on DH5.....	281
Table 177: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz, with Bluetooth Hopping on DH5	281
Table 178: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz, with Bluetooth Hopping on DH5.....	283
Table 179: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz, with Bluetooth Hopping on DH5	283
Table 180: Radiated Emissions, Quasi Peak Data, 30MHz - 1GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with Bluetooth Hopping on DH5	285
Table 181: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with Bluetooth Hopping on DH5.....	285
Table 182: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with Bluetooth Hopping on DH5	285
Table 183: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz, with Bluetooth Hopping on DH5.....	287
Table 184: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz, with Bluetooth Hopping on DH5	287
Table 185: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz, with Bluetooth Hopping on DH5.....	289

Table 186: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz, with Bluetooth Hopping on DH5	289
Table 187: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz, with Bluetooth Hopping on DH5.....	291
Table 188: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz, with Bluetooth Hopping on DH5	291
Table 189: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz, with Bluetooth Hopping on DH5.....	293
Table 190: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz, with Bluetooth Hopping on DH5	293
Table 191: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5.....	295
Table 192: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5	295
Table 193: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz, with Bluetooth Hopping on DH5.....	298
Table 194: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz, with Bluetooth Hopping on DH5	298
Table 195: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz, with 802.11n-20 on 2437MHz.....	300
Table 196: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5180MHz, with 802.11n-20 on 2437MHz	300
Table 197: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz, with 802.11n-20 on 2437MHz.....	302
Table 198: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5240MHz, with 802.11n-20 on 2437MHz	302
Table 199: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz, with 802.11n-20 on 2437MHz.....	304
Table 200: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5745MHz, with 802.11n-20 on 2437MHz	304
Table 201: Radiated Emissions, Quasi Peak Data, 30MHz - 1GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with 802.11n-20 on 2437MHz	306
Table 202: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with 802.11n-20 on 2437MHz.....	306
Table 203: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-20, CDD, 5825MHz, with 802.11n-20 on 2437MHz	306
Table 204: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz, with 802.11n-20 on 2437MHz.....	308
Table 205: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5190MHz, with 802.11n-20 on 2437MHz	308
Table 206: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz, with 802.11n-20 on 2437MHz.....	310
Table 207: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5230MHz, with 802.11n-20 on 2437MHz	310
Table 208: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz, with 802.11n-20 on 2437MH.....	312
Table 209: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5755MHz, with 802.11n-20 on 2437MH	312
Table 210: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz, with 802.11n-20 on 2437MH.....	314
Table 211: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-40, CDD, 5795MHz, with 802.11n-20 on 2437MH	314
Table 212: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with 802.11n-20 on 2437MH.....	316
Table 213: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with 802.11n-20 on 2437MH	316

Table 214: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz, with 802.11n-20 on 2437MH	319
Table 215: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5775MHz, with 802.11n-20 on 2437MH	319
Table 216: Radiated Emissions, Quasi Peak Data, 9kHz - 30MHz, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5 and 802.11n-20 on 2437MH.....	321
Table 217: Radiated Emissions, Peak Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5 and 802.11n-20 on 2437MH.....	321
Table 218: Radiated Emissions, Average Data, 1 - 40GHz, Horizontal and Vertical Antenna Orientations, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5 and 802.11n-20 on 2437MH	322

8. List of Figures

Figure 1: Block Diagram	13
Figure 2: 6dB Bandwidth, 802.11a, SISO, RF0, 5745MHz	59
Figure 3: 6dB Bandwidth, 802.11a, SISO, RF0, 5785MHz	60
Figure 4: 6dB Bandwidth, 802.11a, SISO, RF0, 5825MHz	60
Figure 5: 6dB Bandwidth, 802.11a, CDD, RF0, 5745MHz.....	61
Figure 6: 6dB Bandwidth, 802.11a, CDD, RF0, 5785MHz.....	62
Figure 7: 6dB Bandwidth, 802.11a, CDD, RF0, 5825MHz.....	62
Figure 8: 6dB Bandwidth, 802.11n-20, SISO, RF0, 5745MHz.....	63
Figure 9: 6dB Bandwidth, 802.11n-20, SISO, RF0, 5785MHz.....	64
Figure 10: 6dB Bandwidth, 802.11n-20, SISO, RF0, 5825MHz.....	64
Figure 11: 6dB Bandwidth, 802.11n-20, CDD, RF0, 5745MHz.....	65
Figure 12: 6dB Bandwidth, 802.11n-20, CDD, RF0, 5785MHz.....	66
Figure 13: 6dB Bandwidth, 802.11n-20, CDD, RF0, 5825MHz.....	66
Figure 14: 6dB Bandwidth, 802.11n-20, MIMO, RF0, 5745MHz.....	67
Figure 15: 6dB Bandwidth, 802.11n-20, MIMO, RF0, 5785MHz.....	68
Figure 16: 6dB Bandwidth, 802.11n-20, MIMO, RF0, 5825MHz.....	68
Figure 17: 6dB Bandwidth, 802.11ac-20, SISO, RF0, 5745MHz.....	69
Figure 18: 6dB Bandwidth, 802.11ac-20, SISO, RF0, 5785MHz.....	70
Figure 19: 6dB Bandwidth, 802.11ac-20, SISO, RF0, 5825MHz.....	70
Figure 20: 6dB Bandwidth, 802.11ac-20, CDD, RF0, 5745MHz.....	71
Figure 21: 6dB Bandwidth, 802.11ac-20, CDD, RF0, 5785MHz.....	72
Figure 22: 6dB Bandwidth, 802.11ac-20, CDD, RF0, 5825MHz.....	72
Figure 23: 6dB Bandwidth, 802.11ac-20, MIMO, RF0, 5745MHz.....	73
Figure 24: 6dB Bandwidth, 802.11ac-20, MIMO, RF0, 5785MHz.....	74
Figure 25: 6dB Bandwidth, 802.11ac-20, MIMO, RF0, 5825MHz.....	74
Figure 26: 6dB Bandwidth, 802.11n-40, SISO, RF0, 5755MHz.....	75
Figure 27: 6dB Bandwidth, 802.11n-40, SISO, RF0, 5795MHz.....	76
Figure 28: 6dB Bandwidth, 802.11n-40, CDD, RF0, 5755MHz.....	77
Figure 29: 6dB Bandwidth, 802.11n-40, CDD, RF0, 5795MHz.....	78
Figure 30: 6dB Bandwidth, 802.11n-40, MIMO, RF0, 5755MHz.....	79
Figure 31: 6dB Bandwidth, 802.11n-40, MIMO, RF0, 5795MHz.....	80
Figure 32: 6dB Bandwidth, 802.11ac-40, SISO, RF0, 5755MHz.....	81
Figure 33: 6dB Bandwidth, 802.11ac-40, SISO, RF0, 5795MHz.....	82
Figure 34: 6dB Bandwidth, 802.11ac-40, CDD, RF0, 5755MHz.....	83
Figure 35: 6dB Bandwidth, 802.11ac-40, CDD, RF0, 5795MHz.....	84
Figure 36: 6dB Bandwidth, 802.11ac-40, MIMO, RF0, 5755MHz.....	85
Figure 37: 6dB Bandwidth, 802.11ac-40, MIMO, RF0, 5795MHz.....	86
Figure 38: 6dB Bandwidth, 802.11ac-80, SISO, RF0, 5775MHz.....	87
Figure 39: 6dB Bandwidth, 802.11ac-80, CDD, RF0, 5775MHz.....	88

Figure 40: 6dB Bandwidth, 802.11ac-80, MIMO, RF0, 5775MHz.....	89
Figure 41: 99% Bandwidth, 802.11a, SISO, RF0, 5180MHz.....	91
Figure 42: 99% Bandwidth, 802.11a, SISO, RF0, 5220MHz.....	92
Figure 43: 99% Bandwidth, 802.11a, SISO, RF0, 5240MHz.....	92
Figure 44: 99% Bandwidth, 802.11a, SISO, RF0, 5745MHz.....	93
Figure 45: 99% Bandwidth, 802.11a, SISO, RF0, 5785MHz.....	93
Figure 46: 99% Bandwidth, 802.11a, SISO, RF0, 5825MHz.....	94
Figure 47: 99% Bandwidth, 802.11a, CDD, RF0, 5180MHz.....	95
Figure 48: 99% Bandwidth, 802.11a, CDD, RF0, 5220MHz.....	96
Figure 49: 99% Bandwidth, 802.11a, CDD, RF0, 5240MHz.....	96
Figure 50: 99% Bandwidth, 802.11a, CDD, RF0, 5745MHz.....	97
Figure 51: 99% Bandwidth, 802.11a, CDD, RF0, 5785MHz.....	97
Figure 52: 99% Bandwidth, 802.11a, CDD, RF0, 5825MHz.....	98
Figure 53: 99% Bandwidth, 802.11n-20, SISO, RF0, 5180MHz.....	99
Figure 54: 99% Bandwidth, 802.11n-20, SISO, RF0, 5220MHz.....	100
Figure 55: 99% Bandwidth, 802.11n-20, SISO, RF0, 5240MHz.....	100
Figure 56: 99% Bandwidth, 802.11n-20, SISO, RF0, 5745MHz.....	101
Figure 57: 99% Bandwidth, 802.11n-20, SISO, RF0, 5785MHz.....	101
Figure 58: 99% Bandwidth, 802.11n-20, SISO, RF0, 5825MHz.....	102
Figure 59: 99% Bandwidth, 802.11n-20, CDD, RF0, 5180MHz.....	103
Figure 60: 99% Bandwidth, 802.11n-20, CDD, RF0, 5220MHz.....	104
Figure 61: 99% Bandwidth, 802.11n-20, CDD, RF0, 5240MHz.....	104
Figure 62: 99% Bandwidth, 802.11n-20, CDD, RF0, 5745MHz.....	105
Figure 63: 99% Bandwidth, 802.11n-20, CDD, RF0, 5785MHz.....	105
Figure 64: 99% Bandwidth, 802.11n-20, CDD, RF0, 5825MHz.....	106
Figure 65: 99% Bandwidth, 802.11n-20, MIMO, RF0, 5180MHz.....	107
Figure 66: 99% Bandwidth, 802.11n-20, MIMO, RF0, 5220MHz.....	108
Figure 67: 99% Bandwidth, 802.11n-20, MIMO, RF0, 5240MHz.....	108
Figure 68: 99% Bandwidth, 802.11n-20, MIMO, RF0, 5745MHz.....	109
Figure 69: 99% Bandwidth, 802.11n-20, MIMO, RF0, 5785MHz.....	109
Figure 70: 99% Bandwidth, 802.11n-20, MIMO, RF0, 5825MHz.....	110
Figure 71: 99% Bandwidth, 802.11ac-20, SISO, RF0, 5180MHz.....	111
Figure 72: 99% Bandwidth, 802.11ac-20, SISO, RF0, 5220MHz.....	112
Figure 73: 99% Bandwidth, 802.11ac-20, SISO, RF0, 5240MHz.....	112
Figure 74: 99% Bandwidth, 802.11ac-20, SISO, RF0, 5745MHz.....	113
Figure 75: 99% Bandwidth, 802.11ac-20, SISO, RF0, 5785MHz.....	113
Figure 76: 99% Bandwidth, 802.11ac-20, SISO, RF0, 5825MHz.....	114
Figure 77: 99% Bandwidth, 802.11ac-20, CDD, RF0, 5180MHz.....	115
Figure 78: 99% Bandwidth, 802.11ac-20, CDD, RF0, 5220MHz.....	116
Figure 79: 99% Bandwidth, 802.11ac-20, CDD, RF0, 5240MHz.....	116
Figure 80: 99% Bandwidth, 802.11ac-20, CDD, RF0, 5745MHz.....	117
Figure 81: 99% Bandwidth, 802.11ac-20, CDD, RF0, 5785MHz.....	117
Figure 82: 99% Bandwidth, 802.11ac-20, CDD, RF0, 5825MHz.....	118
Figure 83: 99% Bandwidth, 802.11ac-20, MIMO, RF0, 5180MHz.....	119
Figure 84: 99% Bandwidth, 802.11ac-20, MIMO, RF0, 5220MHz.....	120
Figure 85: 99% Bandwidth, 802.11ac-20, MIMO, RF0, 5240MHz.....	120
Figure 86: 99% Bandwidth, 802.11ac-20, MIMO, RF0, 5745MHz.....	121
Figure 87: 99% Bandwidth, 802.11ac-20, MIMO, RF0, 5785MHz.....	121
Figure 88: 99% Bandwidth, 802.11ac-20, MIMO, RF0, 5825MHz.....	122
Figure 89: 99% Bandwidth, 802.11n-40, SISO, RF0, 5190MHz.....	123
Figure 90: 99% Bandwidth, 802.11n-40, SISO, RF0, 5230MHz.....	124
Figure 91: 99% Bandwidth, 802.11n-40, SISO, RF0, 5755MHz.....	124
Figure 92: 99% Bandwidth, 802.11n-40, SISO, RF0, 5795MHz.....	125
Figure 93: 99% Bandwidth, 802.11n-40, CDD, RF0, 5190MHz.....	126
Figure 94: 99% Bandwidth, 802.11n-40, CDD, RF0, 5230MHz.....	127
Figure 95: 99% Bandwidth, 802.11n-40, CDD, RF0, 5755MHz.....	127
Figure 96: 99% Bandwidth, 802.11n-40, CDD, RF0, 5795MHz.....	128

Figure 97: 99% Bandwidth, 802.11n-40, MIMO, RF0, 5190MHz.....	129
Figure 98: 99% Bandwidth, 802.11n-40, MIMO, RF0, 5230MHz.....	130
Figure 99: 99% Bandwidth, 802.11n-40, MIMO, RF0, 5755MHz.....	130
Figure 100: 99% Bandwidth, 802.11n-40, MIMO, RF0, 5795MHz.....	131
Figure 101: 99% Bandwidth, 802.11ac-40, SISO, RF0, 5190MHz.....	132
Figure 102: 99% Bandwidth, 802.11ac-40, SISO, RF0, 5230MHz.....	133
Figure 103: 99% Bandwidth, 802.11ac-40, SISO, RF0, 5755MHz.....	133
Figure 104: 99% Bandwidth, 802.11ac-40, SISO, RF0, 5795MHz.....	134
Figure 105: 99% Bandwidth, 802.11ac-40, CDD, RF0, 5190MHz.....	135
Figure 106: 99% Bandwidth, 802.11ac-40, CDD, RF0, 5230MHz.....	136
Figure 107: 99% Bandwidth, 802.11ac-40, CDD, RF0, 5755MHz.....	136
Figure 108: 99% Bandwidth, 802.11ac-40, CDD, RF0, 5795MHz.....	137
Figure 109: 99% Bandwidth, 802.11ac-40, MIMO, RF0, 5190MHz.....	138
Figure 110: 99% Bandwidth, 802.11ac-40, MIMO, RF0, 5230MHz.....	139
Figure 111: 99% Bandwidth, 802.11ac-40, MIMO, RF0, 5755MHz.....	139
Figure 112: 99% Bandwidth, 802.11ac-40, MIMO, RF0, 5795MHz.....	140
Figure 113: 99% Bandwidth, 802.11ac-80, SISO, RF0, 5210MHz.....	141
Figure 114: 99% Bandwidth, 802.11ac-80, SISO, RF0, 5775MHz.....	142
Figure 115: 99% Bandwidth, 802.11ac-80, CDD, RF0, 5210MHz.....	143
Figure 116: 99% Bandwidth, 802.11ac-80, CDD, RF0, 5775MHz.....	144
Figure 117: 99% Bandwidth, 802.11ac-80, MIMO, RF0, 5210MHz.....	145
Figure 118: 99% Bandwidth, 802.11ac-80, MIMO, RF0, 5775MHz.....	146
Figure 119: Maximum Power Spectral Density, 802.11a, SISO, RF0, 5180MHz.....	149
Figure 120: Maximum Power Spectral Density, 802.11a, SISO, RF0, 5220MHz.....	149
Figure 121: Maximum Power Spectral Density, 802.11a, SISO, RF0, 5240MHz.....	150
Figure 122: Maximum Power Spectral Density, 802.11a, SISO, RF0, 5745MHz.....	150
Figure 123: Maximum Power Spectral Density, 802.11a, SISO, RF0, 5785MHz.....	151
Figure 124: Maximum Power Spectral Density, 802.11a, SISO, RF0, 5825MHz.....	151
Figure 125: Maximum Power Spectral Density, 802.11a, SISO, RF1, 5180MHz.....	152
Figure 126: Maximum Power Spectral Density, 802.11a, SISO, RF1, 5220MHz.....	152
Figure 127: Maximum Power Spectral Density, 802.11a, SISO, RF1, 5240MHz.....	153
Figure 128: Maximum Power Spectral Density, 802.11a, SISO, RF1, 5745MHz.....	153
Figure 129: Maximum Power Spectral Density, 802.11a, SISO, RF1, 5785MHz.....	154
Figure 130: Maximum Power Spectral Density, 802.11a, SISO, RF1, 5825MHz.....	154
Figure 131: Maximum Power Spectral Density, 802.11a, CDD, RF0, 5180MHz.....	156
Figure 132: Maximum Power Spectral Density, 802.11a, CDD, RF0, 5220MHz.....	156
Figure 133: Maximum Power Spectral Density, 802.11a, CDD, RF0, 5240MHz.....	157
Figure 134: Maximum Power Spectral Density, 802.11a, CDD, RF0, 5745MHz.....	157
Figure 135: Maximum Power Spectral Density, 802.11a, CDD, RF0, 5785MHz.....	158
Figure 136: Maximum Power Spectral Density, 802.11a, CDD, RF0, 5825MHz.....	158
Figure 137: Maximum Power Spectral Density, 802.11a, CDD, RF1, 5180MHz.....	159
Figure 138: Maximum Power Spectral Density, 802.11a, CDD, RF1, 5220MHz.....	159
Figure 139: Maximum Power Spectral Density, 802.11a, CDD, RF1, 5240MHz.....	160
Figure 140: Maximum Power Spectral Density, 802.11a, CDD, RF1, 5745MHz.....	160
Figure 141: Maximum Power Spectral Density, 802.11a, CDD, RF1, 5785MHz.....	161
Figure 142: Maximum Power Spectral Density, 802.11a, CDD, RF1, 5825MHz.....	161
Figure 143: Maximum Power Spectral Density, 802.11n-20, SISO, RF0, 5180MHz.....	163
Figure 144: Maximum Power Spectral Density, 802.11n-20, SISO, RF0, 5220MHz.....	163
Figure 145: Maximum Power Spectral Density, 802.11n-20, SISO, RF0, 5240MHz.....	164
Figure 146: Maximum Power Spectral Density, 802.11n-20, SISO, RF0, 5745MHz.....	164
Figure 147: Maximum Power Spectral Density, 802.11n-20, SISO, RF0, 5785MHz.....	165
Figure 148: Maximum Power Spectral Density, 802.11n-20, SISO, RF0, 5825MHz.....	165
Figure 149: Maximum Power Spectral Density, 802.11n-20, SISO, RF1, 5180MHz.....	166
Figure 150: Maximum Power Spectral Density, 802.11n-20, SISO, RF1, 5220MHz.....	166
Figure 151: Maximum Power Spectral Density, 802.11n-20, SISO, RF1, 5240MHz.....	167
Figure 152: Maximum Power Spectral Density, 802.11n-20, SISO, RF1, 5745MHz.....	167
Figure 153: Maximum Power Spectral Density, 802.11n-20, SISO, RF1, 5785MHz.....	168

Figure 154: Maximum Power Spectral Density, 802.11n-20, SISO, RF1, 5825MHz.....	168
Figure 155: Maximum Power Spectral Density, 802.11n-20, CDD, RF0, 5180MHz.....	170
Figure 156: Maximum Power Spectral Density, 802.11n-20, CDD, RF0, 5220MHz.....	170
Figure 157: Maximum Power Spectral Density, 802.11n-20, CDD, RF0, 5240MHz.....	171
Figure 158: Maximum Power Spectral Density, 802.11n-20, CDD, RF0, 5745MHz.....	171
Figure 159: Maximum Power Spectral Density, 802.11n-20, CDD, RF0, 5785MHz.....	172
Figure 160: Maximum Power Spectral Density, 802.11n-20, CDD, RF0, 5825MHz.....	172
Figure 161: Maximum Power Spectral Density, 802.11n-20, CDD, RF1, 5180MHz.....	173
Figure 162: Maximum Power Spectral Density, 802.11n-20, CDD, RF1, 5220MHz.....	173
Figure 163: Maximum Power Spectral Density, 802.11n-20, CDD, RF1, 5240MHz.....	174
Figure 164: Maximum Power Spectral Density, 802.11n-20, CDD, RF1, 5745MHz.....	174
Figure 165: Maximum Power Spectral Density, 802.11n-20, CDD, RF1, 5785MHz.....	175
Figure 166: Maximum Power Spectral Density, 802.11n-20, CDD, RF1, 5825MHz.....	175
Figure 167: Maximum Power Spectral Density, 802.11n-20, MIMO, RF0, 5180MHz.....	177
Figure 168: Maximum Power Spectral Density, 802.11n-20, MIMO, RF0, 5220MHz.....	177
Figure 169: Maximum Power Spectral Density, 802.11n-20, MIMO, RF0, 5240MHz.....	178
Figure 170: Maximum Power Spectral Density, 802.11n-20, MIMO, RF0, 5745MHz.....	178
Figure 171: Maximum Power Spectral Density, 802.11n-20, MIMO, RF0, 5785MHz.....	179
Figure 172: Maximum Power Spectral Density, 802.11n-20, MIMO, RF0, 5825MHz.....	179
Figure 173: Maximum Power Spectral Density, 802.11n-20, MIMO, RF1, 5180MHz.....	180
Figure 174: Maximum Power Spectral Density, 802.11n-20, MIMO, RF1, 5220MHz.....	180
Figure 175: Maximum Power Spectral Density, 802.11n-20, MIMO, RF1, 5240MHz.....	181
Figure 176: Maximum Power Spectral Density, 802.11n-20, MIMO, RF1, 5745MHz.....	181
Figure 177: Maximum Power Spectral Density, 802.11n-20, MIMO, RF1, 5785MHz.....	182
Figure 178: Maximum Power Spectral Density, 802.11n-20, MIMO, RF1, 5825MHz.....	182
Figure 179: Maximum Power Spectral Density, 802.11ac-20, SISO, RF0, 5180MHz.....	184
Figure 180: Maximum Power Spectral Density, 802.11ac-20, SISO, RF0, 5220MHz.....	184
Figure 181: Maximum Power Spectral Density, 802.11ac-20, SISO, RF0, 5240MHz.....	185
Figure 182: Maximum Power Spectral Density, 802.11ac-20, SISO, RF0, 5745MHz.....	185
Figure 183: Maximum Power Spectral Density, 802.11ac-20, SISO, RF0, 5785MHz.....	186
Figure 184: Maximum Power Spectral Density, 802.11ac-20, SISO, RF0, 5825MHz.....	186
Figure 185: Maximum Power Spectral Density, 802.11ac-20, SISO, RF1, 5180MHz.....	187
Figure 186: Maximum Power Spectral Density, 802.11ac-20, SISO, RF1, 5220MHz.....	187
Figure 187: Maximum Power Spectral Density, 802.11ac-20, SISO, RF1, 5240MHz.....	188
Figure 188: Maximum Power Spectral Density, 802.11ac-20, SISO, RF1, 5745MHz.....	188
Figure 189: Maximum Power Spectral Density, 802.11ac-20, SISO, RF1, 5785MHz.....	189
Figure 190: Maximum Power Spectral Density, 802.11ac-20, SISO, RF1, 5825MHz.....	189
Figure 191: Maximum Power Spectral Density, 802.11ac-20, CDD, RF0, 5180MHz.....	191
Figure 192: Maximum Power Spectral Density, 802.11ac-20, CDD, RF0, 5220MHz.....	191
Figure 193: Maximum Power Spectral Density, 802.11ac-20, CDD, RF0, 5240MHz.....	192
Figure 194: Maximum Power Spectral Density, 802.11ac-20, CDD, RF0, 5745MHz.....	192
Figure 195: Maximum Power Spectral Density, 802.11ac-20, CDD, RF0, 5785MHz.....	193
Figure 196: Maximum Power Spectral Density, 802.11ac-20, CDD, RF0, 5825MHz.....	193
Figure 197: Maximum Power Spectral Density, 802.11ac-20, CDD, RF1, 5180MHz.....	194
Figure 198: Maximum Power Spectral Density, 802.11ac-20, CDD, RF1, 5220MHz.....	194
Figure 199: Maximum Power Spectral Density, 802.11ac-20, CDD, RF1, 5240MHz.....	195
Figure 200: Maximum Power Spectral Density, 802.11ac-20, CDD, RF1, 5745MHz.....	195
Figure 201: Maximum Power Spectral Density, 802.11ac-20, CDD, RF1, 5785MHz.....	196
Figure 202: Maximum Power Spectral Density, 802.11ac-20, CDD, RF1, 5825MHz.....	196
Figure 203: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF0, 5180MHz.....	198
Figure 204: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF0, 5220MHz.....	198
Figure 205: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF0, 5240MHz.....	199
Figure 206: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF0, 5745MHz.....	199
Figure 207: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF0, 5785MHz.....	200
Figure 208: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF0, 5825MHz.....	200
Figure 209: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF1, 5180MHz.....	201
Figure 210: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF1, 5220MHz.....	201

Figure 211: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF1, 5240MHz.....	202
Figure 212: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF1, 5745MHz.....	202
Figure 213: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF1, 5785MHz.....	203
Figure 214: Maximum Power Spectral Density, 802.11ac-20, MIMO, RF1, 5825MHz.....	203
Figure 215: Maximum Power Spectral Density, 802.11n-40, SISO, RF0, 5190MHz.....	205
Figure 216: Maximum Power Spectral Density, 802.11n-40, SISO, RF0, 5230MHz.....	205
Figure 217: Maximum Power Spectral Density, 802.11n-40, SISO, RF0, 5755MHz.....	206
Figure 218: Maximum Power Spectral Density, 802.11n-40, SISO, RF0, 5795MHz.....	206
Figure 219: Maximum Power Spectral Density, 802.11n-40, SISO, RF1, 5190MHz.....	207
Figure 220: Maximum Power Spectral Density, 802.11n-40, SISO, RF1, 5230MHz.....	207
Figure 221: Maximum Power Spectral Density, 802.11n-40, SISO, RF1, 5755MHz.....	208
Figure 222: Maximum Power Spectral Density, 802.11n-40, SISO, RF1, 5795MHz.....	208
Figure 223: Maximum Power Spectral Density, 802.11n-40, CDD, RF0, 5190MHz.....	210
Figure 224: Maximum Power Spectral Density, 802.11n-40, CDD, RF0, 5230MHz.....	210
Figure 225: Maximum Power Spectral Density, 802.11n-40, CDD, RF0, 5755MHz.....	211
Figure 226: Maximum Power Spectral Density, 802.11n-40, CDD, RF0, 5795MHz.....	211
Figure 227: Maximum Power Spectral Density, 802.11n-40, CDD, RF1, 5190MHz.....	212
Figure 228: Maximum Power Spectral Density, 802.11n-40, CDD, RF1, 5230MHz.....	212
Figure 229: Maximum Power Spectral Density, 802.11n-40, CDD, RF1, 5755MHz.....	213
Figure 230: Maximum Power Spectral Density, 802.11n-40, CDD, RF1, 5795MHz.....	213
Figure 231: Maximum Power Spectral Density, 802.11n-40, MIMO, RF0, 5190MHz.....	215
Figure 232: Maximum Power Spectral Density, 802.11n-40, MIMO, RF0, 5230MHz.....	215
Figure 233: Maximum Power Spectral Density, 802.11n-40, MIMO, RF0, 5755MHz.....	216
Figure 234: Maximum Power Spectral Density, 802.11n-40, MIMO, RF0, 5795MHz.....	216
Figure 235: Maximum Power Spectral Density, 802.11n-40, MIMO, RF1, 5190MHz.....	217
Figure 236: Maximum Power Spectral Density, 802.11n-40, MIMO, RF1, 5230MHz.....	217
Figure 237: Maximum Power Spectral Density, 802.11n-40, MIMO, RF1, 5755MHz.....	218
Figure 238: Maximum Power Spectral Density, 802.11n-40, MIMO, RF1, 5795MHz.....	218
Figure 239: Maximum Power Spectral Density, 802.11ac-40, SISO, RF0, 5190MHz.....	220
Figure 240: Maximum Power Spectral Density, 802.11ac-40, SISO, RF0, 5230MHz.....	220
Figure 241: Maximum Power Spectral Density, 802.11ac-40, SISO, RF0, 5755MHz.....	221
Figure 242: Maximum Power Spectral Density, 802.11ac-40, SISO, RF0, 5795MHz.....	221
Figure 243: Maximum Power Spectral Density, 802.11ac-40, SISO, RF1, 5190MHz.....	222
Figure 244: Maximum Power Spectral Density, 802.11ac-40, SISO, RF1, 5230MHz.....	222
Figure 245: Maximum Power Spectral Density, 802.11ac-40, SISO, RF1, 5755MHz.....	223
Figure 246: Maximum Power Spectral Density, 802.11ac-40, SISO, RF1, 5795MHz.....	223
Figure 247: Maximum Power Spectral Density, 802.11ac-40, CDD, RF0, 5190MHz.....	225
Figure 248: Maximum Power Spectral Density, 802.11ac-40, CDD, RF0, 5230MHz.....	225
Figure 249: Maximum Power Spectral Density, 802.11ac-40, CDD, RF0, 5755MHz.....	226
Figure 250: Maximum Power Spectral Density, 802.11ac-40, CDD, RF0, 5795MHz.....	226
Figure 251: Maximum Power Spectral Density, 802.11ac-40, CDD, RF1, 5190MHz.....	227
Figure 252: Maximum Power Spectral Density, 802.11ac-40, CDD, RF1, 5230MHz.....	227
Figure 253: Maximum Power Spectral Density, 802.11ac-40, CDD, RF1, 5755MHz.....	228
Figure 254: Maximum Power Spectral Density, 802.11ac-40, CDD, RF1, 5795MHz.....	228
Figure 255: Maximum Power Spectral Density, 802.11ac-40, MIMO, RF0, 5190MHz.....	230
Figure 256: Maximum Power Spectral Density, 802.11ac-40, MIMO, RF0, 5230MHz.....	230
Figure 257: Maximum Power Spectral Density, 802.11ac-40, MIMO, RF0, 5755MHz.....	231
Figure 258: Maximum Power Spectral Density, 802.11ac-40, MIMO, RF0, 5795MHz.....	231
Figure 259: Maximum Power Spectral Density, 802.11ac-40, MIMO, RF1, 5190MHz.....	232
Figure 260: Maximum Power Spectral Density, 802.11ac-40, MIMO, RF1, 5230MHz.....	232
Figure 261: Maximum Power Spectral Density, 802.11ac-40, MIMO, RF1, 5755MHz.....	233
Figure 262: Maximum Power Spectral Density, 802.11ac-40, MIMO, RF1, 5795MHz.....	233
Figure 263: Maximum Power Spectral Density, 802.11ac-80, SISO, RF0, 5210MHz.....	235
Figure 264: Maximum Power Spectral Density, 802.11ac-80, SISO, RF0, 5775MHz.....	235
Figure 265: Maximum Power Spectral Density, 802.11ac-80, SISO, RF1, 5210MHz.....	236
Figure 266: Maximum Power Spectral Density, 802.11ac-80, SISO, RF1, 5775MHz.....	236
Figure 267: Maximum Power Spectral Density, 802.11ac-80, CDD, RF0, 5210MHz.....	238

Figure 268: Maximum Power Spectral Density, 802.11ac-80, CDD, RF0, 5775MHz.....	238
Figure 269: Maximum Power Spectral Density, 802.11ac-80, CDD, RF1, 5210MHz.....	239
Figure 270: Maximum Power Spectral Density, 802.11ac-80, CDD, RF1, 5775MHz.....	239
Figure 271: Maximum Power Spectral Density, 802.11ac-80, MIMO, RF0, 5210MHz.....	241
Figure 272: Maximum Power Spectral Density, 802.11ac-80, MIMO, RF0, 5775MHz.....	241
Figure 273: Maximum Power Spectral Density, 802.11ac-80, MIMO, RF1, 5210MHz.....	242
Figure 274: Maximum Power Spectral Density, 802.11ac-80, MIMO, RF1, 5775MHz.....	242
Figure 275: Duty Cycle, 802.11a, 5180MHz, SISO, 6Mbps.....	245
Figure 276: Duty Cycle, 802.11a, 5180MHz, CDD, 6Mbps.....	245
Figure 277: Duty Cycle, 802.11n-20, 5180MHz, SISO, MCS0.....	246
Figure 278: Duty Cycle, 802.11n-20, 5180MHz, CDD, MCS0.....	246
Figure 279: Duty Cycle, 802.11n-20, 5180MHz, MIMO, MCS8.....	247
Figure 280: Duty Cycle, 802.11ac-20, 5180MHz, SISO, MCS0.....	247
Figure 281: Duty Cycle, 802.11ac-20, 5180MHz, CDD, MCS0.....	248
Figure 282: Duty Cycle, 802.11ac-20, 5180MHz, MIMO, MCS0.....	248
Figure 283: Duty Cycle, 802.11n-40, 5190MHz, SISO, MCS0.....	249
Figure 284: Duty Cycle, 802.11n-40, 5190MHz, CDD, MCS0.....	249
Figure 285: Duty Cycle, 802.11n-40, 5190MHz, MIMO, MCS8.....	250
Figure 286: Duty Cycle, 802.11ac-40, 5190MHz, SISO, MCS0.....	250
Figure 287: Duty Cycle, 802.11ac-40, 5190MHz, CDD, MCS0.....	251
Figure 288: Duty Cycle, 802.11ac-40, 5190MHz, MIMO, MCS0.....	251
Figure 289: Duty Cycle, 802.11ac-80, 5210MHz, SISO, MCS0.....	252
Figure 290: Duty Cycle, 802.11ac-80, 5210MHz, CDD, MCS0.....	252
Figure 291: Duty Cycle, 802.11ac-80, 5210MHz, MIMO, MCS0.....	253
Figure 292: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5180MHz.....	257
Figure 293: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5240MHz.....	260
Figure 294: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5745MHz.....	262
Figure 295: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5825MHz.....	265
Figure 296: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5190MHz.....	267
Figure 297: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5230MHz.....	269
Figure 298: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5755MHz.....	271
Figure 299: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5795MHz.....	273
Figure 300: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-80, CDD, 5210MHz.....	275
Figure 301: Radiated Emissions at Band Edge, Peak, 802.11ac-80, CDD, 5775MHz.....	278
Figure 302: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5180MHz, with Bluetooth Hopping on DH5.....	280
Figure 303: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5240MHz, with Bluetooth Hopping on DH5.....	282
Figure 304: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5745MHz, with Bluetooth Hopping on DH5.....	284
Figure 305: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5825MHz, with Bluetooth Hopping on DH5.....	286
Figure 306: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5190MHz, with Bluetooth Hopping on DH5.....	288
Figure 307: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5230MHz, with Bluetooth Hopping on DH5.....	290
Figure 308: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5755MHz, with Bluetooth Hopping on DH5.....	292
Figure 309: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5795MHz, with Bluetooth Hopping on DH5.....	294
Figure 310: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5.....	296
Figure 311: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5775MHz, with Bluetooth Hopping on DH5.....	299
Figure 312: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5180MHz, with 802.11n-20 on 2437MHz.....	301

Figure 313: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-20, CDD, 5240MHz, with 802.11n-20 on 2437MHz.....	303
Figure 314: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5745MHz, with 802.11n-20 on 2437MHz.....	305
Figure 315: Radiated Emissions at Band Edge, Peak, 802.11ac-20, CDD, 5825MHz, with 802.11n-20 on 2437MHz.....	307
Figure 316: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5190MHz, with 802.11n-20 on 2437MHz.....	309
Figure 317: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-40, CDD, 5230MHz, with 802.11n-20 on 2437MHz.....	311
Figure 318: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5755MHz, with 802.11n-20 on 2437MHz.....	313
Figure 319: Radiated Emissions at Band Edge, Peak, 802.11ac-40, CDD, 5795MHz, with 802.11n-20 on 2437MHz.....	315
Figure 320: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-80, CDD, 5210MHz, with 802.11n-20 on 2437MHz.....	317
Figure 321: Radiated Emissions at Band Edge, Peak, 802.11ac-80, CDD, 5775MHz, with 802.11n-20 on 2437MHz.....	320
Figure 322: Radiated Emissions at Band Edge, Peak and Average, 802.11ac-80, CDD, 5210MHz, with Bluetooth Hopping on DH5 and 802.11n-20 on 2437MH.....	323

9. List of Photographs

Photograph 1: Set-up for Radiated Emission of Transmitter at MHz Range, Front View.....	326
Photograph 2: Set-up for Radiated Emission of Transmitter at MHz Range, Rear View.....	326
Photograph 3: Set-up for Radiated Emission of Transmitter at GHz Range, Front View.....	327
Photograph 4: Set-up for Radiated Emission of Transmitter at GHz Range, Rear View.....	327
Photograph 5: Set-up for Antenna Port Connected Test, General setup.....	328
Photograph 6: Set-up for Antenna Port Connected Test, EUT ports.....	328
Photograph 7: EUT.....	329
Photograph 8: Steering Switch (Test Jig).....	329
Photograph 9: Dummy Load for Speaker (Test Jig).....	330

– End of test report –