

EUT AND PRODUCT INFORMATION

Type of Equipment	UPCS (DECT 6.0)	
Applicant Name	Panasonic Corporation of North America	
Responsible Mfr Name	Panasonic Corporation	
Address	1-62, 4-chome, Minoshima, Hakata-ku, Fukuoka 812-8531, Japan	
Contact	Kazunori Ata	

	PP		
EUT Type/System			
FCC ID		ACJ96NKX-TGTA61 (IC: 216A-KXTGTA69)	
Model name	KX-TGTA61		
HW Version	PNLB2737xx		
SW Version		SW300	
Max antenna Gain (dBi)		0dBi	
Can the EUT be Initiating Device		⊠ YES	
Does the EUT transmit signaling channels		YES	
Max number of slots in use simultaneously		1 slot	
Test standard:	FCC part 15D Other: Industry Canada RSS-213, Issue 2		
Frequency Band	1921.536 – 1928.448 MHz		
# of RF Channels	5		
Frame Period	10 ms		
Max. Burst length	417us / duplex channel (For Narrow band) 833us / duplex channel (For Wide band via only Bluetooth)		
Min. Burst Length	106us / signaling channel		
# of Logical Channels	60 (12 duplex channels per RF carrier)(For Narrow band) 30 (6 duplex channels per RF carrier)(For Wide band via only Bluetooth)		
Operating Mode	☐ Simplex ☐ Duplex		



ANTENNAS								
Base (FP)	Antenna	Antenna Type			Iı	nternal	External	
	1							
	2							
	3							
	4							
	Does RX and	ΓX use	the same antenn	a(s)?] Ye	es	☐ No
Handset (PP)	Antenna		Тур	oe		Iı	nternal	External
	1		Wired A	ntenna			\boxtimes	
	2							
	Does RX and	ΓX use	the same antenn	a(s)?	\triangleright] Ye	es	☐ No
ANTENNA 1	DIVERSITY							
	Antenna		Diversity Supp			port	ed	
			TX			RX		
Base (FP)	1							
and Repeater	2							
	3							
	4							
Handset (PP)	1	1						
	2							
VOLTAGE	AND TEMPI	ERAT	URE RANG	ES				
VOLTAGES		FP			PP			
Nominal Voltage		1	120V AC DC 2		C 2.4V	2.4V		
Cut-Off Voltage (if applicable)		-		_				
POWER SOURCE		Туре				Manufacturer		
Base or Repeater		PNLV226 (AC Adaptor)				Panasonic		
Handset (PP) (Handset (PP) (charger)		PNLC1083 (Charger)		Panasonic			
Data Connecti	Data Connections			PSTN (Base)				
		Ot	hers (please spe	cify)				



ANCILLARY EQUIPMENT		
Description	AC Adaptor and Charger	
Type	PNLV226 (AC Adaptor), PNLC1083 (Charger)	
Manufacturer	Panasonic	

HOST DEVICE	
Description	
Type	
Manufacturer	

ADDITIONAL INFORMATION		



MANUFACTURERS DECLARATIONS				
FCC part 15.323 (c)(5)				
No device or group of co-operating devices located within 1m of each other shall during any frame period occupy more than 6 MHz of aggregate bandwidth, or alternatively, more than one third of the time and spectrum windows defined by the system.				
Applicant Agrees	⊠ Yes	□No		
FCC part 15.323 (c)(10)				
The applicant hereby declares that this section.	at the system in this application d	loes use the criteria of (c)(10) of		
Applicant Agrees	⊠ Yes	□No		
FCC part 15.323 (c)(11)				
The applicant hereby declares that this section.	at system in this application does	not use the criteria of (c)(11) of		
Applicant Agrees	⊠ Yes	□No		
FCC part 15.323 (c)(12)				
The provisions of $(c)(10)$ or $(c)(11)$ of this section shall not be used to extend the range of spectrum occupied over space or time for the purpose of denying fair access to spectrum to other devices.				
Applicant Agrees	⊠ Yes	□No		
FCC part 15.307 (b)				
The Applicant is a participating member of UTAM, Inc. and will provide an affidavit from UTAM, Inc. certifying this.				
Confirmed By Applicant	⊠ Yes	□No		
ADDITIONAL REMARKS:				
>				
DECLARED BY:		1 2 1		
Da Bu				
June 13, 2018 Ben F	Bottos			