

Appendix for the SAR Test Report

Dosimetric Assessment of the Portable Device K-SHH14 from Panasonic (FCC ID: ACJ9TAK-SHH14) (IC: 216A-KSHH14)

According to the FCC Requirements Pictures

December 01, 2014

IMST GmbH
Carl-Friedrich-Gauß-Str. 2 - 4
47475 Kamp-Lintfort
Germany

Customer
Panasonic System Networks Co., Ltd.
1 - 62, 4 - chome Minoshima, Hakata,
Fukuoka 812-8531
Japan

The test results only relate to the items tested.

This report shall not be reproduced except in full without the written approval of the testing laboratory.

Subject of Investigation



Fig. 1: Pictures of the device under test.

6.9 Pictures of the Device under Test

Figure 7 - 9 show the device under test.



Fig. 7: Front and back view of the device under test.



Fig. 8: Left and right side view of the device under test.



Fig. 9: Side view of the device under test.

6.10 Test Positions for the Device under Test

Figure 10 - 14 show the test positions for the SAR measurements.



Fig. 10: Test position 1, front of the K-SHH14 towards the flat part of SAM phantom, 0 mm distance.



Fig. 11: Test position 2, back of the K-SHH14 towards the flat part of SAM phantom, 0 mm distance.




Fig. 12: Test position 3, left side of the K-SHH14 towards the flat part of SAM phantom, 0 mm distance.



Fig. 13: Test position 4, right side of the K-SHH14 towards the flat part of SAM phantom, 0 mm distance.



Fig. 14: Test position 5, top side of the K-SHH14 towards the flat part of SAM phantom, 0 mm distance.