




Band n260, Antenna #2, 50 MHz, Lower Band Edge, DFT-s-OFDM




Band n260, Antenna #2, 50 MHz, Upper Band Edge, DFT-s-OFDM



Band n260, Antenna #2, 100 MHz, Lower Band Edge, DFT-s-OFDM



Band n260, Antenna #2, 100 MHz, Upper Band Edge, DFT-s-OFDM




Band n261, Antenna #0, H+V


Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-7.57	-5	2.57
				QPSK	27.495	-19.68	-13	6.68
			16QAM	27.500	-7.03	-5	2.03	
				27.495	-20.86	-13	7.86	
			64QAM	27.500	-7.16	-5	2.16	
				27.495	-21.25	-13	8.25	
		Full (32/0)	$\pi/2$ -BPSK	DFT-s-OFDM	27.500	-9.02	-5	4.02
				27.495	-22.09	-13	9.09	
			QPSK	DFT-s-OFDM	27.500	-23.21	-5	18.21
				27.495	-24.48	-13	11.48	
			16QAM	DFT-s-OFDM	27.500	-21.10	-5	16.10
				27.495	-21.99	-13	8.99	
	64QAM	DFT-s-OFDM	27.500	-22.63	-5	17.63		
		27.495	-22.44	-13	9.44			
	100	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-8.83	-5	3.83
				QPSK	27.490	-25.59	-13	12.59
			16QAM	DFT-s-OFDM	27.500	-7.58	-5	2.58
				27.490	-23.73	-13	10.73	
			64QAM	DFT-s-OFDM	27.500	-10.62	-5	5.62
				27.490	-25.31	-13	12.31	
		Full (64/0)	$\pi/2$ -BPSK	DFT-s-OFDM	27.500	-11.04	-5	6.04
				27.490	-27.63	-13	14.63	
			QPSK	DFT-s-OFDM	27.500	-22.85	-5	17.85
				27.490	-27.25	-13	14.25	
16QAM			DFT-s-OFDM	27.500	-21.69	-5	16.69	
			27.490	-24.88	-13	11.88		
64QAM	DFT-s-OFDM	27.500	-24.77	-5	19.77			
	27.490	-26.74	-13	13.74				
				27.500	-28.21	-5	23.21	
				27.490	-25.63	-13	12.63	

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
High	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-8.92	-5	3.92
				QPSK	28.356	-18.15	-13	5.15
			16QAM	DFT-s-OFDM	28.350	-7.77	-5	2.77
				28.356	-17.37	-13	4.37	
			64QAM	DFT-s-OFDM	28.350	-9.98	-5	4.98
				28.355	-19.15	-13	6.15	
		Full (32/0)	$\pi/2$ -BPSK	DFT-s-OFDM	28.350	-11.94	-5	6.94
				28.355	-20.45	-13	7.45	
			QPSK	DFT-s-OFDM	28.350	-18.10	-5	13.10
				28.357	-21.35	-13	8.35	
			16QAM	DFT-s-OFDM	28.351	-16.53	-5	11.53
				28.356	-17.27	-13	4.27	
	64QAM	DFT-s-OFDM	28.350	-18.96	-5	13.96		
		28.355	-20.40	-13	7.40			
	100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-21.89	-5	16.89
				28.360	-23.34	-13	10.34	
			QPSK	DFT-s-OFDM	28.350	-10.15	-5	5.15
				28.360	-23.27	-13	10.27	
			16QAM	DFT-s-OFDM	28.350	-8.54	-5	3.54
				28.362	-24.18	-13	11.18	
		64QAM	DFT-s-OFDM	28.350	-9.91	-5	4.91	
			28.360	-23.72	-13	10.72		
		Full (64/0)	$\pi/2$ -BPSK	DFT-s-OFDM	28.350	-13.38	-5	8.38
				28.360	-25.26	-13	12.26	
QPSK			DFT-s-OFDM	28.350	-22.49	-5	17.49	
			28.381	-23.72	-13	10.72		
16QAM	DFT-s-OFDM		28.352	-19.48	-5	14.48		
	28.367		-21.60	-13	8.60			
64QAM	DFT-s-OFDM	28.354	-22.92	-5	17.92			
	28.361	-22.53	-13	9.53				
				28.356	-24.41	-5	19.41	
				28.384	-24.28	-13	11.28	


Band n261, Antenna #0, 50 MHz, Lower Band Edge, DFT-s-OFDM




Band n261, Antenna #0, 50 MHz, Upper Band Edge, DFT-s-OFDM



Band n261, Antenna #0, 100 MHz, Lower Band Edge, DFT-s-OFDM



Band n261, Antenna #0, 100 MHz, Upper Band Edge, DFT-s-OFDM



Band n261, Antenna #1, H+V

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-7.65	-5	2.65
				QPSK	27.495	-19.83	-13	6.83
			16QAM	27.500	-8.37	-5	3.37	
				27.495	-19.38	-13	6.38	
			64QAM	27.500	-10.01	-5	5.01	
				27.495	-20.76	-13	7.76	
		Full (32/0)	$\pi/2$ -BPSK	DFT-s-OFDM	27.500	-20.32	-5	15.32
				27.495	-25.65	-13	12.65	
			QPSK	DFT-s-OFDM	27.500	-18.95	-5	13.95
				27.495	-22.73	-13	9.73	
			16QAM	DFT-s-OFDM	27.500	-22.65	-5	17.65
				27.495	-25.19	-13	12.19	
	100	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	27.500	-9.39	-5	4.39
				QPSK	27.490	-27.23	-13	14.23
			16QAM	DFT-s-OFDM	27.500	-10.40	-5	5.40
				27.490	-26.43	-13	13.43	
			64QAM	DFT-s-OFDM	27.500	-13.06	-5	8.06
				27.490	-28.31	-13	15.31	
		Full (64/0)	$\pi/2$ -BPSK	DFT-s-OFDM	27.500	-13.69	-5	8.69
				27.490	-27.62	-13	14.62	
			QPSK	DFT-s-OFDM	27.500	-23.11	-5	18.11
				27.490	-26.24	-13	13.24	
			16QAM	DFT-s-OFDM	27.500	-25.25	-5	20.25
				27.490	-23.54	-13	10.54	
64QAM	DFT-s-OFDM	27.500	-28.48	-5	23.48			
	27.490	-27.65	-13	14.65				
				27.500	-24.68	-5	19.68	
				27.490	-27.90	-13	14.90	

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]	
High	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-9.93	-5	4.93	
				QPSK	28.355	-17.96	-13	4.96	
			16QAM	DFT-s-OFDM	28.350	-9.02	-5	4.02	
				28.355	-17.36	-13	4.36		
			64QAM	DFT-s-OFDM	28.350	-10.38	-5	5.38	
				28.355	-18.31	-13	5.31		
		Full (32/0)	$\pi/2$ -BPSK	DFT-s-OFDM	28.350	-13.18	-5	8.18	
				28.355	-21.59	-13	8.59		
			QPSK	DFT-s-OFDM	28.350	-19.09	-5	14.09	
				28.355	-22.80	-13	9.80		
			16QAM	DFT-s-OFDM	28.350	-18.33	-5	13.33	
				28.355	-19.80	-13	6.80		
		64QAM	DFT-s-OFDM	28.350	-20.63	-5	15.63		
			28.355	-21.51	-13	8.51			
		100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	28.350	-22.62	-5	17.62
					QPSK	28.356	-23.26	-13	10.26
				16QAM	DFT-s-OFDM	28.350	-11.99	-5	6.99
					28.361	-23.03	-13	10.03	
	64QAM			DFT-s-OFDM	28.350	-9.23	-5	4.23	
				28.362	-24.43	-13	11.43		
	Full (64/0)		$\pi/2$ -BPSK	DFT-s-OFDM	28.350	-12.16	-5	7.16	
				28.360	-23.50	-13	10.50		
			QPSK	DFT-s-OFDM	28.350	-14.61	-5	9.61	
				28.384	-25.92	-13	12.92		
			16QAM	DFT-s-OFDM	28.353	-25.58	-5	20.58	
				28.377	-24.36	-13	11.36		
	64QAM		DFT-s-OFDM	28.350	-21.96	-5	16.96		
			28.387	-22.97	-13	9.97			
						28.351	-23.03	-5	18.03
						28.361	-23.28	-13	10.28
						28.352	-24.82	-5	19.82
						28.364	-24.49	-13	11.49