



**Antenna #2, n260, 100 MHz**




**Antenna #2, Band n261**

Bandwidth [MHz]	Transmission scheme	Modulation	OBW [MHz]
50	CP-OFDM	QPSK	45.240
50	CP-OFDM	16QAM	45.435
50	CP-OFDM	64QAM	45.237
50	DFT-s-OFDM	$\pi/2$ -BPSK	45.067
50	DFT-s-OFDM	QPSK	45.302
50	DFT-s-OFDM	16QAM	45.314
50	DFT-s-OFDM	64QAM	45.265
100	CP-OFDM	QPSK	92.793
100	CP-OFDM	16QAM	92.725
100	CP-OFDM	64QAM	93.213
100	DFT-s-OFDM	$\pi/2$ -BPSK	90.999
100	DFT-s-OFDM	QPSK	90.959
100	DFT-s-OFDM	16QAM	90.818
100	DFT-s-OFDM	64QAM	91.034

**Antenna #2, n261, 50 MHz**



**Antenna #2, n261, 100 MHz**



**A.2 EIRP**  
**Antenna #0, Band n258a, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	24275.04	H	DFT-s-OFDM	QPSK	1/16	23.63	43	19.37		
			DFT-s-OFDM	QPSK	1/11	23.54	43	19.46		
			DFT-s-OFDM	QPSK	1/21	23.54	43	19.46		
			DFT-s-OFDM	QPSK	10/11	23.45	43	19.55		
			CP-OFDM	QPSK	1/16	20.05	43	22.95		
			CP-OFDM	16QAM	1/16	19.26	43	23.74		
			CP-OFDM	64QAM	1/16	15.67	43	27.33		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	23.37	43	19.63		
			DFT-s-OFDM	16QAM	1/16	21.14	43	21.86		
		DFT-s-OFDM	64QAM	1/16	19.16	43	23.84			
		V	DFT-s-OFDM	QPSK	1/16	22.68	43	20.32		
			DFT-s-OFDM	QPSK	1/11	22.47	43	20.53		
			DFT-s-OFDM	QPSK	1/21	22.55	43	20.45		
			DFT-s-OFDM	QPSK	10/11	22.64	43	20.36		
			CP-OFDM	QPSK	1/16	19.24	43	23.76		
			CP-OFDM	16QAM	1/16	18.48	43	24.52		
			CP-OFDM	64QAM	1/16	14.79	43	28.21		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.44	43	20.56		
			DFT-s-OFDM	16QAM	1/16	20.04	43	22.96		
		DFT-s-OFDM	64QAM	1/16	18.25	43	24.75			
		H+V	DFT-s-OFDM	QPSK	1/16	25.64	43	17.36		
			DFT-s-OFDM	QPSK	1/11	25.54	43	17.46		
			DFT-s-OFDM	QPSK	1/21	25.96	43	17.04		
			DFT-s-OFDM	QPSK	10/11	<b>25.97</b>	43	17.03		
			CP-OFDM	QPSK	11/11	21.89	43	21.11		
			CP-OFDM	16QAM	11/11	20.72	43	22.28		
			CP-OFDM	64QAM	11/11	18.48	43	24.52		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	25.89	43	17.11		
			DFT-s-OFDM	16QAM	10/11	23.69	43	19.31		
		DFT-s-OFDM	64QAM	10/11	21.44	43	21.56			
		100	24300.00	H	DFT-s-OFDM	QPSK	1/33	23.85	43	19.15
					DFT-s-OFDM	QPSK	1/22	23.59	43	19.41
					DFT-s-OFDM	QPSK	1/43	23.75	43	19.25
DFT-s-OFDM	QPSK				20/22	23.61	43	19.39		
CP-OFDM	QPSK				1/33	20.20	43	22.80		
CP-OFDM	16QAM				1/33	19.25	43	23.75		
CP-OFDM	64QAM				1/33	16.13	43	26.87		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	23.45	43	19.55		
DFT-s-OFDM	16QAM				1/33	21.09	43	21.91		
DFT-s-OFDM	64QAM			1/33	19.34	43	23.66			
V	DFT-s-OFDM			QPSK	1/33	22.79	43	20.21		
	DFT-s-OFDM			QPSK	1/22	22.70	43	20.30		
	DFT-s-OFDM			QPSK	1/43	22.73	43	20.27		
	DFT-s-OFDM			QPSK	20/22	22.64	43	20.36		
	CP-OFDM			QPSK	1/33	19.38	43	23.62		
	CP-OFDM			16QAM	1/33	18.20	43	24.80		
	CP-OFDM			64QAM	1/33	15.17	43	27.83		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	22.77	43	20.23		
	DFT-s-OFDM			16QAM	1/33	20.08	43	22.92		
DFT-s-OFDM	64QAM			1/33	18.22	43	24.78			
H+V	DFT-s-OFDM			QPSK	1/33	25.48	43	17.52		
	DFT-s-OFDM			QPSK	1/22	26.18	43	16.82		
	DFT-s-OFDM			QPSK	1/43	26.09	43	16.91		
	DFT-s-OFDM			QPSK	20/22	<b>26.39</b>	43	16.61		
	CP-OFDM			QPSK	22/22	21.92	43	21.08		
	CP-OFDM			16QAM	22/22	20.87	43	22.13		
	CP-OFDM			64QAM	22/22	18.53	43	24.47		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	25.87	43	17.13		
	DFT-s-OFDM			16QAM	20/22	23.91	43	19.09		
DFT-s-OFDM	64QAM			20/22	21.62	43	21.38			

**Antenna #0, Band n258a, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	24424.98	H	DFT-s-OFDM	QPSK	1/16	23.58	43	19.42		
			DFT-s-OFDM	QPSK	1/11	23.55	43	19.45		
			DFT-s-OFDM	QPSK	1/21	23.51	43	19.49		
			DFT-s-OFDM	QPSK	10/11	23.42	43	19.58		
			CP-OFDM	QPSK	1/16	21.23	43	21.77		
			CP-OFDM	16QAM	1/16	17.89	43	25.11		
			CP-OFDM	64QAM	1/16	16.07	43	26.93		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	23.47	43	19.53		
			DFT-s-OFDM	16QAM	1/16	20.67	43	22.33		
		DFT-s-OFDM	64QAM	1/16	19.26	43	23.74			
		V	DFT-s-OFDM	QPSK	1/16	22.55	43	20.45		
			DFT-s-OFDM	QPSK	1/11	22.45	43	20.55		
			DFT-s-OFDM	QPSK	1/21	22.44	43	20.56		
			DFT-s-OFDM	QPSK	10/11	22.50	43	20.50		
			CP-OFDM	QPSK	1/16	20.24	43	22.76		
			CP-OFDM	16QAM	1/16	16.98	43	26.02		
			CP-OFDM	64QAM	1/16	15.25	43	27.75		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.33	43	20.67		
			DFT-s-OFDM	16QAM	1/16	19.65	43	23.35		
		DFT-s-OFDM	64QAM	1/16	18.40	43	24.60			
		H+V	DFT-s-OFDM	QPSK	1/16	25.45	43	17.55		
			DFT-s-OFDM	QPSK	1/11	25.51	43	17.49		
			DFT-s-OFDM	QPSK	1/21	<b>25.54</b>	43	17.46		
			DFT-s-OFDM	QPSK	10/11	25.30	43	17.70		
			CP-OFDM	QPSK	1/21	21.52	43	21.48		
			CP-OFDM	16QAM	1/21	20.19	43	22.81		
			CP-OFDM	64QAM	1/21	18.07	43	24.93		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	25.07	43	17.93		
			DFT-s-OFDM	16QAM	1/21	23.11	43	19.89		
		DFT-s-OFDM	64QAM	1/21	20.17	43	22.83			
		100	24399.96	H	DFT-s-OFDM	QPSK	1/33	23.81	43	19.19
					DFT-s-OFDM	QPSK	1/22	23.63	43	19.37
					DFT-s-OFDM	QPSK	1/43	23.71	43	19.29
					DFT-s-OFDM	QPSK	20/22	23.67	43	19.33
					CP-OFDM	QPSK	1/33	21.30	43	21.70
					CP-OFDM	16QAM	1/33	18.12	43	24.88
CP-OFDM	64QAM				1/33	16.51	43	26.49		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	23.78	43	19.22		
DFT-s-OFDM	16QAM				1/33	20.93	43	22.07		
DFT-s-OFDM	64QAM			1/33	19.18	43	23.82			
V	DFT-s-OFDM			QPSK	1/33	22.82	43	20.18		
	DFT-s-OFDM			QPSK	1/22	22.65	43	20.35		
	DFT-s-OFDM			QPSK	1/43	22.81	43	20.19		
	DFT-s-OFDM			QPSK	20/22	22.69	43	20.31		
	CP-OFDM			QPSK	1/33	20.31	43	22.69		
	CP-OFDM			16QAM	1/33	17.01	43	25.99		
	CP-OFDM			64QAM	1/33	15.56	43	27.44		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	22.72	43	20.28		
	DFT-s-OFDM			16QAM	1/33	19.81	43	23.19		
DFT-s-OFDM	64QAM			1/33	18.48	43	24.52			
H+V	DFT-s-OFDM			QPSK	1/33	25.65	43	17.35		
	DFT-s-OFDM			QPSK	1/22	25.52	43	17.48		
	DFT-s-OFDM			QPSK	1/43	<b>26.05</b>	43	16.95		
	DFT-s-OFDM			QPSK	20/22	25.63	43	17.37		
	CP-OFDM			QPSK	1/43	21.97	43	21.03		
	CP-OFDM			16QAM	1/43	20.64	43	22.36		
	CP-OFDM			64QAM	1/43	18.57	43	24.43		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/43	25.65	43	17.35		
	DFT-s-OFDM			16QAM	1/43	23.93	43	19.07		
DFT-s-OFDM	64QAM			1/43	20.56	43	22.44			

**Antenna #0, Band n258b, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	24775.08	H	DFT-s-OFDM	QPSK	1/16	24.27	43	18.73		
			DFT-s-OFDM	QPSK	1/11	24.16	43	18.84		
			DFT-s-OFDM	QPSK	1/21	24.30	43	18.70		
			DFT-s-OFDM	QPSK	10/11	23.79	43	19.21		
			CP-OFDM	QPSK	1/21	21.17	43	21.83		
			CP-OFDM	16QAM	1/21	18.55	43	24.45		
			CP-OFDM	64QAM	1/21	16.36	43	26.64		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	23.64	43	19.36		
			DFT-s-OFDM	16QAM	1/21	21.18	43	21.82		
		DFT-s-OFDM	64QAM	1/21	19.75	43	23.25			
		V	DFT-s-OFDM	QPSK	1/16	22.30	43	20.70		
			DFT-s-OFDM	QPSK	1/11	22.26	43	20.74		
			DFT-s-OFDM	QPSK	1/21	22.35	43	20.65		
			DFT-s-OFDM	QPSK	10/11	22.37	43	20.63		
			CP-OFDM	QPSK	11/11	18.72	43	24.28		
			CP-OFDM	16QAM	11/11	17.74	43	25.26		
			CP-OFDM	64QAM	11/11	16.34	43	26.66		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.31	43	20.69		
			DFT-s-OFDM	16QAM	10/11	20.52	43	22.48		
		DFT-s-OFDM	64QAM	10/11	18.18	43	24.82			
		H+V	DFT-s-OFDM	QPSK	1/16	25.16	43	17.84		
			DFT-s-OFDM	QPSK	1/11	25.23	43	17.77		
			DFT-s-OFDM	QPSK	1/21	25.30	43	17.70		
			DFT-s-OFDM	QPSK	10/11	<b>25.36</b>	43	17.64		
			CP-OFDM	QPSK	11/11	21.63	43	21.37		
			CP-OFDM	16QAM	11/11	20.79	43	22.21		
			CP-OFDM	64QAM	11/11	18.35	43	24.65		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	25.17	43	17.83		
			DFT-s-OFDM	16QAM	10/11	23.38	43	19.62		
		DFT-s-OFDM	64QAM	10/11	20.84	43	22.16			
		100	24800.04	H	DFT-s-OFDM	QPSK	1/33	24.26	43	18.74
					DFT-s-OFDM	QPSK	1/22	24.28	43	18.72
					DFT-s-OFDM	QPSK	1/43	24.31	43	18.69
					DFT-s-OFDM	QPSK	20/22	23.90	43	19.10
					CP-OFDM	QPSK	1/43	20.91	43	22.09
					CP-OFDM	16QAM	1/43	18.94	43	24.06
CP-OFDM	64QAM				1/43	16.55	43	26.45		
DFT-s-OFDM	$\pi/2$ -BPSK				1/43	23.83	43	19.17		
DFT-s-OFDM	16QAM				1/43	21.15	43	21.85		
DFT-s-OFDM	64QAM			1/43	19.92	43	23.08			
V	DFT-s-OFDM			QPSK	1/33	22.33	43	20.67		
	DFT-s-OFDM			QPSK	1/22	22.31	43	20.69		
	DFT-s-OFDM			QPSK	1/43	22.43	43	20.57		
	DFT-s-OFDM			QPSK	20/22	22.56	43	20.44		
	CP-OFDM			QPSK	22/22	19.18	43	23.82		
	CP-OFDM			16QAM	22/22	18.34	43	24.66		
	CP-OFDM			64QAM	22/22	16.24	43	26.76		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	22.51	43	20.49		
	DFT-s-OFDM			16QAM	20/22	20.61	43	22.39		
DFT-s-OFDM	64QAM			20/22	18.19	43	24.81			
H+V	DFT-s-OFDM			QPSK	1/43	25.32	43	17.68		
	DFT-s-OFDM			QPSK	1/22	25.36	43	17.64		
	DFT-s-OFDM			QPSK	1/43	<b>25.55</b>	43	17.45		
	DFT-s-OFDM			QPSK	20/22	25.17	43	17.83		
	CP-OFDM			QPSK	1/43	21.76	43	21.24		
	CP-OFDM			16QAM	1/43	20.15	43	22.85		
	CP-OFDM			64QAM	1/43	18.44	43	24.56		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/43	25.15	43	17.85		
	DFT-s-OFDM			16QAM	1/43	22.94	43	20.06		
DFT-s-OFDM	64QAM			1/43	20.51	43	22.49			

**Antenna #0, Band n258b, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	25224.96	H	DFT-s-OFDM	QPSK	1/16	23.33	43	19.67		
			DFT-s-OFDM	QPSK	1/11	23.28	43	19.72		
			DFT-s-OFDM	QPSK	1/21	23.37	43	19.63		
			DFT-s-OFDM	QPSK	10/11	23.41	43	19.59		
			CP-OFDM	QPSK	11/11	20.23	43	22.77		
			CP-OFDM	16QAM	11/11	19.35	43	23.65		
			CP-OFDM	64QAM	11/11	17.18	43	25.82		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	23.33	43	19.67		
			DFT-s-OFDM	16QAM	10/11	21.25	43	21.75		
		DFT-s-OFDM	64QAM	10/11	19.22	43	23.78			
		V	DFT-s-OFDM	QPSK	1/16	22.76	43	20.24		
			DFT-s-OFDM	QPSK	1/11	22.75	43	20.25		
			DFT-s-OFDM	QPSK	1/21	22.73	43	20.27		
			DFT-s-OFDM	QPSK	10/11	22.77	43	20.23		
			CP-OFDM	QPSK	11/11	19.63	43	23.37		
			CP-OFDM	16QAM	11/11	18.12	43	24.88		
			CP-OFDM	64QAM	11/11	16.75	43	26.25		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.64	43	20.36		
			DFT-s-OFDM	16QAM	10/11	20.65	43	22.35		
		DFT-s-OFDM	64QAM	10/11	18.23	43	24.77			
		H+V	DFT-s-OFDM	QPSK	1/16	25.63	43	17.37		
			DFT-s-OFDM	QPSK	1/11	25.36	43	17.64		
			DFT-s-OFDM	QPSK	1/21	25.40	43	17.60		
			DFT-s-OFDM	QPSK	10/11	<b>25.71</b>	43	17.29		
			CP-OFDM	QPSK	11/11	21.20	43	21.80		
			CP-OFDM	16QAM	11/11	20.16	43	22.84		
			CP-OFDM	64QAM	11/11	17.98	43	25.02		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	25.66	43	17.34		
			DFT-s-OFDM	16QAM	10/11	23.59	43	19.41		
		DFT-s-OFDM	64QAM	10/11	21.28	43	21.72			
		100	25200.00	H	DFT-s-OFDM	QPSK	1/33	23.80	43	19.20
					DFT-s-OFDM	QPSK	1/22	23.79	43	19.21
					DFT-s-OFDM	QPSK	1/43	23.69	43	19.31
					DFT-s-OFDM	QPSK	20/22	23.83	43	19.17
					CP-OFDM	QPSK	22/22	20.59	43	22.41
					CP-OFDM	16QAM	22/22	19.50	43	23.50
CP-OFDM	64QAM				22/22	17.26	43	25.74		
DFT-s-OFDM	$\pi/2$ -BPSK				20/22	23.77	43	19.23		
DFT-s-OFDM	16QAM				20/22	21.63	43	21.37		
DFT-s-OFDM	64QAM			20/22	19.42	43	23.58			
V	DFT-s-OFDM			QPSK	1/33	22.86	43	20.14		
	DFT-s-OFDM			QPSK	1/22	22.89	43	20.11		
	DFT-s-OFDM			QPSK	1/43	22.95	43	20.05		
	DFT-s-OFDM			QPSK	20/22	23.02	43	19.98		
	CP-OFDM			QPSK	22/22	19.83	43	23.17		
	CP-OFDM			16QAM	22/22	18.66	43	24.34		
	CP-OFDM			64QAM	22/22	16.49	43	26.51		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	22.93	43	20.07		
	DFT-s-OFDM			16QAM	20/22	20.79	43	22.21		
DFT-s-OFDM	64QAM			20/22	18.63	43	24.37			
H+V	DFT-s-OFDM			QPSK	20/22	25.70	43	17.30		
	DFT-s-OFDM			QPSK	1/22	25.70	43	17.30		
	DFT-s-OFDM			QPSK	1/43	25.54	43	17.46		
	DFT-s-OFDM			QPSK	20/22	<b>25.78</b>	43	17.22		
	CP-OFDM			QPSK	22/22	21.59	43	21.41		
	CP-OFDM			16QAM	22/22	20.45	43	22.55		
	CP-OFDM			64QAM	22/22	18.06	43	24.94		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	25.64	43	17.36		
	DFT-s-OFDM			16QAM	20/22	23.57	43	19.43		
DFT-s-OFDM	64QAM			20/22	21.37	43	21.63			



**Antenna #0, Band n260, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	37025.04	H	DFT-s-OFDM	QPSK	1/16	23.61	43	19.39		
			DFT-s-OFDM	QPSK	1/11	23.73	43	19.27		
			DFT-s-OFDM	QPSK	1/21	23.52	43	19.48		
			DFT-s-OFDM	QPSK	10/11	24.01	43	18.99		
			CP-OFDM	QPSK	11/11	20.36	43	22.64		
			CP-OFDM	16QAM	11/11	19.61	43	23.39		
			CP-OFDM	64QAM	11/11	17.00	43	26.00		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	23.95	43	19.05		
			DFT-s-OFDM	16QAM	10/11	21.88	43	21.12		
		DFT-s-OFDM	64QAM	10/11	19.52	43	23.48			
		V	DFT-s-OFDM	QPSK	1/16	23.63	43	19.37		
			DFT-s-OFDM	QPSK	1/11	23.75	43	19.25		
			DFT-s-OFDM	QPSK	1/21	23.59	43	19.41		
			DFT-s-OFDM	QPSK	10/11	24.07	43	18.93		
			CP-OFDM	QPSK	11/11	20.82	43	22.18		
			CP-OFDM	16QAM	11/11	19.37	43	23.63		
			CP-OFDM	64QAM	11/11	17.59	43	25.41		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	24.00	43	19.00		
			DFT-s-OFDM	16QAM	10/11	21.92	43	21.08		
		DFT-s-OFDM	64QAM	10/11	19.57	43	23.43			
		H+V	DFT-s-OFDM	QPSK	1/16	27.49	43	15.51		
			DFT-s-OFDM	QPSK	1/11	27.37	43	15.63		
			DFT-s-OFDM	QPSK	1/21	27.36	43	15.64		
			DFT-s-OFDM	QPSK	10/11	<b>27.86</b>	43	15.14		
			CP-OFDM	QPSK	11/11	23.57	43	19.43		
			CP-OFDM	16QAM	11/11	22.60	43	20.40		
			CP-OFDM	64QAM	11/11	20.24	43	22.76		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	27.74	43	15.26		
			DFT-s-OFDM	16QAM	10/11	25.45	43	17.55		
		DFT-s-OFDM	64QAM	10/11	23.13	43	19.87			
		100	37050.00	H	DFT-s-OFDM	QPSK	1/33	23.64	43	19.36
					DFT-s-OFDM	QPSK	1/22	23.58	43	19.42
					DFT-s-OFDM	QPSK	1/43	23.42	43	19.58
					DFT-s-OFDM	QPSK	20/22	23.93	43	19.07
					CP-OFDM	QPSK	22/22	20.25	43	22.75
					CP-OFDM	16QAM	22/22	19.16	43	23.84
CP-OFDM	64QAM				22/22	16.69	43	26.31		
DFT-s-OFDM	$\pi/2$ -BPSK				20/22	23.88	43	19.12		
DFT-s-OFDM	16QAM				20/22	21.58	43	21.42		
DFT-s-OFDM	64QAM			20/22	19.27	43	23.73			
V	DFT-s-OFDM			QPSK	1/33	23.75	43	19.25		
	DFT-s-OFDM			QPSK	1/22	23.68	43	19.32		
	DFT-s-OFDM			QPSK	1/43	24.05	43	18.95		
	DFT-s-OFDM			QPSK	20/22	24.08	43	18.92		
	CP-OFDM			QPSK	22/22	20.54	43	22.46		
	CP-OFDM			16QAM	22/22	19.43	43	23.57		
	CP-OFDM			64QAM	22/22	16.98	43	26.02		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	24.06	43	18.94		
	DFT-s-OFDM			16QAM	20/22	21.77	43	21.23		
DFT-s-OFDM	64QAM			20/22	19.57	43	23.43			
H+V	DFT-s-OFDM			QPSK	20/22	27.48	43	15.52		
	DFT-s-OFDM			QPSK	1/22	27.34	43	15.66		
	DFT-s-OFDM			QPSK	1/43	27.32	43	15.68		
	DFT-s-OFDM			QPSK	20/22	<b>27.82</b>	43	15.18		
	CP-OFDM			QPSK	22/22	23.71	43	19.29		
	CP-OFDM			16QAM	22/22	22.50	43	20.50		
	CP-OFDM			64QAM	22/22	20.28	43	22.72		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	27.67	43	15.33		
	DFT-s-OFDM			16QAM	20/22	25.57	43	17.43		
DFT-s-OFDM	64QAM			20/22	23.03	43	19.97			

**Antenna #0, Band n260, Channel Mid**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	38499.96	H	DFT-s-OFDM	QPSK	1/16	23.88	43	19.12		
			DFT-s-OFDM	QPSK	1/11	23.91	43	19.09		
			DFT-s-OFDM	QPSK	1/21	24.10	43	18.90		
			DFT-s-OFDM	QPSK	10/11	23.56	43	19.44		
			CP-OFDM	QPSK	1/21	20.44	43	22.56		
			CP-OFDM	16QAM	1/21	18.47	43	24.53		
			CP-OFDM	64QAM	1/21	16.39	43	26.61		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	24.32	43	18.68		
			DFT-s-OFDM	16QAM	1/21	20.99	43	22.01		
		DFT-s-OFDM	64QAM	1/21	19.89	43	23.11			
		V	DFT-s-OFDM	QPSK	1/16	23.70	43	19.30		
			DFT-s-OFDM	QPSK	1/11	23.60	43	19.40		
			DFT-s-OFDM	QPSK	1/21	23.67	43	19.33		
			DFT-s-OFDM	QPSK	10/11	23.23	43	19.77		
			CP-OFDM	QPSK	1/16	20.24	43	22.76		
			CP-OFDM	16QAM	1/16	18.04	43	24.96		
			CP-OFDM	64QAM	1/16	16.18	43	26.82		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	23.82	43	19.18		
			DFT-s-OFDM	16QAM	1/16	20.42	43	22.58		
		DFT-s-OFDM	64QAM	1/16	19.32	43	23.68			
		H+V	DFT-s-OFDM	QPSK	1/16	26.64	43	16.36		
			DFT-s-OFDM	QPSK	1/11	26.54	43	16.46		
			DFT-s-OFDM	QPSK	1/21	26.87	43	16.13		
			DFT-s-OFDM	QPSK	10/11	26.71	43	16.29		
			CP-OFDM	QPSK	1/21	23.23	43	19.77		
			CP-OFDM	16QAM	1/21	22.50	43	20.50		
			CP-OFDM	64QAM	1/21	20.32	43	22.68		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	<b>26.99</b>	43	16.01		
			DFT-s-OFDM	16QAM	1/21	25.32	43	17.68		
		DFT-s-OFDM	64QAM	1/21	22.65	43	20.35			
		100	38499.96	H	DFT-s-OFDM	QPSK	1/33	24.06	43	18.94
					DFT-s-OFDM	QPSK	1/22	23.99	43	19.01
					DFT-s-OFDM	QPSK	1/43	24.27	43	18.73
					DFT-s-OFDM	QPSK	20/22	23.95	43	19.05
					CP-OFDM	QPSK	1/43	20.90	43	22.10
					CP-OFDM	16QAM	1/43	18.78	43	24.22
CP-OFDM	64QAM				1/43	16.83	43	26.17		
DFT-s-OFDM	$\pi/2$ -BPSK				1/43	24.37	43	18.63		
DFT-s-OFDM	16QAM				1/43	20.88	43	22.12		
DFT-s-OFDM	64QAM			1/43	19.85	43	23.15			
V	DFT-s-OFDM			QPSK	1/33	23.29	43	19.71		
	DFT-s-OFDM			QPSK	1/22	23.16	43	19.84		
	DFT-s-OFDM			QPSK	1/43	23.22	43	19.78		
	DFT-s-OFDM			QPSK	20/22	23.16	43	19.84		
	CP-OFDM			QPSK	1/33	20.27	43	22.73		
	CP-OFDM			16QAM	1/33	18.34	43	24.66		
	CP-OFDM			64QAM	1/33	16.27	43	26.73		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	23.60	43	19.40		
	DFT-s-OFDM			16QAM	1/33	20.43	43	22.57		
DFT-s-OFDM	64QAM			1/33	19.34	43	23.66			
H+V	DFT-s-OFDM			QPSK	1/43	26.82	43	16.18		
	DFT-s-OFDM			QPSK	1/22	26.77	43	16.23		
	DFT-s-OFDM			QPSK	1/43	27.02	43	15.98		
	DFT-s-OFDM			QPSK	20/22	26.94	43	16.06		
	CP-OFDM			QPSK	1/43	23.42	43	19.58		
	CP-OFDM			16QAM	1/43	22.78	43	20.22		
	CP-OFDM			64QAM	1/43	20.94	43	22.06		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/43	<b>27.18</b>	43	15.82		
	DFT-s-OFDM			16QAM	1/43	25.48	43	17.52		
DFT-s-OFDM	64QAM			1/43	22.89	43	20.11			

**Antenna #0, Band n260, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	39975.00	H	DFT-s-OFDM	QPSK	1/16	22.41	43	20.59		
			DFT-s-OFDM	QPSK	1/11	22.56	43	20.44		
			DFT-s-OFDM	QPSK	1/21	22.39	43	20.61		
			DFT-s-OFDM	QPSK	10/11	22.60	43	20.40		
			CP-OFDM	QPSK	11/11	20.15	43	22.85		
			CP-OFDM	16QAM	11/11	19.00	43	24.00		
			CP-OFDM	64QAM	11/11	16.70	43	26.30		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.84	43	20.16		
			DFT-s-OFDM	16QAM	10/11	20.35	43	22.65		
		DFT-s-OFDM	64QAM	10/11	18.55	43	24.45			
		V	DFT-s-OFDM	QPSK	1/16	23.14	43	19.86		
			DFT-s-OFDM	QPSK	1/11	23.30	43	19.70		
			DFT-s-OFDM	QPSK	1/21	23.13	43	19.87		
			DFT-s-OFDM	QPSK	10/11	23.45	43	19.55		
			CP-OFDM	QPSK	11/11	20.01	43	22.99		
			CP-OFDM	16QAM	11/11	19.11	43	23.89		
			CP-OFDM	64QAM	11/11	16.71	43	26.29		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	23.36	43	19.64		
			DFT-s-OFDM	16QAM	10/11	21.21	43	21.79		
		DFT-s-OFDM	64QAM	10/11	19.32	43	23.68			
		H+V	DFT-s-OFDM	QPSK	1/16	26.59	43	16.41		
			DFT-s-OFDM	QPSK	1/11	26.52	43	16.48		
			DFT-s-OFDM	QPSK	1/21	26.53	43	16.47		
			DFT-s-OFDM	QPSK	10/11	<b>27.05</b>	43	15.95		
			CP-OFDM	QPSK	11/11	20.30	43	22.70		
			CP-OFDM	16QAM	11/11	21.07	43	21.93		
			CP-OFDM	64QAM	11/11	18.88	43	24.12		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	26.80	43	16.20		
			DFT-s-OFDM	16QAM	10/11	24.58	43	18.42		
		DFT-s-OFDM	64QAM	10/11	22.44	43	20.56			
		100	39949.92	H	DFT-s-OFDM	QPSK	1/33	24.34	43	18.66
					DFT-s-OFDM	QPSK	1/22	24.18	43	18.82
					DFT-s-OFDM	QPSK	1/43	24.08	43	18.92
					DFT-s-OFDM	QPSK	20/22	24.17	43	18.83
					CP-OFDM	QPSK	1/33	20.37	43	22.63
					CP-OFDM	16QAM	1/33	19.72	43	23.28
CP-OFDM	64QAM				1/33	18.47	43	24.53		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	24.24	43	18.76		
DFT-s-OFDM	16QAM				1/33	22.52	43	20.48		
DFT-s-OFDM	64QAM			1/33	20.36	43	22.64			
V	DFT-s-OFDM			QPSK	1/33	23.62	43	19.38		
	DFT-s-OFDM			QPSK	1/22	23.47	43	19.53		
	DFT-s-OFDM			QPSK	1/43	23.40	43	19.60		
	DFT-s-OFDM			QPSK	20/22	23.86	43	19.14		
	CP-OFDM			QPSK	22/22	20.24	43	22.76		
	CP-OFDM			16QAM	22/22	19.64	43	23.36		
	CP-OFDM			64QAM	22/22	16.87	43	26.13		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	23.81	43	19.19		
	DFT-s-OFDM			16QAM	20/22	21.83	43	21.17		
DFT-s-OFDM	64QAM			20/22	19.68	43	23.32			
H+V	DFT-s-OFDM			QPSK	1/33	26.97	43	16.03		
	DFT-s-OFDM			QPSK	1/22	26.72	43	16.28		
	DFT-s-OFDM			QPSK	1/43	26.76	43	16.24		
	DFT-s-OFDM			QPSK	20/22	<b>27.54</b>	43	15.46		
	CP-OFDM			QPSK	22/22	23.25	43	19.75		
	CP-OFDM			16QAM	22/22	22.10	43	20.90		
	CP-OFDM			64QAM	22/22	19.85	43	23.15		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	27.33	43	15.67		
	DFT-s-OFDM			16QAM	20/22	25.54	43	17.46		
DFT-s-OFDM	64QAM			20/22	23.01	43	19.99			

**Antenna #0, Band n261, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	27525.00	H	DFT-s-OFDM	QPSK	1/16	22.59	43	20.41		
			DFT-s-OFDM	QPSK	1/11	22.53	43	20.47		
			DFT-s-OFDM	QPSK	1/21	22.37	43	20.63		
			DFT-s-OFDM	QPSK	10/11	22.50	43	20.50		
			CP-OFDM	QPSK	1/16	19.85	43	23.15		
			CP-OFDM	16QAM	1/16	18.39	43	24.61		
			CP-OFDM	64QAM	1/16	16.78	43	26.22		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.29	43	20.71		
			DFT-s-OFDM	16QAM	1/16	20.51	43	22.49		
		DFT-s-OFDM	64QAM	1/16	18.59	43	24.41			
		V	DFT-s-OFDM	QPSK	1/16	22.05	43	20.95		
			DFT-s-OFDM	QPSK	1/11	22.03	43	20.97		
			DFT-s-OFDM	QPSK	1/21	21.80	43	21.20		
			DFT-s-OFDM	QPSK	10/11	21.99	43	21.01		
			CP-OFDM	QPSK	1/16	19.39	43	23.61		
			CP-OFDM	16QAM	1/16	17.96	43	25.04		
			CP-OFDM	64QAM	1/16	16.35	43	26.65		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	21.78	43	21.22		
			DFT-s-OFDM	16QAM	1/16	19.99	43	23.01		
		DFT-s-OFDM	64QAM	1/16	18.01	43	24.99			
		H+V	DFT-s-OFDM	QPSK	1/16	24.84	43	18.16		
			DFT-s-OFDM	QPSK	1/11	24.59	43	18.41		
			DFT-s-OFDM	QPSK	1/21	24.43	43	18.57		
			DFT-s-OFDM	QPSK	10/11	<b>24.97</b>	43	18.03		
			CP-OFDM	QPSK	11/11	22.34	43	20.66		
			CP-OFDM	16QAM	11/11	21.28	43	21.72		
			CP-OFDM	64QAM	11/11	19.09	43	23.91		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	24.89	43	18.11		
			DFT-s-OFDM	16QAM	10/11	22.90	43	20.10		
		DFT-s-OFDM	64QAM	10/11	20.55	43	22.45			
		100	27550.08	H	DFT-s-OFDM	QPSK	1/33	22.81	43	20.19
					DFT-s-OFDM	QPSK	1/22	22.61	43	20.39
					DFT-s-OFDM	QPSK	1/43	22.70	43	20.30
					DFT-s-OFDM	QPSK	20/22	22.51	43	20.49
					CP-OFDM	QPSK	1/33	19.49	43	23.51
					CP-OFDM	16QAM	1/33	18.40	43	24.60
CP-OFDM	64QAM				1/33	16.92	43	26.08		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	22.39	43	20.61		
DFT-s-OFDM	16QAM				1/33	20.37	43	22.63		
DFT-s-OFDM	64QAM			1/33	18.35	43	24.65			
V	DFT-s-OFDM			QPSK	1/33	22.05	43	20.95		
	DFT-s-OFDM			QPSK	1/22	22.01	43	20.99		
	DFT-s-OFDM			QPSK	1/43	22.03	43	20.97		
	DFT-s-OFDM			QPSK	20/22	21.92	43	21.08		
	CP-OFDM			QPSK	1/33	19.20	43	23.80		
	CP-OFDM			16QAM	1/33	17.99	43	25.01		
	CP-OFDM			64QAM	1/33	16.62	43	26.38		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	21.88	43	21.12		
	DFT-s-OFDM			16QAM	1/33	20.17	43	22.83		
DFT-s-OFDM	64QAM			1/33	17.69	43	25.31			
H+V	DFT-s-OFDM			QPSK	1/33	24.80	43	18.20		
	DFT-s-OFDM			QPSK	1/22	24.69	43	18.31		
	DFT-s-OFDM			QPSK	1/43	24.80	43	18.20		
	DFT-s-OFDM			QPSK	20/22	<b>24.87</b>	43	18.13		
	CP-OFDM			QPSK	22/22	22.77	43	20.23		
	CP-OFDM			16QAM	22/22	21.23	43	21.77		
	CP-OFDM			64QAM	22/22	19.29	43	23.71		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	24.70	43	18.30		
	DFT-s-OFDM			16QAM	20/22	22.80	43	20.20		
DFT-s-OFDM	64QAM			20/22	20.60	43	22.40			

**Antenna #0, Band n261, Channel Mid**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	27924.96	H	DFT-s-OFDM	QPSK	1/16	22.41	43	20.59		
			DFT-s-OFDM	QPSK	1/11	22.36	43	20.64		
			DFT-s-OFDM	QPSK	1/21	22.22	43	20.78		
			DFT-s-OFDM	QPSK	10/11	22.24	43	20.76		
			CP-OFDM	QPSK	1/16	18.63	43	24.37		
			CP-OFDM	16QAM	1/16	17.86	43	25.14		
			CP-OFDM	64QAM	1/16	15.41	43	27.59		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.31	43	20.69		
			DFT-s-OFDM	16QAM	1/16	20.12	43	22.88		
		DFT-s-OFDM	64QAM	1/16	18.02	43	24.98			
		V	DFT-s-OFDM	QPSK	1/16	23.75	43	19.25		
			DFT-s-OFDM	QPSK	1/11	23.72	43	19.28		
			DFT-s-OFDM	QPSK	1/21	23.72	43	19.28		
			DFT-s-OFDM	QPSK	10/11	23.72	43	19.28		
			CP-OFDM	QPSK	1/16	20.19	43	22.81		
			CP-OFDM	16QAM	1/16	19.33	43	23.67		
			CP-OFDM	64QAM	1/16	16.92	43	26.08		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	23.64	43	19.36		
			DFT-s-OFDM	16QAM	1/16	21.40	43	21.60		
		DFT-s-OFDM	64QAM	1/16	19.41	43	23.59			
		H+V	DFT-s-OFDM	QPSK	1/16	24.11	43	18.89		
			DFT-s-OFDM	QPSK	1/11	24.31	43	18.69		
			DFT-s-OFDM	QPSK	1/21	24.01	43	18.99		
			DFT-s-OFDM	QPSK	10/11	<b>24.53</b>	43	18.47		
			CP-OFDM	QPSK	11/11	23.37	43	19.63		
			CP-OFDM	16QAM	11/11	22.10	43	20.90		
			CP-OFDM	64QAM	11/11	19.75	43	23.25		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	24.28	43	18.72		
			DFT-s-OFDM	16QAM	10/11	22.35	43	20.65		
		DFT-s-OFDM	64QAM	10/11	20.00	43	23.00			
		100	27924.96	H	DFT-s-OFDM	QPSK	1/33	22.60	43	20.40
					DFT-s-OFDM	QPSK	1/22	22.56	43	20.44
					DFT-s-OFDM	QPSK	1/43	22.32	43	20.68
					DFT-s-OFDM	QPSK	20/22	22.42	43	20.58
					CP-OFDM	QPSK	1/33	18.55	43	24.45
					CP-OFDM	16QAM	1/33	17.81	43	25.19
CP-OFDM	64QAM				1/33	15.94	43	27.06		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	22.35	43	20.65		
DFT-s-OFDM	16QAM				1/33	20.44	43	22.56		
DFT-s-OFDM	64QAM			1/33	18.11	43	24.89			
V	DFT-s-OFDM			QPSK	1/33	24.12	43	18.88		
	DFT-s-OFDM			QPSK	1/22	24.05	43	18.95		
	DFT-s-OFDM			QPSK	1/43	23.90	43	19.10		
	DFT-s-OFDM			QPSK	20/22	23.88	43	19.12		
	CP-OFDM			QPSK	1/33	20.17	43	22.83		
	CP-OFDM			16QAM	1/33	19.27	43	23.73		
	CP-OFDM			64QAM	1/33	17.36	43	25.64		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	23.98	43	19.02		
	DFT-s-OFDM			16QAM	1/33	21.85	43	21.15		
DFT-s-OFDM	64QAM			1/33	19.69	43	23.31			
H+V	DFT-s-OFDM			QPSK	1/33	24.31	43	18.69		
	DFT-s-OFDM			QPSK	1/22	24.36	43	18.64		
	DFT-s-OFDM			QPSK	1/43	23.76	43	19.24		
	DFT-s-OFDM			QPSK	20/22	<b>24.67</b>	43	18.33		
	CP-OFDM			QPSK	22/22	23.47	43	19.53		
	CP-OFDM			16QAM	22/22	22.15	43	20.85		
	CP-OFDM			64QAM	22/22	19.85	43	23.15		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	24.42	43	18.58		
	DFT-s-OFDM			16QAM	20/22	22.20	43	20.80		
DFT-s-OFDM	64QAM			20/22	20.36	43	22.64			

**Antenna #0, Band n261, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	28324.92	H	DFT-s-OFDM	QPSK	1/16	22.47	43	20.53		
			DFT-s-OFDM	QPSK	1/11	22.36	43	20.64		
			DFT-s-OFDM	QPSK	1/21	22.35	43	20.65		
			DFT-s-OFDM	QPSK	10/11	22.46	43	20.54		
			CP-OFDM	QPSK	1/16	20.32	43	22.68		
			CP-OFDM	16QAM	1/16	17.47	43	25.53		
			CP-OFDM	64QAM	1/16	15.21	43	27.79		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.46	43	20.54		
			DFT-s-OFDM	16QAM	1/16	19.64	43	23.36		
		DFT-s-OFDM	64QAM	1/16	18.76	43	24.24			
		V	DFT-s-OFDM	QPSK	1/16	23.35	43	19.65		
			DFT-s-OFDM	QPSK	1/11	23.19	43	19.81		
			DFT-s-OFDM	QPSK	1/21	23.18	43	19.82		
			DFT-s-OFDM	QPSK	10/11	23.20	43	19.80		
			CP-OFDM	QPSK	1/16	21.22	43	21.78		
			CP-OFDM	16QAM	1/16	18.42	43	24.58		
			CP-OFDM	64QAM	1/16	16.36	43	26.64		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	23.24	43	19.76		
			DFT-s-OFDM	16QAM	1/16	20.39	43	22.61		
		DFT-s-OFDM	64QAM	1/16	19.66	43	23.34			
		H+V	DFT-s-OFDM	QPSK	1/16	25.05	43	17.95		
			DFT-s-OFDM	QPSK	1/11	24.90	43	18.10		
			DFT-s-OFDM	QPSK	1/21	25.03	43	17.97		
			DFT-s-OFDM	QPSK	10/11	<b>25.22</b>	43	17.78		
			CP-OFDM	QPSK	11/11	21.48	43	21.52		
			CP-OFDM	16QAM	11/11	20.56	43	22.44		
			CP-OFDM	64QAM	11/11	18.34	43	24.66		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	25.09	43	17.91		
			DFT-s-OFDM	16QAM	10/11	23.14	43	19.86		
		DFT-s-OFDM	64QAM	10/11	20.88	43	22.12			
		100	28299.96	H	DFT-s-OFDM	QPSK	1/33	22.76	43	20.24
					DFT-s-OFDM	QPSK	1/22	22.60	43	20.40
					DFT-s-OFDM	QPSK	1/43	22.73	43	20.27
					DFT-s-OFDM	QPSK	20/22	22.69	43	20.31
					CP-OFDM	QPSK	1/33	20.08	43	22.92
					CP-OFDM	16QAM	1/33	17.43	43	25.57
CP-OFDM	64QAM				1/33	15.44	43	27.56		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	20.50	43	22.50		
DFT-s-OFDM	16QAM				1/33	20.05	43	22.95		
DFT-s-OFDM	64QAM			1/33	18.38	43	24.62			
V	DFT-s-OFDM			QPSK	1/33	23.48	43	19.52		
	DFT-s-OFDM			QPSK	1/22	23.07	43	19.93		
	DFT-s-OFDM			QPSK	1/43	23.35	43	19.65		
	DFT-s-OFDM			QPSK	20/22	23.23	43	19.77		
	CP-OFDM			QPSK	1/33	21.13	43	21.87		
	CP-OFDM			16QAM	1/33	18.43	43	24.57		
	CP-OFDM			64QAM	1/33	16.56	43	26.44		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	23.29	43	19.71		
	DFT-s-OFDM			16QAM	1/33	21.08	43	21.92		
DFT-s-OFDM	64QAM			1/33	19.51	43	23.49			
H+V	DFT-s-OFDM			QPSK	1/33	25.94	43	17.06		
	DFT-s-OFDM			QPSK	1/22	25.91	43	17.09		
	DFT-s-OFDM			QPSK	1/43	<b>26.15</b>	43	16.85		
	DFT-s-OFDM			QPSK	20/22	25.70	43	17.30		
	CP-OFDM			QPSK	1/43	23.19	43	19.81		
	CP-OFDM			16QAM	1/43	20.89	43	22.11		
	CP-OFDM			64QAM	1/43	19.67	43	23.33		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/43	25.54	43	17.46		
	DFT-s-OFDM			16QAM	1/43	23.47	43	19.53		
DFT-s-OFDM	64QAM			1/43	20.87	43	22.13			

**Antenna #1, Band n258a, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	24275.04	H	DFT-s-OFDM	QPSK	1/16	23.01	43	19.99		
			DFT-s-OFDM	QPSK	1/11	23.03	43	19.97		
			DFT-s-OFDM	QPSK	1/21	23.04	43	19.96		
			DFT-s-OFDM	QPSK	10/11	23.09	43	19.91		
			CP-OFDM	QPSK	11/11	19.80	43	23.20		
			CP-OFDM	16QAM	11/11	18.50	43	24.50		
			CP-OFDM	64QAM	11/11	16.73	43	26.27		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.92	43	20.08		
			DFT-s-OFDM	16QAM	10/11	20.89	43	22.11		
		DFT-s-OFDM	64QAM	10/11	18.57	43	24.43			
		V	DFT-s-OFDM	QPSK	1/16	23.29	43	19.71		
			DFT-s-OFDM	QPSK	1/11	23.25	43	19.75		
			DFT-s-OFDM	QPSK	1/21	23.19	43	19.81		
			DFT-s-OFDM	QPSK	10/11	23.17	43	19.83		
			CP-OFDM	QPSK	1/16	19.51	43	23.49		
			CP-OFDM	16QAM	1/16	17.48	43	25.52		
			CP-OFDM	64QAM	1/16	16.00	43	27.00		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.86	43	20.14		
			DFT-s-OFDM	16QAM	1/16	20.74	43	22.26		
		DFT-s-OFDM	64QAM	1/16	18.68	43	24.32			
		H+V	DFT-s-OFDM	QPSK	1/16	26.91	43	16.09		
			DFT-s-OFDM	QPSK	1/11	26.80	43	16.20		
			DFT-s-OFDM	QPSK	1/21	26.91	43	16.09		
			DFT-s-OFDM	QPSK	10/11	<b>27.02</b>	43	15.98		
			CP-OFDM	QPSK	11/11	23.07	43	19.93		
			CP-OFDM	16QAM	11/11	22.02	43	20.98		
			CP-OFDM	64QAM	11/11	19.68	43	23.32		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	26.87	43	16.13		
			DFT-s-OFDM	16QAM	10/11	24.89	43	18.11		
		DFT-s-OFDM	64QAM	10/11	22.38	43	20.62			
		100	24300.00	H	DFT-s-OFDM	QPSK	1/33	23.07	43	19.93
					DFT-s-OFDM	QPSK	1/22	23.07	43	19.93
					DFT-s-OFDM	QPSK	1/43	23.03	43	19.97
					DFT-s-OFDM	QPSK	20/22	23.12	43	19.88
					CP-OFDM	QPSK	22/22	19.58	43	23.42
					CP-OFDM	16QAM	22/22	18.74	43	24.26
CP-OFDM	64QAM				22/22	16.18	43	26.82		
DFT-s-OFDM	$\pi/2$ -BPSK				20/22	23.10	43	19.90		
DFT-s-OFDM	16QAM				20/22	21.00	43	22.00		
DFT-s-OFDM	64QAM			20/22	18.55	43	24.45			
V	DFT-s-OFDM			QPSK	1/33	23.17	43	19.83		
	DFT-s-OFDM			QPSK	1/22	22.93	43	20.07		
	DFT-s-OFDM			QPSK	1/43	22.97	43	20.03		
	DFT-s-OFDM			QPSK	20/22	23.07	43	19.93		
	CP-OFDM			QPSK	1/33	20.18	43	22.82		
	CP-OFDM			16QAM	1/33	18.24	43	24.76		
	CP-OFDM			64QAM	1/33	16.68	43	26.32		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	23.13	43	19.87		
	DFT-s-OFDM			16QAM	1/33	21.28	43	21.72		
DFT-s-OFDM	64QAM			1/33	19.09	43	23.91			
H+V	DFT-s-OFDM			QPSK	20/22	27.01	43	15.99		
	DFT-s-OFDM			QPSK	1/22	<b>27.27</b>	43	15.73		
	DFT-s-OFDM			QPSK	1/43	26.96	43	16.04		
	DFT-s-OFDM			QPSK	20/22	27.04	43	15.96		
	CP-OFDM			QPSK	1/22	20.88	43	22.12		
	CP-OFDM			16QAM	1/22	19.17	43	23.83		
	CP-OFDM			64QAM	1/22	16.59	43	26.41		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/22	24.14	43	18.86		
	DFT-s-OFDM			16QAM	1/22	21.66	43	21.34		
DFT-s-OFDM	64QAM			1/22	19.78	43	23.22			

**Antenna #1, Band n258a, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	24424.98	H	DFT-s-OFDM	QPSK	1/16	22.91	43	20.09		
			DFT-s-OFDM	QPSK	1/11	22.62	43	20.38		
			DFT-s-OFDM	QPSK	1/21	22.76	43	20.24		
			DFT-s-OFDM	QPSK	10/11	22.54	43	20.46		
			CP-OFDM	QPSK	1/16	18.35	43	24.65		
			CP-OFDM	16QAM	1/16	17.90	43	25.10		
			CP-OFDM	64QAM	1/16	15.49	43	27.51		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.48	43	20.52		
			DFT-s-OFDM	16QAM	1/16	20.83	43	22.17		
		DFT-s-OFDM	64QAM	1/16	18.76	43	24.24			
		V	DFT-s-OFDM	QPSK	1/16	22.27	43	20.73		
			DFT-s-OFDM	QPSK	1/11	22.16	43	20.84		
			DFT-s-OFDM	QPSK	1/21	22.26	43	20.74		
			DFT-s-OFDM	QPSK	10/11	22.12	43	20.88		
			CP-OFDM	QPSK	1/16	18.55	43	24.45		
			CP-OFDM	16QAM	1/16	16.87	43	26.13		
			CP-OFDM	64QAM	1/16	14.53	43	28.47		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	21.95	43	21.05		
			DFT-s-OFDM	16QAM	1/16	18.87	43	24.13		
		DFT-s-OFDM	64QAM	1/16	17.18	43	25.82			
		H+V	DFT-s-OFDM	QPSK	1/16	<b>27.17</b>	43	15.83		
			DFT-s-OFDM	QPSK	1/11	27.13	43	15.87		
			DFT-s-OFDM	QPSK	1/21	27.12	43	15.88		
			DFT-s-OFDM	QPSK	10/11	26.90	43	16.10		
			CP-OFDM	QPSK	1/16	23.54	43	19.46		
			CP-OFDM	16QAM	1/16	21.81	43	21.19		
			CP-OFDM	64QAM	1/16	19.25	43	23.75		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	27.00	43	16.00		
			DFT-s-OFDM	16QAM	1/16	24.61	43	18.39		
		DFT-s-OFDM	64QAM	1/16	22.48	43	20.52			
		100	24399.96	H	DFT-s-OFDM	QPSK	1/33	22.91	43	20.09
					DFT-s-OFDM	QPSK	1/22	22.84	43	20.16
					DFT-s-OFDM	QPSK	1/43	22.76	43	20.24
					DFT-s-OFDM	QPSK	20/22	22.83	43	20.17
					CP-OFDM	QPSK	1/33	18.87	43	24.13
					CP-OFDM	16QAM	1/33	17.39	43	25.61
CP-OFDM	64QAM				1/33	15.54	43	27.46		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	22.59	43	20.41		
DFT-s-OFDM	16QAM				1/33	21.25	43	21.75		
DFT-s-OFDM	64QAM			1/33	18.65	43	24.35			
V	DFT-s-OFDM			QPSK	1/33	22.50	43	20.50		
	DFT-s-OFDM			QPSK	1/22	22.25	43	20.75		
	DFT-s-OFDM			QPSK	1/43	22.48	43	20.52		
	DFT-s-OFDM			QPSK	20/22	22.48	43	20.52		
	CP-OFDM			QPSK	1/33	19.24	43	23.76		
	CP-OFDM			16QAM	1/33	17.47	43	25.53		
	CP-OFDM			64QAM	1/33	15.54	43	27.46		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	22.35	43	20.65		
	DFT-s-OFDM			16QAM	1/33	20.90	43	22.10		
DFT-s-OFDM	64QAM			1/33	18.65	43	24.35			
H+V	DFT-s-OFDM			QPSK	1/33	<b>27.53</b>	43	15.47		
	DFT-s-OFDM			QPSK	1/22	27.20	43	15.80		
	DFT-s-OFDM			QPSK	1/43	27.43	43	15.57		
	DFT-s-OFDM			QPSK	20/22	27.41	43	15.59		
	CP-OFDM			QPSK	1/33	26.30	43	16.70		
	CP-OFDM			16QAM	1/33	24.10	43	18.90		
	CP-OFDM			64QAM	1/33	22.05	43	20.95		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	27.34	43	15.66		
	DFT-s-OFDM			16QAM	1/33	24.88	43	18.12		
DFT-s-OFDM	64QAM			1/33	22.71	43	20.29			



**Antenna #1, Band n258b, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]
50	24775.08	H	DFT-s-OFDM	QPSK	1/16	21.60	43	21.40
			DFT-s-OFDM	QPSK	1/11	21.63	43	21.37
			DFT-s-OFDM	QPSK	1/21	21.77	43	21.23
			DFT-s-OFDM	QPSK	10/11	21.82	43	21.18
			CP-OFDM	QPSK	11/11	18.44	43	24.56
			CP-OFDM	16QAM	11/11	17.23	43	25.77
			CP-OFDM	64QAM	11/11	15.21	43	27.79
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	21.72	43	21.28
			DFT-s-OFDM	16QAM	10/11	19.58	43	23.42
		DFT-s-OFDM	64QAM	10/11	17.47	43	25.53	
		V	DFT-s-OFDM	QPSK	1/16	22.84	43	20.16
			DFT-s-OFDM	QPSK	1/11	22.70	43	20.30
			DFT-s-OFDM	QPSK	1/21	22.75	43	20.25
			DFT-s-OFDM	QPSK	10/11	23.18	43	19.82
			CP-OFDM	QPSK	11/11	19.94	43	23.06
			CP-OFDM	16QAM	11/11	18.76	43	24.24
			CP-OFDM	64QAM	11/11	16.67	43	26.33
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.97	43	20.03
			DFT-s-OFDM	16QAM	10/11	21.26	43	21.74
		DFT-s-OFDM	64QAM	10/11	18.90	43	24.10	
		H+V	DFT-s-OFDM	QPSK	1/16	26.43	43	16.57
			DFT-s-OFDM	QPSK	1/11	26.47	43	16.53
			DFT-s-OFDM	QPSK	1/21	<b>26.60</b>	43	16.40
			DFT-s-OFDM	QPSK	10/11	26.51	43	16.49
			CP-OFDM	QPSK	1/21	19.42	43	23.58
			CP-OFDM	16QAM	1/21	17.55	43	25.45
			CP-OFDM	64QAM	1/21	16.08	43	26.92
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	23.77	43	19.23
			DFT-s-OFDM	16QAM	1/21	21.41	43	21.59
		DFT-s-OFDM	64QAM	1/21	19.58	43	23.42	
100	24800.04	H	DFT-s-OFDM	QPSK	1/33	21.40	43	21.60
			DFT-s-OFDM	QPSK	1/22	21.51	43	21.49
			DFT-s-OFDM	QPSK	1/43	21.46	43	21.54
			DFT-s-OFDM	QPSK	20/22	21.52	43	21.48
			CP-OFDM	QPSK	22/22	18.05	43	24.95
			CP-OFDM	16QAM	22/22	17.32	43	25.68
			CP-OFDM	64QAM	22/22	14.90	43	28.10
			DFT-s-OFDM	$\pi/2$ -BPSK	20/22	21.49	43	21.51
			DFT-s-OFDM	16QAM	20/22	19.32	43	23.68
		DFT-s-OFDM	64QAM	20/22	17.06	43	25.94	
		V	DFT-s-OFDM	QPSK	1/33	22.98	43	20.02
			DFT-s-OFDM	QPSK	1/22	23.05	43	19.95
			DFT-s-OFDM	QPSK	1/43	23.20	43	19.80
			DFT-s-OFDM	QPSK	20/22	23.22	43	19.78
			CP-OFDM	QPSK	22/22	18.74	43	24.26
			CP-OFDM	16QAM	22/22	18.32	43	24.68
			CP-OFDM	64QAM	22/22	15.88	43	27.12
			DFT-s-OFDM	$\pi/2$ -BPSK	20/22	22.50	43	20.50
			DFT-s-OFDM	16QAM	20/22	20.36	43	22.64
		DFT-s-OFDM	64QAM	20/22	18.09	43	24.91	
		H+V	DFT-s-OFDM	QPSK	20/22	26.73	43	16.27
			DFT-s-OFDM	QPSK	1/22	26.89	43	16.11
			DFT-s-OFDM	QPSK	1/43	<b>26.96</b>	43	16.04
			DFT-s-OFDM	QPSK	20/22	26.80	43	16.20
			CP-OFDM	QPSK	1/43	19.42	43	23.58
			CP-OFDM	16QAM	1/43	17.66	43	25.34
			CP-OFDM	64QAM	1/43	16.23	43	26.77
			DFT-s-OFDM	$\pi/2$ -BPSK	1/43	24.25	43	18.75
			DFT-s-OFDM	16QAM	1/43	21.41	43	21.59
		DFT-s-OFDM	64QAM	1/43	19.72	43	23.28	

**Antenna #1, Band n258b, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	25224.96	H	DFT-s-OFDM	QPSK	1/16	21.06	43	21.94		
			DFT-s-OFDM	QPSK	1/11	21.04	43	21.96		
			DFT-s-OFDM	QPSK	1/21	21.14	43	21.86		
			DFT-s-OFDM	QPSK	10/11	20.99	43	22.01		
			CP-OFDM	QPSK	1/21	17.31	43	25.69		
			CP-OFDM	16QAM	1/21	16.49	43	26.51		
			CP-OFDM	64QAM	1/21	14.23	43	28.77		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	21.10	43	21.90		
			DFT-s-OFDM	16QAM	1/21	18.61	43	24.39		
		DFT-s-OFDM	64QAM	1/21	16.54	43	26.46			
		V	DFT-s-OFDM	QPSK	1/16	22.32	43	20.68		
			DFT-s-OFDM	QPSK	1/11	22.40	43	20.60		
			DFT-s-OFDM	QPSK	1/21	22.34	43	20.66		
			DFT-s-OFDM	QPSK	10/11	22.41	43	20.59		
			CP-OFDM	QPSK	11/11	19.27	43	23.73		
			CP-OFDM	16QAM	11/11	18.07	43	24.93		
			CP-OFDM	64QAM	11/11	16.06	43	26.94		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.36	43	20.64		
			DFT-s-OFDM	16QAM	10/11	20.49	43	22.51		
		DFT-s-OFDM	64QAM	10/11	17.97	43	25.03			
		H+V	DFT-s-OFDM	QPSK	1/16	25.37	43	17.63		
			DFT-s-OFDM	QPSK	1/11	25.43	43	17.57		
			DFT-s-OFDM	QPSK	1/21	25.46	43	17.54		
			DFT-s-OFDM	QPSK	10/11	<b>25.63</b>	43	17.37		
			CP-OFDM	QPSK	11/11	22.88	43	20.12		
			CP-OFDM	16QAM	11/11	21.91	43	21.09		
			CP-OFDM	64QAM	11/11	19.71	43	23.29		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	25.32	43	17.68		
			DFT-s-OFDM	16QAM	10/11	23.64	43	19.36		
		DFT-s-OFDM	64QAM	10/11	21.08	43	21.92			
		100	25200.00	H	DFT-s-OFDM	QPSK	1/33	21.00	43	22.00
					DFT-s-OFDM	QPSK	1/22	21.18	43	21.82
					DFT-s-OFDM	QPSK	1/43	21.34	43	21.66
					DFT-s-OFDM	QPSK	20/22	20.97	43	22.03
					CP-OFDM	QPSK	1/43	17.84	43	25.16
					CP-OFDM	16QAM	1/43	17.31	43	25.69
CP-OFDM	64QAM				1/43	14.88	43	28.12		
DFT-s-OFDM	$\pi/2$ -BPSK				1/43	21.13	43	21.87		
DFT-s-OFDM	16QAM				1/43	19.51	43	23.49		
DFT-s-OFDM	64QAM			1/43	17.50	43	25.50			
V	DFT-s-OFDM			QPSK	1/33	22.68	43	20.32		
	DFT-s-OFDM			QPSK	1/22	22.80	43	20.20		
	DFT-s-OFDM			QPSK	1/43	22.53	43	20.47		
	DFT-s-OFDM			QPSK	20/22	22.95	43	20.05		
	CP-OFDM			QPSK	22/22	19.83	43	23.17		
	CP-OFDM			16QAM	22/22	18.75	43	24.25		
	CP-OFDM			64QAM	22/22	16.55	43	26.45		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	22.93	43	20.07		
	DFT-s-OFDM			16QAM	20/22	20.88	43	22.12		
DFT-s-OFDM	64QAM			20/22	18.64	43	24.36			
H+V	DFT-s-OFDM			QPSK	1/43	25.70	43	17.30		
	DFT-s-OFDM			QPSK	1/22	25.85	43	17.15		
	DFT-s-OFDM			QPSK	1/43	25.60	43	17.40		
	DFT-s-OFDM			QPSK	20/22	<b>25.95</b>	43	17.05		
	CP-OFDM			QPSK	22/22	23.29	43	19.71		
	CP-OFDM			16QAM	22/22	22.02	43	20.98		
	CP-OFDM			64QAM	22/22	20.10	43	22.90		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	25.73	43	17.27		
	DFT-s-OFDM			16QAM	20/22	23.91	43	19.09		
DFT-s-OFDM	64QAM			20/22	21.61	43	21.39			

**Antenna #1, Band n260, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	37025.04	H	DFT-s-OFDM	QPSK	1/16	23.92	43	19.08		
			DFT-s-OFDM	QPSK	1/11	23.88	43	19.12		
			DFT-s-OFDM	QPSK	1/21	23.84	43	19.16		
			DFT-s-OFDM	QPSK	10/11	23.91	43	19.09		
			CP-OFDM	QPSK	1/16	20.93	43	22.07		
			CP-OFDM	16QAM	1/16	19.22	43	23.78		
			CP-OFDM	64QAM	1/16	17.07	43	25.93		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	23.73	43	19.27		
			DFT-s-OFDM	16QAM	1/16	21.16	43	21.84		
		DFT-s-OFDM	64QAM	1/16	19.27	43	23.73			
		V	DFT-s-OFDM	QPSK	1/16	22.85	43	20.15		
			DFT-s-OFDM	QPSK	1/11	23.06	43	19.94		
			DFT-s-OFDM	QPSK	1/21	23.01	43	19.99		
			DFT-s-OFDM	QPSK	10/11	22.72	43	20.28		
			CP-OFDM	QPSK	1/11	18.81	43	24.19		
			CP-OFDM	16QAM	1/11	18.16	43	24.84		
			CP-OFDM	64QAM	1/11	16.85	43	26.15		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/11	22.61	43	20.39		
			DFT-s-OFDM	16QAM	1/11	20.86	43	22.14		
		DFT-s-OFDM	64QAM	1/11	17.85	43	25.15			
		H+V	DFT-s-OFDM	QPSK	1/16	25.88	43	17.12		
			DFT-s-OFDM	QPSK	1/11	25.93	43	17.07		
			DFT-s-OFDM	QPSK	1/21	25.65	43	17.35		
			DFT-s-OFDM	QPSK	10/11	<b>26.07</b>	43	16.93		
			CP-OFDM	QPSK	11/11	21.65	43	21.35		
			CP-OFDM	16QAM	11/11	20.29	43	22.71		
			CP-OFDM	64QAM	11/11	17.98	43	25.02		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	25.93	43	17.07		
			DFT-s-OFDM	16QAM	10/11	23.54	43	19.46		
		DFT-s-OFDM	64QAM	10/11	21.52	43	21.48			
		100	37050.00	H	DFT-s-OFDM	QPSK	1/33	24.27	43	18.73
					DFT-s-OFDM	QPSK	1/22	24.20	43	18.80
					DFT-s-OFDM	QPSK	1/43	24.08	43	18.92
					DFT-s-OFDM	QPSK	20/22	24.08	43	18.92
					CP-OFDM	QPSK	1/33	20.82	43	22.18
					CP-OFDM	16QAM	1/33	19.67	43	23.33
CP-OFDM	64QAM				1/33	17.07	43	25.93		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	23.97	43	19.03		
DFT-s-OFDM	16QAM				1/33	21.25	43	21.75		
DFT-s-OFDM	64QAM			1/33	19.34	43	23.66			
V	DFT-s-OFDM			QPSK	1/33	23.01	43	19.99		
	DFT-s-OFDM			QPSK	1/22	22.99	43	20.01		
	DFT-s-OFDM			QPSK	1/43	23.33	43	19.67		
	DFT-s-OFDM			QPSK	20/22	23.65	43	19.35		
	CP-OFDM			QPSK	22/22	20.04	43	22.96		
	CP-OFDM			16QAM	22/22	18.99	43	24.01		
	CP-OFDM			64QAM	22/22	16.41	43	26.59		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	23.43	43	19.57		
	DFT-s-OFDM			16QAM	20/22	21.10	43	21.90		
DFT-s-OFDM	64QAM			20/22	19.11	43	23.89			
H+V	DFT-s-OFDM			QPSK	1/33	25.87	43	17.13		
	DFT-s-OFDM			QPSK	1/22	25.81	43	17.19		
	DFT-s-OFDM			QPSK	1/43	26.06	43	16.94		
	DFT-s-OFDM			QPSK	20/22	<b>26.50</b>	43	16.50		
	CP-OFDM			QPSK	22/22	21.52	43	21.48		
	CP-OFDM			16QAM	22/22	20.52	43	22.48		
	CP-OFDM			64QAM	22/22	18.01	43	24.99		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	26.31	43	16.69		
	DFT-s-OFDM			16QAM	20/22	24.16	43	18.84		
DFT-s-OFDM	64QAM			20/22	21.78	43	21.22			

**Antenna #1, Band n260, Channel Mid**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]
50	38499.96	H	DFT-s-OFDM	QPSK	1/16	25.48	43	17.52
			DFT-s-OFDM	QPSK	1/11	25.30	43	17.70
			DFT-s-OFDM	QPSK	1/21	25.45	43	17.55
			DFT-s-OFDM	QPSK	10/11	25.14	43	17.86
			CP-OFDM	QPSK	1/16	22.22	43	20.78
			CP-OFDM	16QAM	1/16	19.70	43	23.30
			CP-OFDM	64QAM	1/16	17.99	43	25.01
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	25.17	43	17.83
			DFT-s-OFDM	16QAM	1/16	22.43	43	20.57
		DFT-s-OFDM	64QAM	1/16	21.02	43	21.98	
		V	DFT-s-OFDM	QPSK	1/16	24.49	43	18.51
			DFT-s-OFDM	QPSK	1/11	24.34	43	18.66
			DFT-s-OFDM	QPSK	1/21	24.48	43	18.52
			DFT-s-OFDM	QPSK	10/11	24.29	43	18.71
			CP-OFDM	QPSK	1/16	21.40	43	21.60
			CP-OFDM	16QAM	1/16	19.20	43	23.80
			CP-OFDM	64QAM	1/16	17.06	43	25.94
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	24.30	43	18.70
			DFT-s-OFDM	16QAM	1/16	21.62	43	21.38
		DFT-s-OFDM	64QAM	1/16	20.08	43	22.92	
		H+V	DFT-s-OFDM	QPSK	1/16	28.57	43	14.43
			DFT-s-OFDM	QPSK	1/11	28.71	43	14.29
			DFT-s-OFDM	QPSK	1/21	<b>28.94</b>	43	14.06
			DFT-s-OFDM	QPSK	10/11	28.30	43	14.70
			CP-OFDM	QPSK	1/21	24.33	43	18.67
			CP-OFDM	16QAM	1/21	23.37	43	19.63
			CP-OFDM	64QAM	1/21	21.09	43	21.91
DFT-s-OFDM	$\pi/2$ -BPSK		1/21	28.52	43	14.48		
DFT-s-OFDM	16QAM		1/21	26.03	43	16.97		
DFT-s-OFDM	64QAM	1/21	24.41	43	18.59			
100	38499.96	H	DFT-s-OFDM	QPSK	1/33	25.60	43	17.40
			DFT-s-OFDM	QPSK	1/22	25.51	43	17.49
			DFT-s-OFDM	QPSK	1/43	25.50	43	17.50
			DFT-s-OFDM	QPSK	20/22	25.34	43	17.66
			CP-OFDM	QPSK	1/33	22.48	43	20.52
			CP-OFDM	16QAM	1/33	19.83	43	23.17
			CP-OFDM	64QAM	1/33	18.16	43	24.84
			DFT-s-OFDM	$\pi/2$ -BPSK	1/33	25.30	43	17.70
			DFT-s-OFDM	16QAM	1/33	22.59	43	20.41
		DFT-s-OFDM	64QAM	1/33	21.37	43	21.63	
		V	DFT-s-OFDM	QPSK	1/33	24.56	43	18.44
			DFT-s-OFDM	QPSK	1/22	24.51	43	18.49
			DFT-s-OFDM	QPSK	1/43	24.46	43	18.54
			DFT-s-OFDM	QPSK	20/22	24.49	43	18.51
			CP-OFDM	QPSK	1/33	21.61	43	21.39
			CP-OFDM	16QAM	1/33	19.31	43	23.69
			CP-OFDM	64QAM	1/33	17.28	43	25.72
			DFT-s-OFDM	$\pi/2$ -BPSK	1/33	24.43	43	18.57
			DFT-s-OFDM	16QAM	1/33	21.55	43	21.45
		DFT-s-OFDM	64QAM	1/33	20.27	43	22.73	
		H+V	DFT-s-OFDM	QPSK	1/33	28.85	43	14.15
			DFT-s-OFDM	QPSK	1/22	28.83	43	14.17
			DFT-s-OFDM	QPSK	1/43	<b>29.03</b>	43	13.97
			DFT-s-OFDM	QPSK	20/22	28.51	43	14.49
			CP-OFDM	QPSK	1/43	24.50	43	18.50
			CP-OFDM	16QAM	1/43	23.49	43	19.51
			CP-OFDM	64QAM	1/43	21.28	43	21.72
			DFT-s-OFDM	$\pi/2$ -BPSK	1/43	28.64	43	14.36
			DFT-s-OFDM	16QAM	1/43	26.49	43	16.51
			DFT-s-OFDM	64QAM	1/43	24.59	43	18.41

**Antenna #1, Band n260, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	39975.00	H	DFT-s-OFDM	QPSK	1/16	24.51	43	18.49		
			DFT-s-OFDM	QPSK	1/11	24.44	43	18.56		
			DFT-s-OFDM	QPSK	1/21	24.46	43	18.54		
			DFT-s-OFDM	QPSK	10/11	24.48	43	18.52		
			CP-OFDM	QPSK	1/16	21.07	43	21.93		
			CP-OFDM	16QAM	1/16	19.54	43	23.46		
			CP-OFDM	64QAM	1/16	18.62	43	24.38		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	24.43	43	18.57		
			DFT-s-OFDM	16QAM	1/16	22.54	43	20.46		
		DFT-s-OFDM	64QAM	1/16	20.21	43	22.79			
		V	DFT-s-OFDM	QPSK	1/16	23.08	43	19.92		
			DFT-s-OFDM	QPSK	1/11	22.95	43	20.05		
			DFT-s-OFDM	QPSK	1/21	22.87	43	20.13		
			DFT-s-OFDM	QPSK	10/11	22.67	43	20.33		
			CP-OFDM	QPSK	1/16	19.44	43	23.56		
			CP-OFDM	16QAM	1/16	17.94	43	25.06		
			CP-OFDM	64QAM	1/16	16.52	43	26.48		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.57	43	20.43		
			DFT-s-OFDM	16QAM	1/16	20.28	43	22.72		
		DFT-s-OFDM	64QAM	1/16	18.23	43	24.77			
		H+V	DFT-s-OFDM	QPSK	1/16	<b>27.01</b>	43	15.99		
			DFT-s-OFDM	QPSK	1/11	26.99	43	16.01		
			DFT-s-OFDM	QPSK	1/21	26.87	43	16.13		
			DFT-s-OFDM	QPSK	10/11	26.61	43	16.39		
			CP-OFDM	QPSK	1/16	22.05	43	20.95		
			CP-OFDM	16QAM	1/16	21.62	43	21.38		
			CP-OFDM	64QAM	1/16	19.28	43	23.72		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	26.35	43	16.65		
			DFT-s-OFDM	16QAM	1/16	24.15	43	18.85		
		DFT-s-OFDM	64QAM	1/16	21.85	43	21.15			
		100	39949.92	H	DFT-s-OFDM	QPSK	1/33	25.49	43	17.51
					DFT-s-OFDM	QPSK	1/22	25.06	43	17.94
					DFT-s-OFDM	QPSK	1/43	25.04	43	17.96
					DFT-s-OFDM	QPSK	20/22	25.17	43	17.83
					CP-OFDM	QPSK	1/33	22.43	43	20.57
					CP-OFDM	16QAM	1/33	20.28	43	22.72
CP-OFDM	64QAM				1/33	18.77	43	24.23		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	25.26	43	17.74		
DFT-s-OFDM	16QAM				1/33	23.16	43	19.84		
DFT-s-OFDM	64QAM			1/33	20.66	43	22.34			
V	DFT-s-OFDM			QPSK	1/33	23.31	43	19.69		
	DFT-s-OFDM			QPSK	1/22	23.19	43	19.81		
	DFT-s-OFDM			QPSK	1/43	23.09	43	19.91		
	DFT-s-OFDM			QPSK	20/22	23.06	43	19.94		
	CP-OFDM			QPSK	1/33	20.09	43	22.91		
	CP-OFDM			16QAM	1/33	18.74	43	24.26		
	CP-OFDM			64QAM	1/33	17.41	43	25.59		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	22.88	43	20.12		
	DFT-s-OFDM			16QAM	1/33	20.64	43	22.36		
DFT-s-OFDM	64QAM			1/33	18.59	43	24.41			
H+V	DFT-s-OFDM			QPSK	1/33	<b>27.70</b>	43	15.30		
	DFT-s-OFDM			QPSK	1/22	27.62	43	15.38		
	DFT-s-OFDM			QPSK	1/43	27.41	43	15.59		
	DFT-s-OFDM			QPSK	20/22	27.47	43	15.53		
	CP-OFDM			QPSK	1/33	22.98	43	20.02		
	CP-OFDM			16QAM	1/33	22.22	43	20.78		
	CP-OFDM			64QAM	1/33	19.83	43	23.17		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	27.38	43	15.62		
	DFT-s-OFDM			16QAM	1/33	25.50	43	17.50		
DFT-s-OFDM	64QAM			1/33	22.81	43	20.19			

**Antenna #1, Band n261, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	27525.00	H	DFT-s-OFDM	QPSK	1/16	22.11	43	20.89		
			DFT-s-OFDM	QPSK	1/11	22.12	43	20.88		
			DFT-s-OFDM	QPSK	1/21	22.15	43	20.85		
			DFT-s-OFDM	QPSK	10/11	21.85	43	21.15		
			CP-OFDM	QPSK	1/21	18.81	43	24.19		
			CP-OFDM	16QAM	1/21	18.04	43	24.96		
			CP-OFDM	64QAM	1/21	15.42	43	27.58		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	22.08	43	20.92		
			DFT-s-OFDM	16QAM	1/21	19.93	43	23.07		
		DFT-s-OFDM	64QAM	1/21	17.60	43	25.40			
		V	DFT-s-OFDM	QPSK	1/16	22.01	43	20.99		
			DFT-s-OFDM	QPSK	1/11	22.06	43	20.94		
			DFT-s-OFDM	QPSK	1/21	22.07	43	20.93		
			DFT-s-OFDM	QPSK	10/11	21.76	43	21.24		
			CP-OFDM	QPSK	1/21	19.05	43	23.95		
			CP-OFDM	16QAM	1/21	18.19	43	24.81		
			CP-OFDM	64QAM	1/21	15.49	43	27.51		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	21.91	43	21.09		
			DFT-s-OFDM	16QAM	1/21	19.82	43	23.18		
		DFT-s-OFDM	64QAM	1/21	17.38	43	25.62			
		H+V	DFT-s-OFDM	QPSK	1/16	26.01	43	16.99		
			DFT-s-OFDM	QPSK	1/11	26.09	43	16.91		
			DFT-s-OFDM	QPSK	1/21	26.01	43	16.99		
			DFT-s-OFDM	QPSK	10/11	<b>26.37</b>	43	16.63		
			CP-OFDM	QPSK	11/11	22.24	43	20.76		
			CP-OFDM	16QAM	11/11	20.93	43	22.07		
			CP-OFDM	64QAM	11/11	18.89	43	24.11		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	26.32	43	16.68		
			DFT-s-OFDM	16QAM	10/11	24.10	43	18.90		
		DFT-s-OFDM	64QAM	10/11	22.10	43	20.90			
		100	27550.08	H	DFT-s-OFDM	QPSK	1/33	22.36	43	20.64
					DFT-s-OFDM	QPSK	1/22	22.38	43	20.62
					DFT-s-OFDM	QPSK	1/43	22.59	43	20.41
DFT-s-OFDM	QPSK				20/22	22.05	43	20.95		
CP-OFDM	QPSK				1/43	19.35	43	23.65		
CP-OFDM	16QAM				1/43	18.87	43	24.13		
CP-OFDM	64QAM				1/43	15.80	43	27.20		
DFT-s-OFDM	$\pi/2$ -BPSK				1/43	22.40	43	20.60		
DFT-s-OFDM	16QAM				1/43	20.29	43	22.71		
DFT-s-OFDM	64QAM			1/43	17.70	43	25.30			
V	DFT-s-OFDM			QPSK	1/33	21.76	43	21.24		
	DFT-s-OFDM			QPSK	1/22	21.60	43	21.40		
	DFT-s-OFDM			QPSK	1/43	22.03	43	20.97		
	DFT-s-OFDM			QPSK	20/22	21.69	43	21.31		
	CP-OFDM			QPSK	1/43	18.60	43	24.40		
	CP-OFDM			16QAM	1/43	18.30	43	24.70		
	CP-OFDM			64QAM	1/43	15.25	43	27.75		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/43	21.88	43	21.12		
	DFT-s-OFDM			16QAM	1/43	19.83	43	23.17		
DFT-s-OFDM	64QAM			1/43	17.27	43	25.73			
H+V	DFT-s-OFDM			QPSK	1/43	24.97	43	18.03		
	DFT-s-OFDM			QPSK	1/22	25.05	43	17.95		
	DFT-s-OFDM			QPSK	1/43	25.27	43	17.73		
	DFT-s-OFDM			QPSK	20/22	<b>25.33</b>	43	17.67		
	CP-OFDM			QPSK	22/22	22.34	43	20.66		
	CP-OFDM			16QAM	22/22	21.28	43	21.72		
	CP-OFDM			64QAM	22/22	18.96	43	24.04		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	25.24	43	17.76		
	DFT-s-OFDM			16QAM	20/22	23.21	43	19.79		
DFT-s-OFDM	64QAM			20/22	20.97	43	22.03			

**Antenna #1, Band n261, Channel Mid**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	27924.96	H	DFT-s-OFDM	QPSK	1/16	22.50	43	20.50		
			DFT-s-OFDM	QPSK	1/11	22.43	43	20.57		
			DFT-s-OFDM	QPSK	1/21	22.23	43	20.77		
			DFT-s-OFDM	QPSK	10/11	22.91	43	20.09		
			CP-OFDM	QPSK	11/11	19.63	43	23.37		
			CP-OFDM	16QAM	11/11	18.55	43	24.45		
			CP-OFDM	64QAM	11/11	16.56	43	26.44		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.86	43	20.14		
			DFT-s-OFDM	16QAM	10/11	20.79	43	22.21		
		DFT-s-OFDM	64QAM	10/11	18.63	43	24.37			
		V	DFT-s-OFDM	QPSK	1/16	22.07	43	20.93		
			DFT-s-OFDM	QPSK	1/11	22.22	43	20.78		
			DFT-s-OFDM	QPSK	1/21	21.97	43	21.03		
			DFT-s-OFDM	QPSK	10/11	22.54	43	20.46		
			CP-OFDM	QPSK	11/11	19.40	43	23.60		
			CP-OFDM	16QAM	11/11	18.27	43	24.73		
			CP-OFDM	64QAM	11/11	16.24	43	26.76		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.53	43	20.47		
			DFT-s-OFDM	16QAM	10/11	20.47	43	22.53		
		DFT-s-OFDM	64QAM	10/11	18.38	43	24.62			
		H+V	DFT-s-OFDM	QPSK	1/16	26.46	43	16.54		
			DFT-s-OFDM	QPSK	1/11	26.65	43	16.35		
			DFT-s-OFDM	QPSK	1/21	26.40	43	16.60		
			DFT-s-OFDM	QPSK	10/11	<b>27.00</b>	43	16.00		
			CP-OFDM	QPSK	11/11	22.91	43	20.09		
			CP-OFDM	16QAM	11/11	21.56	43	21.44		
			CP-OFDM	64QAM	11/11	19.41	43	23.59		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	26.97	43	16.03		
			DFT-s-OFDM	16QAM	10/11	24.93	43	18.07		
		DFT-s-OFDM	64QAM	10/11	22.62	43	20.38			
		100	27924.96	H	DFT-s-OFDM	QPSK	1/33	22.68	43	20.32
					DFT-s-OFDM	QPSK	1/22	22.49	43	20.51
					DFT-s-OFDM	QPSK	1/43	22.17	43	20.83
					DFT-s-OFDM	QPSK	20/22	22.82	43	20.18
					CP-OFDM	QPSK	22/22	19.57	43	23.43
					CP-OFDM	16QAM	22/22	18.89	43	24.11
CP-OFDM	64QAM				22/22	16.24	43	26.76		
DFT-s-OFDM	$\pi/2$ -BPSK				20/22	22.78	43	20.22		
DFT-s-OFDM	16QAM				20/22	20.76	43	22.24		
DFT-s-OFDM	64QAM			20/22	18.82	43	24.18			
V	DFT-s-OFDM			QPSK	1/33	22.77	43	20.23		
	DFT-s-OFDM			QPSK	1/22	22.58	43	20.42		
	DFT-s-OFDM			QPSK	1/43	22.51	43	20.49		
	DFT-s-OFDM			QPSK	20/22	22.91	43	20.09		
	CP-OFDM			QPSK	22/22	19.50	43	23.50		
	CP-OFDM			16QAM	22/22	18.77	43	24.23		
	CP-OFDM			64QAM	22/22	16.13	43	26.87		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	22.85	43	20.15		
	DFT-s-OFDM			16QAM	20/22	20.63	43	22.37		
DFT-s-OFDM	64QAM			20/22	18.60	43	24.40			
H+V	DFT-s-OFDM			QPSK	20/22	26.75	43	16.25		
	DFT-s-OFDM			QPSK	1/22	26.73	43	16.27		
	DFT-s-OFDM			QPSK	1/43	26.39	43	16.61		
	DFT-s-OFDM			QPSK	20/22	<b>27.15</b>	43	15.85		
	CP-OFDM			QPSK	22/22	22.89	43	20.11		
	CP-OFDM			16QAM	22/22	21.85	43	21.15		
	CP-OFDM			64QAM	22/22	19.71	43	23.29		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	26.97	43	16.03		
	DFT-s-OFDM			16QAM	20/22	24.86	43	18.14		
DFT-s-OFDM	64QAM			20/22	22.76	43	20.24			

**Antenna #1, Band n261, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	28324.92	H	DFT-s-OFDM	QPSK	1/16	22.41	43	20.59		
			DFT-s-OFDM	QPSK	1/11	22.40	43	20.60		
			DFT-s-OFDM	QPSK	1/21	22.48	43	20.52		
			DFT-s-OFDM	QPSK	10/11	22.55	43	20.45		
			CP-OFDM	QPSK	11/11	19.21	43	23.79		
			CP-OFDM	16QAM	11/11	18.13	43	24.87		
			CP-OFDM	64QAM	11/11	16.18	43	26.82		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.54	43	20.46		
			DFT-s-OFDM	16QAM	10/11	20.66	43	22.34		
		DFT-s-OFDM	64QAM	10/11	18.39	43	24.61			
		V	DFT-s-OFDM	QPSK	1/16	23.48	43	19.52		
			DFT-s-OFDM	QPSK	1/11	23.39	43	19.61		
			DFT-s-OFDM	QPSK	1/21	23.38	43	19.62		
			DFT-s-OFDM	QPSK	10/11	23.67	43	19.33		
			CP-OFDM	QPSK	11/11	20.23	43	22.77		
			CP-OFDM	16QAM	11/11	19.29	43	23.71		
			CP-OFDM	64QAM	11/11	17.54	43	25.46		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	23.54	43	19.46		
			DFT-s-OFDM	16QAM	10/11	21.38	43	21.62		
		DFT-s-OFDM	64QAM	10/11	19.22	43	23.78			
		H+V	DFT-s-OFDM	QPSK	1/16	27.61	43	15.39		
			DFT-s-OFDM	QPSK	1/11	27.75	43	15.25		
			DFT-s-OFDM	QPSK	1/21	<b>27.98</b>	43	15.02		
			DFT-s-OFDM	QPSK	10/11	27.62	43	15.38		
			CP-OFDM	QPSK	1/21	23.69	43	19.31		
			CP-OFDM	16QAM	1/21	21.94	43	21.06		
			CP-OFDM	64QAM	1/21	19.73	43	23.27		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	27.48	43	15.52		
			DFT-s-OFDM	16QAM	1/21	26.28	43	16.72		
		DFT-s-OFDM	64QAM	1/21	23.62	43	19.38			
		100	28299.96	H	DFT-s-OFDM	QPSK	1/33	22.43	43	20.57
					DFT-s-OFDM	QPSK	1/22	22.39	43	20.61
DFT-s-OFDM	QPSK				1/43	22.43	43	20.57		
DFT-s-OFDM	QPSK				20/22	22.46	43	20.54		
CP-OFDM	QPSK				22/22	19.01	43	23.99		
CP-OFDM	16QAM				22/22	18.35	43	24.65		
CP-OFDM	64QAM				22/22	15.96	43	27.04		
DFT-s-OFDM	$\pi/2$ -BPSK				20/22	22.42	43	20.58		
DFT-s-OFDM	16QAM				20/22	20.40	43	22.60		
DFT-s-OFDM	64QAM			20/22	18.11	43	24.89			
V	DFT-s-OFDM			QPSK	1/33	23.53	43	19.47		
	DFT-s-OFDM			QPSK	1/22	23.44	43	19.56		
	DFT-s-OFDM			QPSK	1/43	23.52	43	19.48		
	DFT-s-OFDM			QPSK	20/22	23.54	43	19.46		
	CP-OFDM			QPSK	22/22	19.87	43	23.13		
	CP-OFDM			16QAM	22/22	19.13	43	23.87		
	CP-OFDM			64QAM	22/22	17.14	43	25.86		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	23.57	43	19.43		
	DFT-s-OFDM			16QAM	20/22	21.51	43	21.49		
DFT-s-OFDM	64QAM			20/22	19.30	43	23.70			
H+V	DFT-s-OFDM			QPSK	20/22	27.66	43	15.34		
	DFT-s-OFDM			QPSK	1/22	27.62	43	15.38		
	DFT-s-OFDM			QPSK	1/43	<b>27.96</b>	43	15.04		
	DFT-s-OFDM			QPSK	20/22	27.55	43	15.45		
	CP-OFDM			QPSK	1/43	23.40	43	19.60		
	CP-OFDM			16QAM	1/43	22.01	43	20.99		
	CP-OFDM			64QAM	1/43	20.34	43	22.66		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/43	27.90	43	15.10		
	DFT-s-OFDM			16QAM	1/43	27.27	43	15.73		
DFT-s-OFDM	64QAM			1/43	23.37	43	19.63			



**Antenna #2, Band n258a, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	24275.04	H	DFT-s-OFDM	QPSK	1/16	22.82	43	20.18		
			DFT-s-OFDM	QPSK	1/11	22.63	43	20.37		
			DFT-s-OFDM	QPSK	1/21	22.75	43	20.25		
			DFT-s-OFDM	QPSK	10/11	22.65	43	20.35		
			CP-OFDM	QPSK	1/16	19.65	43	23.35		
			CP-OFDM	16QAM	1/16	17.20	43	25.80		
			CP-OFDM	64QAM	1/16	16.14	43	26.86		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.42	43	20.58		
			DFT-s-OFDM	16QAM	1/16	20.67	43	22.33		
		DFT-s-OFDM	64QAM	1/16	18.52	43	24.48			
		V	DFT-s-OFDM	QPSK	1/16	22.75	43	20.25		
			DFT-s-OFDM	QPSK	1/11	22.65	43	20.35		
			DFT-s-OFDM	QPSK	1/21	22.67	43	20.33		
			DFT-s-OFDM	QPSK	10/11	22.68	43	20.32		
			CP-OFDM	QPSK	1/16	18.77	43	24.23		
			CP-OFDM	16QAM	1/16	18.19	43	24.81		
			CP-OFDM	64QAM	1/16	16.08	43	26.92		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.50	43	20.50		
			DFT-s-OFDM	16QAM	1/16	20.86	43	22.14		
		DFT-s-OFDM	64QAM	1/16	18.38	43	24.62			
		H+V	DFT-s-OFDM	QPSK	1/16	27.68	43	15.32		
			DFT-s-OFDM	QPSK	1/11	27.55	43	15.45		
			DFT-s-OFDM	QPSK	1/21	27.60	43	15.40		
			DFT-s-OFDM	QPSK	10/11	27.62	43	15.38		
			CP-OFDM	QPSK	1/16	22.68	43	20.32		
			CP-OFDM	16QAM	1/16	22.00	43	21.00		
			CP-OFDM	64QAM	1/16	19.40	43	23.60		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	27.36	43	15.64		
			DFT-s-OFDM	16QAM	1/16	25.56	43	17.44		
		DFT-s-OFDM	64QAM	1/16	22.89	43	20.11			
		100	24300.00	H	DFT-s-OFDM	QPSK	1/33	22.89	43	20.11
					DFT-s-OFDM	QPSK	1/22	22.73	43	20.27
					DFT-s-OFDM	QPSK	1/43	22.73	43	20.27
					DFT-s-OFDM	QPSK	20/22	22.64	43	20.36
					CP-OFDM	QPSK	1/33	20.12	43	22.88
					CP-OFDM	16QAM	1/33	17.43	43	25.57
CP-OFDM	64QAM				1/33	16.46	43	26.54		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	22.54	43	20.46		
DFT-s-OFDM	16QAM				1/33	20.61	43	22.39		
DFT-s-OFDM	64QAM			1/33	18.45	43	24.55			
V	DFT-s-OFDM			QPSK	1/33	23.15	43	19.85		
	DFT-s-OFDM			QPSK	1/22	23.14	43	19.86		
	DFT-s-OFDM			QPSK	1/43	23.03	43	19.97		
	DFT-s-OFDM			QPSK	20/22	22.82	43	20.18		
	CP-OFDM			QPSK	1/33	19.38	43	23.62		
	CP-OFDM			16QAM	1/33	18.08	43	24.92		
	CP-OFDM			64QAM	1/33	16.49	43	26.51		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	23.01	43	19.99		
	DFT-s-OFDM			16QAM	1/33	20.05	43	22.95		
DFT-s-OFDM	64QAM			1/33	18.73	43	24.27			
H+V	DFT-s-OFDM			QPSK	1/33	27.77	43	15.23		
	DFT-s-OFDM			QPSK	1/22	27.52	43	15.48		
	DFT-s-OFDM			QPSK	1/43	27.71	43	15.29		
	DFT-s-OFDM			QPSK	20/22	27.63	43	15.37		
	CP-OFDM			QPSK	1/33	22.67	43	20.33		
	CP-OFDM			16QAM	1/33	21.96	43	21.04		
	CP-OFDM			64QAM	1/33	19.45	43	23.55		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	27.58	43	15.42		
	DFT-s-OFDM			16QAM	1/33	25.75	43	17.25		
DFT-s-OFDM	64QAM			1/33	23.27	43	19.73			

**Antenna #2, Band n258a, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]
50	24424.98	H	DFT-s-OFDM	QPSK	1/16	22.69	43	20.31
			DFT-s-OFDM	QPSK	1/11	22.57	43	20.43
			DFT-s-OFDM	QPSK	1/21	22.87	43	20.13
			DFT-s-OFDM	QPSK	10/11	22.68	43	20.32
			CP-OFDM	QPSK	1/21	20.08	43	22.92
			CP-OFDM	16QAM	1/21	18.47	43	24.53
			CP-OFDM	64QAM	1/21	16.26	43	26.74
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	23.11	43	19.89
			DFT-s-OFDM	16QAM	1/21	20.52	43	22.48
		DFT-s-OFDM	64QAM	1/21	18.36	43	24.64	
		V	DFT-s-OFDM	QPSK	1/16	22.50	43	20.50
			DFT-s-OFDM	QPSK	1/11	22.53	43	20.47
			DFT-s-OFDM	QPSK	1/21	22.60	43	20.40
			DFT-s-OFDM	QPSK	10/11	22.27	43	20.73
			CP-OFDM	QPSK	1/21	18.59	43	24.41
			CP-OFDM	16QAM	1/21	17.87	43	25.13
			CP-OFDM	64QAM	1/21	15.94	43	27.06
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	22.24	43	20.76
			DFT-s-OFDM	16QAM	1/21	20.21	43	22.79
		DFT-s-OFDM	64QAM	1/21	18.15	43	24.85	
		H+V	DFT-s-OFDM	QPSK	1/16	28.15	43	14.85
			DFT-s-OFDM	QPSK	1/11	28.20	43	14.80
			DFT-s-OFDM	QPSK	1/21	<b>28.40</b>	43	14.60
			DFT-s-OFDM	QPSK	10/11	28.16	43	14.84
			CP-OFDM	QPSK	1/21	22.59	43	20.41
			CP-OFDM	16QAM	1/21	22.17	43	20.83
			CP-OFDM	64QAM	1/21	19.70	43	23.30
DFT-s-OFDM	$\pi/2$ -BPSK		1/21	27.91	43	15.09		
DFT-s-OFDM	16QAM		1/21	25.62	43	17.38		
DFT-s-OFDM	64QAM	1/21	23.83	43	19.17			
100	24399.96	H	DFT-s-OFDM	QPSK	1/33	22.99	43	20.01
			DFT-s-OFDM	QPSK	1/22	22.83	43	20.17
			DFT-s-OFDM	QPSK	1/43	23.11	43	19.89
			DFT-s-OFDM	QPSK	20/22	22.91	43	20.09
			CP-OFDM	QPSK	1/43	20.31	43	22.69
			CP-OFDM	16QAM	1/43	17.54	43	25.46
			CP-OFDM	64QAM	1/43	16.37	43	26.63
			DFT-s-OFDM	$\pi/2$ -BPSK	1/43	20.62	43	22.38
			DFT-s-OFDM	16QAM	1/43	18.94	43	24.06
		DFT-s-OFDM	64QAM	1/43	16.81	43	26.19	
		V	DFT-s-OFDM	QPSK	1/33	22.68	43	20.32
			DFT-s-OFDM	QPSK	1/22	22.51	43	20.49
			DFT-s-OFDM	QPSK	1/43	22.74	43	20.26
			DFT-s-OFDM	QPSK	20/22	22.53	43	20.47
			CP-OFDM	QPSK	1/43	19.69	43	23.31
			CP-OFDM	16QAM	1/43	16.67	43	26.33
			CP-OFDM	64QAM	1/43	15.94	43	27.06
			DFT-s-OFDM	$\pi/2$ -BPSK	1/43	22.61	43	20.39
			DFT-s-OFDM	16QAM	1/43	20.08	43	22.92
		DFT-s-OFDM	64QAM	1/43	18.53	43	24.47	
		H+V	DFT-s-OFDM	QPSK	1/43	27.98	43	15.02
			DFT-s-OFDM	QPSK	1/22	28.26	43	14.74
			DFT-s-OFDM	QPSK	1/43	<b>28.49</b>	43	14.51
			DFT-s-OFDM	QPSK	20/22	28.13	43	14.87
			CP-OFDM	QPSK	1/43	22.95	43	20.05
			CP-OFDM	16QAM	1/43	22.28	43	20.72
			CP-OFDM	64QAM	1/43	19.79	43	23.21
DFT-s-OFDM	$\pi/2$ -BPSK		1/43	28.24	43	14.76		
DFT-s-OFDM	16QAM		1/43	26.29	43	16.71		
DFT-s-OFDM	64QAM	1/43	24.13	43	18.87			

**Antenna #2, Band n258b, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	24775.08	H	DFT-s-OFDM	QPSK	1/16	22.62	43	20.38		
			DFT-s-OFDM	QPSK	1/11	22.60	43	20.40		
			DFT-s-OFDM	QPSK	1/21	22.54	43	20.46		
			DFT-s-OFDM	QPSK	10/11	22.73	43	20.27		
			CP-OFDM	QPSK	11/11	19.21	43	23.79		
			CP-OFDM	16QAM	11/11	18.29	43	24.71		
			CP-OFDM	64QAM	11/11	16.08	43	26.92		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.69	43	20.31		
			DFT-s-OFDM	16QAM	10/11	20.82	43	22.18		
		DFT-s-OFDM	64QAM	10/11	18.63	43	24.37			
		V	DFT-s-OFDM	QPSK	1/16	23.03	43	19.97		
			DFT-s-OFDM	QPSK	1/11	23.09	43	19.91		
			DFT-s-OFDM	QPSK	1/21	23.10	43	19.90		
			DFT-s-OFDM	QPSK	10/11	23.15	43	19.85		
			CP-OFDM	QPSK	11/11	19.81	43	23.19		
			CP-OFDM	16QAM	11/11	18.78	43	24.22		
			CP-OFDM	64QAM	11/11	16.60	43	26.40		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	23.05	43	19.95		
			DFT-s-OFDM	16QAM	10/11	21.37	43	21.63		
		DFT-s-OFDM	64QAM	10/11	19.16	43	23.84			
		H+V	DFT-s-OFDM	QPSK	1/16	26.41	43	16.59		
			DFT-s-OFDM	QPSK	1/11	26.72	43	16.28		
			DFT-s-OFDM	QPSK	1/21	26.54	43	16.46		
			DFT-s-OFDM	QPSK	10/11	<b>26.75</b>	43	16.25		
			CP-OFDM	QPSK	11/11	22.58	43	20.42		
			CP-OFDM	16QAM	11/11	21.49	43	21.51		
			CP-OFDM	64QAM	11/11	19.15	43	23.85		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	26.45	43	16.55		
			DFT-s-OFDM	16QAM	10/11	24.59	43	18.41		
		DFT-s-OFDM	64QAM	10/11	22.14	43	20.86			
		100	24800.04	H	DFT-s-OFDM	QPSK	1/33	22.72	43	20.28
					DFT-s-OFDM	QPSK	1/22	22.78	43	20.22
					DFT-s-OFDM	QPSK	1/43	22.62	43	20.38
					DFT-s-OFDM	QPSK	20/22	22.92	43	20.08
					CP-OFDM	QPSK	22/22	19.73	43	23.27
					CP-OFDM	16QAM	22/22	18.66	43	24.34
CP-OFDM	64QAM				22/22	16.51	43	26.49		
DFT-s-OFDM	$\pi/2$ -BPSK				20/22	22.77	43	20.23		
DFT-s-OFDM	16QAM				20/22	21.08	43	21.92		
DFT-s-OFDM	64QAM			20/22	18.67	43	24.33			
V	DFT-s-OFDM			QPSK	1/33	23.20	43	19.80		
	DFT-s-OFDM			QPSK	1/22	23.11	43	19.89		
	DFT-s-OFDM			QPSK	1/43	23.02	43	19.98		
	DFT-s-OFDM			QPSK	20/22	23.21	43	19.79		
	CP-OFDM			QPSK	22/22	19.99	43	23.01		
	CP-OFDM			16QAM	22/22	19.00	43	24.00		
	CP-OFDM			64QAM	22/22	16.79	43	26.21		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	23.17	43	19.83		
	DFT-s-OFDM			16QAM	20/22	21.22	43	21.78		
DFT-s-OFDM	64QAM			20/22	18.89	43	24.11			
H+V	DFT-s-OFDM			QPSK	20/22	26.44	43	16.56		
	DFT-s-OFDM			QPSK	1/22	26.59	43	16.41		
	DFT-s-OFDM			QPSK	1/43	26.58	43	16.42		
	DFT-s-OFDM			QPSK	20/22	<b>26.71</b>	43	16.29		
	CP-OFDM			QPSK	22/22	22.32	43	20.68		
	CP-OFDM			16QAM	22/22	21.45	43	21.55		
	CP-OFDM			64QAM	22/22	19.44	43	23.56		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	26.41	43	16.59		
	DFT-s-OFDM			16QAM	20/22	24.45	43	18.55		
DFT-s-OFDM	64QAM			20/22	22.34	43	20.66			

**Antenna #2, Band n258b, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	25224.96	H	DFT-s-OFDM	QPSK	1/16	22.46	43	20.54		
			DFT-s-OFDM	QPSK	1/11	22.54	43	20.46		
			DFT-s-OFDM	QPSK	1/21	22.45	43	20.55		
			DFT-s-OFDM	QPSK	10/11	22.61	43	20.39		
			CP-OFDM	QPSK	11/11	19.20	43	23.80		
			CP-OFDM	16QAM	11/11	18.66	43	24.34		
			CP-OFDM	64QAM	11/11	16.53	43	26.47		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.54	43	20.46		
			DFT-s-OFDM	16QAM	10/11	20.44	43	22.56		
		DFT-s-OFDM	64QAM	10/11	18.43	43	24.57			
		V	DFT-s-OFDM	QPSK	1/16	22.93	43	20.07		
			DFT-s-OFDM	QPSK	1/11	23.04	43	19.96		
			DFT-s-OFDM	QPSK	1/21	22.93	43	20.07		
			DFT-s-OFDM	QPSK	10/11	23.34	43	19.66		
			CP-OFDM	QPSK	11/11	19.59	43	23.41		
			CP-OFDM	16QAM	11/11	18.62	43	24.38		
			CP-OFDM	64QAM	11/11	16.94	43	26.06		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	23.21	43	19.79		
			DFT-s-OFDM	16QAM	10/11	21.06	43	21.94		
		DFT-s-OFDM	64QAM	10/11	18.85	43	24.15			
		H+V	DFT-s-OFDM	QPSK	1/16	26.35	43	16.65		
			DFT-s-OFDM	QPSK	1/11	26.29	43	16.71		
			DFT-s-OFDM	QPSK	1/21	26.38	43	16.62		
			DFT-s-OFDM	QPSK	10/11	<b>26.53</b>	43	16.47		
			CP-OFDM	QPSK	11/11	23.01	43	19.99		
			CP-OFDM	16QAM	11/11	22.09	43	20.91		
			CP-OFDM	64QAM	11/11	19.97	43	23.03		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	26.48	43	16.52		
			DFT-s-OFDM	16QAM	10/11	24.29	43	18.71		
		DFT-s-OFDM	64QAM	10/11	22.30	43	20.70			
		100	25200.00	H	DFT-s-OFDM	QPSK	1/33	22.80	43	20.20
					DFT-s-OFDM	QPSK	1/22	22.86	43	20.14
					DFT-s-OFDM	QPSK	1/43	22.71	43	20.29
					DFT-s-OFDM	QPSK	20/22	22.87	43	20.13
					CP-OFDM	QPSK	22/22	19.45	43	23.55
					CP-OFDM	16QAM	22/22	18.53	43	24.47
CP-OFDM	64QAM				22/22	16.36	43	26.64		
DFT-s-OFDM	$\pi/2$ -BPSK				20/22	22.83	43	20.17		
DFT-s-OFDM	16QAM				20/22	20.66	43	22.34		
DFT-s-OFDM	64QAM			20/22	18.56	43	24.44			
V	DFT-s-OFDM			QPSK	1/33	23.28	43	19.72		
	DFT-s-OFDM			QPSK	1/22	23.57	43	19.43		
	DFT-s-OFDM			QPSK	1/43	23.20	43	19.80		
	DFT-s-OFDM			QPSK	20/22	23.74	43	19.26		
	CP-OFDM			QPSK	22/22	20.44	43	22.56		
	CP-OFDM			16QAM	22/22	19.60	43	23.40		
	CP-OFDM			64QAM	22/22	17.33	43	25.67		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	23.73	43	19.27		
	DFT-s-OFDM			16QAM	20/22	21.69	43	21.31		
DFT-s-OFDM	64QAM			20/22	19.46	43	23.54			
H+V	DFT-s-OFDM			QPSK	20/22	26.28	43	16.72		
	DFT-s-OFDM			QPSK	1/22	26.55	43	16.45		
	DFT-s-OFDM			QPSK	1/43	26.45	43	16.55		
	DFT-s-OFDM			QPSK	20/22	<b>26.74</b>	43	16.26		
	CP-OFDM			QPSK	22/22	23.34	43	19.66		
	CP-OFDM			16QAM	22/22	22.11	43	20.89		
	CP-OFDM			64QAM	22/22	20.12	43	22.88		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	26.65	43	16.35		
	DFT-s-OFDM			16QAM	20/22	24.70	43	18.30		
DFT-s-OFDM	64QAM			20/22	22.66	43	20.34			

**Antenna #2, Band n260, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	37025.04	H	DFT-s-OFDM	QPSK	1/16	21.79	43	21.21		
			DFT-s-OFDM	QPSK	1/11	21.76	43	21.24		
			DFT-s-OFDM	QPSK	1/21	21.71	43	21.29		
			DFT-s-OFDM	QPSK	10/11	21.62	43	21.38		
			CP-OFDM	QPSK	1/16	18.30	43	24.70		
			CP-OFDM	16QAM	1/16	17.48	43	25.52		
			CP-OFDM	64QAM	1/16	15.54	43	27.46		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	21.62	43	21.38		
			DFT-s-OFDM	16QAM	1/16	19.19	43	23.81		
		DFT-s-OFDM	64QAM	1/16	16.57	43	26.43			
		V	DFT-s-OFDM	QPSK	1/16	23.45	43	19.55		
			DFT-s-OFDM	QPSK	1/11	23.54	43	19.46		
			DFT-s-OFDM	QPSK	1/21	23.87	43	19.13		
			DFT-s-OFDM	QPSK	10/11	23.49	43	19.51		
			CP-OFDM	QPSK	1/21	20.57	43	22.43		
			CP-OFDM	16QAM	1/21	18.60	43	24.40		
			CP-OFDM	64QAM	1/21	16.55	43	26.45		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	23.32	43	19.68		
			DFT-s-OFDM	16QAM	1/21	21.77	43	21.23		
		DFT-s-OFDM	64QAM	1/21	18.59	43	24.41			
		H+V	DFT-s-OFDM	QPSK	1/16	25.82	43	17.18		
			DFT-s-OFDM	QPSK	1/11	25.65	43	17.35		
			DFT-s-OFDM	QPSK	1/21	25.40	43	17.60		
			DFT-s-OFDM	QPSK	10/11	<b>25.90</b>	43	17.10		
			CP-OFDM	QPSK	11/11	19.99	43	23.01		
			CP-OFDM	16QAM	11/11	18.92	43	24.08		
			CP-OFDM	64QAM	11/11	16.82	43	26.18		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	25.77	43	17.23		
			DFT-s-OFDM	16QAM	10/11	23.36	43	19.64		
		DFT-s-OFDM	64QAM	10/11	21.23	43	21.77			
		100	37050.00	H	DFT-s-OFDM	QPSK	1/33	21.50	43	21.50
					DFT-s-OFDM	QPSK	1/22	21.44	43	21.56
					DFT-s-OFDM	QPSK	1/43	21.72	43	21.28
					DFT-s-OFDM	QPSK	20/22	21.14	43	21.86
					CP-OFDM	QPSK	1/43	18.49	43	24.51
					CP-OFDM	16QAM	1/43	17.43	43	25.57
CP-OFDM	64QAM				1/43	14.93	43	28.07		
DFT-s-OFDM	$\pi/2$ -BPSK				1/43	20.63	43	22.37		
DFT-s-OFDM	16QAM				1/43	19.22	43	23.78		
DFT-s-OFDM	64QAM			1/43	16.84	43	26.16			
V	DFT-s-OFDM			QPSK	1/33	23.86	43	19.14		
	DFT-s-OFDM			QPSK	1/22	23.81	43	19.19		
	DFT-s-OFDM			QPSK	1/43	24.08	43	18.92		
	DFT-s-OFDM			QPSK	20/22	24.05	43	18.95		
	CP-OFDM			QPSK	1/43	21.11	43	21.89		
	CP-OFDM			16QAM	1/43	19.63	43	23.37		
	CP-OFDM			64QAM	1/43	17.09	43	25.91		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/43	23.86	43	19.14		
	DFT-s-OFDM			16QAM	1/43	21.43	43	21.57		
DFT-s-OFDM	64QAM			1/43	19.20	43	23.80			
H+V	DFT-s-OFDM			QPSK	1/43	25.39	43	17.61		
	DFT-s-OFDM			QPSK	1/22	25.55	43	17.45		
	DFT-s-OFDM			QPSK	1/43	25.42	43	17.58		
	DFT-s-OFDM			QPSK	20/22	<b>27.41</b>	43	15.59		
	CP-OFDM			QPSK	22/22	21.84	43	21.16		
	CP-OFDM			16QAM	22/22	20.30	43	22.70		
	CP-OFDM			64QAM	22/22	18.07	43	24.93		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	27.10	43	15.90		
	DFT-s-OFDM			16QAM	20/22	24.98	43	18.02		
DFT-s-OFDM	64QAM			20/22	22.65	43	20.35			

**Antenna #2, Band n260, Channel Mid**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	38499.96	H	DFT-s-OFDM	QPSK	1/16	23.23	43	19.77		
			DFT-s-OFDM	QPSK	1/11	23.22	43	19.78		
			DFT-s-OFDM	QPSK	1/21	23.36	43	19.64		
			DFT-s-OFDM	QPSK	10/11	22.97	43	20.03		
			CP-OFDM	QPSK	1/21	20.41	43	22.59		
			CP-OFDM	16QAM	1/21	18.10	43	24.90		
			CP-OFDM	64QAM	1/21	16.12	43	26.88		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	23.22	43	19.78		
			DFT-s-OFDM	16QAM	1/21	20.36	43	22.64		
		DFT-s-OFDM	64QAM	1/21	19.23	43	23.77			
		V	DFT-s-OFDM	QPSK	1/16	24.48	43	18.52		
			DFT-s-OFDM	QPSK	1/11	24.37	43	18.63		
			DFT-s-OFDM	QPSK	1/21	24.58	43	18.42		
			DFT-s-OFDM	QPSK	10/11	24.34	43	18.66		
			CP-OFDM	QPSK	1/21	21.68	43	21.32		
			CP-OFDM	16QAM	1/21	19.48	43	23.52		
			CP-OFDM	64QAM	1/21	17.20	43	25.80		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	24.36	43	18.64		
			DFT-s-OFDM	16QAM	1/21	21.85	43	21.15		
		DFT-s-OFDM	64QAM	1/21	20.25	43	22.75			
		H+V	DFT-s-OFDM	QPSK	1/16	27.36	43	15.64		
			DFT-s-OFDM	QPSK	1/11	27.58	43	15.42		
			DFT-s-OFDM	QPSK	1/21	27.64	43	15.36		
			DFT-s-OFDM	QPSK	10/11	27.48	43	15.52		
			CP-OFDM	QPSK	1/21	23.90	43	19.10		
			CP-OFDM	16QAM	1/21	22.98	43	20.02		
			CP-OFDM	64QAM	1/21	20.64	43	22.36		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/21	<b>28.27</b>	43	14.73		
			DFT-s-OFDM	16QAM	1/21	25.07	43	17.93		
		DFT-s-OFDM	64QAM	1/21	23.21	43	19.79			
		100	38499.96	H	DFT-s-OFDM	QPSK	1/33	23.32	43	19.68
					DFT-s-OFDM	QPSK	1/22	23.14	43	19.86
					DFT-s-OFDM	QPSK	1/43	23.46	43	19.54
					DFT-s-OFDM	QPSK	20/22	23.11	43	19.89
					CP-OFDM	QPSK	1/43	20.55	43	22.45
					CP-OFDM	16QAM	1/43	18.00	43	25.00
CP-OFDM	64QAM				1/43	16.35	43	26.65		
DFT-s-OFDM	$\pi/2$ -BPSK				1/43	23.27	43	19.73		
DFT-s-OFDM	16QAM				1/43	20.61	43	22.39		
DFT-s-OFDM	64QAM			1/43	19.24	43	23.76			
V	DFT-s-OFDM			QPSK	1/33	24.66	43	18.34		
	DFT-s-OFDM			QPSK	1/22	24.59	43	18.41		
	DFT-s-OFDM			QPSK	1/43	24.70	43	18.30		
	DFT-s-OFDM			QPSK	20/22	24.56	43	18.44		
	CP-OFDM			QPSK	1/43	21.62	43	21.38		
	CP-OFDM			16QAM	1/43	19.41	43	23.59		
	CP-OFDM			64QAM	1/43	17.40	43	25.60		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/43	24.48	43	18.52		
	DFT-s-OFDM			16QAM	1/43	21.86	43	21.14		
DFT-s-OFDM	64QAM			1/43	20.34	43	22.66			
H+V	DFT-s-OFDM			QPSK	1/43	27.52	43	15.48		
	DFT-s-OFDM			QPSK	1/22	27.43	43	15.57		
	DFT-s-OFDM			QPSK	1/43	27.59	43	15.41		
	DFT-s-OFDM			QPSK	20/22	27.55	43	15.45		
	CP-OFDM			QPSK	1/43	23.92	43	19.08		
	CP-OFDM			16QAM	1/43	22.89	43	20.11		
	CP-OFDM			64QAM	1/43	20.90	43	22.10		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/43	<b>27.99</b>	43	15.01		
	DFT-s-OFDM			16QAM	1/43	24.87	43	18.13		
DFT-s-OFDM	64QAM			1/43	23.19	43	19.81			

**Antenna #2, Band n260, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	39975.00	H	DFT-s-OFDM	QPSK	1/16	23.74	43	19.26		
			DFT-s-OFDM	QPSK	1/11	23.50	43	19.50		
			DFT-s-OFDM	QPSK	1/21	23.56	43	19.44		
			DFT-s-OFDM	QPSK	10/11	23.23	43	19.77		
			CP-OFDM	QPSK	1/16	19.66	43	23.34		
			CP-OFDM	16QAM	1/16	18.47	43	24.53		
			CP-OFDM	64QAM	1/16	16.95	43	26.05		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.86	43	20.14		
			DFT-s-OFDM	16QAM	1/16	21.79	43	21.21		
		DFT-s-OFDM	64QAM	1/16	18.85	43	24.15			
		V	DFT-s-OFDM	QPSK	1/16	21.49	43	21.51		
			DFT-s-OFDM	QPSK	1/11	21.54	43	21.46		
			DFT-s-OFDM	QPSK	1/21	21.46	43	21.54		
			DFT-s-OFDM	QPSK	10/11	21.95	43	21.05		
			CP-OFDM	QPSK	11/11	18.32	43	24.68		
			CP-OFDM	16QAM	11/11	17.43	43	25.57		
			CP-OFDM	64QAM	11/11	15.56	43	27.44		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	21.73	43	21.27		
			DFT-s-OFDM	16QAM	10/11	19.82	43	23.18		
		DFT-s-OFDM	64QAM	10/11	17.78	43	25.22			
		H+V	DFT-s-OFDM	QPSK	1/16	25.77	43	17.23		
			DFT-s-OFDM	QPSK	1/11	25.87	43	17.13		
			DFT-s-OFDM	QPSK	1/21	25.75	43	17.25		
			DFT-s-OFDM	QPSK	10/11	26.10	43	16.90		
			CP-OFDM	QPSK	11/11	22.57	43	20.43		
			CP-OFDM	16QAM	11/11	21.30	43	21.70		
			CP-OFDM	64QAM	11/11	19.28	43	23.72		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	<b>26.35</b>	43	16.65		
			DFT-s-OFDM	16QAM	10/11	24.14	43	18.86		
		DFT-s-OFDM	64QAM	10/11	22.09	43	20.91			
		100	39949.92	H	DFT-s-OFDM	QPSK	1/33	24.82	43	18.18
					DFT-s-OFDM	QPSK	1/22	24.69	43	18.31
					DFT-s-OFDM	QPSK	1/43	24.64	43	18.36
					DFT-s-OFDM	QPSK	20/22	24.10	43	18.90
					CP-OFDM	QPSK	1/33	20.64	43	22.36
					CP-OFDM	16QAM	1/33	19.58	43	23.42
CP-OFDM	64QAM				1/33	18.32	43	24.68		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	23.81	43	19.19		
DFT-s-OFDM	16QAM				1/33	22.54	43	20.46		
DFT-s-OFDM	64QAM			1/33	19.68	43	23.32			
V	DFT-s-OFDM			QPSK	1/33	22.22	43	20.78		
	DFT-s-OFDM			QPSK	1/22	22.30	43	20.70		
	DFT-s-OFDM			QPSK	1/43	22.20	43	20.80		
	DFT-s-OFDM			QPSK	20/22	22.49	43	20.51		
	CP-OFDM			QPSK	22/22	19.10	43	23.90		
	CP-OFDM			16QAM	22/22	18.07	43	24.93		
	CP-OFDM			64QAM	22/22	15.60	43	27.40		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	22.42	43	20.58		
	DFT-s-OFDM			16QAM	20/22	20.38	43	22.62		
DFT-s-OFDM	64QAM			20/22	18.20	43	24.80			
H+V	DFT-s-OFDM			QPSK	1/33	26.16	43	16.84		
	DFT-s-OFDM			QPSK	1/22	26.07	43	16.93		
	DFT-s-OFDM			QPSK	1/43	26.03	43	16.97		
	DFT-s-OFDM			QPSK	20/22	26.53	43	16.47		
	CP-OFDM			QPSK	22/22	22.58	43	20.42		
	CP-OFDM			16QAM	22/22	21.45	43	21.55		
	CP-OFDM			64QAM	22/22	19.30	43	23.70		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	<b>26.59</b>	43	16.41		
	DFT-s-OFDM			16QAM	20/22	24.50	43	18.50		
DFT-s-OFDM	64QAM			20/22	22.18	43	20.82			

**Antenna #2, Band n261, Channel Low**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	27525.00	H	DFT-s-OFDM	QPSK	1/16	21.42	43	21.58		
			DFT-s-OFDM	QPSK	1/11	21.46	43	21.54		
			DFT-s-OFDM	QPSK	1/21	21.39	43	21.61		
			DFT-s-OFDM	QPSK	10/11	21.51	43	21.49		
			CP-OFDM	QPSK	11/11	18.43	43	24.57		
			CP-OFDM	16QAM	11/11	17.32	43	25.68		
			CP-OFDM	64QAM	11/11	15.24	43	27.76		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	21.52	43	21.48		
			DFT-s-OFDM	16QAM	10/11	19.36	43	23.64		
		DFT-s-OFDM	64QAM	10/11	17.20	43	25.80			
		V	DFT-s-OFDM	QPSK	1/16	22.55	43	20.45		
			DFT-s-OFDM	QPSK	1/11	22.64	43	20.36		
			DFT-s-OFDM	QPSK	1/21	22.43	43	20.57		
			DFT-s-OFDM	QPSK	10/11	22.93	43	20.07		
			CP-OFDM	QPSK	11/11	19.58	43	23.42		
			CP-OFDM	16QAM	11/11	18.30	43	24.70		
			CP-OFDM	64QAM	11/11	16.53	43	26.47		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	22.89	43	20.11		
			DFT-s-OFDM	16QAM	10/11	20.83	43	22.17		
		DFT-s-OFDM	64QAM	10/11	18.85	43	24.15			
		H+V	DFT-s-OFDM	QPSK	1/16	27.64	43	15.36		
			DFT-s-OFDM	QPSK	1/11	27.81	43	15.19		
			DFT-s-OFDM	QPSK	1/21	27.76	43	15.24		
			DFT-s-OFDM	QPSK	10/11	<b>28.06</b>	43	14.94		
			CP-OFDM	QPSK	11/11	23.38	43	19.62		
			CP-OFDM	16QAM	11/11	22.38	43	20.62		
			CP-OFDM	64QAM	11/11	20.43	43	22.57		
			DFT-s-OFDM	$\pi/2$ -BPSK	10/11	28.00	43	15.00		
			DFT-s-OFDM	16QAM	10/11	25.92	43	17.08		
		DFT-s-OFDM	64QAM	10/11	23.84	43	19.16			
		100	27550.08	H	DFT-s-OFDM	QPSK	1/33	23.07	43	19.93
					DFT-s-OFDM	QPSK	1/22	23.03	43	19.97
					DFT-s-OFDM	QPSK	1/43	23.40	43	19.60
					DFT-s-OFDM	QPSK	20/22	23.00	43	20.00
					CP-OFDM	QPSK	1/43	19.67	43	23.33
					CP-OFDM	16QAM	1/43	19.04	43	23.96
CP-OFDM	64QAM				1/43	16.52	43	26.48		
DFT-s-OFDM	$\pi/2$ -BPSK				1/43	23.03	43	19.97		
DFT-s-OFDM	16QAM				1/43	22.34	43	20.66		
DFT-s-OFDM	64QAM			1/43	18.96	43	24.04			
V	DFT-s-OFDM			QPSK	1/33	23.09	43	19.91		
	DFT-s-OFDM			QPSK	1/22	22.96	43	20.04		
	DFT-s-OFDM			QPSK	1/43	23.44	43	19.56		
	DFT-s-OFDM			QPSK	20/22	23.45	43	19.55		
	CP-OFDM			QPSK	22/22	19.90	43	23.10		
	CP-OFDM			16QAM	22/22	19.08	43	23.92		
	CP-OFDM			64QAM	22/22	16.56	43	26.44		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	23.24	43	19.76		
	DFT-s-OFDM			16QAM	20/22	21.27	43	21.73		
DFT-s-OFDM	64QAM			20/22	19.06	43	23.94			
H+V	DFT-s-OFDM			QPSK	1/43	26.27	43	16.73		
	DFT-s-OFDM			QPSK	1/22	26.55	43	16.45		
	DFT-s-OFDM			QPSK	1/43	26.75	43	16.25		
	DFT-s-OFDM			QPSK	20/22	<b>26.94</b>	43	16.06		
	CP-OFDM			QPSK	22/22	22.85	43	20.15		
	CP-OFDM			16QAM	22/22	21.90	43	21.10		
	CP-OFDM			64QAM	22/22	19.85	43	23.15		
	DFT-s-OFDM			$\pi/2$ -BPSK	20/22	26.88	43	16.12		
	DFT-s-OFDM			16QAM	20/22	24.82	43	18.18		
DFT-s-OFDM	64QAM			20/22	22.57	43	20.43			



**Antenna #2, Band n261, Channel Mid**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	27924.96	H	DFT-s-OFDM	QPSK	1/16	23.55	43	19.45		
			DFT-s-OFDM	QPSK	1/11	23.46	43	19.54		
			DFT-s-OFDM	QPSK	1/21	23.42	43	19.58		
			DFT-s-OFDM	QPSK	10/11	23.28	43	19.72		
			CP-OFDM	QPSK	1/16	19.61	43	23.39		
			CP-OFDM	16QAM	1/16	17.57	43	25.43		
			CP-OFDM	64QAM	1/16	16.68	43	26.32		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	23.75	43	19.25		
			DFT-s-OFDM	16QAM	1/16	21.14	43	21.86		
		DFT-s-OFDM	64QAM	1/16	18.88	43	24.12			
		V	DFT-s-OFDM	QPSK	1/16	23.45	43	19.55		
			DFT-s-OFDM	QPSK	1/11	23.35	43	19.65		
			DFT-s-OFDM	QPSK	1/21	23.33	43	19.67		
			DFT-s-OFDM	QPSK	10/11	23.16	43	19.84		
			CP-OFDM	QPSK	1/16	19.74	43	23.26		
			CP-OFDM	16QAM	1/16	17.68	43	25.32		
			CP-OFDM	64QAM	1/16	16.75	43	26.25		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	23.50	43	19.50		
			DFT-s-OFDM	16QAM	1/16	21.01	43	21.99		
		DFT-s-OFDM	64QAM	1/16	18.68	43	24.32			
		H+V	DFT-s-OFDM	QPSK	1/16	28.58	43	14.42		
			DFT-s-OFDM	QPSK	1/11	28.73	43	14.27		
			DFT-s-OFDM	QPSK	1/21	28.56	43	14.44		
			DFT-s-OFDM	QPSK	10/11	28.48	43	14.52		
			CP-OFDM	QPSK	1/11	24.51	43	18.49		
			CP-OFDM	16QAM	1/11	23.77	43	19.23		
			CP-OFDM	64QAM	1/11	20.08	43	22.92		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/11	29.01	43	13.99		
			DFT-s-OFDM	16QAM	1/11	26.15	43	16.85		
		DFT-s-OFDM	64QAM	1/11	24.25	43	18.75			
		100	27924.96	H	DFT-s-OFDM	QPSK	1/33	23.11	43	19.89
					DFT-s-OFDM	QPSK	1/22	22.96	43	20.04
					DFT-s-OFDM	QPSK	1/43	23.01	43	19.99
					DFT-s-OFDM	QPSK	20/22	22.99	43	20.01
					CP-OFDM	QPSK	1/33	19.36	43	23.64
					CP-OFDM	16QAM	1/33	17.32	43	25.68
CP-OFDM	64QAM				1/33	16.54	43	26.46		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	23.52	43	19.48		
DFT-s-OFDM	16QAM				1/33	21.31	43	21.69		
DFT-s-OFDM	64QAM			1/33	18.17	43	24.83			
V	DFT-s-OFDM			QPSK	1/33	23.56	43	19.44		
	DFT-s-OFDM			QPSK	1/22	23.55	43	19.45		
	DFT-s-OFDM			QPSK	1/43	23.48	43	19.52		
	DFT-s-OFDM			QPSK	20/22	23.38	43	19.62		
	CP-OFDM			QPSK	1/33	19.68	43	23.32		
	CP-OFDM			16QAM	1/33	17.60	43	25.40		
	CP-OFDM			64QAM	1/33	16.81	43	26.19		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	23.82	43	19.18		
	DFT-s-OFDM			16QAM	1/33	21.60	43	21.40		
DFT-s-OFDM	64QAM			1/33	18.58	43	24.42			
H+V	DFT-s-OFDM			QPSK	1/33	28.86	43	14.14		
	DFT-s-OFDM			QPSK	1/22	28.74	43	14.26		
	DFT-s-OFDM			QPSK	1/43	28.61	43	14.39		
	DFT-s-OFDM			QPSK	20/22	28.54	43	14.46		
	CP-OFDM			QPSK	1/33	24.49	43	18.51		
	CP-OFDM			16QAM	1/33	23.83	43	19.17		
	CP-OFDM			64QAM	1/33	20.10	43	22.90		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	29.21	43	13.79		
	DFT-s-OFDM			16QAM	1/33	26.45	43	16.55		
DFT-s-OFDM	64QAM			1/33	24.28	43	18.72			


**Antenna #2, Band n261, Channel High**

Bandwidth [MHz]	Frequency [MHz]	Beam Pol.	Transmission scheme	Modulation	RB (Size/Offset)	EIRP [dBm]	Limit [dBm]	Margin [dB]		
50	28324.92	H	DFT-s-OFDM	QPSK	1/16	23.02	43	19.98		
			DFT-s-OFDM	QPSK	1/11	22.88	43	20.12		
			DFT-s-OFDM	QPSK	1/21	22.89	43	20.11		
			DFT-s-OFDM	QPSK	10/11	22.93	43	20.07		
			CP-OFDM	QPSK	1/16	19.68	43	23.32		
			CP-OFDM	16QAM	1/16	17.73	43	25.27		
			CP-OFDM	64QAM	1/16	15.69	43	27.31		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	22.97	43	20.03		
			DFT-s-OFDM	16QAM	1/16	20.91	43	22.09		
		DFT-s-OFDM	64QAM	1/16	19.25	43	23.75			
		V	DFT-s-OFDM	QPSK	1/16	23.41	43	19.59		
			DFT-s-OFDM	QPSK	1/11	23.25	43	19.75		
			DFT-s-OFDM	QPSK	1/21	23.36	43	19.64		
			DFT-s-OFDM	QPSK	10/11	23.27	43	19.73		
			CP-OFDM	QPSK	1/16	19.40	43	23.60		
			CP-OFDM	16QAM	1/16	18.12	43	24.88		
			CP-OFDM	64QAM	1/16	15.49	43	27.51		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	23.04	43	19.96		
			DFT-s-OFDM	16QAM	1/16	21.19	43	21.81		
		DFT-s-OFDM	64QAM	1/16	18.66	43	24.34			
		H+V	DFT-s-OFDM	QPSK	1/16	<b>27.88</b>	43	15.12		
			DFT-s-OFDM	QPSK	1/11	27.83	43	15.17		
			DFT-s-OFDM	QPSK	1/21	27.73	43	15.27		
			DFT-s-OFDM	QPSK	10/11	27.73	43	15.27		
			CP-OFDM	QPSK	1/16	23.88	43	19.12		
			CP-OFDM	16QAM	1/16	22.19	43	20.81		
			CP-OFDM	64QAM	1/16	20.47	43	22.53		
			DFT-s-OFDM	$\pi/2$ -BPSK	1/16	27.75	43	15.25		
			DFT-s-OFDM	16QAM	1/16	25.72	43	17.28		
		DFT-s-OFDM	64QAM	1/16	23.60	43	19.40			
		100	28299.96	H	DFT-s-OFDM	QPSK	1/33	23.48	43	19.52
					DFT-s-OFDM	QPSK	1/22	23.19	43	19.81
					DFT-s-OFDM	QPSK	1/43	23.31	43	19.69
					DFT-s-OFDM	QPSK	20/22	23.32	43	19.68
					CP-OFDM	QPSK	1/33	20.14	43	22.86
					CP-OFDM	16QAM	1/33	18.08	43	24.92
CP-OFDM	64QAM				1/33	15.93	43	27.07		
DFT-s-OFDM	$\pi/2$ -BPSK				1/33	23.26	43	19.74		
DFT-s-OFDM	16QAM				1/33	21.19	43	21.81		
DFT-s-OFDM	64QAM			1/33	19.41	43	23.59			
V	DFT-s-OFDM			QPSK	1/33	23.36	43	19.64		
	DFT-s-OFDM			QPSK	1/22	23.09	43	19.91		
	DFT-s-OFDM			QPSK	1/43	23.28	43	19.72		
	DFT-s-OFDM			QPSK	20/22	22.83	43	20.17		
	CP-OFDM			QPSK	1/33	19.72	43	23.28		
	CP-OFDM			16QAM	1/33	18.03	43	24.97		
	CP-OFDM			64QAM	1/33	17.14	43	25.86		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	22.93	43	20.07		
	DFT-s-OFDM			16QAM	1/33	20.68	43	22.32		
DFT-s-OFDM	64QAM			1/33	19.11	43	23.89			
H+V	DFT-s-OFDM			QPSK	1/33	<b>28.20</b>	43	14.80		
	DFT-s-OFDM			QPSK	1/22	27.86	43	15.14		
	DFT-s-OFDM			QPSK	1/43	28.05	43	14.95		
	DFT-s-OFDM			QPSK	20/22	27.89	43	15.11		
	CP-OFDM			QPSK	1/33	24.21	43	18.79		
	CP-OFDM			16QAM	1/33	22.70	43	20.30		
	CP-OFDM			64QAM	1/33	20.78	43	22.22		
	DFT-s-OFDM			$\pi/2$ -BPSK	1/33	27.88	43	15.12		
	DFT-s-OFDM			16QAM	1/33	25.89	43	17.11		
DFT-s-OFDM	64QAM			1/33	23.83	43	19.17			


**A.3 OOB**  
**Antenna #0, Band n258a, H+V**

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]	
Low	50	IRB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-9.49	-5	4.49	
					24.245	-19.10	-13	6.10	
			DFT-s-OFDM	QPSK	24.250	-9.49	-5	4.49	
					24.245	-18.98	-13	5.98	
			DFT-s-OFDM	16QAM	24.250	-10.18	-5	5.18	
					24.245	-21.10	-13	8.10	
			DFT-s-OFDM	64QAM	24.250	-12.47	-5	7.47	
					24.245	-22.84	-13	9.84	
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-20.16	-5	15.16	
					24.245	-25.44	-13	12.44	
			DFT-s-OFDM	QPSK	24.250	-19.10	-5	14.10	
					24.245	-21.34	-13	8.34	
			DFT-s-OFDM	16QAM	24.250	-22.11	-5	17.11	
					24.245	-24.52	-13	11.52	
			DFT-s-OFDM	64QAM	24.250	-24.79	-5	19.79	
					24.245	-26.93	-13	13.93	
	100	IRB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-9.43	-5	4.43	
					24.240	-25.15	-13	12.15	
			DFT-s-OFDM	QPSK	24.250	-8.76	-5	3.76	
					24.240	-24.92	-13	11.92	
			DFT-s-OFDM	16QAM	24.250	-10.98	-5	5.98	
					24.240	-27.59	-13	14.59	
			DFT-s-OFDM	64QAM	24.250	-15.37	-5	10.37	
					24.240	-28.42	-13	15.42	
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-21.60	-5	16.60	
					24.210	-26.03	-13	13.03	
			DFT-s-OFDM	QPSK	24.250	-21.75	-5	16.75	
					24.240	-24.22	-13	11.22	
			DFT-s-OFDM	16QAM	24.250	-23.34	-5	18.34	
					24.240	-26.64	-13	13.64	
			DFT-s-OFDM	64QAM	24.250	-26.00	-5	21.00	
					24.240	-29.51	-13	16.51	
High	50	IRB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-9.81	-5	4.81	
					24.455	-18.29	-13	5.29	
			DFT-s-OFDM	QPSK	24.450	-9.80	-5	4.80	
					24.455	-18.11	-13	5.11	
			DFT-s-OFDM	16QAM	24.450	-11.13	-5	6.13	
					24.455	-20.04	-13	7.04	
			DFT-s-OFDM	64QAM	24.450	-14.85	-5	9.85	
					24.455	-22.61	-13	9.61	
			Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-18.34	-5	13.34
						24.455	-24.39	-13	11.39
				DFT-s-OFDM	QPSK	24.450	-17.79	-5	12.79
						24.455	-20.12	-13	7.12
		DFT-s-OFDM		16QAM	24.450	-20.07	-5	15.07	
					24.455	-22.63	-13	9.63	
		DFT-s-OFDM	64QAM	24.450	-23.63	-5	18.63		
				24.455	-25.41	-13	12.41		
		100	IRB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-10.30	-5	5.30
						24.460	-23.54	-13	10.54
				DFT-s-OFDM	QPSK	24.450	-10.41	-5	5.41
						24.460	-22.98	-13	9.98
				DFT-s-OFDM	16QAM	24.450	-11.11	-5	6.11
						24.460	-25.02	-13	12.02
				DFT-s-OFDM	64QAM	24.450	-15.19	-5	10.19
						24.460	-28.89	-13	15.89
	Full (64/0)			DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-24.56	-5	19.56
						24.481	-28.34	-13	15.34
				DFT-s-OFDM	QPSK	24.450	-22.45	-5	17.45
						24.460	-24.34	-13	11.34
			DFT-s-OFDM	16QAM	24.450	-25.10	-5	20.10	
					24.460	-27.26	-13	14.26	
			DFT-s-OFDM	64QAM	24.450	-27.93	-5	22.93	
					24.460	-29.70	-13	16.70	


**Antenna #0, Band n258a, 50 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)**




**Antenna #0, Band n258a, 50 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)**



**Antenna #0, Band n258a, 100 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)**



**Antenna #0, Band n258a, 100 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)**




**Antenna #0, Band n258b, H+V**

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]	
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-10.22	-5	5.22	
					24.745	-16.92	-13	3.92	
			DFT-s-OFDM	QPSK	24.750	-9.48	-5	4.48	
					24.745	-17.09	-13	4.09	
			DFT-s-OFDM	16QAM	24.750	-10.52	-5	5.52	
					24.745	-19.63	-13	6.63	
			DFT-s-OFDM	64QAM	24.750	-12.61	-5	7.61	
					24.745	-21.41	-13	8.41	
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-18.40	-5	13.40	
					24.745	-23.63	-13	10.63	
			DFT-s-OFDM	QPSK	24.750	-18.26	-5	13.26	
					24.745	-20.79	-13	7.79	
			DFT-s-OFDM	16QAM	24.750	-19.95	-5	14.95	
					24.745	-22.57	-13	9.57	
			DFT-s-OFDM	64QAM	24.750	-23.21	-5	18.21	
					24.745	-25.84	-13	12.84	
	100	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-13.66	-5	8.66	
					24.740	-28.13	-13	15.13	
			DFT-s-OFDM	QPSK	24.750	-10.17	-5	5.17	
					24.740	-23.18	-13	10.18	
			DFT-s-OFDM	16QAM	24.750	-11.00	-5	6.00	
					24.740	-26.76	-13	13.76	
			DFT-s-OFDM	64QAM	24.750	-13.66	-5	8.66	
					24.740	-28.13	-13	15.13	
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-21.79	-5	16.79	
					24.712	-25.47	-13	12.47	
			DFT-s-OFDM	QPSK	24.750	-22.08	-5	17.08	
					24.740	-24.98	-13	11.98	
			DFT-s-OFDM	16QAM	24.750	-23.52	-5	18.52	
					24.740	-26.60	-13	13.60	
			DFT-s-OFDM	64QAM	24.750	-25.92	-5	20.92	
					24.740	-28.57	-13	15.57	
High	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-11.67	-5	6.67	
					25.255	-19.38	-13	6.38	
			DFT-s-OFDM	QPSK	25.250	-10.58	-5	5.58	
					25.255	-18.30	-13	5.30	
			DFT-s-OFDM	16QAM	25.250	-13.16	-5	8.16	
					25.255	-21.15	-13	8.15	
			DFT-s-OFDM	64QAM	25.250	-15.44	-5	10.44	
					25.255	-24.81	-13	11.81	
			Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-19.67	-5	14.67
						25.255	-24.59	-13	11.59
				DFT-s-OFDM	QPSK	25.250	-19.30	-5	14.30
						25.255	-21.21	-13	8.21
		DFT-s-OFDM		16QAM	25.250	-21.56	-5	16.56	
					25.255	-23.39	-13	10.39	
		DFT-s-OFDM	64QAM	25.250	-23.93	-5	18.93		
				25.255	-25.97	-13	12.97		
		100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-11.08	-5	6.08
						25.260	-23.56	-13	10.56
				DFT-s-OFDM	QPSK	25.250	-11.05	-5	6.05
						25.260	-24.49	-13	11.49
				DFT-s-OFDM	16QAM	25.250	-11.76	-5	6.76
						25.260	-26.31	-13	13.31
				DFT-s-OFDM	64QAM	25.250	-15.41	-5	10.41
						25.260	-29.25	-13	16.25
	Full (64/0)			DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-24.85	-5	19.85
						25.281	-27.96	-13	14.96
				DFT-s-OFDM	QPSK	25.250	-23.19	-5	18.19
						25.260	-25.35	-13	12.35
			DFT-s-OFDM	16QAM	25.250	-26.02	-5	21.02	
					25.260	-27.44	-13	14.44	
	DFT-s-OFDM		64QAM	25.250	-28.04	-5	23.04		
				25.260	-30.14	-13	17.14		



**Antenna #0, Band n258b, 50 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)**



**Antenna #0, Band n258b, 50 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)**

