



Antenna #0, Band n261, 100 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)




Antenna #1, Band n258a, H+V

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]	
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-8.78	-5	3.78	
					24.245	-19.06	-13	6.06	
			DFT-s-OFDM	QPSK	24.250	-8.32	-5	3.32	
					24.245	-18.22	-13	5.22	
			DFT-s-OFDM	16QAM	24.250	-9.05	-5	4.05	
					24.245	-21.54	-13	8.54	
		DFT-s-OFDM	64QAM	24.250	-11.54	-5	6.54		
				24.245	-23.81	-13	10.81		
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-18.42	-5	13.42	
					24.245	-25.39	-13	12.39	
			DFT-s-OFDM	QPSK	24.250	-18.55	-5	13.55	
					24.245	-21.17	-13	8.17	
	DFT-s-OFDM		16QAM	24.250	-20.94	-5	15.94		
				24.245	-24.10	-13	11.10		
	DFT-s-OFDM	64QAM	24.250	-23.13	-5	18.13			
			24.245	-27.10	-13	14.10			
	100	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-10.35	-5	5.35	
					24.240	-26.54	-13	13.54	
			DFT-s-OFDM	QPSK	24.250	-9.08	-5	4.08	
					24.240	-24.56	-13	11.56	
			DFT-s-OFDM	16QAM	24.250	-11.48	-5	6.48	
					24.240	-28.14	-13	15.14	
		DFT-s-OFDM	64QAM	24.250	-13.44	-5	8.44		
				24.240	-28.74	-13	15.74		
Full (64/0)		DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-23.28	-5	18.28		
				24.212	-27.07	-13	14.07		
		DFT-s-OFDM	QPSK	24.250	-22.08	-5	17.08		
				24.240	-25.29	-13	12.29		
	DFT-s-OFDM	16QAM	24.250	-24.27	-5	19.27			
			24.240	-26.51	-13	13.51			
DFT-s-OFDM	64QAM	24.250	-26.85	-5	21.85				
		24.240	-29.59	-13	16.59				
High	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-10.50	-5	5.50	
					24.455	-19.85	-13	6.85	
			DFT-s-OFDM	QPSK	24.450	-10.38	-5	5.38	
					24.455	-18.77	-13	5.77	
			DFT-s-OFDM	16QAM	24.450	-12.63	-5	7.63	
					24.455	-21.02	-13	8.02	
		DFT-s-OFDM	64QAM	24.450	-14.40	-5	9.40		
				24.455	-23.09	-13	10.09		
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-19.69	-5	14.69	
					24.455	-24.76	-13	11.76	
			DFT-s-OFDM	QPSK	24.450	-18.31	-5	13.31	
					24.455	-19.97	-13	6.97	
			DFT-s-OFDM	16QAM	24.450	-21.57	-5	16.57	
					24.455	-24.80	-13	11.80	
		DFT-s-OFDM	64QAM	24.450	-24.63	-5	19.63		
				24.455	-27.52	-13	14.52		
		100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-11.65	-5	6.65
						24.460	-26.12	-13	13.12
	DFT-s-OFDM			QPSK	24.450	-11.89	-5	6.89	
					24.460	-25.61	-13	12.61	
	DFT-s-OFDM			16QAM	24.450	-12.41	-5	7.41	
					24.460	-26.37	-13	13.37	
	DFT-s-OFDM		64QAM	24.450	-14.41	-5	9.41		
				24.460	-29.67	-13	16.67		
	Full (64/0)		DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-25.67	-5	20.67	
					24.483	-29.72	-13	16.72	
			DFT-s-OFDM	QPSK	24.450	-22.06	-5	17.06	
					24.460	-24.37	-13	11.37	
			DFT-s-OFDM	16QAM	24.450	-26.09	-5	21.09	
					24.460	-29.06	-13	16.06	
	DFT-s-OFDM		64QAM	24.450	-28.44	-5	23.44		
				24.460	-30.91	-13	17.91		


Antenna #1, Band n258a, 50 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)




Antenna #1, Band n258a, 50 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)



Antenna #1, Band n258a, 100 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)




Antenna #1, Band n258a, 100 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)




Antenna #1, Band n258b, H+V

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]	
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-9.30	-5	4.30	
					24.745	-19.74	-13	6.74	
			DFT-s-OFDM	QPSK	24.750	-8.43	-5	3.43	
					24.745	-19.18	-13	6.18	
			DFT-s-OFDM	16QAM	24.750	-10.93	-5	5.93	
					24.745	-20.06	-13	7.06	
			Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-19.61	-5	14.61
					24.744	-24.17	-13	11.17	
		DFT-s-OFDM		QPSK	24.750	-19.48	-5	14.48	
					24.745	-21.76	-13	8.76	
		DFT-s-OFDM		16QAM	24.750	-21.98	-5	16.98	
					24.745	-23.51	-13	10.51	
		Full (64/0)	DFT-s-OFDM	64QAM	24.750	-23.69	-5	18.69	
				24.745	-25.77	-13	12.77		
			1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-10.01	-5	5.01
					24.740	-25.03	-13	12.03	
	DFT-s-OFDM			QPSK	24.750	-9.20	-5	4.20	
					24.740	-24.90	-13	11.90	
	DFT-s-OFDM	16QAM		24.750	-10.57	-5	5.57		
				24.740	-26.40	-13	13.40		
		Full (64/0)	DFT-s-OFDM	64QAM	24.750	-10.85	-5	5.85	
				24.740	-28.36	-13	15.36		
			1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-22.83	-5	17.83
					24.715	-26.48	-13	13.48	
DFT-s-OFDM	QPSK			24.750	-22.19	-5	17.19		
				24.740	-25.41	-13	12.41		
DFT-s-OFDM	16QAM	24.750		-23.78	-5	18.78			
		24.740		-26.70	-13	13.70			
	Full (32/0)	DFT-s-OFDM	64QAM	24.750	-23.74	-5	18.74		
			24.740	-26.32	-13	13.32			
		1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-11.47	-5	6.47	
				25.255	-21.61	-13	8.61		
DFT-s-OFDM			QPSK	25.250	-11.53	-5	6.53		
				25.255	-21.49	-13	8.49		
DFT-s-OFDM	16QAM		25.250	-12.91	-5	7.91			
			25.255	-23.00	-13	10.00			
	Full (64/0)	DFT-s-OFDM	64QAM	25.250	-15.82	-5	10.82		
			25.255	-24.34	-13	11.34			
		1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-21.16	-5	16.16	
				25.255	-22.52	-13	9.52		
DFT-s-OFDM			QPSK	25.250	-20.99	-5	15.99		
				25.255	-23.62	-13	10.62		
DFT-s-OFDM	16QAM		25.250	-23.18	-5	18.18			
			25.255	-24.95	-13	11.95			
	Full (32/0)	DFT-s-OFDM	64QAM	25.250	-26.03	-5	21.03		
			25.255	-27.20	-13	14.20			
		1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-11.54	-5	6.54	
				25.260	-28.50	-13	15.50		
DFT-s-OFDM			QPSK	25.250	-11.23	-5	6.23		
				25.260	-27.48	-13	14.48		
DFT-s-OFDM	16QAM		25.250	-12.61	-5	7.61			
			25.260	-28.18	-13	15.18			
	Full (64/0)	DFT-s-OFDM	64QAM	25.250	-16.95	-5	11.95		
			25.260	-31.01	-13	18.01			
		1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-26.94	-5	21.94	
				25.283	-29.59	-13	16.59		
DFT-s-OFDM			QPSK	25.250	-24.44	-5	19.44		
				25.260	-26.39	-13	13.39		
DFT-s-OFDM	16QAM		25.250	-30.35	-5	25.35			
			25.260	-32.42	-13	19.42			
	Full (64/0)	DFT-s-OFDM	64QAM	25.250	-32.85	-5	27.85		
			25.260	-36.18	-13	23.18			

Antenna #1, Band n258b, 50 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)



Antenna #1, Band n258b, 50 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)



Antenna #1, Band n258b, 100 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)

