16. External Photos

<Front-1>

< Front-2>

< Rear-1>

Edge 3

Edge 2

Edge 4

Edge 1

< Rear-2>

Edge 1

Edge 4

Edge 2

Edge 3

UL Japan, Inc. Ise EMC Lab.
4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN TEL: +81 596 24 8999 FAX: +81 596 24 8124
*This report shall not be reproduced except in full, without the written approval of UL Japan, Inc.*

17. Antenna Dimensions & Separation Distances

Tablet Mode

Unit: mm

(Continued)

Edge 1

Edge 4

Edge 2

B ↓ B

C ↓ C

WLAN #1 Main Antenna

WLAN #2 Aux Antenna

Edge 3

SEC. B-B (Surface difference between highest and lowest)

(Minimum distances from antenna to Edge4 tilt)
Min 2.6

2.7

Display
5.8
5.7

Edge 4

Rear

WLAN #1 Main Antenna

3.3

(From antenna to Edge4)

SEC. C-C (Surface difference between highest and lowest)

2.7

(Minimum distances from antenna to Edge2 tilt)
Min 4.5

5.8
Display

5.7

Edge 2

Rear

5.4

WLAN #2 Aux Antenna

(From antenna to Edge2)

Laptop Mode

CF-33 can use laptop computer with the base unit.
The base unit provides keyboard, Input/output interfaces (USB, LAN, SD card, DC-Input and so on)

Unit: mm

313.0
307.8
254.0
515.0
261.0

294.6

Display side

WLAN #2 Aux Antenna

Keyboard side

Base Unit

Bottom side

<The view of Edge 2>

92.9

96.6

Display side

WLAN #1 Main Antenna

Keyboard side

Base Unit

Bottom side

<The view of Edge 4>

UL Japan, Inc. Ise EMC Lab.
4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN TEL: +81 596 24 8999 FAX: +81 596 24 8124
This report shall not be reproduced except in full, without the written approval of UL Japan, Inc.

Convertible Mode

UL Japan, Inc. Ise EMC Lab.
4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN TEL: +81 596 24 8999 FAX: +81 596 24 8124
*This report shall not be reproduced except in full, without the written approval of UL Japan, Inc.*

18. Setup Photos

Rear, 0mm Separation Distance

Edge1, 0mm Separation Distance

Edge 2, 0mm Separation Distance

Edge 2 tilt, 0mm Separation Distance

UL Japan, Inc. Ise EMC Lab.
4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN TEL: +81 596 24 8999 FAX: +81 596 24 8124
This report shall not be reproduced except in full, without the written approval of UL Japan, Inc.

Edge 3, 0mm Separation Distance

UL Japan, Inc. Ise EMC Lab.
4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN TEL: +81 596 24 8999 FAX: +81 596 24 8124
This report shall not be reproduced except in full, without the written approval of UL Japan, Inc.

Edge4, 0mm Separation Distance

Edge4 tilt, 0mm Separation Distance

END OF REPORT