




30MHz~3GHz_WCDMA_B5_LowCH4132-826.4



3GHz~10GHz_WCDMA_B5_LowCH4132-826.4




30MHz~3GHz_WCDMA_B5_MidCH4183-836.6




3GHz~10GHz_WCDMA_B5_MidCH4183-836.6



30MHz~3GHz_WCDMA_B5_HighCH4233-846.6



3GHz~10GHz_WCDMA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


indect extent of the letw.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488





30MHz~3GHz_Band2_1_4MHz_QPSK_1_0_LowCH18607-1850.7




3GHz~20GHz_Band2_1_4MHz_QPSK_1_0_MidCH18900-1880




3GHz~20GHz_Band2_1_4MHz_QPSK_1_0_LowCH18607-1850.7




30MHz~3GHz_Band2_1_4MHz_QPSK_1_0_HighCH19193-1909.3



30MHz~3GHz_Band2_1_4MHz_QPSK_1_0_MidCH18900-1880



3GHz~20GHz_Band2_1_4MHz_QPSK_1_0_HighCH19193-1909.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279


This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band2_3MHz_QPSK_1_0_LowCH18615-1851.5




3GHz~20GHz_Band2_3MHz_QPSK_1_0_MidCH18900-1880



3GHz~20GHz_Band2_3MHz_QPSK_1_0_LowCH18615-1851.5




30MHz~3GHz_Band2_3MHz_QPSK_1_0_HighCH19185-1908.5



30MHz~3GHz_Band2_3MHz_QPSK_1_0_MidCH18900-1880



3GHz~20GHz_Band2_3MHz_QPSK_1_0_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488





30MHz~3GHz_Band2_5MHz_QPSK_1_0_LowCH18625-1852.5




3GHz~20GHz_Band2_5MHz_QPSK_1_0_MidCH18900-1880




3GHz~20GHz_Band2_5MHz_QPSK_1_0_LowCH18625-1852.5




30MHz~3GHz_Band2_5MHz_QPSK_1_0_HighCH19175-1907.5



30MHz~3GHz_Band2_5MHz_QPSK_1_0_MidCH18900-1880



3GHz~20GHz_Band2_5MHz_QPSK_1_0_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488






30MHz~3GHz_Band2_10MHz_QPSK_1_0_LowCH18650-1855




3GHz~20GHz_Band2_10MHz_QPSK_1_0_MidCH18900-1880




3GHz~20GHz_Band2_10MHz_QPSK_1_0_LowCH18650-1855




30MHz~3GHz_Band2_10MHz_QPSK_1_0_HighCH19150-1905



30MHz~3GHz_Band2_10MHz_QPSK_1_0_MidCH18900-1880



3GHz~20GHz_Band2_10MHz_QPSK_1_0_HighCH19150-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279





30MHz~3GHz_Band2_15MHz_QPSK_1_0_LowCH18675-1857.5




3GHz~20GHz_Band2_15MHz_QPSK_1_0_MidCH18900-1880




3GHz~20GHz_Band2_15MHz_QPSK_1_0_LowCH18675-1857.5




30MHz~3GHz_Band2_15MHz_QPSK_1_0_HighCH19125-1902.5



30MHz~3GHz_Band2_15MHz_QPSK_1_0_MidCH18900-1880



3GHz~20GHz_Band2_15MHz_QPSK_1_0_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues

defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488





30MHz~3GHz_Band2_20MHz_QPSK_1_0_LowCH18700




3GHz~20GHz_Band2_20MHz_QPSK_1_0_MidCH18900-1880




3GHz~20GHz_Band2_20MHz_QPSK_1_0_LowCH18700-1860




30MHz~3GHz_Band2_20MHz_QPSK_1_0_HighCH19100-1900



30MHz~3GHz_Band2_20MHz_QPSK_1_0_MidCH18900-1880



3GHz~20GHz_Band2_20MHz_QPSK_1_0_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488






30MHz~3GHz_Band4_1_4MHz_QPSK_1_0_LowCH19957-1710.7




3GHz~20GHz_Band4_1_4MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~20GHz_Band4_1_4MHz_QPSK_1_0_LowCH19957-1710.7



30MHz~3GHz_Band4_1_4MHz_QPSK_1_0_HighCH20393-1754.3



30MHz~3GHz_Band4_1_4MHz_QPSK_1_0_MidCH20175-1732.5



3GHz~20GHz_Band4_1_4MHz_QPSK_1_0_HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





30MHz~3GHz_Band4_3MHz_QPSK_1_0_LowCH19965-1711.5




3GHz~20GHz_Band4_3MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~20GHz_Band4_3MHz_QPSK_1_0_LowCH19965-1711.5



30MHz~3GHz_Band4_3MHz_QPSK_1_0_HighCH20385-1753.5



30MHz~3GHz_Band4_3MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~20GHz_Band4_3MHz_QPSK_1_0_HighCH20385-1753.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





30MHz~3GHz_Band4_5MHz_QPSK_1_0_LowCH19975-1712.5



3GHz~20GHz_Band4_5MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~20GHz_Band4_5MHz_QPSK_1_0_LowCH19975-1712.5




30MHz~3GHz_Band4_5MHz_QPSK_1_0_HighCH20375-1752.5



30MHz~3GHz_Band4_5MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~20GHz_Band4_5MHz_QPSK_1_0_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





30MHz~3GHz_Band4_10MHz_QPSK_1_0_LowCH20000-1715




3GHz~20GHz_Band4_10MHz_QPSK_1_0_MidCH20175-1732.5



3GHz~20GHz_Band4_10MHz_QPSK_1_0_LowCH20000-1715



30MHz~3GHz_Band4_10MHz_QPSK_1_0_HighCH20350-1750



30MHz~3GHz_Band4_10MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~20GHz_Band4_10MHz_QPSK_1_0_HighCH20350-1750




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






30MHz~3GHz_Band4_15MHz_QPSK_1_0_LowCH20025-1717.5




3GHz~20GHz_Band4_15MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~20GHz_Band4_15MHz_QPSK_1_0_LowCH20025-1717.5



30MHz~3GHz_Band4_15MHz_QPSK_1_0_HighCH20325-1747.5



30MHz~3GHz_Band4_15MHz_QPSK_1_0_MidCH20175-1732.5



3GHz~20GHz_Band4_15MHz_QPSK_1_0_HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





30MHz~3GHz_Band4_20MHz_QPSK_1_0_LowCH20050-1720




3GHz~20GHz_Band4_20MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~20GHz_Band4_20MHz_QPSK_1_0_LowCH20050-1720



30MHz~3GHz_Band4_20MHz_QPSK_1_0_HighCH20300-1745



30MHz~3GHz_Band4_20MHz_QPSK_1_0_MidCH20175-1732.5



3GHz~20GHz_Band4_20MHz_QPSK_1_0_HighCH20300-1745




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






30MHz~3GHz_Band5_1_4MHz_QPSK_1_0_LowCH20407-824.7




3GHz~20GHz_Band5_1_4MHz_QPSK_1_0_MidCH20525-836.5



3GHz~20GHz_Band5_1_4MHz_QPSK_1_0_LowCH20407-824.7




30MHz~3GHz_Band5_1_4MHz_QPSK_1_0_HighCH20643-848.3



30MHz~3GHz_Band5_1_4MHz_QPSK_1_0_MidCH20525-836.5



3GHz~20GHz_Band5_1_4MHz_QPSK_1_0_HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






30MHz~3GHz_Band5_3MHz_QPSK_1_0_LowCH20415-825.5




3GHz~20GHz_Band5_3MHz_QPSK_1_0_MidCH20525-836.5




3GHz~20GHz_Band5_3MHz_QPSK_1_0_LowCH20415-825.5




30MHz~3GHz_Band5_3MHz_QPSK_1_0_HighCH20635-847.5



30MHz~3GHz_Band5_3MHz_QPSK_1_0_MidCH20525-836.5




3GHz~20GHz_Band5_3MHz_QPSK_1_0_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






30MHz~3GHz_Band5_5MHz_QPSK_1_0_LowCH20425-826.5




3GHz~20GHz_Band5_5MHz_QPSK_1_0_MidCH20525-836.5




3GHz~20GHz_Band5_5MHz_QPSK_1_0_LowCH20425-826.5




30MHz~3GHz_Band5_5MHz_QPSK_1_0_HighCH20625-846.5



30MHz~3GHz_Band5_5MHz_QPSK_1_0_MidCH20525-836.5



3GHz~20GHz_Band5_5MHz_QPSK_1_0_HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488






30MHz~3GHz_Band5_10MHz_QPSK_1_0_LowCH20450-829




3GHz~20GHz_Band5_10MHz_QPSK_1_0_MidCH20525-836.5



3GHz~20GHz_Band5_10MHz_QPSK_1_0_LowCH20450-829




30MHz~3GHz_Band5_10MHz_QPSK_1_0_HighCH20600-844



30MHz~3GHz_Band5_10MHz_QPSK_1_0_MidCH20525-836.5




3GHz~20GHz_Band5_10MHz_QPSK_1_0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






30MHz~3GHz_Band12_1_4MHz_QPSK_1_0_LowCH23017-699.7




3GHz~20GHz_Band12_1_4MHz_QPSK_1_0_MidCH23095-707.5



3GHz~20GHz_Band12_1_4MHz_QPSK_1_0_LowCH23017-699.7




30MHz~3GHz_Band12_1_4MHz_QPSK_1_0_HighCH23173-715.3



30MHz~3GHz_Band12_1_4MHz_QPSK_1_0_MidCH23095-707.5




3GHz~20GHz_Band12_1_4MHz_QPSK_1_0_HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

<mark>S Taiwan Ltd. </mark> No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






30MHz~3GHz_Band12_3MHz_QPSK_1_0_LowCH23025-700.5



3GHz~20GHz_Band12_3MHz_QPSK_1_0_MidCH23095-707.5




3GHz~20GHz_Band12_3MHz_QPSK_1_0_LowCH23025-700.5




30MHz~3GHz_Band12_3MHz_QPSK_1_0_HighCH23165-714.5



30MHz~3GHz_Band12_3MHz_QPSK_1_0_MidCH23095-707.5




3GHz~20GHz_Band12_3MHz_QPSK_1_0_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





30MHz~3GHz_Band12_5MHz_QPSK_1_0_LowCH23035-701.5



3GHz~20GHz_Band12_5MHz_QPSK_1_0_MidCH23095-707.5




3GHz~20GHz_Band12_5MHz_QPSK_1_0_LowCH23035-701.5



30MHz~3GHz_Band12_5MHz_QPSK_1_0_HighCH23155-713.5



30MHz~3GHz_Band12_5MHz_QPSK_1_0_MidCH23095-707.5




3GHz~20GHz_Band12_5MHz_QPSK_1_0_HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






30MHz~3GHz_Band12_10MHz_QPSK_1_0_LowCH23060-704



3GHz~20GHz_Band12_10MHz_QPSK_1_0_MidCH23095-707.5




3GHz~20GHz_Band12_10MHz_QPSK_1_0_LowCH23060-704



30MHz~3GHz_Band12_10MHz_QPSK_1_0_HighCH23130-711



30MHz~3GHz_Band12_10MHz_QPSK_1_0_MidCH23095-707.5




3GHz~20GHz_Band12_10MHz_QPSK_1_0_HighCH23130-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






30MHz~3GHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5



3GHz~20GHz_Band13_5MHz_QPSK_1_0_MidCH23230-782




3GHz~20GHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5




30MHz~3GHz_Band13_5MHz_QPSK_1_0_HighCH23255-784.5



30MHz~3GHz_Band13_5MHz_QPSK_1_0_MidCH23230-782




3GHz~20GHz_Band13_5MHz_QPSK_1_0_HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band13_10MHz_QPSK_1_0_MidCH23230-782




763.3MHz~775MHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5




3GHz~20GHz_Band13_10MHz_QPSK_1_0_MidCH23230-782



763.3MHz~775MHz_Band13_5MHz_QPSK_1_0_MidCH23230-782




763.3MHz~775MHz_Band13_5MHz_QPSK_1_0_HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







793MHz~806MHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5




763.3MHz~775MHz_Band13_10MHz_QPSK_1_0_MidCH23230-782




793MHz~806MHz_Band13_5MHz_QPSK_1_0_MidCH23230-782



793MHz~806MHz_Band13_10MHz_QPSK_1_0_MidCH23230-782



793MHz~806MHz_Band13_5MHz_QPSK_1_0_HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 127 of 196

FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53 (h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

§27.53 (c)

- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page 128 of 196

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the feeding shown in this test report refer only for the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer on the sample(s) and refer only of the source and refer on the sample(s) and refer only of the sample(s) and refer on the sample(s) are referred to source and refer on the sample(s) and referred to source and refer on the sample(s) are referred to source and referred to sour Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Page 129 of 196

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber **Equipment**

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{\text{Note}}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 1.2 for the permitted frequency ranges for various equipment types.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the properties of the company's provincing all their rights and obligations under the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law







Page 130 of 196

9.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of Electronic Documents at www.sgs.com/terms and conditions of Electronic Documents at www.sgs.com/terms and conditions of Electronic Documents at <a href="https:/ Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 131 of 196

9.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

9.4. Measurement Equipment Used:

ERP,	ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
Bi-log Antenna	SCHWAZBECK	VULB9168	378	12/29/2017	12/28/2018			
Bi-log Antenna	SCHWAZBECK	VULB9168	300	12/20/2017	12/19/2018			
Horn Antenna	Schwarzbeck	BBHA9120D	603	04/13/2018	04/12/2019			
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/16/2018	08/15/2019			
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2017	12/11/2018			
3m Site NSA	SGS	966 chamber	N/A	01/02/2018	01/01/2019			
Spectrum Analyzer	Agilent	E4446A	MY51100003	05/15/2018	05/14/2019			
EMI Test Receiver	R&S	ESCI7	100335	02/02/2018	02/01/2019			
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/17/2018	01/16/2019			
Pre-Amplifier	HP	8449B	3008A00578	01/02/2018	01/01/2019			
Pre-Amplifier	HP	8447D	2944A07676	01/02/2018	01/01/2019			
Pre-Amplifier	EMC Instruments	EMC184045B	980135	10/02/2018	10/01/2019			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2018	01/01/2019			
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2018	01/01/2019			
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2018	01/01/2019			
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2018	01/01/2019			
Low Loss Cable	Huber Suhner	966 TX	1	01/02/2018	01/01/2019			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the feeding shown in this test report refer only for the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer on the sample(s) and refer only of the source and refer on the sample(s) and refer only of the sample(s) and refer on the sample(s) are referred to source and refer on the sample(s) and referred to source and refer on the sample(s) are referred to source and referred to sour Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Operation Mode

Report No.: ER/2018/B0032

Page 132 of 196

9.5. Measurement Result:


Radiated Spurious Emission Measurement Result: WCDMA Band 2 Mode

Operation Band :WCDMA B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequency Engineer :1852.4 MHz :Tin

:Tx CH LOW

EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-55.60	24.88	-14.58	-0.58	-13.00	-42.60
154.16	-69.23	4.81	-1.57	-1.30	-13.00	-56.23
294.81	-69.63	0.05	3.52	-1.80	-13.00	-56.63
413.15	-66.20	3.30	3.67	-2.13	-13.00	-53.20
531.49	-63.31	4.26	4.01	-2.31	-13.00	-50.31
699.30	-60.49	8.96	3.68	-2.24	-13.00	-47.49
3704.80	-50.27	9.73	12.57	-6.90	-13.00	-37.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Page 133 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:WCDMA B2 :1852.4 MHz :Tx CH LOW :E1 Plane

Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-57.73	24.08	-14.08	-0.59	-13.00	-44.73
154.16	-68.57	4.81	-1.57	-1.30	-13.00	-55.57
282.20	-68.20	-0.06	3.42	-1.75	-13.00	-55.20
347.19	-65.86	3.26	3.84	-2.02	-13.00	-52.86
537.31	-63.39	4.53	4.00	-2.07	-13.00	-50.39
699.30	-60.67	8.96	3.68	-2.24	-13.00	-47.67
3704.80	-50.28	9.95	12.57	-6.90	-13.00	-37.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Page 134 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:WCDMA B2 :1880 MHz :Tx CH MID :E1 Plane

Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-56.46	24.88	-14.58	-0.58	-13.00	-43.46
154.16	-68.92	4.81	-1.57	-1.30	-13.00	-55.92
293.84	-70.17	0.06	3.50	-1.80	-13.00	-57.17
400.54	-65.31	3.15	3.71	-2.12	-13.00	-52.31
546.04	-63.50	4.86	3.99	-1.81	-13.00	-50.50
696.39	-60.93	8.90	3.69	-2.46	-13.00	-47.93
3760.00	-52.71	10.39	12.61	-6.89	-13.00	-39.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 135 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:WCDMA B2 :1880 MHz :Tx CH MID :E1 Plane

Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin


:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		· ·
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-58.00	24.88	-14.58	-0.58	-13.00	-45.00
167.74	-68.80	4.04	-0.76	-1.32	-13.00	-55.80
291.90	-70.21	0.08	3.46	-1.79	-13.00	-57.21
382.11	-65.45	3.50	3.76	-2.02	-13.00	-52.45
544.10	-64.10	4.77	3.99	-1.79	-13.00	-51.10
700.27	-61.45	8.94	3.67	-2.16	-13.00	-48.45
3760.00	-49.48	10.54	12.61	-6.89	-13.00	-36.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:WCDMA B2 :1907.6 MHz

:Tx CH HIGH :E1 Plane

Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-55.80	24.88	-14.58	-0.58	-13.00	-42.80
166.77	-69.72	4.35	-0.82	-1.32	-13.00	-56.72
296.75	-70.17	0.08	3.55	-1.81	-13.00	-57.17
362.71	-66.06	3.29	3.82	-2.07	-13.00	-53.06
542.16	-63.54	4.71	3.99	-1.87	-13.00	-50.54
694.45	-61.48	8.82	3.69	-2.61	-13.00	-48.48
3815.20	-52.61	10.37	12.66	-7.00	-13.00	-39.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 137 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:WCDMA B2 :1907.6 MHz :Tx CH HIGH :E1 Plane

Temp./Humi. :22 deg_C / 62 RH

Engineer :Tin

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
						_
31.94	-57.20	24.08	-14.08	-0.59	-13.00	-44.20
148.34	-68.84	5.18	-1.89	-1.29	-13.00	-55.84
296.75	-69.64	0.08	3.55	-1.81	-13.00	-56.64
356.89	-65.61	3.23	3.83	-2.05	-13.00	-52.61
484.93	-64.52	3.97	3.90	-1.82	-13.00	-51.52
696.39	-61.01	8.90	3.69	-2.46	-13.00	-48.01
3815.20	-50.44	10.57	12.66	-7.00	-13.00	-37.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Page 138 of 196

Radiated Spurious Emission Measurement Result: WCDMA Band 5 Mode

Operation Band Temp./Humi. :WCDMA B5 :24 deg_C / 61 RH

Fundamental Frequency :826.4 MHz Engineer :Wei **Operation Mode** :Tx CH LOW

EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-56.25	24.88	-14.58	-0.58	-13.00	-43.25
165.80	-68.17	4.22	-0.88	-1.31	-13.00	-55.17
299.66	-70.68	0.16	3.61	-1.82	-13.00	-57.68
381.14	-65.90	3.49	3.77	-2.02	-13.00	-52.90
488.81	-64.19	3.98	3.94	-1.91	-13.00	-51.19
612.00	-61.32	6.26	3.61	-2.38	-13.00	-48.32
1652.80	-57.70	2.52	9.14	-4.36	-13.00	-44.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 139 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:WCDMA B5 :826.4 MHz :Tx CH LOW :E1 Plane

Temp./Humi. :24 deg_C / 61 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-57.89	24.88	-14.58	-0.58	-13.00	-44.89
139.61	-67.75	4.89	-2.29	-1.26	-13.00	-54.75
280.26	-70.36	-0.14	3.42	-1.75	-13.00	-57.36
388.90	-65.56	3.13	3.74	-2.04	-13.00	-52.56
493.66	-63.76	3.90	3.99	-2.04	-13.00	-50.76
696.39	-60.76	8.90	3.69	-2.46	-13.00	-47.76
1652.80	-58.30	3.08	9.14	-4.36	-13.00	-45.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com





Page 140 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:WCDMA B5 :836.6 MHz :Tx CH MID :E1 Plane

Temp./Humi. :24 deg_C / 61 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-55.61	24.08	-14.08	-0.59	-13.00	-42.61
143.49	-68.72	5.01	-2.13	-1.28	-13.00	-55.72
289.96	-69.73	0.11	3.42	-1.78	-13.00	-56.73
410.24	-64.90	3.31	3.68	-2.13	-13.00	-51.90
544.10	-62.63	4.77	3.99	-1.79	-13.00	-49.63
697.36	-60.60	8.92	3.68	-2.38	-13.00	-47.60
1673.20	-58.05	2.57	9.21	-4.39	-13.00	-45.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Page 141 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:WCDMA B5 :836.6 MHz :Tx CH MID :E1 Plane

Temp./Humi. :24 deg_C / 61 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-57.58	24.08	-14.08	-0.59	-13.00	-44.58
146.40	-69.30	5.43	-1.98	-1.29	-13.00	-56.30
299.66	-69.87	0.16	3.61	-1.82	-13.00	-56.87
362.71	-65.43	3.29	3.82	-2.07	-13.00	-52.43
537.31	-64.06	4.53	4.00	-2.07	-13.00	-51.06
694.45	-61.18	8.82	3.69	-2.61	-13.00	-48.18
1673.20	-58.36	3.15	9.21	-4.39	-13.00	-45.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 142 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:WCDMA B5 :846.6 MHz :Tx CH HIGH :E1 Plane

Temp./Humi. :24 deg_C / 61 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-56.43	24.08	-14.08	-0.59	-13.00	-43.43
146.40	-69.00	5.43	-1.98	-1.29	-13.00	-56.00
299.66	-70.31	0.16	3.61	-1.82	-13.00	-57.31
419.94	-65.70	3.13	3.64	-2.11	-13.00	-52.70
537.31	-63.90	4.53	4.00	-2.07	-13.00	-50.90
699.30	-60.87	8.96	3.68	-2.24	-13.00	-47.87
1693.20	-60.67	2.89	7.12	-4.43	-13.00	-47.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 143 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:WCDMA B5 :846.6 MHz :Tx CH HIGH :E1 Plane

Temp./Humi. :24 deg_C / 61 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-57.52	24.88	-14.58	-0.58	-13.00	-44.52
148.34	-68.85	5.18	-1.89	-1.29	-13.00	-55.85
284.14	-69.83	0.02	3.42	-1.76	-13.00	-56.83
396.66	-65.75	3.09	3.72	-2.09	-13.00	-52.75
492.69	-64.32	3.93	3.98	-2.01	-13.00	-51.32
692.51	-60.62	8.76	3.70	-2.76	-13.00	-47.62
1693.20	-59.76	3.36	7.12	-4.43	-13.00	-46.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 144 of 196

Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)

Operation Band Temp./Humi. :LTE B2 :24.1 deg C / 65 RH

Fundamental Frequency :1855 MHz Engineer :Wei **Operation Mode** :Tx CH LOW

EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-56.28	-41.12	-14.58	-0.58	-13.00	-43.28
138.64	-68.62	-65.11	-2.26	-1.25	-13.00	-55.62
299.66	-70.13	-71.92	3.61	-1.82	-13.00	-57.13
369.50	-66.10	-67.84	3.80	-2.06	-13.00	-53.10
497.54	-64.19	-66.09	4.03	-2.13	-13.00	-51.19
694.45	-60.48	-61.56	3.69	-2.61	-13.00	-47.48
3710.00	-49.80	-54.86	12.57	-6.89	-13.00	-36.80
5565.00	-47.74	-51.84	13.06	-8.41	-13.00	-34.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com





Page 145 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:LTE B2 :1855 MHz :Tx CH LOW :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-57.43	-42.76	-14.08	-0.59	-13.00	-44.43
146.40	-68.25	-64.98	-1.98	-1.29	-13.00	-55.25
277.35	-69.20	-70.89	3.44	-1.74	-13.00	-56.20
381.14	-65.86	-67.60	3.77	-2.02	-13.00	-52.86
534.40	-63.81	-65.63	4.00	-2.19	-13.00	-50.81
694.45	-60.71	-61.79	3.69	-2.61	-13.00	-47.71
3710.00	-48.19	-53.25	12.57	-6.89	-13.00	-35.19
5565.00	-44.69	-48.79	13.06	-8.41	-13.00	-31.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488





Page 146 of 196


Operation Band :LTE B2 Fundamental Frequency :1880 MHz

Operation Mode :Tx CH MID EUT Pol. :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-56.12	-40.96	-14.58	-0.58	-13.00	-43.12
167.74	-68.46	-66.38	-0.76	-1.32	-13.00	-55.46
291.90	-69.45	-71.12	3.46	-1.79	-13.00	-56.45
408.30	-65.20	-66.74	3.68	-2.14	-13.00	-52.20
537.31	-63.41	-65.34	4.00	-2.07	-13.00	-50.41
697.36	-60.71	-62.00	3.68	-2.38	-13.00	-47.71
3760.00	-47.67	-52.80	12.61	-6.89	-13.00	-34.67
5640.00	-43.20	-47.11	13.01	-8.53	-13.00	-30.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488





EUT Pol.

Page 147 of 196


Operation Band :LTE B2 Fundamental Frequency :1880 MHz **Operation Mode** :Tx CH MID

:E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-57.53	-42.37	-14.58	-0.58	-13.00	-44.53
141.55	-67.79	-64.30	-2.22	-1.27	-13.00	-54.79
279.29	-70.09	-71.77	3.42	-1.74	-13.00	-57.09
395.69	-65.90	-67.55	3.73	-2.08	-13.00	-52.90
539.25	-63.20	-65.21	4.00	-1.99	-13.00	-50.20
700.27	-61.34	-62.86	3.67	-2.16	-13.00	-48.34
3760.00	-47.13	-52.26	12.61	-6.89	-13.00	-34.13
5640.00	-40.68	-44.60	13.01	-8.53	-13.00	-27.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 148 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:LTE B2 :1905 MHz :Tx CH HIGH :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-55.77	-40.61	-14.58	-0.58	-13.00	-42.77
140.58	-68.66	-65.12	-2.27	-1.26	-13.00	-55.66
287.05	-70.23	-71.88	3.42	-1.77	-13.00	-57.23
379.20	-66.33	-68.08	3.77	-2.03	-13.00	-53.33
534.40	-64.40	-66.22	4.00	-2.19	-13.00	-51.40
700.27	-61.62	-63.14	3.67	-2.16	-13.00	-48.62
3810.00	-46.89	-51.98	12.65	-6.98	-13.00	-33.89
5715.00	-46.38	-50.20	12.97	-8.56	-13.00	-33.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 149 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:LTE B2 :1905 MHz :Tx CH HIGH :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-56.73	-42.06	-14.08	-0.59	-13.00	-43.73
154.16	-68.82	-65.96	-1.57	-1.30	-13.00	-55.82
298.69	-69.55	-71.32	3.59	-1.82	-13.00	-56.55
410.24	-66.32	-67.86	3.68	-2.13	-13.00	-53.32
544.10	-64.39	-66.59	3.99	-1.79	-13.00	-51.39
700.27	-60.97	-62.48	3.67	-2.16	-13.00	-47.97
3810.00	-46.39	-51.48	12.65	-6.98	-13.00	-33.39
5715.00	-43.09	-46.92	12.97	-8.56	-13.00	-30.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 150 of 196

Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)

Operation Band Temp./Humi. :LTE B4 :24.1 deg C / 65 RH

Fundamental Frequency :1720 MHz Engineer :Wei **Operation Mode** :Tx CH LOW


EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-56.33	-41.66	-14.08	-0.59	-13.00	-43.33
162.89	-69.23	-66.86	-1.06	-1.31	-13.00	-56.23
284.14	-69.64	-71.31	3.42	-1.76	-13.00	-56.64
384.05	-66.10	-67.85	3.76	-2.01	-13.00	-53.10
541.19	-63.58	-65.66	3.99	-1.91	-13.00	-50.58
700.27	-61.25	-62.76	3.67	-2.16	-13.00	-48.25
3440.00	-47.40	-52.35	12.27	-6.55	-13.00	-34.40
5160.00	-43.03	-47.04	12.70	-8.12	-13.00	-30.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:LTE B4 :1720 MHz :Tx CH LOW


:E1 Plane

Temp./Humi.

:24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-56.85	-42.17	-14.08	-0.59	-13.00	-43.85
139.61	-69.73	-66.18	-2.29	-1.26	-13.00	-56.73
296.75	-69.89	-71.63	3.55	-1.81	-13.00	-56.89
401.51	-66.28	-67.86	3.71	-2.13	-13.00	-53.28
542.16	-63.38	-65.50	3.99	-1.87	-13.00	-50.38
700.27	-61.13	-62.65	3.67	-2.16	-13.00	-48.13
3440.00	-48.55	-53.50	12.27	-6.55	-13.00	-35.55
5160.00	-41.93	-45.94	12.70	-8.12	-13.00	-28.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com





Page 152 of 196

Operation Band Fundamental Frequency


:1732.5 MHz **Operation Mode** :Tx CH MID EUT Pol. :E1 Plane

:LTE B4

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		· ·
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-56.56	-41.40	-14.58	-0.58	-13.00	-43.56
170.65	-69.20	-67.35	-0.51	-1.33	-13.00	-56.20
288.99	-70.53	-72.17	3.42	-1.78	-13.00	-57.53
401.51	-65.81	-67.40	3.71	-2.13	-13.00	-52.81
541.19	-63.79	-65.87	3.99	-1.91	-13.00	-50.79
694.45	-60.21	-61.30	3.69	-2.61	-13.00	-47.21
3465.00	-44.35	-49.36	12.32	-6.56	-13.00	-31.35
5197.50	-37.94	-41.90	12.74	-8.21	-13.00	-24.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488





Page 153 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:LTE B4 :1732.5 MHz :Tx CH MID :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-57.63	-42.96	-14.08	-0.59	-13.00	-44.63
148.34	-69.13	-65.96	-1.89	-1.29	-13.00	-56.13
275.41	-70.52	-72.24	3.45	-1.73	-13.00	-57.52
382.11	-65.39	-67.14	3.76	-2.02	-13.00	-52.39
534.40	-64.05	-65.86	4.00	-2.19	-13.00	-51.05
696.39	-61.41	-62.64	3.69	-2.46	-13.00	-48.41
3465.00	-48.34	-53.34	12.32	-6.56	-13.00	-35.34
5197.50	-38.34	-42.31	12.74	-8.21	-13.00	-25.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 154 of 196


Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:LTE B4 :1745 MHz :Tx CH HIGH Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:E1 Plane :VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-56.61	-41.45	-14.58	-0.58	-13.00	-43.61
143.49	-69.34	-65.93	-2.13	-1.28	-13.00	-56.34
288.99	-70.55	-72.20	3.42	-1.78	-13.00	-57.55
403.45	-65.74	-67.31	3.70	-2.14	-13.00	-52.74
536.34	-63.60	-65.50	4.00	-2.11	-13.00	-50.60
675.05	-60.36	-61.46	3.75	-2.65	-13.00	-47.36
3490.00	-46.60	-51.66	12.38	-6.58	-13.00	-33.60
5235.00	-41.55	-45.56	12.79	-8.21	-13.00	-28.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 155 of 196

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:1745 MHz :Tx CH HIGH :E1 Plane

:LTE B4

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		· ·
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-57.83	-42.67	-14.58	-0.58	-13.00	-44.83
149.31	-68.32	-65.19	-1.84	-1.29	-13.00	-55.32
274.44	-70.25	-71.99	3.46	-1.73	-13.00	-57.25
410.24	-65.15	-66.69	3.68	-2.13	-13.00	-52.15
542.16	-62.98	-65.11	3.99	-1.87	-13.00	-49.98
697.36	-60.45	-61.75	3.68	-2.38	-13.00	-47.45
3490.00	-47.29	-52.35	12.38	-6.58	-13.00	-34.29
5235.00	-40.21	-44.23	12.79	-8.21	-13.00	-27.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 156 of 196

Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)

Operation Band Temp./Humi. :LTE B5 :24.1 deg C / 65 RH

Fundamental Frequency :826.5 MHz Engineer :Wei **Operation Mode** :Tx CH LOW

EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-56.38	-41.71	-14.08	-0.59	-13.00	-43.38
141.55	-68.21	-64.72	-2.22	-1.27	-13.00	-55.21
296.75	-69.93	-71.67	3.55	-1.81	-13.00	-56.93
377.26	-65.81	-67.56	3.78	-2.03	-13.00	-52.81
539.25	-63.67	-65.68	4.00	-1.99	-13.00	-50.67
699.30	-61.20	-62.64	3.68	-2.24	-13.00	-48.20
1653.00	-59.13	-63.92	9.14	-4.36	-13.00	-46.13
2479.50	-42.40	-47.39	10.49	-5.50	-13.00	-29.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com





Page 157 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:LTE B5 :826.5 MHz :Tx CH LOW :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		· ·
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-58.37	-43.70	-14.08	-0.59	-13.00	-45.37
153.19	-69.10	-66.18	-1.62	-1.30	-13.00	-56.10
288.99	-69.46	-71.10	3.42	-1.78	-13.00	-56.46
362.71	-65.70	-67.45	3.82	-2.07	-13.00	-52.70
539.25	-64.05	-66.06	4.00	-1.99	-13.00	-51.05
700.27	-60.92	-62.44	3.67	-2.16	-13.00	-47.92
1653.00	-59.09	-63.87	9.14	-4.36	-13.00	-46.09
2479.50	-44.64	-49.63	10.49	-5.50	-13.00	-31.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488





Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:LTE B5 :836.5 MHz :Tx CH MID

:E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-56.46	-41.78	-14.08	-0.59	-13.00	-43.46
160.95	-69.63	-67.14	-1.18	-1.30	-13.00	-56.63
294.81	-70.01	-71.73	3.52	-1.80	-13.00	-57.01
382.11	-66.17	-67.92	3.76	-2.02	-13.00	-53.17
502.39	-64.11	-65.90	4.05	-2.26	-13.00	-51.11
694.45	-60.93	-62.01	3.69	-2.61	-13.00	-47.93
1673.00	-56.62	-61.44	9.21	-4.39	-13.00	-43.62
2509.50	-39.10	-44.08	10.51	-5.53	-13.00	-26.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Page 159 of 196

Operation Band :LTE B5 Fundamental Frequency :836.5 MHz **Operation Mode** :Tx CH MID EUT Pol. :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-57.77	-43.09	-14.08	-0.59	-13.00	-44.77
154.16	-69.45	-66.58	-1.57	-1.30	-13.00	-56.45
274.44	-70.40	-72.13	3.46	-1.73	-13.00	-57.40
340.40	-65.02	-66.85	3.81	-1.98	-13.00	-52.02
527.61	-64.67	-66.22	4.01	-2.47	-13.00	-51.67
692.51	-60.65	-61.59	3.70	-2.76	-13.00	-47.65
1673.00	-55.01	-59.83	9.21	-4.39	-13.00	-42.01
2509.50	-41.57	-46.56	10.51	-5.53	-13.00	-28.57

台灣檢驗科技股份有限公司

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com





Page 160 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:LTE B5 :846.5 MHz :Tx CH HIGH :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-56.29	-41.13	-14.58	-0.58	-13.00	-43.29
146.40	-68.11	-64.85	-1.98	-1.29	-13.00	-55.11
264.74	-70.30	-72.18	3.59	-1.71	-13.00	-57.30
415.09	-65.99	-67.53	3.66	-2.12	-13.00	-52.99
547.01	-64.13	-66.25	3.98	-1.86	-13.00	-51.13
697.36	-59.90	-61.20	3.68	-2.38	-13.00	-46.90
1693.00	-55.23	-60.08	9.27	-4.43	-13.00	-42.23
2539.50	-36.47	-41.47	10.56	-5.57	-13.00	-23.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 161 of 196

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:LTE B5 :846.5 MHz :Tx CH HIGH :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-58.06	-43.39	-14.08	-0.59	-13.00	-45.06
160.95	-69.56	-67.07	-1.18	-1.30	-13.00	-56.56
294.81	-70.43	-72.15	3.52	-1.80	-13.00	-57.43
359.80	-65.70	-67.46	3.83	-2.06	-13.00	-52.70
541.19	-62.89	-64.98	3.99	-1.91	-13.00	-49.89
687.66	-61.40	-61.97	3.71	-3.13	-13.00	-48.40
1693.00	-53.25	-58.09	9.27	-4.43	-13.00	-40.25
2539.50	-39.58	-44.58	10.56	-5.57	-13.00	-26.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 162 of 196

Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

Operation Band :LTE B12 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequency :700.5 MHz Engineer :Wei **Operation Mode** :Tx CH LOW

EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-56.20	-41.52	-14.08	-0.59	-13.00	-43.20
153.19	-69.00	-66.08	-1.62	-1.30	-13.00	-56.00
282.20	-69.38	-71.05	3.42	-1.75	-13.00	-56.38
411.21	-65.92	-67.46	3.67	-2.13	-13.00	-52.92
537.31	-64.56	-66.50	4.00	-2.07	-13.00	-51.56
686.69	-60.43	-60.94	3.72	-3.21	-13.00	-47.43
1401.00	-50.23	-54.44	8.20	-3.98	-13.00	-37.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 163 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:LTE B12 :700.5 MHz :Tx CH LOW :E1 Plane

Temp./Humi. :22 deg_C / 62 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-57.44	-42.77	-14.08	-0.59	-13.00	-44.44
139.61	-69.50	-65.95	-2.29	-1.26	-13.00	-56.50
293.84	-70.75	-72.45	3.50	-1.80	-13.00	-57.75
418.00	-66.18	-67.71	3.65	-2.11	-13.00	-53.18
534.40	-63.94	-65.76	4.00	-2.19	-13.00	-50.94
696.39	-60.72	-61.94	3.69	-2.46	-13.00	-47.72
1401.00	-51.22	-55.43	8.20	-3.98	-13.00	-38.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 164 of 196

Operation Band :LTE B12 Fundamental Frequency :707.5 MHz **Operation Mode** :Tx CH MID

EUT Pol. :E1 Plane Temp./Humi. :22 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-56.49	-41.82	-14.08	-0.59	-13.00	-43.49
148.34	-69.02	-65.85	-1.89	-1.29	-13.00	-56.02
284.14	-68.23	-69.90	3.42	-1.76	-13.00	-55.23
403.45	-66.15	-67.71	3.70	-2.14	-13.00	-53.15
539.25	-63.89	-65.90	4.00	-1.99	-13.00	-50.89
696.39	-61.33	-62.55	3.69	-2.46	-13.00	-48.33
1415.00	-51.62	-55.87	8.25	-4.01	-13.00	-38.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



:22 deg_C / 62 RH


Page 165 of 196

Operation Band :LTE B12 Fundamental Frequency :707.5 MHz **Operation Mode** :Tx CH MID EUT Pol. :E1 Plane

Temp./Humi.

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.




Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-56.98	-41.82	-14.58	-0.58	-13.00	-43.98
163.86	-68.59	-66.28	-1.00	-1.31	-13.00	-55.59
285.11	-70.64	-72.30	3.42	-1.76	-13.00	-57.64
419.94	-65.82	-67.36	3.64	-2.11	-13.00	-52.82
485.90	-63.74	-65.81	3.91	-1.84	-13.00	-50.74
697.36	-61.57	-62.87	3.68	-2.38	-13.00	-48.57
1415.00	-51.73	-55.97	8.25	-4.01	-13.00	-38.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or

appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com





Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:LTE B12 :714.5 MHz

:Tx CH HIGH :E1 Plane

Temp./Humi. :22 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-55.98	-40.82	-14.58	-0.58	-13.00	-42.98
143.49	-69.87	-66.46	-2.13	-1.28	-13.00	-56.87
289.96	-69.79	-71.43	3.42	-1.78	-13.00	-56.79
364.65	-65.53	-67.27	3.81	-2.07	-13.00	-52.53
539.25	-63.92	-65.93	4.00	-1.99	-13.00	-50.92
699.30	-61.14	-62.58	3.68	-2.24	34.77	-95.91
1429.00	-54.50	-58.78	8.31	-4.03	-13.00	-41.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 167 of 196


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:LTE B12 :714.5 MHz :Tx CH HIGH :E1 Plane

Temp./Humi. :22 deg_C / 62 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
N 41 1—	alDa				ما ال	٩D
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-57.49	-42.33	-14.58	-0.58	-13.00	-44.49
180.35	-69.04	-68.69	1.04	-1.38	-13.00	-56.04
270.56	-70.00	-71.77	3.50	-1.72	-13.00	-57.00
343.31	-65.54	-67.37	3.82	-2.00	-13.00	-52.54
490.75	-62.92	-64.92	3.96	-1.96	-13.00	-49.92
689.60	-61.39	-62.11	3.71	-2.98	-13.00	-48.39
1429.00	-52.72	-57.00	8.31	-4.03	-13.00	-39.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 168 of 196

Radiated Spurious Emission Measurement Result: LTE-Band 13 (The Worst Case)

Operation Band :LTE B13 Temp./Humi. :24.1 deg C / 65 RH

Fundamental Frequency :782.0 MHz Engineer :Tin **Operation Mode** :Tx CH MID

EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
31.94	-56.36	-41.68	-14.08	-0.59	-13.00	-43.36
149.31	-68.53	-65.40	-1.84	-1.29	-13.00	-55.53
298.69	-68.45	-70.22	3.59	-1.82	-13.00	-55.45
367.56	-65.87	-67.61	3.80	-2.06	-13.00	-52.87
544.10	-63.96	-66.16	3.99	-1.79	-13.00	-50.96
700.27	-61.20	-62.71	3.67	-2.16	-13.00	-48.20
1564.00	-58.99	-63.57	8.83	-4.26	-40.00	-18.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com






Page 169 of 196

Operation Band :LTE B13 Fundamental Frequency :782.0 MHz **Operation Mode** :Tx CH MID EUT Pol. :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Tin


:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
30.00	-57.53	-42.37	-14.58	-0.58	-13.00	-44.53
153.19	-68.97	-66.05	-1.62	-1.30	-13.00	-55.97
280.26	-70.04	-71.71	3.42	-1.75	-13.00	-57.04
384.05	-66.18	-67.93	3.76	-2.01	-13.00	-53.18
482.99	-63.95	-65.94	3.88	-1.89	-13.00	-50.95
699.30	-61.58	-63.03	3.68	-2.24	-13.00	-48.58
1564.00	-59.38	-63.96	8.83	-4.26	-40.00	-19.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






Operation Band :LTE B13 Fundamental Frequency :782.0 MHz :Tx CH MID

Operation Mode EUT Pol. :E1 Plane Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
765.02	-79.54	-81.55	3.46	-1.45	-13.00	-66.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



EUT Pol.

Report No.: ER/2018/B0032

Page 171 of 196


Operation Band :LTE B13 Fundamental Frequency :782.0 MHz **Operation Mode** :Tx CH MID

:E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
763.66	-80.59	-82.51	3.46	-1.54	-13.00	-67.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 172 of 196


Operation Band :LTE B13 Fundamental Frequency :782.0 MHz **Operation Mode**

:Tx CH MID EUT Pol. :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
798.16	-81.43	-82.28	3.44	-2.58	-13.00	-68.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 173 of 196

Operation Band :LTE B13 Fundamental Frequency :782.0 MHz **Operation Mode** :Tx CH MID EUT Pol. :E1 Plane

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



	Freq.	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
_	MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
	799.70	-81.14	-82.13	3.44	-2.44	-13.00	-68.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



EUT Pol.

Report No.: ER/2018/B0032

:VERTICAL


Page 174 of 196

Operation Band :LTE B13 Temp./Humi. :24.1 deg_C / 65 RH Fundamental Frequency :782.0 MHz Engineer :Wei

Measurement Antenna Pol.

Operation Mode :Tx CH MID

:E1 Plane



Freq.	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
1586.44	-57.54	-62.17	8.91	-4.28	-40.00	-17.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 175 of 196

Operation Band :LTE B13 Fundamental Frequency :782.0 MHz **Operation Mode** :Tx CH MID


:E1 Plane

EUT Pol.

Temp./Humi. :24.1 deg_C / 65 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBd/dBi	dB	dBm	dB
1595.57	-57.05	-61.70	8.94	-4.29	-40.00	-17.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Page 176 of 196

FREQUENCY STABILITY MEASUREMENT 10.

10.1. **Standard Applicabl**

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2. **Test Set-up**



Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 177 of 196

10.3. **Measurement Procedure**

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

10.4. Measurement Equipment Used

+. Measurement Equipment Oseu										
Conduc	Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	05/03/2018	05/02/2019					
Radio Communica- tion Analyer	Anritsu	MT8820C	6201465317	01/17/2018	01/16/2019					
DC Power Supply	Agilent	E3640A	KR93300208	08/15/2018	08/14/2019					
Temperature Chamber	TERCHY	MHG-120LF	911009	05/18/2018	05/17/2019					
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2018	01/01/2019					
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2018	01/01/2019					
Splitter	RF-LAMBAD	RFLT2W1G1 8G	11-JSPF412- 018	01/02/2018	01/01/2019					
Coaxial Cables	N/A	WK CE Cable	N/A	01/02/2018	01/01/2019					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and Conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page 178 of 196

10.5. **Measurement Result**

WCDMA II Mid Channel 1880 MHz											
Limit: +/- 2.5 ppm											
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)							
	FREQUENCY ERROR vs. VOLTAGE										
4.2	20	1879.99868	-1320	4700							
3.8	20	1879.99782	-2180	4700							
3.4	20	1880.00081	810	4700							
2.7 (End point)	20	1880.00042	420.000001	4700							
	FREQUENC	CY ERROR vs.	Temp.								
3.8	50	1880.00223	2230	4700							
3.8	40	1880.00061	610.0000001	4700							
3.8	30	1880.0003	299.9999999	4700							
3.8	20	1879.99782	-2180	4700							
3.8	10	1879.99916	-839.9999999	4700							
3.8	0	1880.00015	150.0000001	4700							
3.8	-10	1880.00217	2170	4700							
3.8	-20	1879.99912	-880.000001	4700							
3.8	-30	1880.00153	1530	4700							


WCDMA V Mid Channel 836.6 MHz										
Limit: +/- 2.5 ppm										
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)						
FREQUENCY ERROR vs. VOLTAGE										
4.2	20	836.60034	339.9999999	2091						
3.8	20	836.59952	-480	2091						
3.4	20	836.59995	-49.99999999	2091						
2.7 (End point)	20	836.60078	780	2091						
	FREQUENC	CY ERROR vs.	Temp.							
3.8	50	836.5987	-1300	2091						
3.8	40	836.60102	1020	2091						
3.8	30	836.6004	400	2091						
3.8	20	836.59952	-480	2091						
3.8	10	836.59934	-660	2091						
3.8	0	836.6008	800	2091						
3.8	-10	836.59967	-330.0000001	2091						
3.8	-20	836.60037	370	2091						
3.8	-30	836.60021	209.9999999	2091						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2





LTE B2 Mid Reference Freq.: 1880 MHz 20M QPSK CH 18900 Channel Freq. (MHz) Power Supply Vdc Temp. (°C) Delta (Hz) Limit = +/- 2.5 ppm (Hz)Freq. ERROR vs. VOLTAGE 25 1880.000005 5.0000001 4700 4.2 3.8 25 1880.000012 4700 12 25 1879.999994 4700 3.4 -6 2.7 8 4700 25 1880.000008 (End Point) Freq. ERROR vs. Temp. -30 1879.999988 -12 4700 3.8 -20 4700 3.8 1880.000016 16 3.8 -10 1880.000008 8 4700 4700 0 1879.999977 -23 3.8 3.8 10 1880.000008 8 4700 3.8 20 1880.000012 12 4700 3.8 30 1879.999998 -2 4700 3.8 40 1879.999981 -19 4700 3.8 50 1879.999995 -5 4700


Reference Freq.:	Reference Freq.: LTE B4 Mid Channel		1732.5	MHz 20M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
	F	req. ERROR vs	. VOLTAGE	
4.2	25	1732.500008	8	4331
3.8	25	1732.500012	12	4331
3.4	25	1732.499986	-14	4331
2.7 (End Point)	25	1732.500007	7.0000001	4331
		Freq. ERROR	vs. Temp.	
3.8	-30	1732.499995	-5	4331
3.8	-20	1732.500016	16	4331
3.8	-10	1732.499983	-17	4331
3.8	0	1732.499992	-8	4331
3.8	10	1732.499997	-3	4331
3.8	20	1732.500006	6	4331
3.8	30	1732.500009	9.0000001	4331
3.8	40	1732.499996	-4	4331
3.8	50	1732.500012	12	4331

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the properties of the company's provincing all their rights and obligations under the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Reference Freq.:	. LTE B5 Mid Channel		836.5	MHz 10M QPSK CH 20525						
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
	Freq. ERROR vs. VOLTAGE									
4.2	25	836.499988	-12	2091						
3.8	25	836.499998	-2	2091						
3.4	25	836.500008	8	2091						
2.7 (End Point)	25	836.499997	-3	2091						
		Freq. ERROR	vs. Temp.							
3.8	-30	836.500014	14	2091						
3.8	-20	836.500019	19	2091						
3.8	-10	836.499983	-17	2091						
3.8	0	836.500006	6	2091						
3.8	10	836.499997	-3	2091						
3.8	20	836.500013	13	2091						
3.8	30	836.499982	-18	2091						
3.8	40	836.500015	15	2091						
3.8	50	836.500004	4	2091						

Reference Freq.:		B12 Mid annel	707.5	MHz 10M QPSK CH 23095							
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)							
	Freq. ERROR vs. VOLTAGE										
4.2	25	707.500021	21	1769							
3.8	25	707.499998	-2	1769							
3.4	25	707.500017	17	1769							
2.7 (End Point)	25	707.499994	-6	1769							
		Freq. ERROR	vs. Temp.								
3.8	-30	707.499985	-15	1769							
3.8	-20	707.500008	8	1769							
3.8	-10	707.499985	-15	1769							
3.8	0	707.500018	18	1769							
3.8	10	707.500015	15	1769							
3.8	20	707.499997	-3	1769							
3.8	30	707.500011	11	1769							
3.8	40	707.499993	-7	1769							
3.8	50	707.500005	5	1769							





Reference Freq.:	LTE B13 Mid Channel		782	MHz 10M QPSK CH 23230							
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)							
	Freq. ERROR vs. VOLTAGE										
4.2	25	782.000016	16	1955							
3.8	25	781.999992	-8	1955							
3.4	25	782.000009	9	1955							
2.7 (End Point)	25	781.999988	-12	1955							
		Freq. ERROR	vs. Temp.								
3.8	-30	782.000007	7	1955							
3.8	-20	782.000016	16	1955							
3.8	-10	782.000013	13	1955							
3.8	0	781.999986	-14	1955							
3.8	10	781.999982	-18	1955							
3.8	20	781.999988	-12	1955							
3.8	30	782.000005	5	1955							
3.8	40	782.000014	14	1955							
3.8	50	781.999987	-13	1955							

Note: The battery is rated 3.8Vdc.




Page 182 of 196

11. **PEAK TO AVERAGE RATIO**

11.1. **Standard Applicable**

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2. **Test SET-UP**



11.3. **Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4. **Measurement Equipment Used**

Condu	Conducted Emission (measured at antenna port) Test Site										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
EXA Spectrum Analyzer	Agilent	N9010A	MY5042019 5	05/03/2018	05/02/2019						
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/17/2018	01/16/2019						
DC Power Supply	Agilent	E3640A	KR9330020 8	08/15/2018	08/14/2019						
Temperature Chamber	TERCHY	MHG-120LF	911009	05/18/2018	05/17/2019						
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2018	01/01/2019						
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2018	01/01/2019						
Splitter	RF-LAMBAD	RFLT2W1G18G	11-JSPF412 -018	01/02/2018	01/01/2019						
Coaxial Cables	N/A	WK CE Cable	N/A	01/02/2018	01/01/2019						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at <a href="https jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com





Page 183 of 196

11.5. **Measurement Result**

Tabular Results:

Freq.		Peak-to-	Average R	atio (dB)
(MHz)	CH	WCDMA	HSDPA	HSUPA
(IVII IZ)		II	II	II
1852.4	9262	3.07	3.05	3.14
1880	9400	3.27	3.33	3.29
1907.6	9538	3.38	3.45	3.38

LTE BAND 2									
Channel bandwidth: 1.4MHz				Char	nnel band	lwidth: 3N	lHz		
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)		
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit		
1850.7	18607	6.08	13	1851.5	18615	6.11	13		
1880.0	18900	6.66	13	1880.0	18900	6.86	13		
1909.3	19193	6.68	13	1908.5	19185	6.70	13		

	LTE BAND 2									
Channel bandwidth: 5MHz				Chan	nel band	width: 10N	ЛHz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СН	16QAM	Limit			
1852.5	18625	5.97	13	1855.0	18650	5.93	13			
1880.0	18900	6.45	13	1880.0	18900	6.31	13			
1907.5	19175	6.55	13	1905.0	19150	6.40	13			

LTE BAND 2									
Chan	nel band	width: 15N	ЛHz	Channel bandwidth: 20MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	Сп	16QAM	Limit	(MHz)	Сп	16QAM	Limit		
1857.5	18675	6.27	13	1860.0	18700	6.65	13		
1880.0	18900	6.30	13	1880.0	18900	6.76	13		
1902.5	19125	6.40	13	1900.0	19100	6.77	13		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com






Page 184 of 196

LTE BAND 4									
Chanr	nel band	width: 1.4	MHz	Channel bandwidth: 3MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit		
1710.7	19957	5.85	13	1711.5	19965	5.97	13		
1732.5	20175	6.01	13	1732.5	20175	6.11	13		
1754.3	20393	5.74	13	1753.5	20385	5.98	13		

LTE BAND 4									
Chan	nel band	dwidth: 5N	/lHz	Chanı	nel band	lwidth: 10l	MHz		
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit		
1712.5	19957	5.81	13	1715.0	20000	5.80	13		
1732.5	20175	6.05	13	1732.5	20175	6.00	13		
1752.5	20375	5.82	13	1750.0	20350	5.88	13		

LTE BAND 4									
Chanı	nel band	lwidth: 15	MHz	Channel bandwidth: 20MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	СП	16QAM	Limit	(MHz)	Сп	16QAM	Limit		
1717.5	20025	6.02	13	1720.0	20050	6.56	13		
1732.5	20175	6.17	13	1732.5	20175	6.62	13		
1747.5	20325	6.03	13	1745.0	20300	6.60	13		

f (886-2) 2298-0488 www.tw.sgs.com






LTE BAND 12										
Chan	nel band\	width: 1.4l	MHz	Char	nnel band	lwidth: 3N	1Hz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)				
(MHz)	Сп	16QAM	Limit	(MHz)	Сп	16QAM	Limit			
699.7	23017	5.46	13	700.5	23025	5.75	13			
707.5	23095	5.60	13	707.5	23095	6.04	13			
715.3	23173	5.67	13	714.5	23165	5.86	13			

LTE BAND 12									
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit		
701.5	23035	5.79	13	704.0	23060	5.86	13		
707.5	23095	5.75	13	707.5	23095	5.95	13		
713.5	23155	5.78	13	711.0	23130	5.81	13		

	LTE BAND 13										
Chan	nel ban	dwidth: 5N	ЛHz	Chani	nel band	lwidth: 10	MHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)					
(MHz)	СП	16QAM	Limit	(MHz)	СП	16QAM	Limit				
779.5	23205	5.62	13								
782.0	23230	5.84	13	782.0	23230	5.52	13				
784.5	23255	5.58	13								

Please refer to next page for test plots.






WCDMA_B2_LowCH9262-1852.4

Average Power Center Fre 22.60 dBm 53.01 % at 0dB 10.0 % 1.71 dB 2:56 dB 1.0 % CF Step 5 000000 MH Ma 0.1% 3.07 dB 0.01 % 3.30 dB 0.001 % 3.43 dB Freq Offse 0.0001 % - dB 3:48 dB Peak 26.08 dBm


HSDPA_B2_LowCH9262-1852.4




WCDMA B2 MidCH9400-1880



HSDPA_B2_MidCH9400-1880



WCDMA_B2_HighCH9538-1907.6




HSDPA B2 HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







HSUPA_B2_LowCH9262-1852.4




HSUPA B2 MidCH9400-1880




HSUPA_B2_HighCH9538-1907.6




LTE_Band2_1_4MHz_16QAM_6_0_LowCH18607-1850.7



LTE_Band2_1_4MHz_16QAM_6_0_MidCH18900-1880




LTE_Band2_1_4MHz_16QAM_6_0_HighCH19193-1909.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







LTE Band2 3MHz 16QAM 15 0 LowCH18615-1851.5




LTE_Band2_3MHz_16QAM_15_0_MidCH18900-1880




LTE_Band2_3MHz_16QAM_15_0_HighCH19185-1908.5



LTE_Band2_5MHz_16QAM_25_0_LowCH18625-1852.5



LTE Band2 5MHz 16QAM 25 0 MidCH18900-1880




LTE_Band2_5MHz_16QAM_25_0_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







LTE Band2 10MHz 16QAM 50 0 LowCH18650-1855




LTE Band2 10MHz 16QAM 50 0 MidCH18900-1880



LTE_Band2_10MHz_16QAM_50_0_HighCH19150-1905




LTE_Band2_15MHz_16QAM_75_0_LowCH18675-1857.5



LTE_Band2_15MHz_16QAM_75_0_MidCH18900-1880




LTE_Band2_15MHz_16QAM_75_0_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

i<mark>S Taiwan Ltd. | N</mark>o.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







LTE Band2 20MHz 16QAM 100 0 LowCH18700-1860



LTE Band2 20MHz 16QAM 100 0 MidCH18900-1880




LTE_Band2_20MHz_16QAM_100_0_HighCH19100-1900



LTE_Band4_1_4MHz_16QAM_6_0_LowCH19957-1710.7



LTE Band4 1 4MHz 16QAM 6 0 MidCH20175-1732.5




LTE_Band4_1_4MHz_16QAM_6_0_HighCH20393-1754.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. |No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







LTE Band4 3MHz 16QAM 15 0 LowCH19965-1711.5




LTE Band4 3MHz 16QAM 15 0 MidCH20175-1732.5




LTE_Band4_3MHz_16QAM_15_0_HighCH20385-1753.5




LTE_Band4_5MHz_16QAM_25_0_LowCH19975-1712.5



LTE Band4 5MHz 16QAM 25 0 MidCH20175-1732.5




LTE_Band4_5MHz_16QAM_25_0_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

i<mark>S Taiwan Ltd. | N</mark>o.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







LTE Band4 10MHz 16QAM 50 0 LowCH20000-1715




LTE Band4 10MHz 16QAM 50 0 MidCH20175-1732.5




LTE_Band4_10MHz_16QAM_50_0_HighCH20350-1750



LTE_Band4_15MHz_16QAM_75_0_LowCH20025-1717.5



LTE_Band4_15MHz_16QAM_75_0_MidCH20175-1732.5




LTE_Band4_15MHz_16QAM_75_0_HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







LTE Band4 20MHz 16QAM 100 0 LowCH20050-1720




LTE_Band4_20MHz_16QAM_100_0_MidCH20175-1732.5



LTE_Band4_20MHz_16QAM_100_0_HighCH20300-1745




LTE_Band12_1_4MHz_16QAM_6_0_LowCH23017-699.7



LTE Band12 1 4MHz 16QAM 6 0 MidCH23095-707.5




LTE_Band12_1_4MHz_16QAM_6_0_HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







LTE Band12 3MHz 16QAM 15 0 LowCH23025-700.5




LTE_Band12_3MHz_16QAM_15_0_MidCH23095-707.5




LTE_Band12_3MHz_16QAM_15_0_HighCH23165-714.5



LTE_Band12_5MHz_16QAM_25_0_LowCH23035-701.5



LTE Band12 5MHz 16QAM 25 0 MidCH23095-707.5




LTE_Band12_5MHz_16QAM_25_0_HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







LTE Band12 10MHz 16QAM 50 0 LowCH23060-704



LTE Band12 10MHz 16QAM 50 0 MidCH23095-707.5



LTE_Band12_10MHz_16QAM_50_0_HighCH23130-711



LTE_Band13_5MHz_16QAM_25_0_LowCH23205-779.5



LTE Band13 5MHz 16QAM 25 0 MidCH23230-782



LTE_Band13_5MHz_16QAM_25_0_HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 196 of 196

LTE_Band13_10MHz_16QAM_50_0_MidCH23230-782



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and the proported the fall with and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號