

PCTEST ENGINEERING LABORATORY, INC.

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.pctest.com



MEASUREMENT REPORT LTE

Applicant Name:

Panasonic Corporation of North America Two Riverfront Plaza, 9th Floor Newark, NJ 07102-5490 **United States**

Date of Testing: 5/1-6/14/2018

Test Site/Location:

PCTEST Lab. Columbia, MD, USA

Test Report Serial No.: 1M1804230079-03.ACJ

FCC ID: ACJFZN1D

IC: 216A-FZN1D

APPLICANT: **Panasonic Corporation of North America**

Application Type: Certification Model/HVIN: FZ-N1EB Additional Models(s)/HVIN: FZ-N1EC

EUT Type: Portable Handset

FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)

FCC Rule Part(s): 22, 24, & 27

ISED Specification: RSS-130, RSS-132, RSS-133, RSS-139

ANSI C63.26-2015, ANSI/TIA-603-E-2016, KDB 971168 D01 v03r01 **Test Procedure(s):**

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

Randy Ortanez President





FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 1 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Fage 1 01 159



TABLE OF CONTENTS

1.0	INTF	RODUCTION	4
	1.1	Scope	4
	1.2	PCTEST Test Location	4
	1.3	Test Facility / Accreditations	4
2.0	PRC	DDUCT INFORMATION	5
	2.1	Equipment Description	5
	2.2	Device Capabilities	5
	2.3	Test Configuration	5
	2.4	EMI Suppression Device(s)/Modifications	5
3.0	DES	SCRIPTION OF TESTS	6
	3.1	Measurement Procedure	6
	3.2	Block C Frequency Range	6
	3.3	Block A Frequency Range	6
	3.4	Cellular - Base Frequency Blocks	6
	3.5	Cellular - Mobile Frequency Blocks	6
	3.6	PCS - Base Frequency Blocks	7
	3.7	PCS - Mobile Frequency Blocks	7
	3.8	AWS - Base Frequency Blocks	7
	3.9	AWS - Mobile Frequency Blocks	8
	3.10	Radiated Power and Radiated Spurious Emissions	9
4.0	MEA	ASUREMENT UNCERTAINTY	10
5.0	TES	T EQUIPMENT CALIBRATION DATA	11
6.0	SAM	IPLE CALCULATIONS	12
7.0	TES	T RESULTS	13
	7.1	Summary	13
	7.2	Occupied Bandwidth	15
	7.3	Spurious and Harmonic Emissions at Antenna Terminal	38
	7.4	Band Edge Emissions at Antenna Terminal	64
	7.5	Peak-Average Ratio	108
	7.6	Radiated Power (ERP/EIRP)	130
	7.7	Radiated Spurious Emissions Measurements	136
	7.8	Frequency Stability / Temperature Variation	148
8.0	CON	NCLUSION	159

FCC ID: ACJFZN1D	MEASUREMENT REPORT (CERTIFICATION)		Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 2 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Fage 2 01 159









FCC Part 22, 24, & 27, RSS-130, RSS-132, RSS-133, RSS-139

			El	RP	EI	RP		
Mode	FCC Rule	Tx Frequency (MHz)	Max. Power	Max. Power	Max. Power	Max. Power	Emission	Modulation
	Part	- 1 , ((W)	(dBm)	(W)	(dBm)	Designator	
LTE Band 12	27	699.7 - 715.3	0.079	19.00	0.130	21.15	1M08G7D	QPSK
LTE Band 12	27	699.7 - 715.3	0.076	18.82	0.125	20.97	1M08W7D	16QAM
LTE Band 12	27	700.5 - 714.5	0.079	18.99	0.130	21.14	2M72G7D	QPSK
LTE Band 12	27	700.5 - 714.5	0.067	18.26	0.110	20.41	2M72W7D	16QAM
LTE Band 12	27	701.5 - 713.5	0.091	19.61	0.150	21.76	4M55G7D	QPSK
LTE Band 12	27	701.5 - 713.5	0.072	18.60	0.119	20.75	4M54W7D	16QAM
LTE Band 12	27	704 - 711	0.085	19.32	0.140	21.47	9M02G7D	QPSK
LTE Band 12	27	704 - 711	0.071	18.50	0.116	20.65	9M05W7D	16QAM
LTE Band 13	27	779.5 - 784.5	0.066	18.20	0.108	20.35	4M53G7D	QPSK
LTE Band 13	27	779.5 - 784.5	0.049	16.88	0.080	19.03	4M53W7D	16QAM
LTE Band 13	27	782	0.064	18.05	0.105	20.20	8M99G7D	QPSK
LTE Band 13	27	782	0.048	16.84	0.079	18.99	9M01W7D	16QAM
LTE Band 5	22H	824.7 - 848.3	0.105	20.21	0.172	22.36	1M10G7D	QPSK
LTE Band 5	22H	824.7 - 848.3	0.086	19.35	0.141	21.50	1M10W7D	16QAM
LTE Band 5	22H	825.5 - 847.5	0.103	20.13	0.169	22.28	2M71G7D	QPSK
LTE Band 5	22H	825.5 - 847.5	0.081	19.11	0.134	21.26	2M71W7D	16QAM
LTE Band 5	22H	826.5 - 846.5	0.100	20.02	0.165	22.17	4M53G7D	QPSK
LTE Band 5	22H	826.5 - 846.5	0.089	19.51	0.147	21.66	4M52W7D	16QAM
LTE Band 5	22H	829 - 844	0.101	20.06	0.166	22.21	9M01G7D	QPSK
LTE Band 5	22H	829 - 844	0.084	19.24	0.138	21.39	8M99W7D	16QAM
LTE Band 66/4	27	1710.7 - 1779.3			0.294	24.68	1M08G7D	QPSK
LTE Band 66/4	27	1710.7 - 1779.3			0.247	23.93	1M08W7D	16QAM
LTE Band 66/4	27	1711.5 - 1778.5			0.342	25.33	2M72G7D	QPSK
LTE Band 66/4	27	1711.5 - 1778.5			0.289	24.60	2M72W7D	16QAM
LTE Band 66/4	27	1712.5 - 1777.5			0.306	24.86	4M58G7D	QPSK
LTE Band 66/4	27	1712.5 - 1777.5			0.246	23.92	4M54W7D	16QAM
LTE Band 66/4	27	1715 - 1775			0.312	24.94	9M02G7D	QPSK
LTE Band 66/4	27	1715 - 1775			0.236	23.74	9M04W7D	16QAM
LTE Band 66/4	27	1717.5 - 1772.5			0.292	24.66	13M5G7D	QPSK
LTE Band 66/4	27	1717.5 - 1772.5			0.238	23.76	13M5W7D	16QAM
LTE Band 66/4	27	1720 - 1770			0.342	25.34	18M0G7D	QPSK
LTE Band 66/4	27	1720 - 1770	N	/A	0.279	24.46	18M0W7D	16QAM
LTE Band 2	24E	1850.7 - 1909.3			0.269	24.30	1M10G7D	QPSK
LTE Band 2	24E	1850.7 - 1909.3			0.212	23.27	1M11W7D	16QAM
LTE Band 2	24E	1851.5 - 1908.5			0.305	24.84	2M72G7D	QPSK
LTE Band 2	24E	1851.5 - 1908.5			0.248	23.95	2M72W7D	16QAM
LTE Band 2	24E	1852.5 - 1907.5			0.287	24.58	4M55G7D	QPSK
LTE Band 2	24E	1852.5 - 1907.5			0.211	23.24	4M54W7D	16QAM
LTE Band 2	24E	1855 - 1905			0.233	23.67	9M02G7D	QPSK
LTE Band 2	24E	1855 - 1905			0.182	22.59	9M04W7D	16QAM
LTE Band 2	24E	1857.5 - 1902.5			0.226	23.54	13M5G7D	QPSK
LTE Band 2	24E	1857.5 - 1902.5			0.185	22.67	13M5W7D	16QAM
LTE Band 2	24E	1860 - 1900			0.233	23.67	18M0G7D	QPSK
LTE Band 2	24E	1860 - 1900			0.177	22.48	18M0W7D	16QAM

EUT Overview

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 2 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 3 of 159



INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 **PCTEST Test Location**

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasoni	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 4 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Fage 4 01 159



PRODUCT INFORMATION 2.0

2.1 **Equipment Description**

The Equipment Under Test (EUT) is the Panasonic Portable Handset FCC ID: ACJFZN1D. The test data contained in this report pertains only to the emissions due to the EUT's LTE function.

Test Device Serial No.: 03516, 05057, 02112

2.2 **Device Capabilities**

This device contains the following capabilities:

850/1900 WCDMA/HSPA, Multi-band LTE, 802.11b/g/n WLAN, 802.11a/n/ac UNII, Bluetooth (1x, EDR, LE), NFC

LTE Band 66 (1710 - 1780 MHz) overlaps the entire frequency range of LTE Band 4 (1710 - 1755 MHz). Therefore, test data provided in this report covers Band 4 as well as Band 66.

Test Configuration 2.3

The EUT was tested per the guidance of ANSI/TIA-603-E-2016 and KDB 971168 D01 v03r01. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

2.4 **EMI Suppression Device(s)/Modifications**

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo E of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 5 of 159



3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in the document titled "Land Mobile FM or PM – Communications Equipment – Measurements and Performance Standards" (ANSI/TIA-603-E-2016) and "Procedures for Compliance Measurement of the Fundamental Emission Power of Licensed Wideband (> 1 MHz) Digital Transmission Systems" (KDB 971168 D01 v03r01) were used in the measurement of the EUT.

3.2 Block C Frequency Range

Two paired channels of 11 megahertz each are available for assignment in Block C in the 746-757 MHz and 776-787 MHz bands. In the event that no licenses for two channels in this Block C are assigned based on the results of the first auction in which such licenses were offered because the auction results do not satisfy the applicable reserve price, the spectrum in the 746-757 MHz and 776-787 MHz bands will instead be made available for assignment at a subsequent auction as follows: (i) Two paired channels of 6 megahertz each available for assignment in Block C1 in the 746-752 MHz and 776-782 MHz bands. (ii) Two paired channels of 5 megahertz each available for assignment in Block C2 in the 752-757 MHz and 782-787 MHz bands.

3.3 Block A Frequency Range

698-746 MHz band. The following frequencies are available for licensing pursuant to this part in the 698-746 MHz band: (1) Three paired channel blocks of 12 megahertz each are available for assignment as follows:


Block A: 698-704 MHz and 728-734 MHz; Block B: 704-710 MHz and 734-740 MHz; and Block C: 710-716 MHz and 740-746 MHz.

3.4 Cellular - Base Frequency Blocks



BLOCK 1: 869 – 880 MHz (A* Low + A) BLOCK 3: 890 – 891.5 MHz (A* High) BLOCK 2: 880 – 890 MHz (B) BLOCK 4: 891.5 – 894 MHz (B*)

3.5 Cellular - Mobile Frequency Blocks



BLOCK 1: 824 – 835 MHz (A* Low + A) BLOCK 3: 845 – 846.5 MHz (A* High) BLOCK 2: 835 – 845 MHz (B) BLOCK 4: 846.5 – 849 MHz (B*)


FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 6 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 6 of 159

© 2018 PCTEST Engineering Laboratory, Inc.

V 8.0 04/05/2018




PCS - Base Frequency Blocks 3.6




BLOCK 2: 1945 - 1950 MHz (D) BLOCK 5: 1970 - 1975 MHz (F) BLOCK 3: 1950 - 1965 MHz (B) BLOCK 6: 1975 - 1990 MHz (C)

3.7 **PCS - Mobile Frequency Blocks**



3.8 **AWS - Base Frequency Blocks**

BLOCK 3: 1870 - 1885 MHz (B)




BLOCK 6: 1895 - 1910 MHz (C)

BLOCK 4: 2135 - 2140 MHz (D) BLOCK 1: 2110 - 2120 MHz (A) BLOCK 2: 2120 - 2130 MHz (B) BLOCK 5: 2140 - 2145 MHz (E) BLOCK 3: 2130 - 2135 MHz (C) BLOCK 6: 2145 - 2155 MHz (F)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 7 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 7 of 159



3.9 **AWS - Mobile Frequency Blocks**



BLOCK 1: 1710 - 1720 MHz (A)	BLOCK 6: 1745 - 1755 MHz (F)
BLOCK 2: 1720 - 1730 MHz (B)	BLOCK 7: 1755 - 1760 MHz (G)
BLOCK 3: 1730 - 1735 MHz (C)	BLOCK 8: 1760 - 1765 MHz (H)
BLOCK 4: 1735 - 1740 MHz (D)	BLOCK 9: 1765 - 1770 MHz (I)
BLOCK 5: 1740 – 1745 MHz (E)	BLOCK 10: 1770 - 1780 MHz (J)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 8 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Fage 6 01 159



3.10 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer. Radiated power levels are also investigated with the receive antenna horizontally and vertically polarized. The maximized power level is recorded using the spectrum analyzer "Channel Power" function with the integration band set to the emissions' occupied bandwidth, a RMS detector, RBW = 100kHz, VBW = 300kHz, and a 1 second sweep time over a minimum of 10 sweeps, per the guidelines of KDB 971168 D01 v03r01.

Per the guidance of ANSI/TIA-603-E-2016, a half-wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_{d [dBm]} = P_{g [dBm]} - cable loss_{[dB]} + antenna gain_{[dBd/dBi]}$$

Where, P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_{g [dBm]}$ – cable loss [dB].

The calculated P_d levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of 43 + $10log_{10}(Power_{[Watts]})$.

FCC ID: ACJFZN1D	PCTEST VENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 0 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 9 of 159



4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of k=2 to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (±dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasor	nic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogg 10 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 10 of 159



TEST EQUIPMENT CALIBRATION DATA 5.0

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	LTx1	Licensed Transmitter Cable Set	1/23/2018	Annual	1/23/2019	LTx1
Agilent	N9030A	PXA Signal Analyzer (26.5GHz)	8/28/2017	Annual	8/28/2018	MY49432391
Anritsu	MT8820C	Radio Communication Analyzer	1/30/2018	Annual	1/30/2019	6201300731
Com-Power	AL-130	9kHz - 30MHz Loop Antenna	10/10/2017	Biennial	10/10/2019	121034
Com-Power	PAM-118A	Pre-Amplifier	6/21/2017	Annual	6/21/2018	551042
Emco	3115	Horn Antenna (1-18GHz)	3/28/2018	Biennial	3/28/2020	9704-5182
EMCO	3160-09	Small Horn (18 - 26.5GHz)	8/23/2016	Biennial	8/23/2018	135427
Espec	ESX-2CA	Environmental Chamber	3/28/2018	Annual	3/28/2019	17620
Rohde & Schwarz	CMW500	Radio Communication Tester	11/3/2017	Annual	11/3/2018	100976
Rohde & Schwarz	TS-PR26	18-26.5 GHz Pre-Amplifier	1/24/2018	Annual	1/24/2019	100040
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	5/21/2018	Annual	5/21/2019	100342
Rohde & Schwarz	ESU40	EMI Test Receiver (40GHz)	7/31/2017	Annual	7/31/2018	100348
Rohde & Schwarz	FSW67	Signal / Spectrum Analyzer	8/11/2017	Annual	8/11/2018	103200
Rohde & Schwarz	TC-TA18	Cross-Pol Antenna 400MHz-18GHz	10/30/2017	Annual	10/30/2018	101058
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	7/3/2017	Annual	7/3/2018	102135
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	7/3/2017	Annual	7/3/2018	102134
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	4/19/2018	Biennial	4/19/2020	A051107

Table 5-1. Test Equipment

Notes:

For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 11 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 11 of 159



SAMPLE CALCULATIONS 6.0

Emission Designator

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHzG = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHzW = Amplitude/Angle Modulated 7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission - LTE Band

Example: Middle Channel LTE Mode 2nd Harmonic (1564 MHz)

The average spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 1564 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.501 dBm so this harmonic was 25.501 dBm -(-24.80).

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 12 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 12 of 159



TEST RESULTS 7.0

7.1 **Summary**

Company Name: Panasonic Corporation of North America

FCC ID: ACJFZN1D

FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)

Mode(s): <u>LTE</u>

FCC Part Section(s)	RSS Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
2.1049	RSS-Gen(4.6.1) RSS-133(2.3) RSS-139(2.3)	Occupied Bandwidth	N/A			Section 7.2
2.1051 2.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	RSS-130(4.6) RSS-132(5.5) RSS-133(6.5) RSS-139(6.6)	Out of Band Emissions	> 43 + 10log ₁₀ (P[Watts]) at Band Edge and for all out-of-band emissions			Section 7.3, 7.4
24.232(d)	RSS-130(4.4) RSS-132(5.4) RSS-133(6.4) RSS-139(6.5)	Peak-Average Ratio	< 13 dB	CONDUCTED	PASS	Section 7.5
2.1046	RSS-130(4.4) RSS-132(5.4) RSS-133(4.1) RSS-139(4.1)	Transmitter Conducted Output Power	N/A			See RF Exposure Report
2.1055 22.355 24.235 27.54	RSS-130(4.3) RSS-132(5.3) RSS-133(6.3) RSS-139(6.4)	Frequency Stability	< 2.5 ppm (Part 22) and fundamental emissions stay within authorized frequency block (Part 24, 27)			Section 7.8

Table 7-1. Summary of Conducted Test Results

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 12 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 13 of 159



FCC Part Section(s)	RSS Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
22.913(a)(5)	RSS-132(5.4)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 5)	< 7 Watts max. ERP < 11.5 Watts max. ERP			Section 7.6
27.50(b)(10) 27.50(c)(10)	RSS-130(4.4)	Effective Radiated Power / Equivalent Isotropic Radiated Power (Band 12, 13)	< 3 Watts max. ERP < 5 Watts max. ERP			Section 7.6
24.232(c)	RSS-133(6.4)	Equivalent Isotropic Radiated Power (Band 2)	< 2 Watts max. EIRP			Section 7.6
27.50(d)(4)	RSS-139(6.5)	Equivalent Isotropic Radiated Power (Band 4/66)	< 1 Watts max. EIRP	RADIATED	PASS	Section 7.6
2.1053 22.917(a) 24.238(a) 27.53(c) 27.53(g) 27.53(h)	RSS-130(4.6) RSS-132(5.5) RSS-133(6.5) RSS-139(6.6)	Undesirable Emissions	> 43 + 10log ₁₀ (P[Watts]) for all out-of-band emissions			Section 7.7
27.53(f)	N/A	Undesirable Emissions (Band 13)	< -70 dBW/MHz (for wideband signals) < -80 dBW (for discrete emissions less than 700Hz BW) For all emissions in the band 1559 – 1610 MHz			Section 7.7

Table 7-2. Summary of Radiated Test Results

Notes:

- All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots (Sections 7.2, 7.3, 7.4, 7.5) were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is PCTEST "LTE Automation," Version 4.8.
- 5) For operation <1GHz, the EIRP limits in the table above are referenced to the specifications written in the relevant Radio Standards Specifications for Innovation, Science, and Economic Development Canada.

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Pana:	sonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 14 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 14 of 159



7.2 **Occupied Bandwidth**

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 4.2

Test Settings

- 1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW \geq 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within
 - 1 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-1. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 15 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		rage 15 of 159



Band 12



Plot 7-1. Occupied Bandwidth Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-2. Occupied Bandwidth Plot (Band 12 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 16 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 16 of 159





Plot 7-3. Occupied Bandwidth Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-4. Occupied Bandwidth Plot (Band 12 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 17 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 17 of 159





Plot 7-5. Occupied Bandwidth Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-6. Occupied Bandwidth Plot (Band 12 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	c	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 19 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 18 of 159





Plot 7-7. Occupied Bandwidth Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-8. Occupied Bandwidth Plot (Band 12 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 10 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 19 of 159



Band 13



Plot 7-9. Occupied Bandwidth Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-10. Occupied Bandwidth Plot (Band 13 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 20 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 20 of 159





Plot 7-11. Occupied Bandwidth Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-12. Occupied Bandwidth Plot (Band 13 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 21 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 21 of 159



Band 5




Plot 7-13. Occupied Bandwidth Plot (Band 5 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-14. Occupied Bandwidth Plot (Band 5 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 22 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 22 of 159





Plot 7-15. Occupied Bandwidth Plot (Band 5 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-16. Occupied Bandwidth Plot (Band 5 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	0	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Daga 22 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 23 of 159





Plot 7-17. Occupied Bandwidth Plot (Band 5 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-18. Occupied Bandwidth Plot (Band 5 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 24 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 24 of 159





Plot 7-19. Occupied Bandwidth Plot (Band 5 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-20. Occupied Bandwidth Plot (Band 5 - 10.0MHz 16-QAM - Full RB Configuration)


FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 25 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 25 of 159



Band 66/4




Plot 7-21. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-22. Occupied Bandwidth Plot (Band 66/4 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	PETEST. INGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 26 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 26 of 159





Plot 7-23. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-24. Occupied Bandwidth Plot (Band 66/4 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 27 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 27 of 159





Plot 7-25. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-26. Occupied Bandwidth Plot (Band 66/4 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 29 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 28 of 159






Plot 7-27. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-28. Occupied Bandwidth Plot (Band 66/4 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 20 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 29 of 159





Plot 7-29. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-30. Occupied Bandwidth Plot (Band 66/4 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINESHING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 20 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 30 of 159





Plot 7-31. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)




Plot 7-32. Occupied Bandwidth Plot (Band 66/4 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 21 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 31 of 159



Band 2




Plot 7-33. Occupied Bandwidth Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-34. Occupied Bandwidth Plot (Band 2 - 1.4MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 22 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 32 of 159






Plot 7-35. Occupied Bandwidth Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-36. Occupied Bandwidth Plot (Band 2 - 3.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 22 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 33 of 159





Plot 7-37. Occupied Bandwidth Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-38. Occupied Bandwidth Plot (Band 2 - 5.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 24 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 34 of 159





Plot 7-39. Occupied Bandwidth Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-40. Occupied Bandwidth Plot (Band 2 - 10.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 25 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 35 of 159





Plot 7-41. Occupied Bandwidth Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-42. Occupied Bandwidth Plot (Band 2 - 15.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	nasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 26 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 36 of 159





Plot 7-43. Occupied Bandwidth Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-44. Occupied Bandwidth Plot (Band 2 - 20.0MHz 16-QAM - Full RB Configuration)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Pana	sonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 27 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 37 of 159



7.3 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + $log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 6.0

Test Settings

- 1. Start frequency was set to 30MHz and stop frequency was set to at least 10 * the fundamental frequency (separated into at least two plots per channel)
- Detector = RMS
- 3. Trace mode = trace average
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup


Test Notes

Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.


FCC ID: ACJFZN1D	PETEST. INGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dags 20 of 450
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 38 of 159



Band 12



Plot 7-45. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-46. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 20 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 39 of 159






Plot 7-47. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-48. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panas	onic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 40 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 40 of 159






Plot 7-49. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-50. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 41 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 41 of 159






Plot 7-51. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-52. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 42 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Fage 42 01 159







Plot 7-53. Conducted Spurious Plot (Band 12 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 42 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 43 of 159






Plot 7-54. Conducted Spurious Plot (Band 13 - 5.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-55. Conducted Spurious Plot (Band 13 - 5.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ACJFZN1D	PCTEST'	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 44 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 44 of 159






Plot 7-56. Conducted Spurious Plot (Band 13 - 5.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-57. Conducted Spurious Plot (Band 13 - 5.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 45 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Fage 45 01 159





Plot 7-58. Conducted Spurious Plot (Band 13 - 5.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-59. Conducted Spurious Plot (Band 13 - 5.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	asonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 46 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 46 of 159





Plot 7-60. Conducted Spurious Plot (Band 13 - 5.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-61. Conducted Spurious Plot (Band 13 - 5.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasoni	ic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 47 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 47 of 159







Plot 7-62. Conducted Spurious Plot (Band 13 - 5.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	anasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 49 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 48 of 159






Plot 7-63. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-64. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 40 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 49 of 159






Plot 7-65. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-66. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 50 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		rage 50 01 159






Plot 7-67. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-68. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 51 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 51 of 159






Plot 7-69. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-70. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panas	sonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 52 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		raye 32 01 139





Plot 7-71. Conducted Spurious Plot (Band 5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 52 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 53 of 159



Band 66/4




Plot 7-72. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-73. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 54 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 54 of 159






Plot 7-74. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-75. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 55 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		rage 55 of 159





Plot 7-76. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-77. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panaso	onic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 56 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		rage 30 01 139





Plot 7-78. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-79. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 57 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		rage 37 01 159





Plot 7-80. Conducted Spurious Plot (Band 66/4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	nasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 58 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		raye 30 01 139





Plot 7-81. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-82. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ACJFZN1D	PETEST. INGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 59 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		rage 39 01 139






Plot 7-83. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-84. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 60 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 60 of 159






Plot 7-85. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)




Plot 7-86. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ACJFZN1D	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 61 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 61 of 159






Plot 7-87. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-88. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 62 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Fage 02 01 159





Plot 7-89. Conducted Spurious Plot (Band 2 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 62 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 63 of 159



Band Edge Emissions at Antenna Terminal 7.4

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + $log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03r01 - Section 6.0

Test Settings

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW > 1% of the emission bandwidth
- 4. $VBW > 3 \times RBW$
- 5. Detector = RMS
- 6. Number of sweep points ≥ 2 x Span/RBW
- 7. Trace mode = trace average
- 8. Sweep time = auto couple
- 9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-3. Test Instrument & Measurement Setup

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 64 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Fage 04 01 159



Test Notes

Per 22.917(b), 24.238(a) and 27.53(h) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Per 27.53(g) for operations in the 698-746 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.

Per 27.53(c)(5) for operations in the 776-788 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.

For all plots showing emissions in the 763 – 775MHz and 793 – 805MHz band, the FCC limit per 27.53(c)(4) is 65 + $10\log_{10}(P) = -35dBm$ in a 6.25kHz bandwidth.

FCC ID: ACJFZN1D	PETEST. INGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 65 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Fage 03 01 159






Plot 7-90. Lower Band Edge Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-91. Upper Band Edge Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)

FCC ID: ACJFZN1D	PCTEST*	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 66 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Page 66 of 159





Plot 7-92. Lower Band Edge Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-93. Upper Band Edge Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)


FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 67 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 67 of 159

V 8.0 04/05/2018





Plot 7-94. Lower Band Edge Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-95. Upper Band Edge Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panason	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 68 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Fage 66 01 159





Plot 7-96. Lower Band Edge Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-97. Upper Band Edge Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)


FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 69 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		rage 09 01 159



Band 13



Plot 7-98. Lower Band Edge Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-99. Lower Emission Mask Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 70 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 70 of 159






Plot 7-100. Upper Band Edge Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-101. Upper Emission Mask Plot (Band 13 - 5.0MHz QPSK - Full RB Configuration)

FCC ID: ACJFZN1D	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 71 of 150
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Page 71 of 159





Plot 7-102. Lower Band Edge Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)




Plot 7-103. Lower Emission Mask Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ACJFZN1D	PETEST. INGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Panasonic	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 72 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset		Fage /2 01 159





Plot 7-104. Upper Band Edge Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-105. Upper Emission Mask Plot (Band 13 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ACJFZN1D	PETEST SINGLABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION) Panasoni	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 73 of 159
1M1804230079-03.ACJ	5/1-6/14/2018	Portable Handset	Fage 73 01 159