



China


150k-30MHz Conducted Emission Test  
 NN-H765WF

EUT: Microwave Oven  
 Manuf: Panasonic Home Appliances Microwave Oven Co., Ltd.  
 Op Cond: Power on (P10)  
 Operator: Xiao Xu  
 Test Spec: FCC Part 18  
 Comment: Phase L  
 Sample No. S41105031  
 Result File: h765l1.dat : New Measurement

Scan Settings (2 Ranges)					Receiver Settings			
Frequencies		Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
Start	Stop							
150kHz	1000kHz	5kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB
1000kHz	30MHz	10kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	150kHz	30MHz	4200

Final Measurement: Detectors: X QP / + AV  
 Meas Time: 1sec  
 Subranges: 8  
 Acc Margin: 6 dB





China

150k-30MHz Conducted Emission Test  
 NN-H765WF

EUT: Microwave Oven  
 Manuf: Panasonic Home Appliances Microwave Oven Co., Ltd.  
 Op Cond: Power on (P10)  
 Operator: Xiao Xu  
 Test Spec: FCC Part 18  
 Comment: Phase L  
 Sample No. S41105031  
 Result File: h765l1.dat : New Measurement

Scan Settings (2 Ranges)

Frequencies					Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150kHz	1000kHz	5kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB
1000kHz	30MHz	10kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	150kHz	30MHz	4200

Final Measurement: Detectors: X QP / + AV  
 Meas Time: 1sec  
 Subranges: 8  
 Acc Margin: 6 dB

Final Measurement Results

Frequency MHz	QP Level dBµV	QP Limit dBµV	QP Delta dB
0.15	57.04	66.00	8.96
0.235	53.49	62.27	8.78
14.79	42.75	60.00	17.25
16.42	51.49	60.00	8.51

Frequency MHz	AV Level dBµV	AV Limit dBµV	AV Delta dB
0.15	42.41	56.00	13.59
16.39	44.33	50.00	5.67

\* limit exceeded



China


150k-30MHz Conducted Emission Test  
 NN-H765WF

EUT: Microwave Oven  
 Manuf: Panasonic Home Appliances Microwave Oven Co., Ltd.  
 Op Cond: Power on (P10)  
 Operator: Xiao Xu  
 Test Spec: FCC Part 18  
 Comment: Phase N  
 Sample No. S41105031  
 Result File: h765n1.dat : New Measurement

Scan Settings		(2 Ranges)			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
150kHz	1000kHz	5kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB	
1000kHz	30MHz	10kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB	

Transducer	No.	Start	Stop	Name
	1	150kHz	30MHz	4200

Final Measurement: Detectors: X QP / + AV  
 Meas Time: 1sec  
 Subranges: 8  
 Acc Margin: 6 dB





China

150k-30MHz Conducted Emission Test  
 NN-H765WF

EUT: Microwave Oven  
 Manuf: Panasonic Home Appliances Microwave Oven Co., Ltd.  
 Op Cond: Power on (P10)  
 Operator: Xiao Xu  
 Test Spec: FCC Part 18  
 Comment: Phase N  
 Sample No. S41105031  
 Result File: h765n1.dat : New Measurement

Scan Settings (2 Ranges)				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150kHz	1000kHz	5kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB
1000kHz	30MHz	10kHz	10kHz	PK+AV	50msec	Auto	OFF	60dB

Transducer	No.	Start	Stop	Name
	1	150kHz	30MHz	4200

Final Measurement: Detectors: X QP / + AV  
 Meas Time: 1sec  
 Subranges: 8  
 Acc Margin: 6 dB

Final Measurement Results

Frequency MHz	QP Level dBμV	QP Limit dBμV	QP Delta dB
0.225	55.61	62.63	7.02
14.7	44.50	60.00	15.50
17.95	47.45	60.00	12.55

Frequency MHz	AV Level dBμV	AV Limit dBμV	AV Delta dB
17.94	42.99	50.00	7.01

\* limit exceeded

Project Number: 70888422501-2

Jiangsu TUV Product Service Ltd.

Page 44 of 44

10 Huaxia Road(m), Dongting, Wuxi, Jiangsu, P.R.China PC:214100  
 Tel: +86 510 8203737 Fax: +86 510 8203636  
 EMC\_TEST REPORT\_PRE SCAN\_e / Ver. 6.3 2004-06-29